


802.11ac40 Mode:**Common Information**

Project No.: RKSA250928001
EUT Model: R010
Test Mode: 5G WIFI 802.11ac40 mode Low Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 25.1℃
Humidity: 52%
Atmospheric Pressure: 102.3kPa
Test Engineer: Destine Hu
Test Date: 2025/10/19

Full Spectrum


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
4939.960000	55.37	---	74.00	18.63	V	7.2
4939.960000	---	43.47	54.00	10.53	V	7.2
4996.400000	52.35	---	74.00	21.65	H	7.3
4996.400000	---	44.59	54.00	9.41	H	7.3

Common Information

Project No.: RKSA250928001
EUT Model: R010
Test Mode: 5G WIFI 802.11ac40 mode High Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 25.1℃
Humidity: 52%
Atmospheric Pressure: 102.3kPa
Test Engineer: Destine Hu
Test Date: 2025/10/19

Full Spectrum




Critical Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5350.380000	58.79	---	74.00	15.21	H	7.6
5350.380000	---	48.40	54.00	5.60	H	7.6
5350.968000	57.00	---	74.00	17.00	H	7.6
5350.968000	---	50.38	54.00	3.62	H	7.6

802.11ac80 Mode:**Common Information**

Project No.: RKSA250928001
EUT Model: R010
Test Mode: 5G WIFI 802.11ac80
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 25.1 °C
Humidity: 52%
Atmospheric Pressure: 102.3kPa
Test Engineer: Destine Hu
Test Date: 2025/10/19

Full Spectrum

**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5101.728000	---	45.08	54.00	8.92	H	7.4
5101.728000	55.16	---	74.00	18.84	H	7.4
5135.520000	---	43.67	54.00	10.33	V	7.4
5135.520000	55.18	---	74.00	18.82	V	7.4
5362.464000	---	50.13	54.00	3.87	H	7.6
5362.464000	62.27	---	74.00	11.73	H	7.6
5383.584000	---	47.42	54.00	6.58	H	7.6
5383.584000	59.46	---	74.00	14.54	H	7.6

Band Edge Test (5470-5725MHz Band):


Note:

1. Corrected Factor = Antenna factor (RX) + Cable Loss – Amplifier Factor
2. Corrected Amplitude = Corrected Factor + Reading
3. Margin = Limit - Corrected. Amplitude

802.11a Mode:**Common Information**

Project No.: RKSA250928001
 EUT Model: R010
 Test Mode: 5G WIFI 802.11a mode Low Channel
 Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
 Test Equipment: ESU40,3115,PAM-0118P
 Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
 Temperature: 25.1℃
 Humidity: 52%
 Atmospheric Pressure: 102.3kPa
 Test Engineer: Destine Hu
 Test Date: 2025/10/19

Full Spectrum


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5459.912000	56.63	---	74.00	17.37	H	7.7
5459.912000	---	48.38	54.00	5.62	H	7.7
5469.944000	67.61	---	68.20	0.59	H	7.7

Common Information

Project No.: RKSA250928001
EUT Model: R010
Test Mode: 5G WIFI 802.11a mode High Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 25.1℃
Humidity: 52%
Atmospheric Pressure: 102.3kPa
Test Engineer: Destine Hu
Test Date: 2025/10/19

Full Spectrum




Critical Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5725.264000	64.09	---	68.20	4.11	H	7.8
5728.684000	62.21	---	68.20	5.99	H	7.8

802.11ac20 Mode:**Common Information**

Project No.: RKSA250928001
EUT Model: R010
Test Mode: 5G WIFI 802.11ac20 mode Low Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 25.1℃
Humidity: 52%
Atmospheric Pressure: 102.3kPa
Test Engineer: Destine Hu
Test Date: 2025/10/19


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5459.032000	56.48	---	74.00	17.52	H	7.7
5459.032000	---	47.21	54.00	6.79	H	7.7
5468.800000	66.74	---	68.20	1.46	H	7.7

Common Information

Project No.: RKSA250928001
EUT Model: R010
Test Mode: 5G WIFI 802.11ac20 mode High Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 25.1℃
Humidity: 52%
Atmospheric Pressure: 102.3kPa
Test Engineer: Destine Hu
Test Date: 2025/10/19

Full Spectrum




Critical Freqs

Frequency (MHz)	MaxPeak (dB μV/m)	Average (dB μV/m)	Limit (dB μV/m)	Margin (dB)	Pol	Corr. (dB/m)
5725.264000	67.11	---	68.20	1.09	H	7.8
5728.114000	62.83	---	68.20	5.37	H	7.8

802.11ac40 Mode:**Common Information**

Project No.: RKSA250928001
EUT Model: R010
Test Mode: 5G WIFI 802.11ac40 mode Low Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 20.3℃
Humidity: 53%
Atmospheric Pressure: 102.5kPa
Test Engineer: Destine Hu
Test Date: 2025/11/12

Full Spectrum


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB µV/m)	Average (dB µV/m)	Limit (dB µV/m)	Margin (dB)	Pol	Corr. (dB/m)
5459.736000	59.33	---	74.00	14.67	H	8.2
5459.736000	---	50.60	54.00	3.40	H	8.2
5468.360000	66.09	---	68.20	2.11	H	8.2

Common Information

Project No.: RKSA250928001
EUT Model: R010
Test Mode: 5G WIFI 802.11ac40 mode High Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 25.1°C
Humidity: 52%
Atmospheric Pressure: 102.3kPa
Test Engineer: Destine Hu
Test Date: 2025/10/19

Full Spectrum


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5726.860000	60.57	---	68.20	7.63	H	7.8
5731.306000	60.03	---	68.20	8.17	H	7.8

802.11ac80 Mode:**Common Information**

Project No.: RKSA250928001
EUT Model: R010
Test Mode: 5G WIFI 802.11ac80 mode Low Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 20.3℃
Humidity: 53%
Atmospheric Pressure: 102.5kPa
Test Engineer: Destine Hu
Test Date: 2025/11/12

Full Spectrum


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB µV/m)	Average (dB µV/m)	Limit (dB µV/m)	Margin (dB)	Pol	Corr. (dB/m)
5458.592000	60.33	---	74.00	13.67	H	8.2
5458.592000	---	52.04	54.00	1.96	H	8.2
5461.232000	62.57	---	68.20	5.63	H	8.2

Common Information

Project No.: RKSA250928001
 EUT Model: R010
 Test Mode: 5G WIFI 802.11ac80 mode High Channel
 Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
 Test Equipment: ESU40,3115,PAM-0118P
 Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
 Temperature: 25.1℃
 Humidity: 52%
 Atmospheric Pressure: 102.3kPa
 Test Engineer: Destine Hu
 Test Date: 2025/10/19

Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5726.290000	56.80	---	68.20	11.40	H	7.8
5740.312000	56.27	---	68.20	11.93	H	7.8


Bandedge Emissions Test (5725-5850MHz Band):

Note:

1. Corrected Factor = Antenna factor (RX) + Cable Loss – Amplifier Factor
2. Corrected Amplitude = Corrected Factor + Reading
3. Margin = Limit - Corrected. Amplitude

802.11a Mode:**Common Information**

Project No.:	RKSA250928001
EUT Model:	R010
Test Mode:	5G WIFI 802.11a mode Low Channel
Standard:	FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment:	ESU40,3115,PAM-0118P
Receiver Setting:	RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature:	22.3°C
Humidity:	53%
Atmospheric Pressure:	103.1kPa
Test Engineer:	Destine Hu
Test Date:	2025/10/20


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5631.600000	56.81	---	68.20	11.39	V	7.8
5673.600000	55.70	---	85.66	29.97	V	7.8
5717.400000	70.19	---	110.07	39.88	H	7.8
5722.200000	72.41	---	115.82	43.41	H	7.8

Common Information

Project No.: RKSA250928001
 EUT Model: R010
 Test Mode: 5G WIFI 802.11a mode High Channel
 Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
 Test Equipment: ESU40,3115,PAM-0118P
 Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
 Temperature: 22.3℃
 Humidity: 53%
 Atmospheric Pressure: 103.1kPa
 Test Engineer: Destine Hu
 Test Date: 2025/10/20

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5852.600000	64.85	---	116.27	51.42	H	7.9
5865.800000	60.79	---	107.78	46.98	H	7.9
5876.200000	57.42	---	104.31	46.89	H	7.9
5932.600000	55.94	---	68.20	12.26	V	7.9

802.11ac20 Mode:**Common Information**

Project No.: RKSA250928001
EUT Model: R010
Test Mode: 5G WIFI 802.11ac20 mode Low Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 22.3°C
Humidity: 53%
Atmospheric Pressure: 103.1kPa
Test Engineer: Destine Hu
Test Date: 2025/10/20

Full Spectrum


**Critical_Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5643.400000	56.05	---	68.20	12.15	V	7.8
5684.600000	55.75	---	93.80	38.06	V	7.8
5711.400000	66.89	---	108.39	41.51	H	7.8
5721.800000	76.26	---	114.90	38.65	H	7.8

Common Information

Project No.: RKSA250928001
EUT Model: R010
Test Mode: 5G WIFI 802.11ac20 mode High Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 22.3℃
Humidity: 53%
Atmospheric Pressure: 103.1kPa
Test Engineer: Destine Hu
Test Date: 2025/10/20

Full Spectrum




Critical Freqs

Frequency (MHz)	MaxPeak (dB μV/m)	Average (dB μV/m)	Limit (dB μV/m)	Margin (dB)	Pol	Corr. (dB/m)
5853.800000	64.03	---	113.54	49.51	H	7.9
5860.000000	60.12	---	109.40	49.28	H	7.9
5909.000000	56.12	---	80.04	23.92	H	7.9
5939.600000	56.54	---	68.20	11.66	H	7.9

802.11ac40 Mode:**Common Information**

Project No.: RKSA250928001
EUT Model: R010
Test Mode: 5G WIFI 802.11ac40 mode Low Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 22.3°C
Humidity: 53%
Atmospheric Pressure: 103.1kPa
Test Engineer: Destine Hu
Test Date: 2025/10/20


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5567.400000	57.08	---	68.20	11.12	V	7.8
5698.800000	68.03	---	104.31	36.28	V	7.8
5706.400000	73.44	---	106.99	33.55	H	7.8
5723.200000	79.42	---	118.10	38.67	H	7.8

Common Information

Project No.: RKSA250928001
EUT Model: R010
Test Mode: 5G WIFI 802.11ac40 mode High Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 22.3℃
Humidity: 53%
Atmospheric Pressure: 103.1kPa
Test Engineer: Destine Hu
Test Date: 2025/10/20

Full Spectrum




Critical Freqs

Frequency (MHz)	MaxPeak (dB µV/m)	Average (dB µV/m)	Limit (dB µV/m)	Margin (dB)	Pol	Corr. (dB/m)
5851.800000	61.91	---	118.10	56.19	H	7.9
5855.600000	63.15	---	110.63	47.49	H	7.9
5911.200000	56.24	---	78.41	22.17	H	7.9
5945.400000	55.65	---	68.20	12.55	V	7.9

802.11ac80 Mode:**Common Information**

Project No.: RKSA250928001
 EUT Model: R010
 Test Mode: 5G WIFI 802.11ac80
 Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
 Test Equipment: ESU40,3115,PAM-0118P
 Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
 Temperature: 22.3°C
 Humidity: 53%
 Atmospheric Pressure: 103.1kPa
 Test Engineer: Destine Hu
 Test Date: 2025/10/20

Full Spectrum

**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5649.000000	59.50	---	68.20	8.70	H	7.8
5682.000000	73.84	---	91.88	18.04	H	7.8
5715.800000	80.48	---	109.62	29.14	H	7.8
5720.400000	79.98	---	111.71	31.73	H	7.8
5853.600000	77.40	---	113.99	36.59	H	7.9
5859.800000	74.53	---	109.46	34.93	H	7.9
5884.800000	66.73	---	97.95	31.22	H	7.9
5945.600000	56.42	---	68.20	11.78	V	7.9

EMISSION BANDWIDTH**Environmental Conditions & Test Information**

Test Date:	2025-10-20 to 2025-11-12
Temperature:	20.3-24.9 °C
Relative Humidity:	51-60 %
ATM Pressure:	101.7-102.1 kPa
Test Result:	Pass
Test Engineer:	Hugh Wu

Test Result: Compliant*5150-5250 MHz:*

Test mode	Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
802.11 a	Low	5180	24.374	16.750
	Middle	5200	24.746	16.750
	High	5240	25.028	16.750
802.11 ac20	Low	5180	25.994	17.950
	Middle	5200	26.453	17.950
	High	5240	26.439	17.900
802.11 ac40	Low	5190	59.579	36.800
	High	5230	65.520	36.800
802.11 ac80	Middle	5210	84.200	75.800

Note: the 99% Occupied Bandwidth have not fall into the band 5250-5350MHz

5250-5350 MHz:

Test mode	Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
802.11 a	Low	5260	25.159	16.750
	Middle	5300	25.263	16.750
	High	5320	25.252	16.750
802.11 ac20	Low	5260	26.938	17.900
	Middle	5300	25.531	17.850
	High	5320	25.984	17.900
802.11 ac40	Low	5270	42.100	36.600
	High	5310	42.500	36.600
802.11 ac80	Middle	5290	126.224	76.800

5470-5725 MHz:

Test mode	Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
802.11a	Low	5500	26.066	16.800
	Middle	5580	32.856	17.350
	High	5700	33.440	18
	Cross	5720	25.986	16.850
802.11ac20	Low	5500	25.181	17.850
	Middle	5580	25.883	18
	High	5700	34.995	18.500
	Cross	5720	24.645	17.800
802.11ac40	Low	5510	44.600	36.600
	Middle	5550	71.280	37.100
	High	5670	55.867	36.800
	Cross	5710	57.820	36.900
802.11ac80	Low	5530	85.600	76.200
	Middle	5610	167.741	78
	High	5690	145.188	77.200


5725-5850MHz:

Test mode	Channel	Frequency (MHz)	99% Bandwidth (MHz)
802.11 a	Low	5745	16.950
	Middle	5785	19.150
	High	5825	19.800
802.11 ac20	Low	5745	18
	Middle	5785	19.500
	High	5825	19.900
802.11 ac40	Low	5755	36.900
	High	5795	39.400
802.11 ac80	Middle	5775	79

Note: the 99% Occupied Bandwidth have not fall into the band 5470-5725MHz


Test mode	Channel	Frequency (MHz)	6dB Bandwidth (MHz)	Limit (MHz)
802.11 a	Low	5745	15.800	0.5
	Middle	5785	15.700	
	High	5825	15.600	
802.11 ac20	Low	5745	15.250	
	Middle	5785	15.800	
	High	5825	16.600	
802.11 ac40	Low	5755	35.600	
	High	5795	35.500	
802.11 ac80	Middle	5775	75.600	

802.11a mode, 5785MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20-OCT-2025 15:23:02

802.11ac20 mode, 5745MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 15:38:53

802.11 ac20 mode, 5825MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 15:47:33

802.11 ac40 mode, 5795MHz



ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 16:06:07

802.11ac80 mode, 5775MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 16:30:13

26 Bandwidth


5150-5250 MHz Band:

802.11a mode, 5180MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 09:37:20

802.11a mode, 5200MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 09:42:13

802.11a mode, 5240MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 09:49:23

802.11ac20 mode, 5180MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 09:55:38

802.11 ac20 mode, 5240MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 10:07:27

802.11 ac40 mode, 5230MHz



ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 10:26:27

802.11ac80 mode, 5210MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20,OCT.2025 10:33:12

26 Bandwidth


5250-5350MHz Band:

802.11a mode, 5260MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 10:40:26

802.11a mode, 5300MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 11:06:40

802.11a mode, 5320MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 11:11:04

802.11ac20 mode, 5260MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 11:17:32

802.11 ac20 mode, 5320MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 11:30:04

802.11 ac40 mode, 5310MHz



ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 11:42:48


802.11ac80 mode, 5290MHz



ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 11:51:07


5470-5725 MHz Band:

802.11a mode, 5500MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 13:08:50

802.11a mode, 5580MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 13:26:11

802.11a mode, 5700MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 13:35:32

802.11a mode, 5720MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 13:42:19

802.11 ac20 mode, 5500MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 13:48:56

802.11 ac20 mode, 5580MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 13:53:23

802.11 ac20 mode, 5700MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 14:00:13

802.11 ac20 mode, 5720MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 14:04:41

802.11ac40 mode, 5510MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 12.NOV.2025 17:08:55

802.11ac40 mode, 5550MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 14:25:23

802.11 ac40 mode, 5670MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 14:33:09

802.11 ac40 mode, 5710MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 14:40:24

802.11ac80 mode, 5530MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 12.NOV.2025 17:14:32

802.11ac80 mode, 5610MHz



ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 15:01:33


802.11ac80 mode, 5690MHz



ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 17:14:47


99% Occupied Bandwidth

5150-5250 MHz Band:
802.11a mode, 5180MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 09:38:22

802.11a mode, 5200MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 09:43:15

802.11a mode, 5240MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 09:50:43

802.11ac20 mode, 5180MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 09:56:51

802.11 ac20 mode, 5200MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 10:04:09

802.11 ac20 mode, 5240MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 10:08:47

802.11ac40 mode, 5190MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 10:21:37

802.11 ac40 mode, 5230MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 10:28:20

802.11ac80 mode, 5210MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20,OCT,2025 10:35:07

802.11a mode, 5300MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 11:07:53

802.11ac20 mode, 5260MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 11:18:46

802.11 ac20 mode, 5300MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 11:24:33

802.11 ac20 mode, 5320MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 11:31:17

802.11ac40 mode, 5270MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 11:37:05

802.11 ac40 mode, 5310MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 11:44:38

802.11ac80 mode, 5290MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 11:53:01

802.11a mode, 5500MHz




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 13:27:24

802.11a mode, 5720MHz



ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 13:43:32

802.11 ac20 mode, 5580MHz



ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 20.OCT.2025 13:54:36