




BDR (GFSK): Left Side - Hopping


ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 15.OCT.2025 11:17:52

BDR (GFSK): Right Side - Hopping


ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 15.OCT.2025 11:20:18

EDR ($\pi/4$ -DQPSK): Left Side - Hopping


ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 15.OCT.2025 11:30:30

EDR ($\pi/4$ -DQPSK): Right Side - Hopping

ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 15.OCT.2025 11:32:51

EDR (8DPSK): Left Side - Hopping

ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 15.OCT.2025 11:43:39

EDR (8DPSK): Right Side - Hopping

ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 15.OCT.2025 11:46:09


CONDUCTED SPURIOUS EMISSION**Environmental Conditions & Test Information**

Test Date:	2025-10-15
Temperature:	24 °C
Relative Humidity:	51 %
ATM Pressure:	100.2 kPa
Test Result:	Pass
Test Engineer:	Hugh Wu

Mode	Channel	Result (dB)	Limit (dB)
GFSK	Low	47.93	20.00
	Middle	49.26	20.00
	High	48.11	20.00
$\pi/4$ DQPSK	Low	45.67	20.00
	Middle	46.31	20.00
	High	45.95	20.00
8DPSK	Low	46.31	20.00
	Middle	46.41	20.00
	High	45.81	20.00


Note: the maximum path attenuation of 30MHz~25GHz was added into the offset

GFSK_Low




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 15.OCT.2025 13:34:06

GFSK_Middle




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 15.OCT.2025 14:01:03

GFSK_High




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 15.OCT.2025 14:42:41

$\pi/4$ DQPSK_Low




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 15.OCT.2025 14:47:47

$\pi/4$ DQPSK_Middle




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 15.OCT.2025 15:12:06

$\pi/4$ DQPSK_High




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 15.OCT.2025 15:58:56

8DPSK_Low




ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 15.OCT.2025 16:03:55

8DPSK_Middle



ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 15.OCT.2025 16:09:01

8DPSK_High



ProjectNo.:RKSA250928001 Tester:Hugh Wu
Date: 15.OCT.2025 16:15:02

EUT PHOTOGRAPHS

Please refer to the attachment EXHIBIT A - EUT EXTERNAL PHOTOGRAPHS and EXHIBIT B - EUT INTERNAL PHOTOGRAPHS.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment EXHIBIT C - TEST SETUP PHOTOGRAPHS.

Declarations

1. The laboratory is not responsible for the authenticity of any information provided by the applicant. Information from the applicant that may affect test results is marked with “★”.
2. The test data was only valid for the test sample(s).
3. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
4. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
5. The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor $k=2$ with the 95.45% confidence interval.

******* END OF REPORT *******