


Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Tset_Engineer	\	Test_Date	2026/7/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1693.5129	14.03	35.59	49.62	74.00	24.38	PASS	Vertical	PK
2	2930.3954	17.75	36.37	54.12	74.00	19.88	PASS	Vertical	PK
3	5366.1577	-6.87	54.14	47.27	74.00	26.73	PASS	Vertical	PK
4	9311.4208	0.86	51.35	52.21	74.00	21.79	PASS	Vertical	PK
5	13760.7174	7.29	50.49	57.78	74.00	16.22	PASS	Vertical	PK
6	16340.8894	11.47	48.81	60.28	74.00	13.72	PASS	Vertical	PK
7	2926.5284	17.68	18.11	35.79	54.00	18.21	PASS	Vertical	AV
8	13759.7173	7.28	38.89	46.17	54.00	7.83	PASS	Vertical	AV
9	16349.89	11.58	36.54	48.12	54.00	5.88	PASS	Vertical	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Tset_Engineer	\	Test_Date	2026/7/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18931.9573	-26.28	61.99	35.71	74.00	38.29	PASS	Horizontal	PK
2	22411.6165	-25.09	59.68	34.59	74.00	39.41	PASS	Horizontal	PK
3	25975.759	-20.89	57.07	36.18	74.00	37.82	PASS	Horizontal	PK
4	29166.7667	-21.45	58.01	36.56	74.00	37.44	PASS	Horizontal	PK
5	34043.9218	-17.79	52.33	34.54	74.00	39.46	PASS	Horizontal	PK
6	38408.0163	-13.54	46.89	33.35	74.00	40.65	PASS	Horizontal	PK

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Tset_Engineer	\	Test_Date	2026/7/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19341.1736	-25.75	61.17	35.42	74.00	38.58	PASS	Vertical	PK
2	21607.2643	-25.73	61.52	35.79	74.00	38.21	PASS	Vertical	PK
3	24517.5407	-21.79	56.93	35.14	74.00	38.86	PASS	Vertical	PK
4	28212.8085	-21.32	57.40	36.08	74.00	37.92	PASS	Vertical	PK
5	32151.8461	-19.62	53.87	34.25	74.00	39.75	PASS	Vertical	PK
6	37296.5319	-16.05	49.17	33.12	74.00	40.88	PASS	Vertical	PK

Test_Mode	802.11 b Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/7/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1770.718	14.39	36.13	50.52	74.00	23.48	PASS	Horizontal	PK
2	2887.7258	17.56	35.56	53.12	74.00	20.88	PASS	Horizontal	PK
3	5463.1642	-6.45	53.45	47.00	74.00	27.00	PASS	Horizontal	PK
4	8404.3603	-0.82	51.54	50.72	74.00	23.28	PASS	Horizontal	PK
5	12580.6387	4.55	51.65	56.20	74.00	17.80	PASS	Horizontal	PK
6	16322.8882	11.25	49.77	61.02	74.00	12.98	PASS	Horizontal	PK
7	12559.6373	4.37	41.32	45.69	54.00	8.31	PASS	Horizontal	AV
8	16495.8997	11.86	37.39	49.25	54.00	4.75	PASS	Horizontal	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/7/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1430.9621	12.94	36.53	49.47	74.00	24.53	PASS	Vertical	PK
2	2833.7222	17.35	35.80	53.15	74.00	20.85	PASS	Vertical	PK
3	5341.1561	-6.97	54.05	47.08	74.00	26.92	PASS	Vertical	PK
4	9264.4176	0.67	50.38	51.05	74.00	22.95	PASS	Vertical	PK
5	13770.718	7.41	49.90	57.31	74.00	16.69	PASS	Vertical	PK
6	16346.8898	11.54	48.67	60.21	74.00	13.79	PASS	Vertical	PK
7	13728.7152	7.20	39.03	46.23	54.00	7.77	PASS	Vertical	AV
8	16427.8952	10.53	37.93	48.46	54.00	5.54	PASS	Vertical	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/7/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19374.615	-25.68	61.07	35.39	74.00	38.61	PASS	Horizontal	PK
2	22849.874	-25.21	59.18	33.97	74.00	40.03	PASS	Horizontal	PK
3	26275.851	-21.29	57.80	36.51	74.00	37.49	PASS	Horizontal	PK
4	30218.4087	-21.24	56.13	34.89	74.00	39.11	PASS	Horizontal	PK
5	34901.076	-16.29	52.50	36.21	74.00	37.79	PASS	Horizontal	PK
6	38503.0601	-13.76	48.06	34.30	74.00	39.70	PASS	Horizontal	PK

Test_Mode	802.11 b Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/7/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18887.9555	-26.28	61.90	35.62	74.00	38.38	PASS	Vertical	PK
2	20951.6381	-25.92	62.21	36.29	74.00	37.71	PASS	Vertical	PK
3	23600.544	-23.06	58.86	35.80	74.00	38.20	PASS	Vertical	PK
4	26050.562	-21.01	57.03	36.02	74.00	37.98	PASS	Vertical	PK
5	29234.5294	-21.45	56.77	35.32	74.00	38.68	PASS	Vertical	PK
6	36607.4643	-15.80	49.82	34.02	74.00	39.98	PASS	Vertical	PK

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/7/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1718.0479	14.20	36.20	50.40	74.00	23.60	PASS	Horizontal	PK
2	2824.1216	17.18	36.22	53.40	74.00	20.60	PASS	Horizontal	PK
3	5876.1917	-5.55	52.02	46.47	74.00	27.53	PASS	Horizontal	PK
4	9297.4198	0.79	51.59	52.38	74.00	21.62	PASS	Horizontal	PK
5	13816.7211	7.54	49.68	57.22	74.00	16.78	PASS	Horizontal	PK
6	16321.8881	11.24	49.43	60.67	74.00	13.33	PASS	Horizontal	PK
7	13740.716	7.18	39.06	46.24	54.00	7.76	PASS	Horizontal	AV
8	16434.8957	10.68	37.66	48.34	54.00	5.66	PASS	Horizontal	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/7/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1680.0453	14.02	35.57	49.59	74.00	24.41	PASS	Vertical	PK
2	2701.5801	17.06	36.67	53.73	74.00	20.27	PASS	Vertical	PK
3	5448.1632	-6.44	53.52	47.08	74.00	26.92	PASS	Vertical	PK
4	9421.4281	0.86	50.51	51.37	74.00	22.63	PASS	Vertical	PK
5	13673.7116	7.36	49.28	56.64	74.00	17.36	PASS	Vertical	PK
6	16334.889	11.40	48.31	59.71	74.00	14.29	PASS	Vertical	PK
7	13680.712	7.34	38.65	45.99	54.00	8.01	PASS	Vertical	AV
8	16436.8958	10.73	37.93	48.66	54.00	5.34	PASS	Vertical	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/7/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19146.6859	-26.12	62.01	35.89	74.00	38.11	PASS	Horizontal	PK
2	22038.4815	-25.73	59.89	34.16	74.00	39.84	PASS	Horizontal	PK
3	26002.1601	-20.91	57.82	36.91	74.00	37.09	PASS	Horizontal	PK
4	30368.8948	-20.49	56.13	35.64	74.00	38.36	PASS	Horizontal	PK
5	34479.5392	-16.77	50.98	34.21	74.00	39.79	PASS	Horizontal	PK
6	39728.9492	-12.73	44.19	31.46	74.00	42.54	PASS	Horizontal	PK

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/7/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19359.6544	-25.71	62.40	36.69	74.00	37.31	PASS	Vertical	PK
2	21685.5874	-25.65	60.87	35.22	74.00	38.78	PASS	Vertical	PK
3	24888.0355	-22.04	57.01	34.97	74.00	39.03	PASS	Vertical	PK
4	27975.199	-21.18	59.00	37.82	74.00	36.18	PASS	Vertical	PK
5	30433.1373	-20.37	56.42	36.05	74.00	37.95	PASS	Vertical	PK
6	35412.3765	-16.09	50.22	34.13	74.00	39.87	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/7/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1478.0319	13.07	35.61	48.68	74.00	25.32	PASS	Horizontal	PK
2	2861.0574	17.37	36.57	53.94	74.00	20.06	PASS	Horizontal	PK
3	5245.1497	-7.48	53.59	46.11	74.00	27.89	PASS	Horizontal	PK
4	7964.331	-1.39	52.27	50.88	74.00	23.12	PASS	Horizontal	PK
5	13779.7186	7.52	49.61	57.13	74.00	16.87	PASS	Horizontal	PK
6	16496.8998	11.88	48.17	60.05	74.00	13.95	PASS	Horizontal	PK
7	13760.7174	7.29	38.47	45.76	54.00	8.24	PASS	Horizontal	AV
8	16422.8949	10.43	38.12	48.55	54.00	5.45	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/7/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1739.2493	14.14	35.29	49.43	74.00	24.57	PASS	Vertical	PK
2	2787.7192	17.25	36.35	53.60	74.00	20.40	PASS	Vertical	PK
3	5463.1642	-6.45	52.44	45.99	74.00	28.01	PASS	Vertical	PK
4	10781.5188	2.04	51.05	53.09	74.00	20.91	PASS	Vertical	PK
5	13739.716	7.19	49.49	56.68	74.00	17.32	PASS	Vertical	PK
6	16330.8887	11.35	48.69	60.04	74.00	13.96	PASS	Vertical	PK
7	13682.7122	7.33	38.54	45.87	54.00	8.13	PASS	Vertical	AV
8	16344.8897	11.52	36.47	47.99	54.00	6.01	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/7/30

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18960.9984	-26.27	62.34	36.07	74.00	37.93	PASS	Horizontal	PK
2	21970.7188	-25.77	61.38	35.61	74.00	38.39	PASS	Horizontal	PK
3	25094.8438	-21.62	56.91	35.29	74.00	38.71	PASS	Horizontal	PK
4	28997.7999	-21.30	57.35	36.05	74.00	37.95	PASS	Horizontal	PK
5	32234.5694	-19.10	53.12	34.02	74.00	39.98	PASS	Horizontal	PK
6	36857.3943	-16.98	50.85	33.87	74.00	40.13	PASS	Horizontal	PK