Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Wireless Bluetooth speaker

Test Model: Y6

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Summer Wu
Supervised by:	Nick Peng

A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	1.018	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.966	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.963	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.316	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.287	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.283	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.279	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.281	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.284	N/A	Pass

Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1



-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1



-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1



A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	0.02	21	Pass
NVNT	1-DH5	2441	Ant1	0.33	21	Pass
NVNT	1-DH5	2480	Ant1	0.38	21	Pass
NVNT	2-DH5	2402	Ant1	-0.22	21	Pass
NVNT	2-DH5	2441	Ant1	-0.13	21	Pass
NVNT	2-DH5	2480	Ant1	0.32	21	Pass
NVNT	3-DH5	2402	Ant1	0.06	21	Pass
NVNT	3-DH5	2441	Ant1	0.26	21	Pass
NVNT	3-DH5	2480	Ant1	0.33	21	Pass

Test Graphs

Power NVNT 1-DH5 2402MHz Ant1



Power NVNT 1-DH5 2441MHz Ant1



Power NVNT 1-DH5 2480MHz Ant1



Power NVNT 2-DH5 2402MHz Ant1



Power NVNT 2-DH5 2441MHz Ant1



Power NVNT 2-DH5 2480MHz Ant1



Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1



Power NVNT 3-DH5 2480MHz Ant1



A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.15	2403.146	0.996	0.679	Pass
NVNT	2-DH5	Ant1	2402.152	2403.152	1	0.877	Pass
NVNT	3-DH5	Ant1	2402.16	2403.16	1	0.856	Pass

Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1



CFS NVNT 3-DH5 2402MHz Ant1



A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.881	290.981	101	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.885	294.27	102	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.887	294.474	102	31600	400	Pass

Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst



Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated



Dwell NVNT 2-DH5 2402MHz Ant1 One Burst



Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated



Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated



A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass

Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1



Hopping No. NVNT 3-DH5 2402MHz Ant1



A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-55.01	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-55.78	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-51.94	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-52.77	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-51.08	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-55.29	-20	Pass

Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission



Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission



Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission



Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission



Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission



(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-54.34	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-54.54	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-53.7	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-53.54	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-52.29	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-53.82	-20	Pass

Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission