




NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	54.543454	38.40	21.95	-16.45	40.00	18.05	150	178	Horizontal	PASS
2	110.615062	46.49	27.84	-18.65	43.50	15.66	150	105	Horizontal	PASS
3	138.359836	44.99	28.07	-16.92	43.50	15.43	150	162	Horizontal	PASS
4	241.675168	39.88	21.77	-18.11	46.00	24.23	150	206	Horizontal	PASS
5	343.147315	42.00	26.82	-15.18	46.00	19.18	150	67	Horizontal	PASS
6	724.10441	34.43	27.27	-7.16	46.00	18.73	150	30	Horizontal	PASS

Mode:	A-5180
-------	--------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1241.8	2.73	42.21	68.23	26.02	39.97	54.00	14.03	150	293	Horizontal	PASS
2	1970.8	6.60	44.78	68.23	23.45	41.98	54.00	12.02	150	204	Horizontal	PASS
3	2927.2	9.46	47.26	68.23	20.97	42.65	54.00	11.35	150	293	Horizontal	PASS
4	8826.21	-8.53	45.74	68.23	22.49	42.44	54.00	11.56	150	165	Horizontal	PASS
5	10364.02	-5.67	51.21	68.23	17.02	45.27	54.00	8.73	150	344	Horizontal	PASS
6	12963.84	-1.83	49.97	68.23	18.26	47.82	54.00	6.18	150	233	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1316.8	2.82	43.58	74.00	30.42	39.18	54.00	14.82	150	45	Vertical	PASS
2	1984.6	6.85	46.09	68.23	22.14	41.16	54.00	12.84	150	237	Vertical	PASS
3	2365.6	7.39	47.74	74.00	26.26	45.69	54.00	8.31	150	14	Vertical	PASS
4	7433.58	-10.35	45.70	74.00	28.30	40.62	54.00	13.38	150	87	Vertical	PASS
5	10365.85	-5.64	54.08	68.23	14.15	46.88	54.00	7.12	150	332	Vertical	PASS
6	15535.6	1.67	56.85	74.00	17.15	50.49	54.00	3.51	150	0	Vertical	PASS

Mode:

A-5200

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1256.2	2.72	41.98	68.23	26.25	38.06	54.00	15.94	150	47	Vertical	PASS
2	2524	8.28	46.06	68.23	22.17	44.20	54.00	9.80	150	286	Vertical	PASS
3	3185.2	10.08	48.36	68.23	19.87	43.43	54.00	10.57	150	183	Vertical	PASS
4	8191.81	-9.48	45.93	74.00	28.07	39.74	54.00	14.26	150	4	Vertical	PASS
5	10396.35	-5.61	55.43	68.23	12.80	50.58	54.00	3.42	150	339	Vertical	PASS
6	15589.28	2.49	54.74	74.00	19.26	50.99	54.00	3.01	150	315	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1480	2.44	43.04	74.00	30.96	37.07	54.00	16.93	150	346	Horizontal	PASS
2	2059.6	6.41	46.17	68.23	22.06	39.80	54.00	14.20	150	216	Horizontal	PASS
3	3116.2	10.00	49.54	68.23	18.69	47.01	54.00	6.99	150	332	Horizontal	PASS
4	7942.93	-9.99	45.28	68.23	22.95	42.09	54.00	11.91	150	219	Horizontal	PASS
5	10401.23	-5.62	50.79	68.23	17.44	44.34	54.00	9.66	150	19	Horizontal	PASS
6	15594.16	2.59	53.66	74.00	20.34	47.81	54.00	6.19	150	4	Horizontal	PASS

Mode:	A-5240
-------	--------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1288	2.86	42.32	68.23	25.91	38.30	54.00	15.70	150	103	Vertical	PASS
2	2036.2	6.73	45.33	68.23	22.90	41.85	54.00	12.15	150	160	Vertical	PASS
3	2938.6	9.18	47.87	68.23	20.36	43.33	54.00	10.67	150	41	Vertical	PASS
4	7383.56	-10.18	45.41	74.00	28.59	42.46	54.00	11.54	150	242	Vertical	PASS
5	10483.58	-5.43	54.50	68.23	13.73	49.30	54.00	4.70	150	335	Vertical	PASS
6	15719.82	1.52	54.90	74.00	19.10	47.36	54.00	6.64	150	320	Vertical	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1366	2.58	42.55	74.00	31.45	39.41	54.00	14.59	150	127	Horizontal	PASS
2	2060.2	6.41	45.73	68.23	22.50	39.40	54.00	14.60	150	303	Horizontal	PASS
3	2803.6	8.88	47.50	74.00	26.50	41.68	54.00	12.32	150	246	Horizontal	PASS
4	7695.88	-9.82	45.72	74.00	28.28	39.69	54.00	14.31	150	62	Horizontal	PASS
5	10485.41	-5.44	52.24	68.23	15.99	46.29	54.00	7.71	150	347	Horizontal	PASS
6	14568.75	1.48	50.26	68.23	17.97	47.81	54.00	6.19	150	315	Horizontal	PASS

Mode:

A-5260

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1389.4	2.50	41.47	74.00	32.53	37.89	54.00	16.11	150	130	Vertical	PASS
2	2253.4	7.18	46.24	74.00	27.76	43.06	54.00	10.94	150	93	Vertical	PASS
3	3033.4	9.60	49.16	68.23	19.07	44.91	54.00	9.09	150	314	Vertical	PASS
4	7246.92	-10.37	45.57	68.23	22.66	43.44	54.00	10.56	150	304	Vertical	PASS
5	10518.96	-5.21	54.53	68.23	13.70	49.04	54.00	4.96	150	335	Vertical	PASS
6	15782.65	1.61	53.18	74.00	20.82	50.33	54.00	3.67	150	335	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1265.8	2.74	42.31	68.23	25.92	37.90	54.00	16.10	150	225	Horizontal	PASS
2	2038.6	6.70	45.12	68.23	23.11	40.55	54.00	13.45	150	94	Horizontal	PASS
3	3175	10.01	48.30	68.23	19.93	42.22	54.00	11.78	150	86	Horizontal	PASS
4	7538.5	-10.30	45.69	74.00	28.31	41.74	54.00	12.26	150	249	Horizontal	PASS
5	10522.62	-5.21	50.63	68.23	17.60	47.72	54.00	6.28	150	11	Horizontal	PASS
6	14070.38	0.23	50.23	68.23	18.00	45.74	54.00	8.26	150	37	Horizontal	PASS

Mode:

A-5280

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1316.2	2.82	42.07	74.00	31.93	40.32	54.00	13.68	150	36	Vertical	PASS
2	2164	6.92	45.66	68.23	22.57	40.05	54.00	13.95	150	273	Vertical	PASS
3	2949.4	9.59	47.79	68.23	20.44	44.31	54.00	9.69	150	269	Vertical	PASS
4	6571.65	-10.89	47.24	68.23	20.99	40.91	54.00	13.09	150	326	Vertical	PASS
5	10559.83	-4.83	53.32	68.23	14.91	49.92	54.00	4.08	150	337	Vertical	PASS
6	13334.72	-0.29	50.98	74.00	23.02	46.71	54.00	7.29	150	321	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1436.2	2.66	41.99	74.00	32.01	38.21	54.00	15.79	150	294	Horizontal	PASS
2	1969	6.59	45.51	68.23	22.72	42.42	54.00	11.58	150	257	Horizontal	PASS
3	2920	9.38	48.49	68.23	19.74	43.00	54.00	11.00	150	335	Horizontal	PASS
4	8312.59	-9.34	45.54	74.00	28.46	39.10	54.00	14.90	150	359	Horizontal	PASS
5	10558	-4.88	51.10	68.23	17.13	48.77	54.00	5.23	150	348	Horizontal	PASS
6	11939.04	-2.72	48.95	74.00	25.05	44.84	54.00	9.16	150	319	Horizontal	PASS

Mode:

A-5320

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1456.6	2.57	41.93	74.00	32.07	39.88	54.00	14.12	150	188	Vertical	PASS
2	2524.6	8.25	47.31	68.23	20.92	43.45	54.00	10.55	150	37	Vertical	PASS
3	3797.2	11.64	49.77	74.00	24.23	46.51	54.00	7.49	150	143	Vertical	PASS
4	6567.38	-10.89	47.24	68.23	20.99	44.50	54.00	9.50	150	335	Vertical	PASS
5	10642.18	-4.90	54.87	74.00	19.13	51.52	54.00	2.48	150	340	Vertical	PASS
6	14020.36	0.04	50.87	68.23	17.36	42.52	54.00	11.48	150	208	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1440.4	2.61	41.86	74.00	32.14	38.04	54.00	15.96	150	343	Horizontal	PASS
2	2107.6	6.81	45.20	68.23	23.03	41.56	54.00	12.44	150	53	Horizontal	PASS
3	2836.6	9.14	47.51	74.00	26.49	42.11	54.00	11.89	150	32	Horizontal	PASS
4	6957.17	-10.48	45.84	68.23	22.39	41.25	54.00	12.75	150	200	Horizontal	PASS
5	10638.52	-4.92	51.46	74.00	22.54	46.45	54.00	7.55	150	17	Horizontal	PASS
6	14590.71	0.82	50.52	68.23	17.71	47.18	54.00	6.82	150	332	Horizontal	PASS

Mode:

A-5500

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1630.625	3.21	42.17	68.23	26.06	37.81	54.00	16.19	150	188	Vertical	PASS
2	1971.875	6.55	45.02	68.23	23.21	41.70	54.00	12.30	150	213	Vertical	PASS
3	2453.125	7.83	47.33	68.23	20.90	40.36	54.00	13.64	150	298	Vertical	PASS
4	9062.4	-7.52	46.05	74.00	27.95	39.80	54.00	14.20	150	137	Vertical	PASS
5	10998	-4.21	49.13	74.00	24.87	46.50	54.00	7.50	150	329	Vertical	PASS
6	14561.4	1.75	51.63	68.23	16.60	49.52	54.00	4.48	150	192	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1440.625	2.43	42.69	74.00	31.31	36.76	54.00	17.24	150	360	Horizontal	PASS
2	2241.875	7.29	45.22	74.00	28.78	41.48	54.00	12.52	150	4	Horizontal	PASS
3	2980	9.59	47.18	68.23	21.05	44.30	54.00	9.70	150	140	Horizontal	PASS
4	7327.8	-10.24	45.57	74.00	28.43	39.48	54.00	14.52	150	289	Horizontal	PASS
5	9328.8	-7.62	45.86	74.00	28.14	40.44	54.00	13.56	150	308	Horizontal	PASS
6	11623.2	-2.73	49.75	74.00	24.25	47.60	54.00	6.40	150	258	Horizontal	PASS

Mode:

A-5600

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1238.75	2.76	41.37	74.00	32.63	39.00	54.00	15.00	150	228	Vertical	PASS
2	1867.5	6.14	44.38	68.23	23.85	39.34	54.00	14.66	150	248	Vertical	PASS
3	2766.875	8.74	47.25	74.00	26.75	42.27	54.00	11.73	150	240	Vertical	PASS
4	8338.2	-9.47	45.88	74.00	28.12	42.60	54.00	11.40	150	106	Vertical	PASS
5	11195.4	-3.40	49.35	74.00	24.65	47.88	54.00	6.12	150	219	Vertical	PASS
6	14042.4	0.72	51.41	68.23	16.82	47.65	54.00	6.35	150	347	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1338.125	2.59	41.48	74.00	32.52	38.98	54.00	15.02	150	228	Horizontal	PASS
2	1856.25	6.05	43.69	68.23	24.54	39.57	54.00	14.43	150	339	Horizontal	PASS
3	2998.75	9.47	47.11	68.23	21.12	41.10	54.00	12.90	150	179	Horizontal	PASS
4	7718.4	-9.76	46.26	74.00	27.74	40.84	54.00	13.16	150	133	Horizontal	PASS
5	9515.4	-6.64	46.21	68.23	22.02	43.51	54.00	10.49	150	297	Horizontal	PASS
6	13359	-0.50	50.42	74.00	23.58	47.17	54.00	6.83	150	49	Horizontal	PASS

Mode:

A-5700

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1367.2	2.71	41.86	74.00	32.14	38.63	54.00	15.37	150	137	Vertical	PASS
2	1842.52	6.15	44.46	68.23	23.77	38.92	54.00	15.08	150	307	Vertical	PASS
3	3099.16	10.14	47.73	68.23	20.50	43.39	54.00	10.61	150	98	Vertical	PASS
4	9616.62	-7.04	46.54	68.23	21.69	42.76	54.00	11.24	150	333	Vertical	PASS
5	11409.27	-3.72	53.00	74.00	21.00	50.12	54.00	3.88	150	177	Vertical	PASS
6	16463.88	2.50	52.68	68.23	15.55	50.69	54.00	3.31	150	251	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1355.64	2.71	41.97	74.00	32.03	37.94	54.00	16.06	150	217	Horizontal	PASS
2	1843.88	6.17	45.30	68.23	22.93	39.67	54.00	14.33	150	338	Horizontal	PASS
3	3076.72	9.99	47.57	68.23	20.66	44.45	54.00	9.55	150	180	Horizontal	PASS
4	9924.15	-6.38	47.14	68.23	21.09	45.55	54.00	8.45	150	85	Horizontal	PASS
5	11400.6	-4.04	49.73	74.00	24.27	47.49	54.00	6.51	150	232	Horizontal	PASS
6	14679.39	0.71	51.48	68.23	16.75	47.27	54.00	6.73	150	182	Horizontal	PASS

Mode:

A-5745

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1440.64	2.70	42.88	74.00	31.12	36.82	54.00	17.18	150	141	Vertical	PASS
2	1960.84	6.82	45.85	68.23	22.38	40.70	54.00	13.30	150	51	Vertical	PASS
3	3114.12	10.02	46.89	68.23	21.34	42.98	54.00	11.02	150	295	Vertical	PASS
4	9775.74	-6.61	46.75	68.23	21.48	43.72	54.00	10.28	150	281	Vertical	PASS
5	11485.77	-3.12	54.01	74.00	19.99	49.57	54.00	4.43	150	177	Vertical	PASS
6	15623.91	3.07	52.24	74.00	21.76	49.92	54.00	4.08	150	202	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1444.72	2.69	43.43	74.00	30.57	40.46	54.00	13.54	150	118	Horizontal	PASS
2	1935.68	6.44	45.58	68.23	22.65	39.07	54.00	14.93	150	31	Horizontal	PASS
3	3605.76	11.44	48.16	74.00	25.84	45.31	54.00	8.69	150	5	Horizontal	PASS
4	9215.25	-6.68	47.46	68.23	20.77	44.03	54.00	9.97	150	95	Horizontal	PASS
5	11479.65	-2.93	53.58	74.00	20.42	50.65	54.00	3.35	150	199	Horizontal	PASS
6	15587.19	2.67	51.66	74.00	22.34	48.25	54.00	5.75	150	291	Horizontal	PASS

Mode:

A-5785

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1443.36	2.70	42.43	74.00	31.57	35.49	54.00	18.51	150	183	Vertical	PASS
2	1980.56	7.03	45.33	68.23	22.90	43.02	54.00	10.98	150	101	Vertical	PASS
3	3456.84	10.83	47.81	68.23	20.42	45.10	54.00	8.90	150	96	Vertical	PASS
4	10498.41	-5.65	47.68	68.23	20.55	43.76	54.00	10.24	150	100	Vertical	PASS
5	11566.35	-2.82	55.27	74.00	18.73	50.20	54.00	3.80	150	155	Vertical	PASS
6	17348.22	4.03	56.58	68.23	11.65	50.31	54.00	3.69	150	178	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1264.52	2.92	41.15	68.23	27.08	36.85	54.00	17.15	150	160	Horizontal	PASS
2	2202.24	7.18	45.05	74.00	28.95	40.75	54.00	13.25	150	94	Horizontal	PASS
3	3754.68	11.92	49.63	74.00	24.37	47.44	54.00	6.56	150	108	Horizontal	PASS
4	10385.19	-5.64	47.12	68.23	21.11	42.00	54.00	12.00	150	287	Horizontal	PASS
5	11565.84	-2.82	56.09	74.00	17.91	50.64	54.00	3.36	150	163	Horizontal	PASS
6	13811.37	-0.37	50.54	68.23	17.69	45.99	54.00	8.01	150	206	Horizontal	PASS

Mode:

A-5825

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1439.28	2.70	42.52	74.00	31.48	37.33	54.00	16.67	150	133	Vertical	PASS
2	2046.52	6.62	44.86	68.23	23.37	40.65	54.00	13.35	150	312	Vertical	PASS
3	3123.64	10.16	49.49	68.23	18.74	42.66	54.00	11.34	150	270	Vertical	PASS
4	10133.76	-5.94	47.29	68.23	20.94	45.85	54.00	8.15	150	78	Vertical	PASS
5	11652.54	-2.96	55.11	74.00	18.89	49.34	54.00	4.66	150	226	Vertical	PASS
6	14579.94	1.11	50.75	68.23	17.48	47.50	54.00	6.50	150	274	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1346.12	2.81	42.75	74.00	31.25	38.75	54.00	15.25	150	137	Horizontal	PASS
2	2472.2	8.37	45.70	68.23	22.53	40.37	54.00	13.63	150	150	Horizontal	PASS
3	4085.84	12.91	49.48	74.00	24.52	46.06	54.00	7.94	150	155	Horizontal	PASS
4	8916.9	-8.21	46.55	68.23	21.68	43.35	54.00	10.65	150	157	Horizontal	PASS
5	11648.46	-2.95	54.92	74.00	19.08	49.14	54.00	4.86	150	162	Horizontal	PASS
6	13635.93	-0.61	49.18	68.23	19.05	45.32	54.00	8.68	150	4	Horizontal	PASS

Mode:

N20-5180

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1241.8	2.73	41.91	68.23	26.32	37.37	54.00	16.63	150	130	Vertical	PASS
2	1981	6.82	45.40	68.23	22.83	41.07	54.00	12.93	150	204	Vertical	PASS
3	2799.4	8.97	48.32	74.00	25.68	44.17	54.00	9.83	150	171	Vertical	PASS
4	6906.54	-10.22	46.82	68.23	21.41	45.80	54.00	8.20	150	238	Vertical	PASS
5	10352.43	-5.72	49.27	68.23	18.96	46.83	54.00	7.17	150	176	Vertical	PASS
6	15538.04	1.67	56.25	74.00	17.75	49.28	54.00	4.72	150	238	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1630	3.28	40.81	68.23	27.42	36.17	54.00	17.83	150	285	Horizontal	PASS
2	1969	6.59	44.49	68.23	23.74	39.96	54.00	14.04	150	216	Horizontal	PASS
3	3201.4	9.97	47.74	68.23	20.49	42.79	54.00	11.21	150	176	Horizontal	PASS
4	6907.15	-10.21	46.96	68.23	21.27	41.95	54.00	12.05	150	155	Horizontal	PASS
5	10355.48	-5.71	50.27	68.23	17.96	47.12	54.00	6.88	150	171	Horizontal	PASS
6	13340.21	-0.08	50.08	74.00	23.92	46.90	54.00	7.10	150	83	Horizontal	PASS

Mode:

N20-5200

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1982.2	6.83	47.05	68.23	21.18	42.34	54.00	11.66	150	71	Vertical	PASS
2	2424.4	7.71	45.89	68.23	22.34	43.46	54.00	10.54	150	356	Vertical	PASS
3	3133.6	9.85	49.01	68.23	19.22	44.52	54.00	9.48	150	0	Vertical	PASS
4	6907.15	-10.21	46.52	68.23	21.71	41.34	54.00	12.66	150	224	Vertical	PASS
5	10371.34	-5.59	48.79	68.23	19.44	45.30	54.00	8.70	150	255	Vertical	PASS
6	13130.37	-1.34	49.51	68.23	18.72	43.72	54.00	10.28	150	67	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1891	6.27	44.64	68.23	23.59	42.48	54.00	11.52	150	200	Horizontal	PASS
2	2716	8.72	47.40	74.00	26.60	44.90	54.00	9.10	150	164	Horizontal	PASS
3	3908.8	12.03	50.21	74.00	23.79	44.75	54.00	9.25	150	51	Horizontal	PASS
4	8097.26	-9.82	45.59	74.00	28.41	40.93	54.00	13.07	150	237	Horizontal	PASS
5	10357.92	-5.71	49.98	68.23	18.25	47.40	54.00	6.60	150	102	Horizontal	PASS
6	12611.87	-1.96	48.94	74.00	25.06	45.34	54.00	8.66	150	243	Horizontal	PASS

Mode:

N20-5240

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1883.2	6.27	44.45	68.23	23.78	40.87	54.00	13.13	150	62	Vertical	PASS
2	2270.2	7.29	45.42	74.00	28.58	43.01	54.00	10.99	150	319	Vertical	PASS
3	3121.6	10.10	47.41	68.23	20.82	42.76	54.00	11.24	150	23	Vertical	PASS
4	7323.17	-10.07	46.24	74.00	27.76	42.90	54.00	11.10	150	11	Vertical	PASS
5	10483.58	-5.43	51.50	68.23	16.73	48.63	54.00	5.37	150	256	Vertical	PASS
6	15723.48	1.53	56.29	74.00	17.71	51.26	54.00	2.74	150	270	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1322.8	2.80	41.75	74.00	32.25	37.50	54.00	16.50	150	125	Horizontal	PASS
2	2495.8	8.38	47.33	74.00	26.67	41.38	54.00	12.62	150	323	Horizontal	PASS
3	3223.6	10.04	47.24	68.23	20.99	45.11	54.00	8.89	150	177	Horizontal	PASS
4	7517.15	-9.95	45.50	74.00	28.50	41.61	54.00	12.39	150	133	Horizontal	PASS
5	10478.7	-5.42	50.21	68.23	18.02	46.82	54.00	7.18	150	104	Horizontal	PASS
6	13188.93	-1.28	49.53	68.23	18.70	46.45	54.00	7.55	150	166	Horizontal	PASS

Mode:

N20-5260

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1957.6	6.58	45.38	68.23	22.85	39.53	54.00	14.47	150	97	Vertical	PASS
2	2467	8.13	45.98	68.23	22.25	44.08	54.00	9.92	150	84	Vertical	PASS
3	3806.2	11.71	49.66	74.00	24.34	46.64	54.00	7.36	150	163	Vertical	PASS
4	8848.17	-8.59	45.96	68.23	22.27	41.85	54.00	12.15	150	270	Vertical	PASS
5	10519.57	-5.21	52.47	68.23	15.76	50.54	54.00	3.46	150	102	Vertical	PASS
6	15783.26	1.61	60.76	74.00	13.24	51.67	54.00	2.33	150	275	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1334.8	2.69	41.96	74.00	32.04	38.68	54.00	15.32	150	176	Horizontal	PASS
2	2018.2	6.89	45.30	68.23	22.93	42.08	54.00	11.92	150	155	Horizontal	PASS
3	3257.8	10.37	48.38	68.23	19.85	42.15	54.00	11.85	150	338	Horizontal	PASS
4	8613.93	-9.25	45.29	68.23	22.94	41.55	54.00	12.45	150	166	Horizontal	PASS
5	10520.18	-5.20	50.14	68.23	18.09	47.42	54.00	6.58	150	105	Horizontal	PASS
6	13458.55	-1.13	49.77	68.23	18.46	46.24	54.00	7.76	150	272	Horizontal	PASS

Mode:

N20-5280

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2119	6.80	46.28	68.23	21.95	40.31	54.00	13.69	150	256	Vertical	PASS
2	3104.2	9.92	47.13	68.23	21.10	41.46	54.00	12.54	150	323	Vertical	PASS
3	3755.8	11.66	50.26	74.00	23.74	48.05	54.00	5.95	150	16	Vertical	PASS
4	7781.28	-9.34	46.47	68.23	21.76	39.79	54.00	14.21	150	260	Vertical	PASS
5	10552.51	-5.02	54.09	68.23	14.14	46.61	54.00	7.39	150	143	Vertical	PASS
6	15844.26	1.79	55.03	74.00	18.97	48.14	54.00	5.86	150	271	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1963	6.63	44.65	68.23	23.58	40.77	54.00	13.23	150	240	Horizontal	PASS
2	2548	8.28	47.39	68.23	20.84	45.32	54.00	8.68	150	24	Horizontal	PASS
3	3812.2	11.72	49.18	74.00	24.82	43.95	54.00	10.05	150	150	Horizontal	PASS
4	7512.88	-10.04	45.78	74.00	28.22	40.44	54.00	13.56	150	253	Horizontal	PASS
5	10561.66	-4.84	51.03	68.23	17.20	49.12	54.00	4.88	150	187	Horizontal	PASS
6	14217.39	0.44	50.30	68.23	17.93	48.04	54.00	5.96	150	330	Horizontal	PASS

Mode:

N20-5320

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1969	6.59	45.42	68.23	22.81	40.73	54.00	13.27	150	326	Vertical	PASS
2	2633.8	8.51	46.79	68.23	21.44	43.32	54.00	10.68	150	39	Vertical	PASS
3	3791.2	11.65	49.36	74.00	24.64	46.91	54.00	7.09	150	133	Vertical	PASS
4	7320.73	-9.99	45.69	74.00	28.31	41.89	54.00	12.11	150	332	Vertical	PASS
5	10636.08	-4.90	52.93	74.00	21.07	46.83	54.00	7.17	150	149	Vertical	PASS
6	15952.23	1.57	54.93	74.00	19.07	51.78	54.00	2.22	150	276	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1439.2	2.62	41.36	74.00	32.64	36.12	54.00	17.88	150	110	Horizontal	PASS
2	1960	6.64	44.89	68.23	23.34	41.33	54.00	12.67	150	347	Horizontal	PASS
3	3080.8	9.80	47.19	68.23	21.04	44.86	54.00	9.14	150	204	Horizontal	PASS
4	9031.78	-7.89	46.14	74.00	27.86	41.84	54.00	12.16	150	297	Horizontal	PASS
5	10636.08	-4.90	50.16	74.00	23.84	46.12	54.00	7.88	150	173	Horizontal	PASS
6	14557.77	1.71	51.16	68.23	17.07	46.60	54.00	7.40	150	290	Horizontal	PASS

Mode:	N20-5500
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2161.875	6.94	46.15	68.23	22.08	39.10	54.00	14.90	150	115	Vertical	PASS
2	2905.625	9.16	46.93	68.23	21.30	44.93	54.00	9.07	150	236	Vertical	PASS
3	3750	11.93	49.12	74.00	24.88	44.51	54.00	9.49	150	127	Vertical	PASS
4	8550	-8.96	45.99	68.23	22.24	40.84	54.00	13.16	150	276	Vertical	PASS
5	11003.4	-4.21	53.27	74.00	20.73	50.62	54.00	3.38	150	163	Vertical	PASS
6	14368.2	0.76	50.35	68.23	17.88	48.05	54.00	5.95	150	219	Vertical	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1899.375	6.39	44.48	68.23	23.75	42.09	54.00	11.91	150	131	Horizontal	PASS
2	2641.25	8.44	46.05	68.23	22.18	41.59	54.00	12.41	150	91	Horizontal	PASS
3	3809.375	11.94	49.60	74.00	24.40	46.66	54.00	7.34	150	111	Horizontal	PASS
4	8170.2	-9.64	45.29	74.00	28.71	41.58	54.00	12.42	150	258	Horizontal	PASS
5	10992	-4.29	49.90	74.00	24.10	47.96	54.00	6.04	150	169	Horizontal	PASS
6	14568.6	1.49	50.71	68.23	17.52	48.12	54.00	5.88	150	18	Horizontal	PASS

Mode:

N20-5600

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2035	6.60	44.97	68.23	23.26	39.73	54.00	14.27	150	70	Vertical	PASS
2	2687.5	8.50	46.52	68.23	21.71	43.58	54.00	10.42	150	153	Vertical	PASS
3	3732.5	11.36	50.11	74.00	23.89	46.57	54.00	7.43	150	4	Vertical	PASS
4	9069.6	-7.70	46.48	74.00	27.52	41.87	54.00	12.13	150	185	Vertical	PASS
5	11199.6	-3.42	49.95	74.00	24.05	46.64	54.00	7.36	150	213	Vertical	PASS
6	13339.8	-0.08	50.04	74.00	23.96	47.92	54.00	6.08	150	81	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1948.75	6.28	44.23	68.23	24.00	39.55	54.00	14.45	150	148	Horizontal	PASS
2	2541.25	8.24	46.08	68.23	22.15	43.35	54.00	10.65	150	62	Horizontal	PASS
3	3860	11.67	49.53	74.00	24.47	44.23	54.00	9.77	150	66	Horizontal	PASS
4	7705.2	-9.95	45.67	74.00	28.33	43.20	54.00	10.80	150	128	Horizontal	PASS
5	11176.2	-3.40	49.44	74.00	24.56	46.70	54.00	7.30	150	36	Horizontal	PASS
6	14692.8	0.82	50.66	68.23	17.57	46.37	54.00	7.63	150	218	Horizontal	PASS

Mode:

N20-5700

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1775.88	5.07	45.10	68.23	23.13	42.53	54.00	11.47	150	119	Vertical	PASS
2	2682.32	8.62	48.22	68.23	20.01	42.33	54.00	11.67	150	162	Vertical	PASS
3	3422.84	10.58	47.88	68.23	20.35	43.36	54.00	10.64	150	119	Vertical	PASS
4	9535.53	-6.82	47.25	68.23	20.98	45.48	54.00	8.52	150	221	Vertical	PASS
5	11398.56	-4.02	52.25	74.00	21.75	47.05	54.00	6.95	150	179	Vertical	PASS
6	16611.78	2.98	52.60	68.23	15.63	48.73	54.00	5.27	150	41	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1228.48	2.66	42.01	74.00	31.99	37.63	54.00	16.37	150	355	Horizontal	PASS
2	2185.24	7.00	45.12	68.23	23.11	39.32	54.00	14.68	150	10	Horizontal	PASS
3	3205.24	10.04	48.13	68.23	20.10	44.89	54.00	9.11	150	111	Horizontal	PASS
4	9956.28	-6.43	47.01	68.23	21.22	42.81	54.00	11.19	150	306	Horizontal	PASS
5	11399.58	-4.05	51.42	74.00	22.58	49.28	54.00	4.72	150	81	Horizontal	PASS
6	14283.63	0.49	51.97	68.23	16.26	48.27	54.00	5.73	150	15	Horizontal	PASS

Mode:

N20-5745

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2108.4	6.83	45.15	68.23	23.08	40.43	54.00	13.57	150	359	Vertical	PASS
2	3037.28	9.89	47.33	68.23	20.90	43.72	54.00	10.28	150	154	Vertical	PASS
3	3746.52	12.01	49.62	74.00	24.38	44.15	54.00	9.85	150	333	Vertical	PASS
4	9832.86	-6.04	47.13	68.23	21.10	42.99	54.00	11.01	150	306	Vertical	PASS
5	11491.89	-3.32	54.53	74.00	19.47	52.39	54.00	1.61	150	174	Vertical	PASS
6	17238.06	3.51	56.02	68.23	12.21	52.13	54.00	1.87	150	139	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2107.04	6.82	44.93	68.23	23.30	41.44	54.00	12.56	150	164	Horizontal	PASS
2	2957.04	9.74	47.47	68.23	20.76	42.59	54.00	11.41	150	318	Horizontal	PASS
3	3749.92	12.12	50.57	74.00	23.43	47.67	54.00	6.33	150	124	Horizontal	PASS
4	9459.03	-7.31	47.04	74.00	26.96	42.49	54.00	11.51	150	218	Horizontal	PASS
5	11492.4	-3.33	50.36	74.00	23.64	48.90	54.00	5.10	150	0	Horizontal	PASS
6	15636.15	2.73	52.22	74.00	21.78	48.98	54.00	5.02	150	73	Horizontal	PASS

Mode:

N20-5785

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1962.2	6.81	45.05	68.23	23.18	38.92	54.00	15.08	150	243	Vertical	PASS
2	2790.44	9.04	46.49	74.00	27.51	42.46	54.00	11.54	150	208	Vertical	PASS
3	3752.64	12.01	48.91	74.00	25.09	47.20	54.00	6.80	150	130	Vertical	PASS
4	9843.57	-6.09	46.98	68.23	21.25	42.91	54.00	11.09	150	116	Vertical	PASS
5	11578.59	-2.77	54.68	74.00	19.32	47.95	54.00	6.05	150	170	Vertical	PASS
6	15615.24	3.11	51.96	74.00	22.04	49.45	54.00	4.55	150	47	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1912.56	6.51	46.07	68.23	22.16	40.57	54.00	13.43	150	26	Horizontal	PASS
2	3150.16	10.19	47.48	68.23	20.75	42.87	54.00	11.13	150	270	Horizontal	PASS
3	3861.44	11.90	49.53	74.00	24.47	46.90	54.00	7.10	150	142	Horizontal	PASS
4	9142.83	-7.82	46.40	74.00	27.60	41.72	54.00	12.28	150	154	Horizontal	PASS
5	11577.57	-2.77	52.93	74.00	21.07	51.15	54.00	2.85	150	250	Horizontal	PASS
6	13607.37	-0.84	49.56	68.23	18.67	46.12	54.00	7.88	150	298	Horizontal	PASS

Mode:

N20-5825

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1901	6.64	44.25	68.23	23.98	40.77	54.00	13.23	150	274	Vertical	PASS
2	2804.72	8.94	46.87	74.00	27.13	41.63	54.00	12.37	150	142	Vertical	PASS
3	3678.52	11.51	48.62	74.00	25.38	43.46	54.00	10.54	150	343	Vertical	PASS
4	10038.39	-5.75	46.51	68.23	21.72	44.20	54.00	9.80	150	318	Vertical	PASS
5	11656.11	-2.95	54.53	74.00	19.47	47.33	54.00	6.67	150	170	Vertical	PASS
6	14054.64	0.33	50.58	68.23	17.65	48.49	54.00	5.51	150	311	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2183.88	7.26	45.82	68.23	22.41	41.54	54.00	12.46	150	202	Horizontal	PASS
2	2912.84	9.44	46.93	68.23	21.30	44.10	54.00	9.90	150	343	Horizontal	PASS
3	3802.28	11.88	50.32	74.00	23.68	45.02	54.00	8.98	150	219	Horizontal	PASS
4	10312.26	-5.56	47.85	68.23	20.38	45.79	54.00	8.21	150	340	Horizontal	PASS
5	11653.05	-2.96	53.82	74.00	20.18	49.72	54.00	4.28	150	156	Horizontal	PASS
6	15356.16	2.08	51.72	74.00	22.28	49.42	54.00	4.58	150	130	Horizontal	PASS

Mode:	N40-5190
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1946.2	6.33	45.34	68.23	22.89	40.16	54.00	13.84	150	283	Vertical	PASS
2	2758.6	8.75	48.39	74.00	25.61	44.46	54.00	9.54	150	193	Vertical	PASS
3	3640.6	11.71	49.13	74.00	24.87	45.37	54.00	8.63	150	152	Vertical	PASS
4	6919.96	-9.75	46.93	68.23	21.30	45.35	54.00	8.65	150	225	Vertical	PASS
5	9622.26	-6.81	46.72	68.23	21.51	43.90	54.00	10.10	150	25	Vertical	PASS
6	15560	1.89	54.49	74.00	19.51	47.51	54.00	6.49	150	125	Vertical	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2050.6	6.48	44.83	68.23	23.40	42.70	54.00	11.30	150	18	Horizontal	PASS
2	2621.8	8.54	46.51	68.23	21.72	41.23	54.00	12.77	150	190	Horizontal	PASS
3	3696.4	11.46	49.91	74.00	24.09	46.80	54.00	7.20	150	309	Horizontal	PASS
4	7773.35	-9.72	46.39	68.23	21.84	39.86	54.00	14.14	150	144	Horizontal	PASS
5	10029.13	-6.22	47.60	68.23	20.63	44.22	54.00	9.78	150	137	Horizontal	PASS
6	11970.76	-2.72	49.13	74.00	24.87	45.85	54.00	8.15	150	7	Horizontal	PASS

Mode:

N40-5230

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1829.8	5.82	44.56	68.23	23.67	41.22	54.00	12.78	150	50	Vertical	PASS
2	2959	9.60	47.81	68.23	20.42	43.89	54.00	10.11	150	156	Vertical	PASS
3	3631	11.31	49.32	74.00	24.68	46.53	54.00	7.47	150	99	Vertical	PASS
4	8043.58	-9.86	44.97	74.00	29.03	40.98	54.00	13.02	150	88	Vertical	PASS
5	10459.18	-5.47	49.07	68.23	19.16	46.81	54.00	7.19	150	189	Vertical	PASS
6	13232.24	-0.84	51.22	68.23	17.01	48.74	54.00	5.26	150	199	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1998.4	6.82	45.11	68.23	23.12	42.40	54.00	11.60	150	156	Horizontal	PASS
2	2950	9.62	47.28	68.23	20.95	44.76	54.00	9.24	150	205	Horizontal	PASS
3	3746.8	11.82	49.34	74.00	24.66	46.25	54.00	7.75	150	335	Horizontal	PASS
4	7719.06	-9.74	45.70	74.00	28.30	43.38	54.00	10.62	150	247	Horizontal	PASS
5	10474.43	-5.43	49.14	68.23	19.09	46.59	54.00	7.41	150	99	Horizontal	PASS
6	12982.75	-1.97	49.91	68.23	18.32	44.31	54.00	9.69	150	159	Horizontal	PASS

Mode:

N40-5270

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1438.6	2.63	43.43	74.00	30.57	39.98	54.00	14.02	150	188	Vertical	PASS
2	2662	8.46	46.28	68.23	21.95	42.99	54.00	11.01	150	172	Vertical	PASS
3	3915.4	12.17	49.75	74.00	24.25	47.88	54.00	6.12	150	29	Vertical	PASS
4	7894.74	-9.82	45.17	68.23	23.06	41.89	54.00	12.11	150	83	Vertical	PASS
5	10545.8	-5.19	49.99	68.23	18.24	44.83	54.00	9.17	150	356	Vertical	PASS
6	12534.4	-2.10	49.69	74.00	24.31	43.03	54.00	10.97	150	268	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1870.6	6.17	43.84	68.23	24.39	41.34	54.00	12.66	150	213	Horizontal	PASS
2	2440.6	7.82	45.72	68.23	22.51	43.65	54.00	10.35	150	75	Horizontal	PASS
3	3530.2	10.63	47.53	68.23	20.70	44.58	54.00	9.42	150	360	Horizontal	PASS
4	8369.93	-9.26	45.49	74.00	28.51	39.86	54.00	14.14	150	252	Horizontal	PASS
5	11088.09	-3.87	48.61	74.00	25.39	44.90	54.00	9.10	150	356	Horizontal	PASS
6	14558.38	1.74	51.25	68.23	16.98	47.56	54.00	6.44	150	79	Horizontal	PASS

Mode:

N40-5310

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1871.8	6.19	44.55	68.23	23.68	39.34	54.00	14.66	150	177	Vertical	PASS
2	2467	8.13	46.23	68.23	22.00	42.27	54.00	11.73	150	246	Vertical	PASS
3	3310	10.52	47.98	68.23	20.25	43.65	54.00	10.35	150	254	Vertical	PASS
4	8583.43	-9.29	45.53	68.23	22.70	41.22	54.00	12.78	150	123	Vertical	PASS
5	10629.37	-4.84	50.45	74.00	23.55	47.42	54.00	6.58	150	123	Vertical	PASS
6	13904.46	-0.89	50.06	68.23	18.17	46.73	54.00	7.27	150	82	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1950.4	6.37	44.63	68.23	23.60	42.19	54.00	11.81	150	86	Horizontal	PASS
2	2780.2	8.51	46.57	74.00	27.43	41.44	54.00	12.56	150	339	Horizontal	PASS
3	3645.4	11.44	48.66	74.00	25.34	45.85	54.00	8.15	150	241	Horizontal	PASS
4	8433.98	-8.83	47.12	74.00	26.88	44.49	54.00	9.51	150	303	Horizontal	PASS
5	9255.04	-7.41	47.64	68.23	20.59	41.01	54.00	12.99	150	40	Horizontal	PASS
6	10625.71	-4.82	48.98	74.00	25.02	45.57	54.00	8.43	150	111	Horizontal	PASS

Mode:

N40-5510

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1880.625	6.29	45.64	68.23	22.59	39.72	54.00	14.28	150	42	Vertical	PASS
2	3185	10.06	47.69	68.23	20.54	44.07	54.00	9.93	150	94	Vertical	PASS
3	3888.125	12.02	49.31	74.00	24.69	43.16	54.00	10.84	150	295	Vertical	PASS
4	8454	-9.25	46.00	74.00	28.00	42.88	54.00	11.12	150	91	Vertical	PASS
5	10135.8	-6.11	48.01	68.23	20.22	45.53	54.00	8.47	150	181	Vertical	PASS
6	12959.4	-1.81	50.05	68.23	18.18	47.59	54.00	6.41	150	97	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1870.625	6.19	44.09	68.23	24.14	39.65	54.00	14.35	150	167	Horizontal	PASS
2	2220.625	7.21	44.93	74.00	29.07	42.43	54.00	11.57	150	192	Horizontal	PASS
3	3374.375	10.43	47.71	68.23	20.52	45.86	54.00	8.14	150	21	Horizontal	PASS
4	7347	-10.23	46.32	74.00	27.68	44.81	54.00	9.19	150	171	Horizontal	PASS
5	10321.2	-5.04	48.10	68.23	20.13	45.47	54.00	8.53	150	348	Horizontal	PASS
6	13346.4	-0.22	49.63	74.00	24.37	44.58	54.00	9.42	150	9	Horizontal	PASS

Mode:

N40-5590

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1978.75	6.69	44.91	68.23	23.32	38.91	54.00	15.09	150	307	Vertical	PASS
2	2791.25	8.93	46.99	74.00	27.01	40.97	54.00	13.03	150	220	Vertical	PASS
3	3748.75	11.89	49.18	74.00	24.82	44.33	54.00	9.67	150	33	Vertical	PASS
4	8538	-8.99	46.73	68.23	21.50	44.34	54.00	9.66	150	110	Vertical	PASS
5	10182.6	-6.13	47.31	68.23	20.92	43.51	54.00	10.49	150	176	Vertical	PASS
6	14300.4	0.45	51.53	68.23	16.70	47.22	54.00	6.78	150	203	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1923.125	6.28	44.51	68.23	23.72	42.23	54.00	11.77	150	192	Horizontal	PASS
2	2582.5	8.36	46.42	68.23	21.81	43.79	54.00	10.21	150	90	Horizontal	PASS
3	3493.125	10.46	48.52	68.23	19.71	43.91	54.00	10.09	150	314	Horizontal	PASS
4	8538.6	-8.97	46.07	68.23	22.16	43.36	54.00	10.64	150	102	Horizontal	PASS
5	11591.4	-3.08	48.57	74.00	25.43	44.51	54.00	9.49	150	0	Horizontal	PASS
6	14707.8	0.97	50.30	68.23	17.93	47.81	54.00	6.19	150	282	Horizontal	PASS

Mode:

N40-5670

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1890	6.22	44.20	68.23	24.03	40.72	54.00	13.28	150	75	Vertical	PASS
2	2533.125	8.17	45.83	68.23	22.40	39.80	54.00	14.20	150	332	Vertical	PASS
3	3863.75	11.70	49.38	74.00	24.62	46.82	54.00	7.18	150	79	Vertical	PASS
4	8630.4	-9.20	45.73	68.23	22.50	43.62	54.00	10.38	150	33	Vertical	PASS
5	11333.4	-3.53	58.62	74.00	15.38	52.15	54.00	1.85	150	211	Vertical	PASS
6	17029.2	4.09	62.00	68.23	6.23	52.35	54.00	1.65	150	211	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1435	2.48	42.04	68.23	26.19	39.08	54.00	14.92	150	61	Horizontal	PASS
2	1935	6.27	44.84	68.23	23.39	42.53	54.00	11.47	150	114	Horizontal	PASS
3	3026.25	9.59	47.40	68.23	20.83	43.20	54.00	10.80	150	130	Horizontal	PASS
4	8164.2	-9.66	45.30	74.00	28.70	40.61	54.00	13.39	150	329	Horizontal	PASS
5	11355.6	-3.90	52.30	74.00	21.70	46.06	54.00	7.94	150	108	Horizontal	PASS
6	17024.4	4.27	57.50	68.23	10.73	51.58	54.00	2.42	150	108	Horizontal	PASS

Mode:

N40-5755

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1443.36	2.70	43.20	74.00	30.80	37.32	54.00	16.68	150	198	Vertical	PASS
2	2789.76	9.03	46.92	74.00	27.08	41.69	54.00	12.31	150	4	Vertical	PASS
3	3966.16	12.40	49.29	74.00	24.71	45.74	54.00	8.26	150	260	Vertical	PASS
4	10313.28	-5.56	47.58	68.23	20.65	44.76	54.00	9.24	150	293	Vertical	PASS
5	11504.13	-3.50	52.51	74.00	21.49	50.81	54.00	3.19	150	163	Vertical	PASS
6	14969.58	0.95	51.16	68.23	17.07	48.08	54.00	5.92	150	23	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1743.24	4.64	43.70	68.23	24.53	40.67	54.00	13.33	150	235	Horizontal	PASS
2	2267.52	7.51	47.08	74.00	26.92	42.37	54.00	11.63	150	44	Horizontal	PASS
3	3172.6	10.12	47.23	68.23	21.00	43.69	54.00	10.31	150	4	Horizontal	PASS
4	4121.88	12.79	49.80	74.00	24.20	43.47	54.00	10.53	150	98	Horizontal	PASS
5	10311.75	-5.56	47.06	68.23	21.17	42.60	54.00	11.40	150	212	Horizontal	PASS
6	11500.05	-3.58	50.66	74.00	23.34	48.56	54.00	5.44	150	194	Horizontal	PASS

Mode:

N40-5795

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1824.84	5.91	44.07	68.23	24.16	39.53	54.00	14.47	150	299	Vertical	PASS
2	3099.84	10.15	47.95	68.23	20.28	43.67	54.00	10.33	150	343	Vertical	PASS
3	4224.56	12.97	50.53	74.00	23.47	48.21	54.00	5.79	150	216	Vertical	PASS
4	9976.17	-6.43	47.63	68.23	20.60	44.89	54.00	9.11	150	196	Vertical	PASS
5	11591.34	-2.90	54.27	74.00	19.73	52.50	54.00	1.50	150	169	Vertical	PASS
6	14374.92	0.81	50.46	68.23	17.77	48.20	54.00	5.80	150	164	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1957.44	6.73	45.10	68.23	23.13	41.57	54.00	12.43	150	66	Horizontal	PASS
2	2520.48	8.44	46.28	68.23	21.95	43.37	54.00	10.63	150	285	Horizontal	PASS
3	3739.72	11.79	49.35	74.00	24.65	43.46	54.00	10.54	150	308	Horizontal	PASS
4	9819.09	-6.10	47.20	68.23	21.03	44.57	54.00	9.43	150	190	Horizontal	PASS
5	11585.73	-2.84	51.52	74.00	22.48	50.11	54.00	3.89	150	157	Horizontal	PASS
6	15657.57	2.63	51.58	74.00	22.42	49.51	54.00	4.49	150	25	Horizontal	PASS

Restricted band and Out of band

Mode:	A-5180
-------	--------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	13.50	52.23	74.00	21.77	43.83	54.00	10.17	150	348	Vertical	PASS
2	4648.2	13.73	54.74	74.00	19.26	46.45	54.00	7.55	150	224	Vertical	PASS
3	4938.5875	14.98	56.89	74.00	17.11	46.48	54.00	7.52	150	48	Vertical	PASS
4	4986.1188	14.79	56.65	74.00	17.35	47.19	54.00	6.81	150	48	Vertical	PASS
5	5148.1312	17.30	63.24	74.00	10.76	50.58	54.00	3.42	150	328	Vertical	PASS
6	5150	17.77	61.24	74.00	12.76	49.70	54.00	4.30	150	328	Vertical	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	13.50	50.71	74.00	23.29	44.34	54.00	9.66	150	269	Horizontal	PASS
2	4784.1312	14.24	55.72	74.00	18.28	45.33	54.00	8.67	150	0	Horizontal	PASS
3	4934.1188	15.01	56.43	74.00	17.57	47.43	54.00	6.57	150	0	Horizontal	PASS
4	4939.725	14.92	57.26	74.00	16.74	48.62	54.00	5.38	150	269	Horizontal	PASS
5	5013.5	15.15	56.14	74.00	17.86	48.73	54.00	5.27	150	299	Horizontal	PASS
6	5149.6395	17.77	66.99	74.00	7.01	52.57	54.00	1.43	150	331.7	Horizontal	PASS

Mode:

A-5320

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	15.60	58.25	74.00	15.75	52.19	54.00	1.81	150	301	Vertical	PASS
2	5351.43	15.64	61.24	74.00	12.76	51.58	54.00	2.42	150	354	Vertical	PASS
3	5355.06	15.78	62.13	74.00	11.87	50.62	54.00	3.38	150	85	Vertical	PASS
4	5357.81	15.84	59.28	74.00	14.72	48.54	54.00	5.46	150	0	Vertical	PASS
5	5361.77	15.76	57.16	74.00	16.84	47.28	54.00	6.72	150	0	Vertical	PASS
6	5460	17.23	56.01	74.00	17.99	45.49	54.00	8.51	150	25	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	15.60	58.11	74.00	15.89	47.95	54.00	6.05	150	353	Horizontal	PASS
2	5351.54	15.64	65.23	74.00	8.77	49.38	54.00	4.62	150	353	Horizontal	PASS
3	5353.3	15.71	65.70	74.00	8.30	48.81	54.00	5.19	150	359.8	Horizontal	PASS
4	5359.02	15.86	62.12	74.00	11.88	48.83	54.00	5.17	150	334	Horizontal	PASS
5	5365.95	15.57	60.36	74.00	13.64	48.61	54.00	5.39	150	339	Horizontal	PASS
6	5460	17.23	54.70	74.00	19.30	43.09	54.00	10.91	150	123	Horizontal	PASS

Mode:	A-5500
-------	--------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	15.60	53.31	74.00	20.69	44.33	54.00	9.67	150	232	Vertical	PASS
2	5402.69	16.57	56.06	74.00	17.94	47.27	54.00	6.73	150	325	Vertical	PASS
3	5422.49	16.81	56.98	74.00	17.02	48.76	54.00	5.24	150	306	Vertical	PASS
4	5430.85	16.14	57.24	74.00	16.76	48.88	54.00	5.12	150	344	Vertical	PASS
5	5449.11	16.55	57.14	74.00	16.86	50.36	54.00	3.64	150	146	Vertical	PASS
6	5460	17.23	54.27	74.00	19.73	51.10	54.00	2.90	150	318	Vertical	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	15.60	53.06	74.00	20.94	45.77	54.00	8.23	150	105	Horizontal	PASS
2	5412.92	16.47	56.52	74.00	17.48	47.95	54.00	6.05	150	0	Horizontal	PASS
3	5422.27	16.81	56.51	74.00	17.49	47.72	54.00	6.28	150	79	Horizontal	PASS
4	5437.34	16.11	55.99	74.00	18.01	50.25	54.00	3.75	150	43	Horizontal	PASS
5	5456.92	17.28	58.46	74.00	15.54	51.47	54.00	2.53	150	166	Horizontal	PASS
6	5460	17.23	55.15	74.00	18.85	52.29	54.00	1.71	150	180	Horizontal	PASS

Mode:

N20-5180

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	13.50	50.64	74.00	23.36	39.93	54.00	14.07	150	260	Vertical	PASS
2	4727.6625	14.45	54.61	74.00	19.39	44.89	54.00	9.11	150	78	Vertical	PASS
3	4869.1188	14.48	55.71	74.00	18.29	45.46	54.00	8.54	150	4	Vertical	PASS
4	4933.1438	14.96	56.17	74.00	17.83	46.10	54.00	7.90	150	316	Vertical	PASS
5	5018.4562	14.93	56.81	74.00	17.19	47.55	54.00	6.45	150	121	Vertical	PASS
6	5150	17.77	58.57	74.00	15.43	51.51	54.00	2.49	150	260	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	13.50	49.82	74.00	24.18	39.76	54.00	14.24	150	208	Horizontal	PASS
2	4869.1188	14.48	55.81	74.00	18.19	44.17	54.00	9.83	150	51	Horizontal	PASS
3	4931.5188	14.80	56.41	74.00	17.59	45.39	54.00	8.61	150	7	Horizontal	PASS
4	5008.95	15.03	56.67	74.00	17.33	46.19	54.00	7.81	150	4	Horizontal	PASS
5	5145.6125	16.85	69.73	74.00	4.27	49.77	54.00	4.23	150	104	Horizontal	PASS
6	5150	17.77	58.68	74.00	15.32	50.14	54.00	3.86	150	51	Horizontal	PASS

Mode:	N20-5320
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	15.60	59.78	74.00	14.22	52.00	54.00	2.00	150	239	Vertical	PASS
2	5351.65	15.65	62.06	74.00	11.94	51.16	54.00	2.84	150	222	Vertical	PASS
3	5354.51	15.76	66.25	74.00	7.75	52.11	54.00	1.89	150	165	Vertical	PASS
4	5358.25	15.85	61.22	74.00	12.78	50.92	54.00	3.08	150	234	Vertical	PASS
5	5361.88	15.76	57.17	74.00	16.83	50.27	54.00	3.73	150	229	Vertical	PASS
6	5460	17.23	55.99	74.00	18.01	42.62	54.00	11.38	150	306	Vertical	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	15.60	61.70	74.00	12.30	49.79	54.00	4.21	150	218	Horizontal	PASS
2	5351.98	15.66	63.35	74.00	10.65	48.94	54.00	5.06	150	108	Horizontal	PASS
3	5353.85	15.73	63.49	74.00	10.51	47.43	54.00	6.57	150	127	Horizontal	PASS
4	5356.82	15.82	63.12	74.00	10.88	49.73	54.00	4.27	150	211	Horizontal	PASS
5	5362.43	15.72	57.45	74.00	16.55	48.19	54.00	5.81	150	113	Horizontal	PASS
6	5460	17.23	55.35	74.00	18.65	43.52	54.00	10.48	150	285	Horizontal	PASS

Mode:	N20-5500
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	15.60	53.18	74.00	20.82	40.53	54.00	13.47	150	342	Vertical	PASS
2	5412.04	16.41	56.75	74.00	17.25	49.09	54.00	4.91	150	360	Vertical	PASS
3	5426.01	16.58	57.64	74.00	16.36	50.09	54.00	3.91	150	26	Vertical	PASS
4	5452.96	16.91	57.43	74.00	16.57	51.77	54.00	2.23	150	226	Vertical	PASS
5	5458.24	17.29	57.68	74.00	16.32	52.24	54.00	1.76	150	226	Vertical	PASS
6	5460	17.23	57.35	74.00	16.65	52.31	54.00	1.69	150	243	Vertical	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	15.60	52.90	74.00	21.10	39.93	54.00	14.07	150	125	Horizontal	PASS
2	5360.89	15.82	55.42	74.00	18.58	46.09	54.00	7.91	150	317	Horizontal	PASS
3	5399.39	16.33	55.90	74.00	18.10	48.03	54.00	5.97	150	69	Horizontal	PASS
4	5425.46	16.64	56.36	74.00	17.64	49.32	54.00	4.68	150	204	Horizontal	PASS
5	5457.69	17.30	58.00	74.00	16.00	50.29	54.00	3.71	150	225	Horizontal	PASS
6	5460	17.23	58.04	74.00	15.96	51.08	54.00	2.92	150	206	Horizontal	PASS

Mode:

N40-5190

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	13.50	52.94	74.00	21.06	42.54	54.00	11.46	150	171	Vertical	PASS
2	4868.7938	14.46	56.46	74.00	17.54	44.75	54.00	9.25	150	91	Vertical	PASS
3	4946.3875	14.98	56.81	74.00	17.19	46.62	54.00	7.38	150	134	Vertical	PASS
4	5143.175	16.44	61.79	74.00	12.21	47.64	54.00	6.36	150	244	Vertical	PASS
5	5149.675	17.69	62.33	74.00	11.67	50.54	54.00	3.46	150	181	Vertical	PASS
6	5150	17.77	59.16	74.00	14.84	50.82	54.00	3.18	150	194	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	13.50	52.43	74.00	21.57	42.04	54.00	11.96	150	236	Horizontal	PASS
2	4969.1375	15.37	57.07	74.00	16.93	44.53	54.00	9.47	150	113	Horizontal	PASS
3	5085.5688	15.04	56.29	74.00	17.71	45.54	54.00	8.46	150	123	Horizontal	PASS
4	5141.1438	16.14	62.96	74.00	11.04	48.19	54.00	5.81	150	93	Horizontal	PASS
5	5149.1875	17.57	65.74	74.00	8.26	51.37	54.00	2.63	150	93	Horizontal	PASS
6	5150	17.77	62.78	74.00	11.22	51.97	54.00	2.03	150	232	Horizontal	PASS

Mode:

N40-5310

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	15.60	63.42	74.00	10.58	51.26	54.00	2.74	150	186	Vertical	PASS
2	5353.63	15.73	67.79	74.00	6.21	52.54	54.00	1.46	150	169	Vertical	PASS
3	5359.24	15.86	66.57	74.00	7.43	50.30	54.00	3.70	150	167	Vertical	PASS
4	5369.58	15.49	61.65	74.00	12.35	47.91	54.00	6.09	150	222	Vertical	PASS
5	5375.96	15.73	59.33	74.00	14.67	46.41	54.00	7.59	150	188	Vertical	PASS
6	5460	17.23	56.41	74.00	17.59	43.13	54.00	10.87	150	304	Vertical	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	15.60	64.01	74.00	9.99	49.76	54.00	4.24	150	216	Horizontal	PASS
2	5351.54	15.64	69.09	74.00	4.91	50.73	54.00	3.27	150	216	Horizontal	PASS
3	5353.85	15.73	70.45	74.00	3.55	52.16	54.00	1.84	150	211	Horizontal	PASS
4	5356.38	15.81	68.29	74.00	5.71	49.93	54.00	4.07	150	108	Horizontal	PASS
5	5360.67	15.83	65.24	74.00	8.76	44.18	54.00	9.82	150	208	Horizontal	PASS
6	5460	17.23	54.99	74.00	19.01	43.01	54.00	10.99	150	94	Horizontal	PASS

Mode:


N40-5510

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	15.60	52.42	74.00	21.58	42.40	54.00	11.60	150	295	Vertical	PASS
2	5383.77	15.79	55.74	74.00	18.26	43.70	54.00	10.30	150	295	Vertical	PASS
3	5422.38	16.81	56.51	74.00	17.49	45.33	54.00	8.67	150	133	Vertical	PASS
4	5445.59	16.26	56.77	74.00	17.23	51.61	54.00	2.39	150	198	Vertical	PASS
5	5459.23	17.25	60.19	74.00	13.81	51.33	54.00	2.67	150	131	Vertical	PASS
6	5460	17.23	56.84	74.00	17.16	51.85	54.00	2.15	150	244	Vertical	PASS

Final Data List


NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	15.60	53.76	74.00	20.24	43.26	54.00	10.74	150	166	Horizontal	PASS
2	5384.76	15.80	56.64	74.00	17.36	44.58	54.00	9.42	150	311	Horizontal	PASS
3	5443.17	16.15	56.44	74.00	17.56	47.60	54.00	6.40	150	207	Horizontal	PASS
4	5451.86	16.79	57.07	74.00	16.93	49.27	54.00	4.73	150	204	Horizontal	PASS
5	5459.45	17.25	58.71	74.00	15.29	50.33	54.00	3.67	150	109	Horizontal	PASS
6	5460	17.23	55.78	74.00	18.22	51.94	54.00	2.06	150	302	Horizontal	PASS



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5623.625	40.35	55.33	14.98	68.23	12.90	150	228	PK	Vertical	PASS
2	5659.625	40.45	55.45	15.00	75.37	19.92	150	220	PK	Vertical	PASS
3	5712.875	48.11	62.94	14.83	108.81	45.87	150	228	PK	Vertical	PASS
4	5776.25	51.02	66.03	15.01	122.20	56.17	150	228	PK	Vertical	PASS
5	5803.25	40.37	55.05	14.68	122.20	67.15	150	116	PK	Vertical	PASS
6	5857.25	39.79	54.83	15.04	110.17	55.34	150	79	PK	Vertical	PASS


Mode: A-5745

Test Graph



Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5651	39.99	54.74	14.75	68.97	14.23	150	236	PK	Horizontal	PASS
2	5678	39.75	54.29	14.54	88.97	34.68	150	216	PK	Horizontal	PASS
3	5711.375	44.79	59.62	14.83	108.39	48.77	150	246	PK	Horizontal	PASS
4	5767.625	56.54	71.44	14.90	122.20	50.76	150	175	PK	Horizontal	PASS
5	5790.5	43.84	58.72	14.88	122.20	63.48	150	175	PK	Horizontal	PASS
6	5853.125	39.37	54.31	14.94	115.07	60.76	150	283	PK	Horizontal	PASS



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5664.125	39.38	54.34	14.96	78.71	24.37	150	165	PK	Vertical	PASS
2	5706.875	40.34	55.42	15.08	107.13	51.71	150	188	PK	Vertical	PASS
3	5755.625	52.30	67.28	14.98	122.20	54.92	150	224	PK	Vertical	PASS
4	5810	60.66	75.29	14.63	122.20	46.91	150	188	PK	Vertical	PASS
5	5825.375	50.13	64.90	14.77	122.20	57.30	150	188	PK	Vertical	PASS
6	5861.375	40.42	55.54	15.12	109.01	53.47	150	188	PK	Vertical	PASS

Mode: A-5785

Test Graph




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5663	40.61	55.57	14.96	77.87	22.30	150	299	PK	Horizontal	PASS
2	5706.5	40.24	55.35	15.11	107.02	51.67	150	168	PK	Horizontal	PASS
3	5748.5	46.22	61.24	15.02	122.20	60.96	150	107	PK	Horizontal	PASS
4	5806.625	61.63	76.25	14.62	122.20	45.95	150	168	PK	Horizontal	PASS
5	5826.125	46.89	61.70	14.81	122.20	60.50	150	238	PK	Horizontal	PASS
6	5871.125	39.58	54.81	15.23	106.28	51.47	150	31	PK	Horizontal	PASS


Mode: A-5825

Test Graph




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5704.25	38.76	54.02	15.26	106.39	52.37	150	53	PK	Vertical	PASS
2	5745.875	41.70	56.82	15.12	122.20	65.38	150	329	PK	Vertical	PASS
3	5802.5	53.82	68.50	14.68	122.20	53.70	150	232	PK	Vertical	PASS
4	5859.125	59.59	74.67	15.08	109.64	34.97	150	214	PK	Vertical	PASS
5	5884.25	43.33	58.58	15.25	98.34	39.76	150	217	PK	Vertical	PASS
6	5910.125	39.76	55.18	15.42	79.20	24.02	150	47	PK	Vertical	PASS




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5711.75	39.22	54.04	14.82	108.49	54.45	150	117	PK	Horizontal	PASS
2	5752.25	39.43	54.37	14.94	122.20	67.83	150	111	PK	Horizontal	PASS
3	5799.875	52.82	67.56	14.74	122.20	54.64	150	235	PK	Horizontal	PASS
4	5841.875	66.34	81.34	15.00	122.20	40.86	150	179	PK	Horizontal	PASS
5	5870.375	42.61	57.85	15.24	106.49	48.64	150	238	PK	Horizontal	PASS
6	5902.625	41.25	56.70	15.45	84.74	28.04	150	111	PK	Horizontal	PASS



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5682.5	39.09	53.69	14.60	92.30	38.61	150	145	PK	Vertical	PASS
2	5706.5	44.42	59.53	15.11	107.02	47.49	150	233	PK	Vertical	PASS
3	5727.125	64.28	79.36	15.08	122.20	42.84	150	215	PK	Vertical	PASS
4	5764.625	64.05	79.08	15.03	122.20	43.12	150	166	PK	Vertical	PASS
5	5780.75	50.99	65.91	14.92	122.20	56.29	150	230	PK	Vertical	PASS
6	5820.125	41.64	56.39	14.75	122.20	65.81	150	230	PK	Vertical	PASS


Mode: N20-5745

Test Graph

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5685.125	39.72	54.43	14.71	94.24	39.81	150	225	PK	Horizontal	PASS
2	5706.125	41.72	56.86	15.14	106.92	50.06	150	180	PK	Horizontal	PASS
3	5730.5	67.99	83.23	15.24	122.20	38.97	150	151	PK	Horizontal	PASS
4	5765.75	68.39	83.37	14.98	122.20	38.83	150	140	PK	Horizontal	PASS
5	5783	47.37	62.32	14.95	122.20	59.88	150	237	PK	Horizontal	PASS
6	5807.75	40.96	55.61	14.65	122.20	66.59	150	356	PK	Horizontal	PASS


Mode: N20-5785

Test Graph




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5702.375	39.42	54.75	15.33	105.87	51.12	150	195	PK	Vertical	PASS
2	5741	44.66	59.78	15.12	122.20	62.42	150	225	PK	Vertical	PASS
3	5763.5	65.35	80.41	15.06	122.20	41.79	150	221	PK	Vertical	PASS
4	5799.875	70.38	85.12	14.74	122.20	37.08	150	219	PK	Vertical	PASS
5	5832.5	49.24	64.11	14.87	122.20	58.09	150	216	PK	Vertical	PASS
6	5850.125	40.98	55.85	14.87	121.91	66.06	150	225	PK	Vertical	PASS




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5727.5	40.52	55.63	15.11	122.20	66.57	150	0	PK	Horizontal	PASS
2	5754.5	51.98	66.93	14.95	122.20	55.27	150	107	PK	Horizontal	PASS
3	5769.5	68.90	83.82	14.92	122.20	38.38	150	157	PK	Horizontal	PASS
4	5803.625	69.63	84.32	14.69	122.20	37.88	150	154	PK	Horizontal	PASS
5	5826.5	49.03	63.84	14.81	122.20	58.36	150	148	PK	Horizontal	PASS
6	5845.25	40.44	55.50	15.06	122.20	66.70	150	0	PK	Horizontal	PASS



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5742.5	40.95	56.04	15.09	122.20	66.16	150	225	PK	Vertical	PASS
2	5789	47.04	61.89	14.85	122.20	60.31	150	231	PK	Vertical	PASS
3	5814.125	71.33	86.13	14.80	122.20	36.07	150	225	PK	Vertical	PASS
4	5843	70.25	85.30	15.05	122.20	36.90	150	231	PK	Vertical	PASS
5	5857.625	54.48	69.52	15.04	110.06	40.54	150	228	PK	Vertical	PASS
6	5873	48.45	63.68	15.23	105.76	42.08	150	222	PK	Vertical	PASS

Mode: N20-5825


Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5714.75	39.89	54.73	14.84	109.33	54.60	150	317	PK	Horizontal	PASS
2	5787.875	47.53	62.43	14.90	122.20	59.77	150	105	PK	Horizontal	PASS
3	5806.25	63.08	77.71	14.63	122.20	44.49	150	99	PK	Horizontal	PASS
4	5840.75	72.50	87.49	14.99	122.20	34.71	150	155	PK	Horizontal	PASS
5	5855.375	52.14	67.13	14.99	110.69	43.56	150	155	PK	Horizontal	PASS
6	5873.375	43.30	58.53	15.23	105.65	47.12	150	155	PK	Horizontal	PASS


Mode: N40-5755

Test Graph

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5688.5	44.55	59.47	14.92	96.73	37.26	150	230	PK	Vertical	PASS
2	5705.75	56.19	71.36	15.17	106.81	35.45	150	227	PK	Vertical	PASS
3	5722.25	66.47	81.45	14.98	115.93	34.48	150	216	PK	Vertical	PASS
4	5789.375	65.27	80.14	14.87	122.20	42.06	150	222	PK	Vertical	PASS
5	5818.25	49.57	64.40	14.83	122.20	57.80	150	224	PK	Vertical	PASS
6	5835.5	48.27	63.16	14.89	122.20	59.04	150	218	PK	Vertical	PASS


Mode: N40-5755

Test Graph




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5695.625	46.97	62.20	15.23	101.98	39.78	150	113	PK	Horizontal	PASS
2	5712.125	59.78	74.59	14.81	108.60	34.01	150	242	PK	Horizontal	PASS
3	5723	64.59	79.56	14.97	117.64	38.08	150	148	PK	Horizontal	PASS
4	5787.125	66.51	81.46	14.95	122.20	40.74	150	99	PK	Horizontal	PASS
5	5802.5	54.99	69.67	14.68	122.20	52.53	150	148	PK	Horizontal	PASS
6	5822	47.36	62.08	14.72	122.20	60.12	150	148	PK	Horizontal	PASS



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5722.625	43.28	58.25	14.97	116.79	58.54	150	232	PK	Vertical	PASS
2	5752.625	59.95	74.87	14.92	122.20	47.33	150	180	PK	Vertical	PASS
3	5766.5	68.97	83.92	14.95	122.20	38.28	150	219	PK	Vertical	PASS
4	5825	69.85	84.60	14.75	122.20	37.60	150	219	PK	Vertical	PASS
5	5838.875	62.59	77.54	14.95	122.20	44.66	150	216	PK	Vertical	PASS
6	5856.125	51.39	66.40	15.01	110.48	44.08	150	219	PK	Vertical	PASS



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5737.25	48.80	63.97	15.17	122.20	58.23	150	105	PK	Horizontal	PASS
2	5752.625	58.99	73.91	14.92	122.20	48.29	150	238	PK	Horizontal	PASS
3	5763.875	63.80	78.86	15.06	122.20	43.34	150	105	PK	Horizontal	PASS
4	5821.625	70.65	85.40	14.75	122.20	36.80	150	153	PK	Horizontal	PASS
5	5843	55.52	70.57	15.05	122.20	51.63	150	153	PK	Horizontal	PASS
6	5862.125	48.13	63.26	15.13	108.80	45.54	150	183	PK	Horizontal	PASS

Appendix H: Frequency Stability

Test Result

Voltage								
TestMode	Antenna	Frequen cy[MHz]	Voltage [Vdc]	Temper ature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	-20000.00	-3.861004	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
		5200	NV	NT	-40000.00	-7.692308	20	PASS
			LV	NT	-20000.00	-3.846154	20	PASS
			HV	NT	-20000.00	-3.846154	20	PASS
		5240	NV	NT	-40000.00	-7.633588	20	PASS
			LV	NT	-20000.00	-3.816794	20	PASS
			HV	NT	-20000.00	-3.816794	20	PASS
		5260	NV	NT	-20000.00	-3.802281	20	PASS
			LV	NT	-40000.00	-7.604563	20	PASS
			HV	NT	-40000.00	-7.604563	20	PASS
		5280	NV	NT	-20000.00	-3.787879	20	PASS
			LV	NT	-40000.00	-7.575758	20	PASS
			HV	NT	-40000.00	-7.575758	20	PASS
		5320	NV	NT	-40000.00	-7.518797	20	PASS
			LV	NT	-20000.00	-3.759398	20	PASS
			HV	NT	-20000.00	-3.759398	20	PASS
		5500	NV	NT	-40000.00	-7.272727	20	PASS
			LV	NT	-20000.00	-3.636364	20	PASS
			HV	NT	-40000.00	-7.272727	20	PASS
		5580	NV	NT	-20000.00	-3.584229	20	PASS
			LV	NT	-40000.00	-7.168459	20	PASS
			HV	NT	-20000.00	-3.584229	20	PASS
		5700	NV	NT	-40000.00	-7.017544	20	PASS
			LV	NT	-40000.00	-7.017544	20	PASS
			HV	NT	-40000.00	-7.017544	20	PASS
		5745	NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-20000.00	-3.481288	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
		5785	NV	NT	-40000.00	-6.914434	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	-20000.00	-3.457217	20	PASS
		5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	-40000.00	-6.866953	20	PASS

			HV	NT	-20000.00	-3.433476	20	PASS
11N20SI SO	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	-40000.00	-7.722008	20	PASS
			HV	NT	-40000.00	-7.722008	20	PASS
		5200	NV	NT	-20000.00	-3.846154	20	PASS
			LV	NT	-20000.00	-3.846154	20	PASS
			HV	NT	-20000.00	-3.846154	20	PASS
		5240	NV	NT	-40000.00	-7.633588	20	PASS
			LV	NT	-40000.00	-7.633588	20	PASS
			HV	NT	-20000.00	-3.816794	20	PASS
		5260	NV	NT	-40000.00	-7.604563	20	PASS
			LV	NT	-40000.00	-7.604563	20	PASS
			HV	NT	-40000.00	-7.604563	20	PASS
		5280	NV	NT	-40000.00	-7.575758	20	PASS
			LV	NT	-40000.00	-7.575758	20	PASS
			HV	NT	-40000.00	-7.575758	20	PASS
		5320	NV	NT	-40000.00	-7.518797	20	PASS
			LV	NT	-20000.00	-3.759398	20	PASS
			HV	NT	-40000.00	-7.518797	20	PASS
		5500	NV	NT	-40000.00	-7.272727	20	PASS
			LV	NT	-40000.00	-7.272727	20	PASS
			HV	NT	-40000.00	-7.272727	20	PASS
		5580	NV	NT	-40000.00	-7.168459	20	PASS
			LV	NT	-40000.00	-7.168459	20	PASS
			HV	NT	-40000.00	-7.168459	20	PASS
		5700	NV	NT	-40000.00	-7.017544	20	PASS
			LV	NT	-40000.00	-7.017544	20	PASS
			HV	NT	-40000.00	-7.017544	20	PASS
		5745	NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-40000.00	-6.962576	20	PASS
			HV	NT	-40000.00	-6.962576	20	PASS
		5785	NV	NT	-40000.00	-6.914434	20	PASS
			LV	NT	-40000.00	-6.914434	20	PASS
			HV	NT	-40000.00	-6.914434	20	PASS
		5825	NV	NT	-40000.00	-6.866953	20	PASS
			LV	NT	-40000.00	-6.866953	20	PASS
			HV	NT	-40000.00	-6.866953	20	PASS
11N40SI SO	Ant1	5190	NV	NT	-40000.00	-7.707129	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5230	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS

			HV	NT	-40000.00	-7.648184	20	PASS
		5270	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.590133	20	PASS
		5310	NV	NT	-40000.00	-7.532957	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5510	NV	NT	-40000.00	-7.259528	20	PASS
			LV	NT	-40000.00	-7.259528	20	PASS
			HV	NT	-40000.00	-7.259528	20	PASS
		5550	NV	NT	-40000.00	-7.207207	20	PASS
			LV	NT	-40000.00	-7.207207	20	PASS
			HV	NT	-40000.00	-7.207207	20	PASS
		5670	NV	NT	-40000.00	-7.054674	20	PASS
			LV	NT	-40000.00	-7.054674	20	PASS
			HV	NT	-40000.00	-7.054674	20	PASS
		5755	NV	NT	-40000.00	-6.950478	20	PASS
			LV	NT	-40000.00	-6.950478	20	PASS
			HV	NT	-40000.00	-6.950478	20	PASS
		5795	NV	NT	-40000.00	-6.902502	20	PASS
			LV	NT	-40000.00	-6.902502	20	PASS
			HV	NT	-40000.00	-6.902502	20	PASS

Temperature								
TestMode	Antenna	Frequen cy[MHz]	Voltage [Vdc]	Temper ature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	-20000.00	-3.861004	20	PASS
			NV	-20	-20000.00	-3.861004	20	PASS
			NV	-10	-40000.00	-7.722008	20	PASS
			NV	0	-40000.00	-7.722008	20	PASS
			NV	10	-40000.00	-7.722008	20	PASS
			NV	20	-20000.00	-3.861004	20	PASS
			NV	30	-20000.00	-3.861004	20	PASS
			NV	40	-20000.00	-3.861004	20	PASS
		5200	NV	50	-20000.00	-3.861004	20	PASS
			NV	-30	-20000.00	-3.846154	20	PASS
			NV	-20	-20000.00	-3.846154	20	PASS
			NV	-10	-20000.00	-3.846154	20	PASS
			NV	0	-20000.00	-3.846154	20	PASS
			NV	10	-20000.00	-3.846154	20	PASS
			NV	20	-20000.00	-3.846154	20	PASS
			NV	30	-20000.00	-3.846154	20	PASS
			NV	40	-40000.00	-7.692308	20	PASS

			NV	50	-20000.00	-3.846154	20	PASS
		5240	NV	-30	-20000.00	-3.816794	20	PASS
			NV	-20	-20000.00	-3.816794	20	PASS
			NV	-10	-20000.00	-3.816794	20	PASS
			NV	0	-20000.00	-3.816794	20	PASS
			NV	10	-20000.00	-3.816794	20	PASS
			NV	20	-20000.00	-3.816794	20	PASS
			NV	30	-40000.00	-7.633588	20	PASS
			NV	40	-20000.00	-3.816794	20	PASS
			NV	50	-20000.00	-3.816794	20	PASS
		5260	NV	-30	-40000.00	-7.604563	20	PASS
			NV	-20	-20000.00	-3.802281	20	PASS
			NV	-10	-40000.00	-7.604563	20	PASS
			NV	0	-40000.00	-7.604563	20	PASS
			NV	10	-40000.00	-7.604563	20	PASS
			NV	20	-40000.00	-7.604563	20	PASS
			NV	30	-40000.00	-7.604563	20	PASS
			NV	40	-40000.00	-7.604563	20	PASS
			NV	50	-20000.00	-3.802281	20	PASS
		5280	NV	-30	-20000.00	-3.787879	20	PASS
			NV	-20	-20000.00	-3.787879	20	PASS
			NV	-10	-20000.00	-3.787879	20	PASS
			NV	0	-40000.00	-7.575758	20	PASS
			NV	10	-20000.00	-3.787879	20	PASS
			NV	20	-40000.00	-7.575758	20	PASS
			NV	30	-20000.00	-3.787879	20	PASS
			NV	40	-20000.00	-3.787879	20	PASS
			NV	50	-40000.00	-7.575758	20	PASS
		5320	NV	-30	-40000.00	-7.518797	20	PASS
			NV	-20	-20000.00	-3.759398	20	PASS
			NV	-10	-20000.00	-3.759398	20	PASS
			NV	0	-20000.00	-3.759398	20	PASS
			NV	10	-40000.00	-7.518797	20	PASS
			NV	20	-20000.00	-3.759398	20	PASS
			NV	30	-20000.00	-3.759398	20	PASS
			NV	40	-20000.00	-3.759398	20	PASS
			NV	50	-20000.00	-3.759398	20	PASS
		5500	NV	-30	-40000.00	-7.272727	20	PASS
			NV	-20	-40000.00	-7.272727	20	PASS
			NV	-10	-20000.00	-3.636364	20	PASS
			NV	0	-20000.00	-3.636364	20	PASS
			NV	10	-20000.00	-3.636364	20	PASS

			NV	20	-20000.00	-3.636364	20	PASS
			NV	30	-20000.00	-3.636364	20	PASS
			NV	40	-20000.00	-3.636364	20	PASS
			NV	50	-20000.00	-3.636364	20	PASS
		5580	NV	-30	-40000.00	-7.168459	20	PASS
			NV	-20	-20000.00	-3.584229	20	PASS
			NV	-10	-40000.00	-7.168459	20	PASS
			NV	0	-40000.00	-7.168459	20	PASS
			NV	10	-40000.00	-7.168459	20	PASS
			NV	20	-40000.00	-7.168459	20	PASS
			NV	30	-40000.00	-7.168459	20	PASS
			NV	40	-20000.00	-3.584229	20	PASS
			NV	50	-40000.00	-7.168459	20	PASS
		5700	NV	-30	-40000.00	-7.017544	20	PASS
			NV	-20	-20000.00	-3.508772	20	PASS
			NV	-10	-20000.00	-3.508772	20	PASS
			NV	0	-40000.00	-7.017544	20	PASS
			NV	10	-40000.00	-7.017544	20	PASS
			NV	20	-20000.00	-3.508772	20	PASS
			NV	30	-20000.00	-3.508772	20	PASS
			NV	40	-20000.00	-3.508772	20	PASS
			NV	50	-40000.00	-7.017544	20	PASS
		5745	NV	-30	-20000.00	-3.481288	20	PASS
			NV	-20	-40000.00	-6.962576	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	-20000.00	-3.481288	20	PASS
			NV	10	-20000.00	-3.481288	20	PASS
			NV	20	-20000.00	-3.481288	20	PASS
			NV	30	-40000.00	-6.962576	20	PASS
			NV	40	-40000.00	-6.962576	20	PASS
			NV	50	-20000.00	-3.481288	20	PASS
		5785	NV	-30	-40000.00	-6.914434	20	PASS
			NV	-20	-20000.00	-3.457217	20	PASS
			NV	-10	-20000.00	-3.457217	20	PASS
			NV	0	-20000.00	-3.457217	20	PASS
			NV	10	-40000.00	-6.914434	20	PASS
			NV	20	-40000.00	-6.914434	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	40	-20000.00	-3.457217	20	PASS
			NV	50	-20000.00	-3.457217	20	PASS
		5825	NV	-30	-20000.00	-3.433476	20	PASS
			NV	-20	-20000.00	-3.433476	20	PASS

			NV	-10	-40000.00	-6.866953	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
			NV	10	-20000.00	-3.433476	20	PASS
			NV	20	-40000.00	-6.866953	20	PASS
			NV	30	-40000.00	-6.866953	20	PASS
			NV	40	-40000.00	-6.866953	20	PASS
			NV	50	-20000.00	-3.433476	20	PASS
11N20SI SO	Ant1	5180	NV	-30	-20000.00	-3.861004	20	PASS
			NV	-20	-20000.00	-3.861004	20	PASS
			NV	-10	-20000.00	-3.861004	20	PASS
			NV	0	-40000.00	-7.722008	20	PASS
			NV	10	-40000.00	-7.722008	20	PASS
			NV	20	-40000.00	-7.722008	20	PASS
			NV	30	-20000.00	-3.861004	20	PASS
			NV	40	-40000.00	-7.722008	20	PASS
			NV	50	-40000.00	-7.722008	20	PASS
		5200	NV	-30	-40000.00	-7.692308	20	PASS
			NV	-20	-40000.00	-7.692308	20	PASS
			NV	-10	-40000.00	-7.692308	20	PASS
			NV	0	-20000.00	-3.846154	20	PASS
			NV	10	-20000.00	-3.846154	20	PASS
			NV	20	-20000.00	-3.846154	20	PASS
			NV	30	-40000.00	-7.692308	20	PASS
			NV	40	-20000.00	-3.846154	20	PASS
			NV	50	-20000.00	-3.846154	20	PASS
		5240	NV	-30	-20000.00	-3.816794	20	PASS
			NV	-20	-40000.00	-7.633588	20	PASS
			NV	-10	-20000.00	-3.816794	20	PASS
			NV	0	-40000.00	-7.633588	20	PASS
			NV	10	-40000.00	-7.633588	20	PASS
			NV	20	-40000.00	-7.633588	20	PASS
			NV	30	-40000.00	-7.633588	20	PASS
			NV	40	-20000.00	-3.816794	20	PASS
			NV	50	-20000.00	-3.816794	20	PASS
		5260	NV	-30	-40000.00	-7.604563	20	PASS
			NV	-20	-40000.00	-7.604563	20	PASS
			NV	-10	-20000.00	-3.802281	20	PASS
			NV	0	-40000.00	-7.604563	20	PASS
			NV	10	-40000.00	-7.604563	20	PASS
			NV	20	-40000.00	-7.604563	20	PASS
			NV	30	-20000.00	-3.802281	20	PASS
			NV	40	-40000.00	-7.604563	20	PASS

			NV	50	-40000.00	-7.604563	20	PASS
		5280	NV	-30	-20000.00	-3.787879	20	PASS
			NV	-20	-20000.00	-3.787879	20	PASS
			NV	-10	-20000.00	-3.787879	20	PASS
			NV	0	-40000.00	-7.575758	20	PASS
			NV	10	-20000.00	-3.787879	20	PASS
			NV	20	-40000.00	-7.575758	20	PASS
			NV	30	-40000.00	-7.575758	20	PASS
			NV	40	-40000.00	-7.575758	20	PASS
			NV	50	-40000.00	-7.575758	20	PASS
		5320	NV	-30	-20000.00	-3.759398	20	PASS
			NV	-20	-40000.00	-7.518797	20	PASS
			NV	-10	-20000.00	-3.759398	20	PASS
			NV	0	-40000.00	-7.518797	20	PASS
			NV	10	-40000.00	-7.518797	20	PASS
			NV	20	-20000.00	-3.759398	20	PASS
			NV	30	-40000.00	-7.518797	20	PASS
			NV	40	-20000.00	-3.759398	20	PASS
			NV	50	-40000.00	-7.518797	20	PASS
		5500	NV	-30	-20000.00	-3.636364	20	PASS
			NV	-20	-40000.00	-7.272727	20	PASS
			NV	-10	-40000.00	-7.272727	20	PASS
			NV	0	-40000.00	-7.272727	20	PASS
			NV	10	-40000.00	-7.272727	20	PASS
			NV	20	-40000.00	-7.272727	20	PASS
			NV	30	-40000.00	-7.272727	20	PASS
			NV	40	-20000.00	-3.636364	20	PASS
			NV	50	-40000.00	-7.272727	20	PASS
		5580	NV	-30	-40000.00	-7.168459	20	PASS
			NV	-20	-20000.00	-3.584229	20	PASS
			NV	-10	-40000.00	-7.168459	20	PASS
			NV	0	-40000.00	-7.168459	20	PASS
			NV	10	-20000.00	-3.584229	20	PASS
			NV	20	-40000.00	-7.168459	20	PASS
			NV	30	-20000.00	-3.584229	20	PASS
			NV	40	-40000.00	-7.168459	20	PASS
			NV	50	-40000.00	-7.168459	20	PASS
		5700	NV	-30	-40000.00	-7.017544	20	PASS
			NV	-20	-40000.00	-7.017544	20	PASS
			NV	-10	-40000.00	-7.017544	20	PASS
			NV	0	-40000.00	-7.017544	20	PASS
			NV	10	-40000.00	-7.017544	20	PASS

			NV	20	-40000.00	-7.017544	20	PASS
			NV	30	-40000.00	-7.017544	20	PASS
			NV	40	-40000.00	-7.017544	20	PASS
			NV	50	-40000.00	-7.017544	20	PASS
		5745	NV	-30	-20000.00	-3.481288	20	PASS
			NV	-20	-40000.00	-6.962576	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	-40000.00	-6.962576	20	PASS
			NV	10	-20000.00	-3.481288	20	PASS
			NV	20	-20000.00	-3.481288	20	PASS
			NV	30	-40000.00	-6.962576	20	PASS
			NV	40	-40000.00	-6.962576	20	PASS
			NV	50	-20000.00	-3.481288	20	PASS
		5785	NV	-30	-40000.00	-6.914434	20	PASS
			NV	-20	-40000.00	-6.914434	20	PASS
			NV	-10	-40000.00	-6.914434	20	PASS
			NV	0	-20000.00	-3.457217	20	PASS
			NV	10	-40000.00	-6.914434	20	PASS
			NV	20	-40000.00	-6.914434	20	PASS
			NV	30	-40000.00	-6.914434	20	PASS
			NV	40	-40000.00	-6.914434	20	PASS
			NV	50	-40000.00	-6.914434	20	PASS
		5825	NV	-30	-40000.00	-6.866953	20	PASS
			NV	-20	-40000.00	-6.866953	20	PASS
			NV	-10	-40000.00	-6.866953	20	PASS
			NV	0	-40000.00	-6.866953	20	PASS
			NV	10	-40000.00	-6.866953	20	PASS
			NV	20	-40000.00	-6.866953	20	PASS
			NV	30	-40000.00	-6.866953	20	PASS
			NV	40	-20000.00	-3.433476	20	PASS
			NV	50	-40000.00	-6.866953	20	PASS
11N40SI SO	Ant1	5190	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-7.707129	20	PASS
			NV	-10	-40000.00	-7.707129	20	PASS
			NV	0	-40000.00	-7.707129	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5230	NV	-30	-40000.00	-7.648184	20	PASS
			NV	-20	0.00	0.000000	20	PASS

			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.648184	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.648184	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5270	NV	-30	-40000.00	-7.590133	20	PASS
			NV	-20	-40000.00	-7.590133	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.590133	20	PASS
			NV	20	-40000.00	-7.590133	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5310	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-7.532957	20	PASS
			NV	-10	-40000.00	-7.532957	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.532957	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.532957	20	PASS
		5510	NV	-30	-40000.00	-7.259528	20	PASS
			NV	-20	-40000.00	-7.259528	20	PASS
			NV	-10	-40000.00	-7.259528	20	PASS
			NV	0	-40000.00	-7.259528	20	PASS
			NV	10	-40000.00	-7.259528	20	PASS
			NV	20	-40000.00	-7.259528	20	PASS
			NV	30	-40000.00	-7.259528	20	PASS
			NV	40	-40000.00	-7.259528	20	PASS
			NV	50	-40000.00	-7.259528	20	PASS
		5550	NV	-30	-40000.00	-7.207207	20	PASS
			NV	-20	-40000.00	-7.207207	20	PASS
			NV	-10	-40000.00	-7.207207	20	PASS
			NV	0	-40000.00	-7.207207	20	PASS
			NV	10	-40000.00	-7.207207	20	PASS
			NV	20	-40000.00	-7.207207	20	PASS
			NV	30	-40000.00	-7.207207	20	PASS
			NV	40	-40000.00	-7.207207	20	PASS

			NV	50	-40000.00	-7.207207	20	PASS
		5670	NV	-30	-40000.00	-7.054674	20	PASS
			NV	-20	-40000.00	-7.054674	20	PASS
			NV	-10	-40000.00	-7.054674	20	PASS
			NV	0	-40000.00	-7.054674	20	PASS
			NV	10	-40000.00	-7.054674	20	PASS
			NV	20	-40000.00	-7.054674	20	PASS
			NV	30	-40000.00	-7.054674	20	PASS
			NV	40	-40000.00	-7.054674	20	PASS
			NV	50	-40000.00	-7.054674	20	PASS
		5755	NV	-30	-40000.00	-6.950478	20	PASS
			NV	-20	-40000.00	-6.950478	20	PASS
			NV	-10	-40000.00	-6.950478	20	PASS
			NV	0	-40000.00	-6.950478	20	PASS
			NV	10	-40000.00	-6.950478	20	PASS
			NV	20	-40000.00	-6.950478	20	PASS
			NV	30	-40000.00	-6.950478	20	PASS
			NV	40	-40000.00	-6.950478	20	PASS
			NV	50	-40000.00	-6.950478	20	PASS
		5795	NV	-30	-40000.00	-6.902502	20	PASS
			NV	-20	-40000.00	-6.902502	20	PASS
			NV	-10	-40000.00	-6.902502	20	PASS
			NV	0	-40000.00	-6.902502	20	PASS
			NV	10	-40000.00	-6.902502	20	PASS
			NV	20	-40000.00	-6.902502	20	PASS
			NV	30	-40000.00	-6.902502	20	PASS
			NV	40	-40000.00	-6.902502	20	PASS
			NV	50	-40000.00	-6.902502	20	PASS

NV: 21.6V

LV: 18.36V


HV: 24.84V

Appendix J: Conducted emission AC power port

Test Result

After the pretest, Battery MWBT06S02P-01 was selected as the worst mode and recorded in the report.


Mode:	TS-A081-2703002
-------	-----------------



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.174	10.30	51.29	64.77	13.48	33.45	54.77	21.32	L1	PASS
2	0.678	10.26	37.94	56.00	18.06	26.60	46.00	19.40	L1	PASS
3	1.602	10.31	38.32	56.00	17.68	24.28	46.00	21.72	L1	PASS
4	4.926	10.34	40.88	56.00	15.12	28.15	46.00	17.85	L1	PASS
5	10.624	10.45	50.14	60.00	9.86	39.93	50.00	10.07	L1	PASS
6	25.54	10.76	45.10	60.00	14.90	32.81	50.00	17.19	L1	PASS

Mode:

TS-A081-2703002




Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.168	10.35	52.24	65.06	12.82	28.25	55.06	26.81	N	PASS
2	0.528	10.25	36.46	56.00	19.54	23.16	46.00	22.84	N	PASS
3	1.521	10.32	37.98	56.00	18.02	25.90	46.00	20.10	N	PASS
4	3.384	10.39	37.15	56.00	18.85	24.91	46.00	21.09	N	PASS
5	10.576	10.47	49.40	60.00	10.60	38.68	50.00	11.32	N	PASS
6	26.92	10.78	45.03	60.00	14.97	32.29	50.00	17.71	N	PASS

Mode:

ADS-81EJ-27-5




Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.186	10.32	48.00	64.21	16.21	33.34	54.21	20.87	L1	PASS
2	0.834	10.30	37.78	56.00	18.22	23.84	46.00	22.16	L1	PASS
3	2.295	10.28	40.50	56.00	15.50	25.66	46.00	20.34	L1	PASS
4	6.117	10.38	45.58	60.00	14.42	29.89	50.00	20.11	L1	PASS
5	7.725	10.42	49.03	60.00	10.97	38.29	50.00	11.71	L1	PASS
6	12.811	10.51	50.77	60.00	9.23	36.55	50.00	13.45	L1	PASS

Mode:

ADS-81EJ-27-5



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.165	10.35	50.87	65.21	14.34	27.03	55.21	28.18	N	PASS
2	0.621	10.26	38.88	56.00	17.12	23.81	46.00	22.19	N	PASS
3	1.443	10.31	38.26	56.00	17.74	24.36	46.00	21.64	N	PASS
4	2.982	10.39	41.16	56.00	14.84	27.07	46.00	18.93	N	PASS
5	7.671	10.42	49.20	60.00	10.80	36.16	50.00	13.84	N	PASS
6	13.111	10.58	49.39	60.00	10.61	35.23	50.00	14.77	N	PASS