



11AC40SISO_Ant1_5510_27000~40000



Date: 21.JAN.2026 12:18:04


11AC40SISO_Ant1_5550_30~5460




11AC40SISO_Ant1_5550_5735~40000



11AC40SISO_Ant1_5550_27000~40000




11AC40SISO_Ant1_5670_30~5460




11AC40SISO_Ant1_5670_5735~40000




11AC40SISO_Ant1_5670_27000~40000




11AC40SISO_Ant1_5755_30~5650



11AC40SISO_Ant1_5755_5925~40000




11AC40SISO_Ant1_5755_27000~40000



Date: 21.JAN.2026 12:18:49


11AC40SISO_Ant1_5795_30~5650



11AC40SISO_Ant1_5795_5925~40000




11AC40SISO_Ant1_5795_27000~40000



Date: 21.JAN.2026 12:19:01


11AC80SISO_Ant1_5210_30~5140



11AC80SISO_Ant1_5210_5360~40000




11AC80SISO_Ant1_5210_27000~40000



Date: 21.JAN.2026 12:19:26


11AC80SISO_Ant1_5290_30~5140




11AC80SISO_Ant1_5290_5360~40000



11AC80SISO_Ant1_5290_27000~40000




11AC80SISO_Ant1_5530_30~5460




11AC80SISO_Ant1_5530_5735~40000



11AC80SISO_Ant1_5530_27000~40000




11AC80SISO_Ant1_5775_30~5650



11AC80SISO_Ant1_5775_5925~40000



11AC80SISO_Ant1_5775_27000~40000



Appendix G: Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detect or	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-71.58	4.23	1.03	-66.32	≤-41.20	PASS
				AV	5145.400	-58.78	4.23	1.03	-53.52	≤-41.20	PASS
				AV	5150.000	-58.68	4.23	1.03	-53.42	≤-41.20	PASS
				Peak	4500.000	-62.97	4.23	0.00	-58.74	≤-27.00	PASS
				Peak	5143.300	-48.98	4.23	0.00	-44.75	≤-27.00	PASS
				Peak	5150.000	-49.64	4.23	0.00	-45.41	≤-27.00	PASS
		High	5320	AV	5350.000	-56.74	4.23	1.25	-51.26	≤-41.20	PASS
				AV	5363.680	-56.21	4.23	1.25	-50.73	≤-41.20	PASS
				AV	5460.000	-58.7	4.23	1.25	-53.22	≤-41.20	PASS
				Peak	5350.000	-48.79	4.23	0.00	-44.56	≤-27.00	PASS
				Peak	5364.320	-45.45	4.23	0.00	-41.22	≤-27.00	PASS
				Peak	5460.000	-48.74	4.23	0.00	-44.51	≤-27.00	PASS
		Low	5500	AV	5350.000	-60.36	4.23	1.03	-55.1	≤-41.20	PASS
				AV	5455.610	-58.31	4.23	1.03	-53.05	≤-41.20	PASS
				AV	5460.000	-58.61	4.23	1.03	-53.35	≤-41.20	PASS
				Peak	5350.000	-51	4.23	0.00	-46.77	≤-27.00	PASS
				Peak	5455.190	-47.24	4.23	0.00	-43.01	≤-27.00	PASS
				Peak	5460.000	-50.64	4.23	0.00	-46.41	≤-27.00	PASS
		High	5700	AV	5725.000	-57.64	4.23	1.33	-52.08	≤-41.20	PASS
				AV	5727.200	-57.13	4.23	1.33	-51.57	≤-41.20	PASS
				AV	5735.000	-58.64	4.23	1.33	-53.08	≤-41.20	PASS
				Peak	5725.000	-48.05	4.23	0.00	-43.82	≤-27.00	PASS
				Peak	5725.760	-46.8	4.23	0.00	-42.57	≤-27.00	PASS
				Peak	5735.000	-48.86	4.23	0.00	-44.63	≤-27.00	PASS
		Low	5745	Peak	5650.000	-51.183	4.23	0.00	-46.953	≤-27.00	PASS
				Peak	5700.000	-50.49	4.23	0.00	-46.26	≤10.00	PASS
				Peak	5720.000	-48.85	4.23	0.00	-44.62	≤15.60	PASS
				Peak	5725.000	-43.26	4.23	0.00	-39.03	≤27.00	PASS
		High	5825	Peak	5850.000	-48.661	4.23	0.00	-44.431	≤27.00	PASS
				Peak	5855.000	-48.37	4.23	0.00	-44.14	≤15.60	PASS
				Peak	5875.000	-49.15	4.23	0.00	-44.92	≤10.00	PASS
				Peak	5925.000	-50.81	4.23	0.00	-46.58	≤-27.00	PASS
11N20SI SO	Ant1	Low	5180	AV	4500.000	-62.76	4.23	1.06	-57.47	≤-41.20	PASS
				AV	5143.300	-56.49	4.23	1.06	-51.2	≤-41.20	PASS
				AV	5150.000	-56.65	4.23	1.06	-51.36	≤-41.20	PASS
				Peak	4500.000	-53.55	4.23	0.00	-49.32	≤-27.00	PASS

				Peak	5144.000	-46.82	4.23	0.00	-42.59	≤-27.00	PASS
				Peak	5150.000	-48.25	4.23	0.00	-44.02	≤-27.00	PASS
		High	5320	AV	5350.000	-56.68	4.23	0.87	-51.58	≤-41.20	PASS
				AV	5352.320	-56.07	4.23	0.87	-50.97	≤-41.20	PASS
				AV	5460.000	-59.34	4.23	0.87	-54.24	≤-41.20	PASS
				Peak	5350.000	-48.1	4.23	0.00	-43.87	≤-27.00	PASS
				Peak	5350.880	-44.73	4.23	0.00	-40.5	≤-27.00	PASS
				Peak	5460.000	-49.88	4.23	0.00	-45.65	≤-27.00	PASS
		Low	5500	AV	5350.000	-60.21	4.23	1.06	-54.92	≤-41.20	PASS
				AV	5458.340	-58.09	4.23	1.06	-52.8	≤-41.20	PASS
				AV	5460.000	-59.02	4.23	1.06	-53.73	≤-41.20	PASS
				Peak	5350.000	-50.99	4.23	0.00	-46.76	≤-27.00	PASS
				Peak	5431.040	-47.51	4.23	0.00	-43.28	≤-27.00	PASS
				Peak	5460.000	-49.35	4.23	0.00	-45.12	≤-27.00	PASS
		High	5700	AV	5725.000	-56.62	4.23	1.06	-51.33	≤-41.20	PASS
				AV	5725.040	-56.62	4.23	1.06	-51.33	≤-41.20	PASS
				AV	5735.000	-58.29	4.23	1.06	-53	≤-41.20	PASS
				Peak	5725.000	-46.58	4.23	0.00	-42.35	≤-27.00	PASS
				Peak	5725.520	-46.41	4.23	0.00	-42.18	≤-27.00	PASS
				Peak	5735.000	-49.94	4.23	0.00	-45.71	≤-27.00	PASS
		Low	5745	Peak	5650.000	-51.379	4.23	0.00	-47.149	≤-27.00	PASS
				Peak	5700.000	-50.71	4.23	0.00	-46.48	≤10.00	PASS
				Peak	5720.000	-47.71	4.23	0.00	-43.48	≤15.60	PASS
				Peak	5725.000	-44.47	4.23	0.00	-40.24	≤27.00	PASS
		High	5825	Peak	5850.000	-45.762	4.23	0.00	-41.532	≤27.00	PASS
				Peak	5855.000	-47.56	4.23	0.00	-43.33	≤15.60	PASS
				Peak	5875.000	-49.66	4.23	0.00	-45.43	≤10.00	PASS
				Peak	5925.000	-50.48	4.23	0.00	-46.25	≤-27.00	PASS
11N40SI SO	Ant1	Low	5190	AV	4500.000	-62.54	4.23	1.06	-57.25	≤-41.20	PASS
				AV	5148.900	-55.78	4.23	1.06	-50.49	≤-41.20	PASS
				AV	5150.000	-55.68	4.23	1.06	-50.39	≤-41.20	PASS
				Peak	4500.000	-53.76	4.23	0.00	-49.53	≤-27.00	PASS
				Peak	5142.600	-46.2	4.23	0.00	-41.97	≤-27.00	PASS
				Peak	5150.000	-45.37	4.23	0.00	-41.14	≤-27.00	PASS
		High	5310	AV	5350.000	-55.92	4.23	1.06	-50.63	≤-41.20	PASS
				AV	5351.520	-55.75	4.23	1.06	-50.46	≤-41.20	PASS
				AV	5460.000	-58.87	4.23	1.06	-53.58	≤-41.20	PASS
				Peak	5350.000	-46.09	4.23	0.00	-41.86	≤-27.00	PASS
				Peak	5350.560	-42.79	4.23	0.00	-38.56	≤-27.00	PASS
				Peak	5460.000	-49.67	4.23	0.00	-45.44	≤-27.00	PASS
		Low	5510	AV	5350.000	-60.04	4.23	1.06	-54.75	≤-41.20	PASS
				AV	5459.720	-57.37	4.23	1.06	-52.08	≤-41.20	PASS
				AV	5460.000	-57.78	4.23	1.06	-52.49	≤-41.20	PASS

				Peak	5350.000	-51.22	4.23	0.00	-46.99	≤-27.00	PASS
				Peak	5404.500	-47.73	4.23	0.00	-43.5	≤-27.00	PASS
				Peak	5460.000	-49.94	4.23	0.00	-45.71	≤-27.00	PASS
		High	5670	AV	5725.000	-57.92	4.23	1.06	-52.63	≤-41.20	PASS
				AV	5732.800	-57.22	4.23	1.06	-51.93	≤-41.20	PASS
				AV	5735.000	-57.92	4.23	1.06	-52.63	≤-41.20	PASS
				Peak	5725.000	-49.16	4.23	0.00	-44.93	≤-27.00	PASS
				Peak	5733.000	-46.27	4.23	0.00	-42.04	≤-27.00	PASS
				Peak	5735.000	-49.46	4.23	0.00	-45.23	≤-27.00	PASS
		Low	5755	Peak	5650.000	-51.406	4.23	0.00	-47.176	≤-27.00	PASS
				Peak	5700.000	-48.33	4.23	0.00	-44.1	≤10.00	PASS
				Peak	5720.000	-44.62	4.23	0.00	-40.39	≤15.60	PASS
				Peak	5725.000	-41.71	4.23	0.00	-37.48	≤27.00	PASS
		High	5795	Peak	5850.000	-47.905	4.23	0.00	-43.675	≤27.00	PASS
				Peak	5855.000	-47.28	4.23	0.00	-43.05	≤15.60	PASS
				Peak	5875.000	-49.55	4.23	0.00	-45.32	≤10.00	PASS
				Peak	5925.000	-50.82	4.23	0.00	-46.59	≤-27.00	PASS
11AC20S ISO	Ant1	Low	5180	AV	4500.000	-62.53	4.23	0.92	-57.38	≤-41.20	PASS
				AV	5141.900	-56.36	4.23	0.92	-51.21	≤-41.20	PASS
				AV	5150.000	-56.82	4.23	0.92	-51.67	≤-41.20	PASS
				Peak	4500.000	-53.64	4.23	0.00	-49.41	≤-27.00	PASS
				Peak	5148.900	-45.28	4.23	0.00	-41.05	≤-27.00	PASS
				Peak	5150.000	-48.13	4.23	0.00	-43.9	≤-27.00	PASS
		High	5320	AV	5350.000	-56.25	4.23	1.18	-50.84	≤-41.20	PASS
				AV	5350.560	-55.87	4.23	1.18	-50.46	≤-41.20	PASS
				AV	5460.000	-58.74	4.23	1.18	-53.33	≤-41.20	PASS
				Peak	5350.000	-47.4	4.23	0.00	-43.17	≤-27.00	PASS
				Peak	5364.640	-45.39	4.23	0.00	-41.16	≤-27.00	PASS
				Peak	5460.000	-50.5	4.23	0.00	-46.27	≤-27.00	PASS
		Low	5500	AV	5350.000	-60.35	4.23	1.18	-54.94	≤-41.20	PASS
				AV	5459.180	-58.11	4.23	1.18	-52.7	≤-41.20	PASS
				AV	5460.000	-58.77	4.23	1.18	-53.36	≤-41.20	PASS
				Peak	5350.000	-50.52	4.23	0.00	-46.29	≤-27.00	PASS
				Peak	5441.750	-47.17	4.23	0.00	-42.94	≤-27.00	PASS
				Peak	5460.000	-49.36	4.23	0.00	-45.13	≤-27.00	PASS
		High	5700	AV	5725.000	-56.93	4.23	0.92	-51.78	≤-41.20	PASS
				AV	5725.040	-56.43	4.23	0.92	-51.28	≤-41.20	PASS
				AV	5735.000	-58.69	4.23	0.92	-53.54	≤-41.20	PASS
				Peak	5725.000	-47.26	4.23	0.00	-43.03	≤-27.00	PASS
				Peak	5728.760	-46.49	4.23	0.00	-42.26	≤-27.00	PASS
				Peak	5735.000	-49.17	4.23	0.00	-44.94	≤-27.00	PASS
		Low	5745	Peak	5650.000	-51.549	4.23	0.00	-47.319	≤-27.00	PASS
				Peak	5700.000	-50.65	4.23	0.00	-46.42	≤10.00	PASS


				Peak	5720.000	-45.7	4.23	0.00	-41.47	≤15.60	PASS
				Peak	5725.000	-40.59	4.23	0.00	-36.36	≤27.00	PASS
		High	5825	Peak	5850.000	-46.717	4.23	0.00	-42.487	≤27.00	PASS
				Peak	5855.000	-48.76	4.23	0.00	-44.53	≤15.60	PASS
				Peak	5875.000	-47.25	4.23	0.00	-43.02	≤10.00	PASS
				Peak	5925.000	-50.82	4.23	0.00	-46.59	≤-27.00	PASS
11AC40S ISO	Ant1	Low	5190	AV	4500.000	-62	4.23	0.97	-56.8	≤-41.20	PASS
				AV	5149.600	-55.71	4.23	0.97	-50.51	≤-41.20	PASS
				AV	5150.000	-55.81	4.23	0.97	-50.61	≤-41.20	PASS
				Peak	4500.000	-53.01	4.23	0.00	-48.78	≤-27.00	PASS
				Peak	5144.000	-46.12	4.23	0.00	-41.89	≤-27.00	PASS
				Peak	5150.000	-47.21	4.23	0.00	-42.98	≤-27.00	PASS
		High	5310	AV	5350.000	-56.1	4.23	1.18	-50.69	≤-41.20	PASS
				AV	5350.720	-55.39	4.23	1.18	-49.98	≤-41.20	PASS
				AV	5460.000	-58.75	4.23	1.18	-53.34	≤-41.20	PASS
				Peak	5350.000	-44.71	4.23	0.00	-40.48	≤-27.00	PASS
				Peak	5350.720	-44.01	4.23	0.00	-39.78	≤-27.00	PASS
				Peak	5460.000	-50.7	4.23	0.00	-46.47	≤-27.00	PASS
		Low	5510	AV	5350.000	-59.81	4.23	1.18	-54.4	≤-41.20	PASS
				AV	5455.320	-57.24	4.23	1.18	-51.83	≤-41.20	PASS
				AV	5460.000	-57.58	4.23	1.18	-52.17	≤-41.20	PASS
				Peak	5350.000	-49.66	4.23	0.00	-45.43	≤-27.00	PASS
				Peak	5417.480	-46.19	4.23	0.00	-41.96	≤-27.00	PASS
				Peak	5460.000	-48.35	4.23	0.00	-44.12	≤-27.00	PASS
		High	5670	AV	5725.000	-57.7	4.23	1.18	-52.29	≤-41.20	PASS
				AV	5725.200	-57.21	4.23	1.18	-51.8	≤-41.20	PASS
				AV	5735.000	-57.67	4.23	1.18	-52.26	≤-41.20	PASS
				Peak	5725.000	-49.34	4.23	0.00	-45.11	≤-27.00	PASS
				Peak	5727.900	-45.27	4.23	0.00	-41.04	≤-27.00	PASS
				Peak	5735.000	-49.37	4.23	0.00	-45.14	≤-27.00	PASS
		Low	5755	Peak	5650.000	-50.4	4.23	0.00	-46.17	≤-27.00	PASS
				Peak	5700.000	-46.55	4.23	0.00	-42.32	≤10.00	PASS
				Peak	5720.000	-42.34	4.23	0.00	-38.11	≤15.60	PASS
				Peak	5725.000	-41.67	4.23	0.00	-37.44	≤27.00	PASS
		High	5795	Peak	5850.000	-49.099	4.23	0.00	-44.869	≤27.00	PASS
				Peak	5855.000	-48.29	4.23	0.00	-44.06	≤15.60	PASS
				Peak	5875.000	-48.97	4.23	0.00	-44.74	≤10.00	PASS
				Peak	5925.000	-50.74	4.23	0.00	-46.51	≤-27.00	PASS
11AC80S ISO	Ant1	Low	5210	AV	4500.000	-62.42	4.23	1.18	-57.01	≤-41.20	PASS
				AV	5144.250	-54.65	4.23	1.18	-49.24	≤-41.20	PASS
				AV	5150.000	-55.72	4.23	1.18	-50.31	≤-41.20	PASS
				Peak	4500.000	-54.31	4.23	0.00	-50.08	≤-27.00	PASS
				Peak	5147.250	-40.45	4.23	0.00	-36.22	≤-27.00	PASS


				Peak	5150.000	-43.07	4.23	0.00	-38.84	≤-27.00	PASS
		High	5290	AV	5350.000	-54.9	4.23	1.12	-49.55	≤-41.20	PASS
				AV	5350.800	-54.34	4.23	1.12	-48.99	≤-41.20	PASS
				AV	5460.000	-58.44	4.23	1.12	-53.09	≤-41.20	PASS
				Peak	5350.000	-43.5	4.23	0.00	-39.27	≤-27.00	PASS
				Peak	5352.400	-39.57	4.23	0.00	-35.34	≤-27.00	PASS
				Peak	5460.000	-50.83	4.23	0.00	-46.6	≤-27.00	PASS
		Low	5530	AV	5350.000	-59.71	4.23	0.92	-54.56	≤-41.20	PASS
				AV	5454.000	-55.85	4.23	0.92	-50.7	≤-41.20	PASS
				AV	5460.000	-56.3	4.23	0.92	-51.15	≤-41.20	PASS
				Peak	5350.000	-51.92	4.23	0.00	-47.69	≤-27.00	PASS
				Peak	5453.720	-39.6	4.23	0.00	-35.37	≤-27.00	PASS
				Peak	5460.000	-41.06	4.23	0.00	-36.83	≤-27.00	PASS
			5775	Peak	5650.000	-49.495	4.23	0.00	-45.265	≤-27.00	PASS
				Peak	5700.000	-45.94	4.23	0.00	-41.71	≤10.00	PASS
				Peak	5720.000	-45.84	4.23	0.00	-41.61	≤15.60	PASS
				Peak	5725.000	-35.99	4.23	0.00	-31.76	≤27.00	PASS
		High	5775	Peak	5850.000	-44.66	4.23	0.00	-40.43	≤27.00	PASS
				Peak	5855.000	-44.67	4.23	0.00	-40.44	≤15.60	PASS
				Peak	5875.000	-48.11	4.23	0.00	-43.88	≤10.00	PASS
				Peak	5925.000	-50.17	4.23	0.00	-45.94	≤-27.00	PASS

Note:


1. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from -41.20 dBm, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







11A_Ant1_High_5320_Peak



11A_Ant1_Low_5500_AV



11A_Ant1_Low_5500_Peak




11A_Ant1_High_5700_AV




11A_Ant1_High_5700_Peak




11A_Ant1_Low_5745_Peak




11A_Ant1_High_5825_Peak




11N20SISO_Ant1_Low_5180_AV




11N20SISO_Ant1_Low_5180_Peak




11N20SISO_Ant1_High_5320_AV




11N20SISO_Ant1_High_5320_Peak



11N20SISO_Ant1_Low_5500_AV



11N20SISO_Ant1_Low_5500_Peak




11N20SISO_Ant1_High_5700_AV




11N20SISO_Ant1_High_5700_Peak




11N20SISO_Ant1_Low_5745_Peak




11N20SISO_Ant1_High_5825_Peak



11N40SISO_Ant1_Low_5190_AV



11N40SISO_Ant1_Low_5190_Peak




11N40SISO_Ant1_High_5310_AV




11N40SISO_Ant1_High_5310_Peak



11N40SISO_Ant1_Low_5510_AV



11N40SISO_Ant1_Low_5510_Peak




11N40SISO_Ant1_High_5670_AV



11N40SISO_Ant1_High_5670_Peak




11N40SISO_Ant1_Low_5755_Peak




11N40SISO_Ant1_High_5795_Peak



11AC20SISO_Ant1_Low_5180_AV



11AC20SISO_Ant1_Low_5180_Peak



11AC20SISO_Ant1_High_5320_AV