1. Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5955	Ant1	75.96	1.19	6.73
NVNT	a	6175	Ant1	75.96	1.19	6.73
NVNT	a	6415	Ant1	75.57	1.22	6.73
NVNT	a	5955	Ant2	75.96	1.19	6.73
NVNT	a	6175	Ant2	75.77	1.21	6.73
NVNT	a	6415	Ant2	75.77	1.21	6.73
NVNT	ax160	6025	Sum	84.51	0.73	3.88
NVNT	ax160	6185	Sum	84.25	0.74	3.89
NVNT	ax160	6345	Sum	84.07	0.75	3.88
NVNT	ax20	5955	Sum	83.61	0.78	3.96
NVNT	ax20	6175	Sum	83.64	0.78	3.95
NVNT	ax20	6415	Sum	83.64	0.78	3.95
NVNT	ax40	5965	Sum	84.26	0.74	3.89
NVNT	ax40	6165	Sum	84.12	0.75	3.89
NVNT	ax40	6405	Sum	84.26	0.74	3.89
NVNT	ax80	5985	Sum	84.64	0.72	3.86
NVNT	ax80	6145	Sum	84.64	0.72	3.86
NVNT	ax80	6385	Sum	84.48	0.73	3.87

Test Graphs

Duty Cycle NVNT a 5955MHz Ant1



Duty Cycle NVNT a 6175MHz Ant1



Duty Cycle NVNT a 6415MHz Ant1



Duty Cycle NVNT a 5955MHz Ant2



Duty Cycle NVNT a 6175MHz Ant2



Duty Cycle NVNT a 6415MHz Ant2



Duty Cycle NVNT ax160 6025MHz Sum



Duty Cycle NVNT ax160 6185MHz Sum



Duty Cycle NVNT ax160 6345MHz Sum



Duty Cycle NVNT ax20 5955MHz Sum



Duty Cycle NVNT ax20 6175MHz Sum



Duty Cycle NVNT ax20 6415MHz Sum



Duty Cycle NVNT ax40 5965MHz Sum



Duty Cycle NVNT ax40 6165MHz Sum



Duty Cycle NVNT ax40 6405MHz Sum



Duty Cycle NVNT ax80 5985MHz Sum



Duty Cycle NVNT ax80 6145MHz Sum



Duty Cycle NVNT ax80 6385MHz Sum



2. Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Gain (dBi)	eirp Power	Limit (dBm)	Verdict
NVNT	a	5955	Ant1	4.3	1.19	5.49	4.94	10.43	24	Pass
NVNT	a	6175	Ant1	4.93	1.19	6.12	4.94	11.06	24	Pass
NVNT	a	6415	Ant1	3.98	1.22	5.2	4.94	10.14	24	Pass
NVNT	a	5955	Ant2	5.35	1.19	6.54	4.48	11.02	24	Pass
NVNT	a	6175	Ant2	5.77	1.21	6.98	4.48	11.46	24	Pass
NVNT	a	6415	Ant2	5.48	1.21	6.69	4.48	11.17	24	Pass
NVNT	ax160	6025	Ant1	6.23	0.73	6.96	4.94	11.9	24	Pass
NVNT	ax160	6025	Ant2	7.12	0.73	7.85	4.48	12.33	24	Pass
NVNT	ax160	6025	Sum					15.13	24	Pass
NVNT	ax160	6185	Ant1	6.1	0.74	6.84	4.94	11.78	24	Pass
NVNT	ax160	6185	Ant2	7.19	0.74	7.93	4.48	12.41	24	Pass
NVNT	ax160	6185	Sum					15.12	24	Pass
NVNT	ax160	6345	Ant1	5.8	0.75	6.55	4.94	11.49	24	Pass
NVNT	ax160	6345	Ant2	7.33	0.75	8.08	4.48	12.56	24	Pass
NVNT	ax160	6345	Sum					15.07	24	Pass
NVNT	ax20	5955	Ant1	1.8	0.78	2.58	4.94	7.52	24	Pass
NVNT	ax20	5955	Ant2	2.93	0.78	3.71	4.48	8.19	24	Pass
NVNT	ax20	5955	Sum					10.88	24	Pass
NVNT	ax20	6175	Ant1	2.46	0.78	3.24	4.94	8.18	24	Pass
NVNT	ax20	6175	Ant2	3.5	0.78	4.28	4.48	8.76	24	Pass
NVNT	ax20	6175	Sum					11.49	24	Pass
NVNT	ax20	6415	Ant1	1.62	0.78	2.4	4.94	7.34	24	Pass
NVNT	ax20	6415	Ant2	3.22	0.78	4	4.48	8.48	24	Pass
NVNT	ax20	6415	Sum					10.96	24	Pass
NVNT	ax40	5965	Ant1	5.48	0.74	6.22	4.94	11.16	24	Pass
NVNT	ax40	5965	Ant2	6.55	0.74	7.29	4.48	11.77	24	Pass
NVNT	ax40	5965	Sum					14.49	24	Pass
NVNT	ax40	6165	Ant1	6.08	0.75	6.83	4.94	11.77	24	Pass
NVNT	ax40	6165	Ant2	6.99	0.75	7.74	4.48	12.22	24	Pass
NVNT	ax40	6165	Sum					15.01	24	Pass
NVNT	ax40	6405	Ant1	5.16	0.74	5.9	4.94	10.84	24	Pass
NVNT	ax40	6405	Ant2	6.5	0.74	7.24	4.48	11.72	24	Pass
NVNT	ax40	6405	Sum					14.31	24	Pass
NVNT	ax80	5985	Ant1	5.74	0.72	6.46	4.94	11.4	24	Pass
NVNT	ax80	5985	Ant2	6.92	0.72	7.64	4.48	12.12	24	Pass
NVNT	ax80	5985	Sum					14.79	24	Pass
NVNT	ax80	6145	Ant1	6.01	0.72	6.73	4.94	11.67	24	Pass
NVNT	ax80	6145	Ant2	7.35	0.72	8.07	4.48	12.55	24	Pass
NVNT	ax80	6145	Sum					15.14	24	Pass

NVNT	ax80	6385	Ant1	5.56	0.73	6.29	4.94	11.23	24	Pass
NVNT	ax80	6385	Ant2	6.89	0.73	7.62	4.48	12.1	24	Pass
NVNT	ax80	6385	Sum					14.7	24	Pass

Test Graphs

Power NVNT a 5955MHz Ant1



Power NVNT a 6175MHz Ant1



Power NVNT a 6415MHz Ant1



Power NVNT a 5955MHz Ant2



Power NVNT a 6175MHz Ant2



Power NVNT a 6415MHz Ant2



Power NVNT ax160 6025MHz Ant1



Power NVNT ax160 6025MHz Ant2



Power NVNT ax160 6185MHz Ant1



Power NVNT ax160 6185MHz Ant2



Power NVNT ax160 6345MHz Ant1



Power NVNT ax160 6345MHz Ant2



Power NVNT ax20 5955MHz Ant1



Power NVNT ax20 5955MHz Ant2



Power NVNT ax20 6175MHz Ant1



Power NVNT ax20 6175MHz Ant2



Power NVNT ax20 6415MHz Ant1



Power NVNT ax20 6415MHz Ant2



Power NVNT ax40 5965MHz Ant1



Power NVNT ax40 5965MHz Ant2



Power NVNT ax40 6165MHz Ant1



Power NVNT ax40 6165MHz Ant2



Power NVNT ax40 6405MHz Ant1



Power NVNT ax40 6405MHz Ant2



Power NVNT ax80 5985MHz Ant1



Power NVNT ax80 5985MHz Ant2



Power NVNT ax80 6145MHz Ant1



Power NVNT ax80 6145MHz Ant2



Power NVNT ax80 6385MHz Ant1



Power NVNT ax80 6385MHz Ant2



3. 26dB& 99%Occupied Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	26dB (MHz)	99% OBW (MHz)
NVNT	a	5955	Ant1	24.14	16.72
NVNT	a	6175	Ant1	23.89	16.712
NVNT	a	6415	Ant1	23.91	16.803
NVNT	a	5955	Ant2	23.84	16.757
NVNT	a	6175	Ant2	24.30	16.779
NVNT	a	6415	Ant2	23.96	16.762
NVNT	ax160	6025	Ant1	161.7	153.407
NVNT	ax160	6025	Ant2	161.8	153.879
NVNT	ax160	6185	Ant1	162.0	153.791
NVNT	ax160	6185	Ant2	161.4	154.126
NVNT	ax160	6345	Ant1	161.9	153.405
NVNT	ax160	6345	Ant2	162.0	152.755
NVNT	ax20	5955	Ant1	24.00	19.017
NVNT	ax20	5955	Ant2	23.54	18.963
NVNT	ax20	6175	Ant1	23.38	18.966
NVNT	ax20	6175	Ant2	24.21	18.978
NVNT	ax20	6415	Ant1	23.45	19.051
NVNT	ax20	6415	Ant2	25.17	18.986
NVNT	ax40	5965	Ant1	42.66	37.79
NVNT	ax40	5965	Ant2	43.56	37.825
NVNT	ax40	6165	Ant1	43.85	37.729
NVNT	ax40	6165	Ant2	44.45	37.868
NVNT	ax40	6405	Ant1	44.12	37.873
NVNT	ax40	6405	Ant2	42.96	37.768
NVNT	ax80	5985	Ant1	81.57	76.589
NVNT	ax80	5985	Ant2	83.60	76.039
NVNT	ax80	6145	Ant1	80.89	76.51
NVNT	ax80	6145	Ant2	82.85	76.548
NVNT	ax80	6385	Ant1	81.45	76.459
NVNT	ax80	6385	Ant2	83.57	76.117

Test Graphs

OBW NVNT a 5955MHz Ant1



OBW NVNT a 6175MHz Ant1



OBW NVNT a 6415MHz Ant1



OBW NVNT a 5955MHz Ant2



OBW NVNT a 6175MHz Ant2



OBW NVNT a 6415MHz Ant2



OBW NVNT ax160 6025MHz Ant1



OBW NVNT ax160 6025MHz Ant2



OBW NVNT ax160 6185MHz Ant1



OBW NVNT ax160 6185MHz Ant2



OBW NVNT ax160 6345MHz Ant1



OBW NVNT ax160 6345MHz Ant2



OBW NVNT ax20 5955MHz Ant1



OBW NVNT ax20 5955MHz Ant2



OBW NVNT ax20 6175MHz Ant1



OBW NVNT ax20 6175MHz Ant2



OBW NVNT ax20 6415MHz Ant1



OBW NVNT ax20 6415MHz Ant2



OBW NVNT ax40 5965MHz Ant1



OBW NVNT ax40 5965MHz Ant2



OBW NVNT ax40 6165MHz Ant1



OBW NVNT ax40 6165MHz Ant2



OBW NVNT ax40 6405MHz Ant1



OBW NVNT ax40 6405MHz Ant2



OBW NVNT ax80 5985MHz Ant1



OBW NVNT ax80 5985MHz Ant2



OBW NVNT ax80 6145MHz Ant1



OBW NVNT ax80 6145MHz Ant2



OBW NVNT ax80 6385MHz Ant1



OBW NVNT ax80 6385MHz Ant2



4. Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Gain (dBi)	eirp PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5955.00	Ant1	-8.06	1.19	-6.87	4.94	-1.93	-1.00	Pass
NVNT	a	6175.00	Ant1	-7.57	1.19	-6.38	4.94	-1.44	-1.00	Pass
NVNT	a	6415.00	Ant1	-8.17	1.22	-6.95	4.94	-2.01	-1.00	Pass
NVNT	a	5955.00	Ant2	-7.42	1.19	-6.23	4.48	-1.75	-1.00	Pass
NVNT	a	6175.00	Ant2	-6.97	1.21	-5.76	4.48	-1.28	-1.00	Pass
NVNT	a	6415.00	Ant2	-8.37	1.21	-7.16	4.48	-2.68	-1.00	Pass
NVNT	ax160	6025.00	Ant1	-15.02	0.73	-14.29	4.94	-9.35	-1.00	Pass
NVNT	ax160	6025.00	Ant2	-14.04	0.73	-13.31	4.48	-8.83	-1.00	Pass
NVNT	ax160	6025.00	Sum	-	-	-	-	-6.07	-1.00	Pass
NVNT	ax160	6185.00	Ant1	-15.76	0.74	-15.02	4.94	-10.08	-1.00	Pass
NVNT	ax160	6185.00	Ant2	-14.97	0.74	-14.23	4.48	-9.75	-1.00	Pass
NVNT	ax160	6185.00	Sum	-	-	-	-	-6.90	-1.00	Pass
NVNT	ax160	6345.00	Ant1	-15.30	0.75	-14.55	4.94	-9.61	-1.00	Pass
NVNT	ax160	6345.00	Ant2	-13.24	0.75	-12.49	4.48	-8.01	-1.00	Pass
NVNT	ax160	6345.00	Sum	-	-	-	-	-5.76	-1.00	Pass
NVNT	ax20	5955.00	Ant1	-10.82	0.78	-10.04	4.94	-5.10	-1.00	Pass
NVNT	ax20	5955.00	Ant2	-10.66	0.78	-9.88	4.48	-5.40	-1.00	Pass
NVNT	ax20	5955.00	Sum	-	-	-	-	-2.24	-1.00	Pass
NVNT	ax20	6175.00	Ant1	-11.75	0.78	-10.97	4.94	-6.03	-1.00	Pass
NVNT	ax20	6175.00	Ant2	-10.51	0.78	-9.73	4.48	-5.25	-1.00	Pass
NVNT	ax20	6175.00	Sum	-	-	-	-	-2.62	-1.00	Pass
NVNT	ax20	6415.00	Ant1	-11.70	0.78	-10.92	4.94	-5.98	-1.00	Pass
NVNT	ax20	6415.00	Ant2	-10.61	0.78	-9.83	4.48	-5.35	-1.00	Pass
NVNT	ax20	6415.00	Sum	-	-	-	-	-2.65	-1.00	Pass
NVNT	ax40	5965.00	Ant1	-11.77	0.74	-11.03	4.94	-6.09	-1.00	Pass
NVNT	ax40	5965.00	Ant2	-9.06	0.74	-8.32	4.48	-3.84	-1.00	Pass
NVNT	ax40	5965.00	Sum	-	-	-	-	-1.88	-1.00	Pass
NVNT	ax40	6165.00	Ant1	-10.37	0.75	-9.62	4.94	-4.68	-1.00	Pass
NVNT	ax40	6165.00	Ant2	-9.39	0.75	-8.64	4.48	-4.16	-1.00	Pass
NVNT	ax40	6165.00	Sum	-	-	-	-	-1.40	-1.00	Pass
NVNT	ax40	6405.00	Ant1	-11.85	0.74	-11.11	4.94	-6.17	-1.00	Pass
NVNT	ax40	6405.00	Ant2	-8.45	0.74	-7.71	4.48	-3.23	-1.00	Pass
NVNT	ax40	6405.00	Sum	-	-	-	-	-1.56	-1.00	Pass
NVNT	ax80	5985.00	Ant1	-13.60	0.72	-12.88	4.94	-7.94	-1.00	Pass
NVNT	ax80	5985.00	Ant2	-10.67	0.72	-9.95	4.48	-5.47	-1.00	Pass
NVNT	ax80	5985.00	Sum	-	-	-	-	-3.61	-1.00	Pass
NVNT	ax80	6145.00	Ant1	-12.57	0.72	-11.85	4.94	-6.91	-1.00	Pass
NVNT	ax80	6145.00	Ant2	-11.13	0.72	-10.41	4.48	-5.93	-1.00	Pass
NVNT	ax80	6145.00	Sum	-	-	-	-	-3.40	-1.00	Pass

NVNT	ax80	6385.00	Ant1	-13.58	0.73	-12.85	4.94	-7.91	-1.00	Pass
NVNT	ax80	6385.00	Ant2	-10.15	0.73	-9.42	4.48	-4.94	-1.00	Pass
NVNT	ax80	6385.00	Sum	-	-	-	-	-3.29	-1.00	Pass

Test Graphs

PSD NVNT a 5955MHz Ant1



PSD NVNT a 6175MHz Ant1



PSD NVNT a 6415MHz Ant1



PSD NVNT a 5955MHz Ant2



PSD NVNT a 6175MHz Ant2



PSD NVNT a 6415MHz Ant2



PSD NVNT ax160 6025MHz Ant1



PSD NVNT ax160 6025MHz Ant2



PSD NVNT ax160 6185MHz Ant1



PSD NVNT ax160 6185MHz Ant2



PSD NVNT ax160 6345MHz Ant1



PSD NVNT ax160 6345MHz Ant2



PSD NVNT ax20 5955MHz Ant1



PSD NVNT ax20 5955MHz Ant2



PSD NVNT ax20 6175MHz Ant1



PSD NVNT ax20 6175MHz Ant2



PSD NVNT ax20 6415MHz Ant1



PSD NVNT ax20 6415MHz Ant2



PSD NVNT ax40 5965MHz Ant1



PSD NVNT ax40 5965MHz Ant2



PSD NVNT ax40 6165MHz Ant1



PSD NVNT ax40 6165MHz Ant2



PSD NVNT ax40 6405MHz Ant1



PSD NVNT ax40 6405MHz Ant2



PSD NVNT ax80 5985MHz Ant1



PSD NVNT ax80 5985MHz Ant2



PSD NVNT ax80 6145MHz Ant1



PSD NVNT ax80 6145MHz Ant2



PSD NVNT ax80 6385MHz Ant1



PSD NVNT ax80 6385MHz Ant2



5. Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5955	Ant1	-28.94	-27	Pass
NVNT	a	6175	Ant1	-28.25	-27	Pass
NVNT	a	6415	Ant1	-28.73	-27	Pass
NVNT	a	5955	Ant2	-28.86	-27	Pass
NVNT	a	6175	Ant2	-28.6	-27	Pass
NVNT	a	6415	Ant2	-28.52	-27	Pass
NVNT	ax160	6025	Ant1	-28.17	-27	Pass
NVNT	ax160	6025	Ant2	-28.51	-27	Pass
NVNT	ax160	6185	Ant1	-27.44	-27	Pass
NVNT	ax160	6185	Ant2	-28.84	-27	Pass
NVNT	ax160	6345	Ant1	-28.12	-27	Pass
NVNT	ax160	6345	Ant2	-28.94	-27	Pass
NVNT	ax20	5955	Ant1	-28.32	-27	Pass
NVNT	ax20	5955	Ant2	-28.65	-27	Pass
NVNT	ax20	6175	Ant1	-28.01	-27	Pass
NVNT	ax20	6175	Ant2	-28.39	-27	Pass
NVNT	ax20	6415	Ant1	-28.05	-27	Pass
NVNT	ax20	6415	Ant2	-28.59	-27	Pass
NVNT	ax40	5965	Ant1	-28.4	-27	Pass
NVNT	ax40	5965	Ant2	-28.77	-27	Pass
NVNT	ax40	6165	Ant1	-28.53	-27	Pass
NVNT	ax40	6165	Ant2	-28.53	-27	Pass
NVNT	ax40	6405	Ant1	-27.92	-27	Pass
NVNT	ax40	6405	Ant2	-28.36	-27	Pass
NVNT	ax80	5985	Ant1	-27.45	-27	Pass
NVNT	ax80	5985	Ant2	-28.32	-27	Pass
NVNT	ax80	6145	Ant1	-28	-27	Pass
NVNT	ax80	6145	Ant2	-28.81	-27	Pass
NVNT	ax80	6385	Ant1	-28.1	-27	Pass
NVNT	ax80	6385	Ant2	-27.37	-27	Pass

Test Graphs

Tx. Spurious NVNT a 5955MHz Ant1 Emission



Tx. Spurious NVNT a 6175MHz Ant1 Emission



Tx. Spurious NVNT a 6415MHz Ant1 Emission



Tx. Spurious NVNT a 5955MHz Ant2 Emission



Tx. Spurious NVNT a 6175MHz Ant2 Emission



Tx. Spurious NVNT a 6415MHz Ant2 Emission



Tx. Spurious NVNT ax160 6025MHz Ant1 Emission



Tx. Spurious NVNT ax160 6025MHz Ant2 Emission



Tx. Spurious NVNT ax160 6185MHz Ant1 Emission



Tx. Spurious NVNT ax160 6185MHz Ant2 Emission



Tx. Spurious NVNT ax160 6345MHz Ant1 Emission



Tx. Spurious NVNT ax160 6345MHz Ant2 Emission



Tx. Spurious NVNT ax20 5955MHz Ant1 Emission



Tx. Spurious NVNT ax20 5955MHz Ant2 Emission



Tx. Spurious NVNT ax20 6175MHz Ant1 Emission



Tx. Spurious NVNT ax20 6175MHz Ant2 Emission



Tx. Spurious NVNT ax20 6415MHz Ant1 Emission



Tx. Spurious NVNT ax20 6415MHz Ant2 Emission



Tx. Spurious NVNT ax40 5965MHz Ant1 Emission



Tx. Spurious NVNT ax40 5965MHz Ant2 Emission



Tx. Spurious NVNT ax40 6165MHz Ant1 Emission



Tx. Spurious NVNT ax40 6165MHz Ant2 Emission



Tx. Spurious NVNT ax40 6405MHz Ant1 Emission



Tx. Spurious NVNT ax40 6405MHz Ant2 Emission



Tx. Spurious NVNT ax80 5985MHz Ant1 Emission



Tx. Spurious NVNT ax80 5985MHz Ant2 Emission



Tx. Spurious NVNT ax80 6145MHz Ant1 Emission



Tx. Spurious NVNT ax80 6145MHz Ant2 Emission



Tx. Spurious NVNT ax80 6385MHz Ant1 Emission



Tx. Spurious NVNT ax80 6385MHz Ant2 Emission



6. Power spectral mask

Condition	Mode	Frequency (MHz)	Antenna	Sub Band	Worst EIB Frequency (MHz)	Level (dB)	Limit (dB)	Verdict
NVNT	a	5955	Ant1	Band1	5950.02	0	0	Pass
NVNT	a	5955	Ant2	Band1	5962.5	0	0	Pass
NVNT	a	6175	Ant1	Band1	6168.74	0	0	Pass
NVNT	a	6175	Ant2	Band1	6169.98	0	0	Pass
NVNT	a	6415	Ant1	Band1	6407.5	0	0	Pass
NVNT	a	6415	Ant2	Band1	6409.99	0	0	Pass
NVNT	ax160	6025	Sum	Band1	6052.01	0	0	Pass
NVNT	ax160	6185	Sum	Band1	6196.9	0	0	Pass
NVNT	ax160	6345	Sum	Band1	6301.74	0	0	Pass
NVNT	ax40	5965	Sum	Band1	5968.9	0	0	Pass
NVNT	ax40	6165	Sum	Band1	6160.14	0	0	Pass
NVNT	ax40	6405	Sum	Band1	6396.2	0	0	Pass
NVNT	ax80	5985	Sum	Band1	5970.86	0	0	Pass
NVNT	ax80	6145	Sum	Band1	6163.11	0	0	Pass
NVNT	ax80	6385	Sum	Band1	6367.91	0	0	Pass
NVNT	ax20	5955	Sum	Band1	5953.78	0	0	Pass
NVNT	ax20	6175	Sum	Band1	6170.01	0	0	Pass
NVNT	ax20	6415	Sum	Band1	6417.51	0	0	Pass

Test Graphs
Power spectral mask NVNT a 5955MHz



Power spectral mask NVNT a 5955MHz



Power spectral mask NVNT a 6175MHz



Power spectral mask NVNT a 6175MHz



Power spectral mask NVNT a 6415MHz



Power spectral mask NVNT a 6415MHz



Power spectral mask NVNT ax160 6025MHz



Power spectral mask NVNT ax160 6185MHz



Power spectral mask NVNT ax160 6345MHz



Power spectral mask NVNT ax40 5965MHz



Power spectral mask NVNT ax40 6165MHz



Power spectral mask NVNT ax40 6405MHz



Power spectral mask NVNT ax80 5985MHz



Power spectral mask NVNT ax80 6145MHz



Power spectral mask NVNT ax80 6385MHz



Power spectral mask NVNT ax20 5955MHz



Power spectral mask NVNT ax20 6175MHz



Power spectral mask NVNT ax20 6415MHz