


Annex A.5 Spurious Emission at Antenna Terminals

1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.87	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.28	-13	Pass	2986
30	1000	0.1	Peak	931.2	-49.22	-13	Pass	9701
1000	3000	1	Peak	1853	21.83	-13	N/A	2001
3000	20000	1	Peak	18986	-28.73	-13	Pass	17001




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-46.94	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.53	-13	Pass	2986
30	1000	0.1	Peak	948.3	-50.22	-13	Pass	9701
1000	3000	1	Peak	1879	21.97	-13	N/A	2001
3000	20000	1	Peak	19061	-28.56	-13	Pass	17001



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-47.15	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.73	-13	Pass	2986
30	1000	0.1	Peak	890.2	-49.94	-13	Pass	9701
1000	3000	1	Peak	1906	22.92	-13	N/A	2001
3000	20000	1	Peak	19957	-28.84	-13	Pass	17001



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.54	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.85	-13	Pass	2986
30	1000	0.1	Peak	893.2	-49.62	-13	Pass	9701
1000	3000	1	Peak	1713	21.87	-13	N/A	2001
3000	20000	1	Peak	19882	-29.04	-13	Pass	17001




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-47.33	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.39	-13	Pass	2986
30	1000	0.1	Peak	789.7	-50.11	-13	Pass	9701
1000	3000	1	Peak	1734	21.49	-13	N/A	2001
3000	20000	1	Peak	19930	-28.66	-13	Pass	17001



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-47.06	-13	Pass	401
0.15	30	0.01	Peak	0.17	-48.04	-13	Pass	2986
30	1000	0.1	Peak	879	-50.05	-13	Pass	9701
1000	3000	1	Peak	1751	21.48	-13	N/A	2001
3000	20000	1	Peak	18839	-28.55	-13	Pass	17001



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.78	-13	Pass	2986
30	500	0.1	Peak	465.5	-51.86	-13	Pass	4701
500	1000	0.1	Peak	827.7	16.52	-13	N/A	5001
1000	10000	1	Peak	9997	-27.85	-13	Pass	9001




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-46.36	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.69	-13	Pass	2986
30	500	0.1	Peak	475	-52.02	-13	Pass	4701
500	1000	0.1	Peak	836.6	15.89	-13	N/A	5001
1000	10000	1	Peak	9936	-28.29	-13	Pass	9001



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.42	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.01	-13	Pass	2986
30	500	0.1	Peak	457.3	-52.35	-13	Pass	4701
500	1000	0.1	Peak	845.7	18.28	-13	N/A	5001
1000	10000	1	Peak	9990	-28.39	-13	Pass	9001



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.92	-13	Pass	2986
30	1000	0.1	RMS	901.4	-61.1	-13	Pass	9701
1000	1840	1	RMS	1840	-48.51	-13	Pass	841
1840	1920	1	RMS	1850.2	21.57	60	Pass	401
1920	3000	1	RMS	2693	-46.96	-13	Pass	1081
3000	12000	1	RMS	11946	-38.32	-13	Pass	9001
12000	20000	1	RMS	19955	-26.95	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-13	Pass	2986
30	1000	0.1	RMS	898	-61.16	-13	Pass	9701
1000	1840	1	RMS	1840	-48.89	-13	Pass	841
1840	1920	1	RMS	1850.2	20.48	60	Pass	401
1920	3000	1	RMS	2678	-46.99	-13	Pass	1081
3000	12000	1	RMS	11929	-38.36	-13	Pass	9001
12000	20000	1	RMS	19969	-26.85	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.82	-13	Pass	2986
30	1000	0.1	RMS	892.5	-61.1	-13	Pass	9701
1000	1840	1	RMS	1840	-50.69	-13	Pass	841
1840	1920	1	RMS	1879.6	21.34	60	Pass	401
1920	3000	1	RMS	2689	-46.98	-13	Pass	1081
3000	12000	1	RMS	11952	-38.34	-13	Pass	9001
12000	20000	1	RMS	19965	-26.93	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.41	-13	Pass	2986
30	1000	0.1	RMS	982.5	-61.08	-13	Pass	9701
1000	1840	1	RMS	1813	-50.68	-13	Pass	841
1840	1920	1	RMS	1879.6	20.36	60	Pass	401
1920	3000	1	RMS	2679	-46.97	-13	Pass	1081
3000	12000	1	RMS	11944	-38.35	-13	Pass	9001
12000	20000	1	RMS	19962	-26.94	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.45	-13	Pass	2986
30	1000	0.1	RMS	996.8	-61.05	-13	Pass	9701
1000	1840	1	RMS	1837	-50.69	-13	Pass	841
1840	1920	1	RMS	1908.8	21.69	60	Pass	401
1920	3000	1	RMS	2699	-47	-13	Pass	1081
3000	12000	1	RMS	11940	-38.35	-13	Pass	9001
12000	20000	1	RMS	19955	-26.95	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.46	-13	Pass	2986
30	1000	0.1	RMS	862.7	-61.09	-13	Pass	9701
1000	1840	1	RMS	1837	-50.71	-13	Pass	841
1840	1920	1	RMS	1908.8	20.77	60	Pass	401
1920	3000	1	RMS	2695	-46.96	-13	Pass	1081
3000	12000	1	RMS	11952	-38.33	-13	Pass	9001
12000	20000	1	RMS	19967	-26.87	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.04	-13	Pass	2986
30	1000	0.1	RMS	934	-61.04	-13	Pass	9701
1000	1840	1	RMS	1840	-49.18	-13	Pass	841
1840	1920	1	RMS	1850.2	21.27	60	Pass	401
1920	3000	1	RMS	2693	-46.95	-13	Pass	1081
3000	12000	1	RMS	11969	-38.36	-13	Pass	9001
12000	20000	1	RMS	19962	-26.89	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.72	-13	Pass	2986
30	1000	0.1	RMS	897.5	-61.03	-13	Pass	9701
1000	1840	1	RMS	1840	-49.37	-13	Pass	841
1840	1920	1	RMS	1850.2	20.26	60	Pass	401
1920	3000	1	RMS	2692	-47.01	-13	Pass	1081
3000	12000	1	RMS	11952	-38.3	-13	Pass	9001
12000	20000	1	RMS	19957	-26.8	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.1	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.72	-13	Pass	2986
30	1000	0.1	RMS	896.6	-61.05	-13	Pass	9701
1000	1840	1	RMS	1840	-50.61	-13	Pass	841
1840	1920	1	RMS	1878.8	21.06	60	Pass	401
1920	3000	1	RMS	2683	-46.94	-13	Pass	1081
3000	12000	1	RMS	11944	-38.38	-13	Pass	9001
12000	20000	1	RMS	19967	-26.94	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.35	-13	Pass	2986
30	1000	0.1	RMS	876	-61.08	-13	Pass	9701
1000	1840	1	RMS	1840	-50.65	-13	Pass	841
1840	1920	1	RMS	1878.8	20.03	60	Pass	401
1920	3000	1	RMS	2682	-46.98	-13	Pass	1081
3000	12000	1	RMS	11952	-38.35	-13	Pass	9001
12000	20000	1	RMS	19959	-26.96	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.87	-13	Pass	2986
30	1000	0.1	RMS	927.7	-61.1	-13	Pass	9701
1000	1840	1	RMS	1836	-50.71	-13	Pass	841
1840	1920	1	RMS	1907.2	21.56	60	Pass	401
1920	3000	1	RMS	2687	-46.97	-13	Pass	1081
3000	12000	1	RMS	11953	-38.39	-13	Pass	9001
12000	20000	1	RMS	19958	-26.85	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.33	-13	Pass	2986
30	1000	0.1	RMS	877.6	-61.13	-13	Pass	9701
1000	1840	1	RMS	1809	-50.75	-13	Pass	841
1840	1920	1	RMS	1907.2	20.63	60	Pass	401
1920	3000	1	RMS	2693	-46.88	-13	Pass	1081
3000	12000	1	RMS	11947	-38.26	-13	Pass	9001
12000	20000	1	RMS	19954	-26.88	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.06	-13	Pass	2986
30	1000	0.1	RMS	979	-61.08	-13	Pass	9701
1000	1840	1	RMS	1840	-49.32	-13	Pass	841
1840	1920	1	RMS	1850.4	21.05	60	Pass	401
1920	3000	1	RMS	2679	-46.96	-13	Pass	1081
3000	12000	1	RMS	11954	-38.32	-13	Pass	9001
12000	20000	1	RMS	19965	-26.92	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.14	-13	Pass	2986
30	1000	0.1	RMS	903.7	-61.18	-13	Pass	9701
1000	1840	1	RMS	1840	-49.65	-13	Pass	841
1840	1920	1	RMS	1850.4	19.99	60	Pass	401
1920	3000	1	RMS	2684	-47.02	-13	Pass	1081
3000	12000	1	RMS	11955	-38.33	-13	Pass	9001
12000	20000	1	RMS	19968	-26.86	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2986
30	1000	0.1	RMS	903.2	-60.96	-13	Pass	9701
1000	1840	1	RMS	1840	-50.57	-13	Pass	841
1840	1920	1	RMS	1877.8	21.05	60	Pass	401
1920	3000	1	RMS	2692	-46.97	-13	Pass	1081
3000	12000	1	RMS	11952	-38.31	-13	Pass	9001
12000	20000	1	RMS	19960	-26.91	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-13	Pass	2986
30	1000	0.1	RMS	876.6	-60.93	-13	Pass	9701
1000	1840	1	RMS	1828	-50.68	-13	Pass	841
1840	1920	1	RMS	1877.8	20.11	60	Pass	401
1920	3000	1	RMS	2689	-46.93	-13	Pass	1081
3000	12000	1	RMS	11951	-38.36	-13	Pass	9001
12000	20000	1	RMS	19975	-26.88	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2986
30	1000	0.1	RMS	898.8	-60.96	-13	Pass	9701
1000	1840	1	RMS	1839	-50.56	-13	Pass	841
1840	1920	1	RMS	1905.4	21.33	60	Pass	401
1920	3000	1	RMS	2686	-46.93	-13	Pass	1081
3000	12000	1	RMS	11949	-38.32	-13	Pass	9001
12000	20000	1	RMS	19957	-26.94	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.73	-13	Pass	2986
30	1000	0.1	RMS	899.1	-61.07	-13	Pass	9701
1000	1840	1	RMS	1838	-50.65	-13	Pass	841
1840	1920	1	RMS	1905.4	20.65	60	Pass	401
1920	3000	1	RMS	2690	-46.9	-13	Pass	1081
3000	12000	1	RMS	11954	-38.3	-13	Pass	9001
12000	20000	1	RMS	19959	-26.84	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-13	Pass	2986
30	1000	0.1	RMS	927.7	-61.02	-13	Pass	9701
1000	1840	1	RMS	1840	-49.09	-13	Pass	841
1840	1920	1	RMS	1850.6	20.85	60	Pass	401
1920	3000	1	RMS	2678	-46.92	-13	Pass	1081
3000	12000	1	RMS	11952	-38.3	-13	Pass	9001
12000	20000	1	RMS	19951	-26.85	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2986
30	1000	0.1	RMS	910.5	-61.03	-13	Pass	9701
1000	1840	1	RMS	1840	-49.33	-13	Pass	841
1840	1920	1	RMS	1850.6	19.93	60	Pass	401
1920	3000	1	RMS	2684	-46.96	-13	Pass	1081
3000	12000	1	RMS	11944	-38.37	-13	Pass	9001
12000	20000	1	RMS	19990	-26.91	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.19	-13	Pass	2986
30	1000	0.1	RMS	978	-61.02	-13	Pass	9701
1000	1840	1	RMS	1839	-50.59	-13	Pass	841
1840	1920	1	RMS	1875.6	20.77	60	Pass	401
1920	3000	1	RMS	2685	-46.9	-13	Pass	1081
3000	12000	1	RMS	11948	-38.29	-13	Pass	9001
12000	20000	1	RMS	19958	-26.89	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.31	-13	Pass	2986
30	1000	0.1	RMS	885.2	-61.07	-13	Pass	9701
1000	1840	1	RMS	1840	-50.59	-13	Pass	841
1840	1920	1	RMS	1875.6	19.79	60	Pass	401
1920	3000	1	RMS	2694	-46.96	-13	Pass	1081
3000	12000	1	RMS	11939	-38.31	-13	Pass	9001
12000	20000	1	RMS	19972	-26.91	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.88	-13	Pass	2986
30	1000	0.1	RMS	964.9	-61.07	-13	Pass	9701
1000	1840	1	RMS	1835	-50.66	-13	Pass	841
1840	1920	1	RMS	1900.6	21.32	60	Pass	401
1920	3000	1	RMS	2688	-46.92	-13	Pass	1081
3000	12000	1	RMS	11944	-38.31	-13	Pass	9001
12000	20000	1	RMS	19958	-26.91	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.64	-13	Pass	2986
30	1000	0.1	RMS	902	-61.06	-13	Pass	9701
1000	1840	1	RMS	1840	-50.63	-13	Pass	841
1840	1920	1	RMS	1900.6	20.4	60	Pass	401
1920	3000	1	RMS	2686	-46.94	-13	Pass	1081
3000	12000	1	RMS	11967	-38.33	-13	Pass	9001
12000	20000	1	RMS	19970	-26.91	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.95	-13	Pass	2986
30	1000	0.1	RMS	891.3	-61.04	-13	Pass	9701
1000	1840	1	RMS	1840	-49.03	-13	Pass	841
1840	1920	1	RMS	1850.8	20.86	60	Pass	401
1920	3000	1	RMS	2691	-46.93	-13	Pass	1081
3000	12000	1	RMS	11966	-38.31	-13	Pass	9001
12000	20000	1	RMS	19968	-26.84	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-13	Pass	2986
30	1000	0.1	RMS	879.5	-61.11	-13	Pass	9701
1000	1840	1	RMS	1840	-49.36	-13	Pass	841
1840	1920	1	RMS	1850.8	19.9	60	Pass	401
1920	3000	1	RMS	2692	-46.96	-13	Pass	1081
3000	12000	1	RMS	11945	-38.39	-13	Pass	9001
12000	20000	1	RMS	19957	-26.88	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.58	-13	Pass	2986
30	1000	0.1	RMS	908.5	-61.09	-13	Pass	9701
1000	1840	1	RMS	1838	-50.57	-13	Pass	841
1840	1920	1	RMS	1873.4	20.8	60	Pass	401
1920	3000	1	RMS	2689	-46.98	-13	Pass	1081
3000	12000	1	RMS	11938	-38.38	-13	Pass	9001
12000	20000	1	RMS	19952	-26.87	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.63	-13	Pass	2986
30	1000	0.1	RMS	982	-61.07	-13	Pass	9701
1000	1840	1	RMS	1840	-50.61	-13	Pass	841
1840	1920	1	RMS	1873.4	19.79	60	Pass	401
1920	3000	1	RMS	2687	-46.94	-13	Pass	1081
3000	12000	1	RMS	11946	-38.35	-13	Pass	9001
12000	20000	1	RMS	19967	-26.87	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.89	-13	Pass	2986
30	1000	0.1	RMS	901.4	-60.94	-13	Pass	9701
1000	1840	1	RMS	1840	-50.63	-13	Pass	841
1840	1920	1	RMS	1895.8	21.24	60	Pass	401
1920	3000	1	RMS	2696	-46.91	-13	Pass	1081
3000	12000	1	RMS	11946	-38.38	-13	Pass	9001
12000	20000	1	RMS	19960	-26.91	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.96	-13	Pass	2986
30	1000	0.1	RMS	888.1	-61.07	-13	Pass	9701
1000	1840	1	RMS	1829	-50.65	-13	Pass	841
1840	1920	1	RMS	1895.8	20.45	60	Pass	401
1920	3000	1	RMS	2680	-46.95	-13	Pass	1081
3000	12000	1	RMS	11957	-38.25	-13	Pass	9001
12000	20000	1	RMS	19967	-26.89	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-13	Pass	2986
30	1000	0.1	RMS	957.7	-61	-13	Pass	9701
1000	1840	1	RMS	1840	-49.42	-13	Pass	841
1840	1920	1	RMS	1851	20.68	60	Pass	401
1920	3000	1	RMS	2695	-46.88	-13	Pass	1081
3000	12000	1	RMS	11951	-38.36	-13	Pass	9001
12000	20000	1	RMS	19961	-26.94	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-13	Pass	2986
30	1000	0.1	RMS	875.2	-61.08	-13	Pass	9701
1000	1840	1	RMS	1840	-49.6	-13	Pass	841
1840	1920	1	RMS	1851	19.79	60	Pass	401
1920	3000	1	RMS	2683	-46.87	-13	Pass	1081
3000	12000	1	RMS	11953	-38.24	-13	Pass	9001
12000	20000	1	RMS	19969	-26.84	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.32	-13	Pass	2986
30	1000	0.1	RMS	916	-61	-13	Pass	9701
1000	1840	1	RMS	1835	-46.55	-13	Pass	841
1840	1920	1	RMS	1871	20.71	60	Pass	401
1920	3000	1	RMS	2692	-46.93	-13	Pass	1081
3000	12000	1	RMS	11939	-38.3	-13	Pass	9001
12000	20000	1	RMS	19967	-26.86	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.81	-13	Pass	2986
30	1000	0.1	RMS	877.8	-61.06	-13	Pass	9701
1000	1840	1	RMS	1835	-47.55	-13	Pass	841
1840	1920	1	RMS	1871	19.86	60	Pass	401
1920	3000	1	RMS	2689	-46.94	-13	Pass	1081
3000	12000	1	RMS	11969	-38.37	-13	Pass	9001
12000	20000	1	RMS	19957	-26.9	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.84	-13	Pass	2986
30	1000	0.1	RMS	989	-61.08	-13	Pass	9701
1000	1840	1	RMS	1840	-50.6	-13	Pass	841
1840	1920	1	RMS	1891	20.91	60	Pass	401
1920	3000	1	RMS	2692	-46.89	-13	Pass	1081
3000	12000	1	RMS	11957	-38.35	-13	Pass	9001
12000	20000	1	RMS	19956	-26.85	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.19	-13	Pass	2986
30	1000	0.1	RMS	881.2	-61.03	-13	Pass	9701
1000	1840	1	RMS	1839	-50.68	-13	Pass	841
1840	1920	1	RMS	1891	19.97	60	Pass	401
1920	3000	1	RMS	2686	-46.97	-13	Pass	1081
3000	12000	1	RMS	11953	-38.33	-13	Pass	9001
12000	20000	1	RMS	19976	-26.94	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.01	-13	Pass	2986
30	1000	0.1	RMS	886.4	-61.04	-13	Pass	9701
1000	1700	1	RMS	1700	-49.98	-13	Pass	701
1700	1765	1	RMS	1710.238	21.41	60	Pass	401
1765	3000	1	RMS	2694	-46.93	-13	Pass	1236
3000	12000	1	RMS	11952	-38.35	-13	Pass	9001
12000	20000	1	RMS	19987	-26.93	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.49	-13	Pass	2986
30	1000	0.1	RMS	877.7	-60.82	-13	Pass	9701
1000	1700	1	RMS	1700	-50.13	-13	Pass	701
1700	1765	1	RMS	1710.238	20.53	60	Pass	401
1765	3000	1	RMS	2695	-46.92	-13	Pass	1236
3000	12000	1	RMS	11944	-38.28	-13	Pass	9001
12000	20000	1	RMS	19956	-26.86	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.06	-13	Pass	2986
30	1000	0.1	RMS	889.2	-60.93	-13	Pass	9701
1000	1700	1	RMS	1672	-51.02	-13	Pass	701
1700	1765	1	RMS	1732.013	20.74	60	Pass	401
1765	3000	1	RMS	2682	-46.92	-13	Pass	1236
3000	12000	1	RMS	11947	-38.29	-13	Pass	9001
12000	20000	1	RMS	19958	-26.83	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	1000	0.1	RMS	874.8	-61	-13	Pass	9701
1000	1700	1	RMS	1698	-51.02	-13	Pass	701
1700	1765	1	RMS	1732.013	19.82	60	Pass	401
1765	3000	1	RMS	2692	-46.91	-13	Pass	1236
3000	12000	1	RMS	11975	-38.37	-13	Pass	9001
12000	20000	1	RMS	19959	-26.92	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-13	Pass	2986
30	1000	0.1	RMS	870.5	-61.15	-13	Pass	9701
1000	1700	1	RMS	1666	-51.01	-13	Pass	701
1700	1765	1	RMS	1753.788	20.78	60	Pass	401
1765	3000	1	RMS	2684	-46.92	-13	Pass	1236
3000	12000	1	RMS	11964	-38.34	-13	Pass	9001
12000	20000	1	RMS	19961	-26.9	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.3	-13	Pass	2986
30	1000	0.1	RMS	888.3	-61.01	-13	Pass	9701
1000	1700	1	RMS	1695	-51.03	-13	Pass	701
1700	1765	1	RMS	1753.788	20	60	Pass	401
1765	3000	1	RMS	2694	-46.97	-13	Pass	1236
3000	12000	1	RMS	11963	-38.34	-13	Pass	9001
12000	20000	1	RMS	19980	-26.92	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56	-13	Pass	2986
30	1000	0.1	RMS	988.8	-61.09	-13	Pass	9701
1000	1700	1	RMS	1700	-49.74	-13	Pass	701
1700	1765	1	RMS	1710.238	21.25	60	Pass	401
1765	3000	1	RMS	2685	-46.9	-13	Pass	1236
3000	12000	1	RMS	11969	-38.37	-13	Pass	9001
12000	20000	1	RMS	19952	-26.83	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.77	-13	Pass	2986
30	1000	0.1	RMS	886.8	-61.08	-13	Pass	9701
1000	1700	1	RMS	1700	-49.93	-13	Pass	701
1700	1765	1	RMS	1710.238	20.59	60	Pass	401
1765	3000	1	RMS	2691	-46.94	-13	Pass	1236
3000	12000	1	RMS	11945	-38.4	-13	Pass	9001
12000	20000	1	RMS	19961	-26.89	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.59	-13	Pass	2986
30	1000	0.1	RMS	886	-61.12	-13	Pass	9701
1000	1700	1	RMS	1670	-51.04	-13	Pass	701
1700	1765	1	RMS	1731.2	20.45	60	Pass	401
1765	3000	1	RMS	2690	-46.9	-13	Pass	1236
3000	12000	1	RMS	11962	-38.32	-13	Pass	9001
12000	20000	1	RMS	19982	-26.88	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.02	-13	Pass	2986
30	1000	0.1	RMS	841.9	-61.1	-13	Pass	9701
1000	1700	1	RMS	1700	-51.03	-13	Pass	701
1700	1765	1	RMS	1731.2	19.61	60	Pass	401
1765	3000	1	RMS	2693	-46.95	-13	Pass	1236
3000	12000	1	RMS	11956	-38.36	-13	Pass	9001
12000	20000	1	RMS	19956	-26.87	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-13	Pass	2986
30	1000	0.1	RMS	891.4	-61.07	-13	Pass	9701
1000	1700	1	RMS	1669	-51.05	-13	Pass	701
1700	1765	1	RMS	1752.163	20.7	60	Pass	401
1765	3000	1	RMS	2687	-46.91	-13	Pass	1236
3000	12000	1	RMS	11962	-38.39	-13	Pass	9001
12000	20000	1	RMS	19956	-26.89	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.39	-13	Pass	2986
30	1000	0.1	RMS	907.9	-61.1	-13	Pass	9701
1000	1700	1	RMS	1666	-51.02	-13	Pass	701
1700	1765	1	RMS	1752.163	20	60	Pass	401
1765	3000	1	RMS	2681	-46.89	-13	Pass	1236
3000	12000	1	RMS	11939	-38.33	-13	Pass	9001
12000	20000	1	RMS	19957	-26.86	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.37	-13	Pass	2986
30	1000	0.1	RMS	910.3	-61.01	-13	Pass	9701
1000	1700	1	RMS	1700	-50	-13	Pass	701
1700	1765	1	RMS	1710.4	21.17	60	Pass	401
1765	3000	1	RMS	2678	-46.97	-13	Pass	1236
3000	12000	1	RMS	11960	-38.34	-13	Pass	9001
12000	20000	1	RMS	19979	-26.89	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.62	-13	Pass	2986
30	1000	0.1	RMS	903.8	-61.01	-13	Pass	9701
1000	1700	1	RMS	1700	-50.24	-13	Pass	701
1700	1765	1	RMS	1710.4	20.32	60	Pass	401
1765	3000	1	RMS	2695	-46.94	-13	Pass	1236
3000	12000	1	RMS	11965	-38.25	-13	Pass	9001
12000	20000	1	RMS	19963	-26.86	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.66	-13	Pass	2986
30	1000	0.1	RMS	868.5	-60.87	-13	Pass	9701
1000	1700	1	RMS	1666	-51.03	-13	Pass	701
1700	1765	1	RMS	1730.388	20.31	60	Pass	401
1765	3000	1	RMS	2679	-46.97	-13	Pass	1236
3000	12000	1	RMS	11950	-38.29	-13	Pass	9001
12000	20000	1	RMS	19975	-26.85	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.32	-13	Pass	2986
30	1000	0.1	RMS	920.3	-61.09	-13	Pass	9701
1000	1700	1	RMS	1676	-51.04	-13	Pass	701
1700	1765	1	RMS	1730.388	19.62	60	Pass	401
1765	3000	1	RMS	2677	-46.95	-13	Pass	1236
3000	12000	1	RMS	11951	-38.25	-13	Pass	9001
12000	20000	1	RMS	19965	-26.71	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-13	Pass	2986
30	1000	0.1	RMS	888.1	-60.97	-13	Pass	9701
1000	1700	1	RMS	1698	-50.87	-13	Pass	701
1700	1765	1	RMS	1750.375	20.87	60	Pass	401
1765	3000	1	RMS	2688	-46.73	-13	Pass	1236
3000	12000	1	RMS	11959	-38.24	-13	Pass	9001
12000	20000	1	RMS	19967	-26.74	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.2	-13	Pass	2986
30	1000	0.1	RMS	998	-60.92	-13	Pass	9701
1000	1700	1	RMS	1698	-50.82	-13	Pass	701
1700	1765	1	RMS	1750.375	20.26	60	Pass	401
1765	3000	1	RMS	2695	-46.78	-13	Pass	1236
3000	12000	1	RMS	11964	-38.2	-13	Pass	9001
12000	20000	1	RMS	19964	-26.74	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.9	-13	Pass	2986
30	1000	0.1	RMS	999.4	-60.9	-13	Pass	9701
1000	1700	1	RMS	1700	-49.57	-13	Pass	701
1700	1765	1	RMS	1710.563	21.21	60	Pass	401
1765	3000	1	RMS	2678	-46.7	-13	Pass	1236
3000	12000	1	RMS	11955	-38.17	-13	Pass	9001
12000	20000	1	RMS	19951	-26.81	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	1000	0.1	RMS	896.5	-60.99	-13	Pass	9701
1000	1700	1	RMS	1700	-49.76	-13	Pass	701
1700	1765	1	RMS	1710.563	20.52	60	Pass	401
1765	3000	1	RMS	2680	-46.77	-13	Pass	1236
3000	12000	1	RMS	11949	-38.18	-13	Pass	9001
12000	20000	1	RMS	19947	-26.73	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.99	-13	Pass	2986
30	1000	0.1	RMS	885.4	-61.02	-13	Pass	9701
1000	1700	1	RMS	1656	-50.89	-13	Pass	701
1700	1765	1	RMS	1728.113	20.36	60	Pass	401
1765	3000	1	RMS	2686	-46.78	-13	Pass	1236
3000	12000	1	RMS	11958	-38.25	-13	Pass	9001
12000	20000	1	RMS	19969	-26.83	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.65	-13	Pass	2986
30	1000	0.1	RMS	878.9	-60.97	-13	Pass	9701
1000	1700	1	RMS	1693	-50.88	-13	Pass	701
1700	1765	1	RMS	1728.113	19.56	60	Pass	401
1765	3000	1	RMS	2687	-46.78	-13	Pass	1236
3000	12000	1	RMS	11954	-38.18	-13	Pass	9001
12000	20000	1	RMS	19970	-26.82	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-13	Pass	2986
30	1000	0.1	RMS	886.2	-60.86	-13	Pass	9701
1000	1700	1	RMS	1662	-50.88	-13	Pass	701
1700	1765	1	RMS	1745.5	20.7	60	Pass	401
1765	3000	1	RMS	2695	-46.71	-13	Pass	1236
3000	12000	1	RMS	11953	-38.28	-13	Pass	9001
12000	20000	1	RMS	19957	-26.81	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-13	Pass	2986
30	1000	0.1	RMS	923	-60.91	-13	Pass	9701
1000	1700	1	RMS	1666	-50.88	-13	Pass	701
1700	1765	1	RMS	1745.663	19.97	60	Pass	401
1765	3000	1	RMS	2677	-46.8	-13	Pass	1236
3000	12000	1	RMS	11953	-38.23	-13	Pass	9001
12000	20000	1	RMS	19966	-26.77	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.46	-13	Pass	2986
30	1000	0.1	RMS	970.2	-60.98	-13	Pass	9701
1000	1700	1	RMS	1700	-49.37	-13	Pass	701
1700	1765	1	RMS	1710.888	21.22	60	Pass	401
1765	3000	1	RMS	2688	-46.77	-13	Pass	1236
3000	12000	1	RMS	11944	-38.26	-13	Pass	9001
12000	20000	1	RMS	19961	-26.8	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.62	-13	Pass	2986
30	1000	0.1	RMS	993.8	-60.93	-13	Pass	9701
1000	1700	1	RMS	1700	-49.54	-13	Pass	701
1700	1765	1	RMS	1710.888	20.58	60	Pass	401
1765	3000	1	RMS	2690	-46.79	-13	Pass	1236
3000	12000	1	RMS	11979	-38.23	-13	Pass	9001
12000	20000	1	RMS	19980	-26.78	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.44	-13	Pass	2986
30	1000	0.1	RMS	996.1	-60.93	-13	Pass	9701
1000	1700	1	RMS	1699	-49.48	-13	Pass	701
1700	1765	1	RMS	1725.838	20.4	60	Pass	401
1765	3000	1	RMS	2694	-46.79	-13	Pass	1236
3000	12000	1	RMS	11950	-38.2	-13	Pass	9001
12000	20000	1	RMS	19978	-26.73	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.64	-13	Pass	2986
30	1000	0.1	RMS	881.9	-60.89	-13	Pass	9701
1000	1700	1	RMS	1699	-49.82	-13	Pass	701
1700	1765	1	RMS	1725.838	19.64	60	Pass	401
1765	3000	1	RMS	2687	-46.82	-13	Pass	1236
3000	12000	1	RMS	11960	-38.24	-13	Pass	9001
12000	20000	1	RMS	19966	-26.77	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2986
30	1000	0.1	RMS	918.7	-60.92	-13	Pass	9701
1000	1700	1	RMS	1699	-50.85	-13	Pass	701
1700	1765	1	RMS	1740.788	20.83	60	Pass	401
1765	3000	1	RMS	1767	-38.04	-13	Pass	1236
3000	12000	1	RMS	11956	-38.24	-13	Pass	9001
12000	20000	1	RMS	19963	-26.73	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.55	-13	Pass	2986
30	1000	0.1	RMS	857.8	-60.97	-13	Pass	9701
1000	1700	1	RMS	1696	-50.87	-13	Pass	701
1700	1765	1	RMS	1740.788	20.12	60	Pass	401
1765	3000	1	RMS	1767	-37.72	-13	Pass	1236
3000	12000	1	RMS	11925	-38.28	-13	Pass	9001
12000	20000	1	RMS	19953	-26.8	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-13	Pass	2986
30	1000	0.1	RMS	909.6	-60.91	-13	Pass	9701
1000	1700	1	RMS	1700	-49.72	-13	Pass	701
1700	1765	1	RMS	1711.05	21.11	60	Pass	401
1765	3000	1	RMS	2684	-46.74	-13	Pass	1236
3000	12000	1	RMS	11946	-38.27	-13	Pass	9001
12000	20000	1	RMS	19950	-26.78	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.87	-13	Pass	2986
30	1000	0.1	RMS	882.8	-61	-13	Pass	9701
1000	1700	1	RMS	1700	-49.98	-13	Pass	701
1700	1765	1	RMS	1711.05	20.43	60	Pass	401
1765	3000	1	RMS	2698	-46.78	-13	Pass	1236
3000	12000	1	RMS	11963	-38.24	-13	Pass	9001
12000	20000	1	RMS	20000	-26.8	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.82	-13	Pass	2986
30	1000	0.1	RMS	900.7	-61	-13	Pass	9701
1000	1700	1	RMS	1697	-50.78	-13	Pass	701
1700	1765	1	RMS	1723.563	20.29	60	Pass	401
1765	3000	1	RMS	2687	-46.74	-13	Pass	1236
3000	12000	1	RMS	11954	-38.26	-13	Pass	9001
12000	20000	1	RMS	19954	-26.75	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.6	-13	Pass	2986
30	1000	0.1	RMS	907.1	-61.03	-13	Pass	9701
1000	1700	1	RMS	1697	-50.83	-13	Pass	701
1700	1765	1	RMS	1723.563	19.46	60	Pass	401
1765	3000	1	RMS	2693	-46.77	-13	Pass	1236
3000	12000	1	RMS	11946	-38.23	-13	Pass	9001
12000	20000	1	RMS	19967	-26.8	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.49	-13	Pass	2986
30	1000	0.1	RMS	982.4	-60.92	-13	Pass	9701
1000	1700	1	RMS	1700	-49.43	-13	Pass	701
1700	1765	1	RMS	1736.075	20.55	60	Pass	401
1765	3000	1	RMS	1772	-35.5	-13	Pass	1236
3000	12000	1	RMS	11972	-38.21	-13	Pass	9001
12000	20000	1	RMS	19961	-26.8	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.89	-13	Pass	2986
30	1000	0.1	RMS	882.5	-60.98	-13	Pass	9701
1000	1700	1	RMS	1700	-49.09	-13	Pass	701
1700	1765	1	RMS	1736.075	19.8	60	Pass	401
1765	3000	1	RMS	1772	-35.38	-13	Pass	1236
3000	12000	1	RMS	11931	-38.24	-13	Pass	9001
12000	20000	1	RMS	19956	-26.82	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.65	-13	Pass	2986
30	814	0.1	RMS	809.5	-61.5	-13	Pass	7841
814	860	0.1	RMS	824.3	18.09	60	Pass	461
860	1000	0.1	RMS	992.1	-62.28	-13	Pass	1401
1000	3000	1	RMS	2676	-46.32	-13	Pass	2001
3000	10000	1	RMS	9992	-39.99	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56	-13	Pass	2986
30	814	0.1	RMS	798.5	-61.43	-13	Pass	7841
814	860	0.1	RMS	824.2	17.19	60	Pass	461
860	1000	0.1	RMS	882.6	-62.23	-13	Pass	1401
1000	3000	1	RMS	2685	-46.28	-13	Pass	2001
3000	10000	1	RMS	9996	-39.98	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.66	-13	Pass	2986
30	814	0.1	RMS	769.4	-61.37	-13	Pass	7841
814	860	0.1	RMS	836.1	17.88	60	Pass	461
860	1000	0.1	RMS	907.4	-62.28	-13	Pass	1401
1000	3000	1	RMS	2677	-46.31	-13	Pass	2001
3000	10000	1	RMS	9957	-39.88	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.26	-13	Pass	2986
30	814	0.1	RMS	782.6	-61.49	-13	Pass	7841
814	860	0.1	RMS	836.1	17.03	60	Pass	461
860	1000	0.1	RMS	904.4	-62.41	-13	Pass	1401
1000	3000	1	RMS	2694	-46.3	-13	Pass	2001
3000	10000	1	RMS	9956	-40	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	814	0.1	RMS	807.8	-61.57	-13	Pass	7841
814	860	0.1	RMS	847.9	18.15	60	Pass	461
860	1000	0.1	RMS	989.2	-62.24	-13	Pass	1401
1000	3000	1	RMS	2693	-46.28	-13	Pass	2001
3000	10000	1	RMS	9965	-39.95	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.8	-13	Pass	2986
30	814	0.1	RMS	779.1	-61.49	-13	Pass	7841
814	860	0.1	RMS	847.9	17.29	60	Pass	461
860	1000	0.1	RMS	893	-62.31	-13	Pass	1401
1000	3000	1	RMS	2682	-46.32	-13	Pass	2001
3000	10000	1	RMS	9963	-40	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.95	-13	Pass	2986
30	814	0.1	RMS	806.5	-61.47	-13	Pass	7841
814	860	0.1	RMS	824.2	18.22	60	Pass	461
860	1000	0.1	RMS	894.8	-62.37	-13	Pass	1401
1000	3000	1	RMS	2684	-46.3	-13	Pass	2001
3000	10000	1	RMS	9972	-39.96	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.74	-13	Pass	2986
30	814	0.1	RMS	800.7	-61.49	-13	Pass	7841
814	860	0.1	RMS	824.2	17.45	60	Pass	461
860	1000	0.1	RMS	991.1	-62.36	-13	Pass	1401
1000	3000	1	RMS	2686	-46.29	-13	Pass	2001
3000	10000	1	RMS	9947	-39.97	-13	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.07	-13	Pass	2986
30	814	0.1	RMS	795.7	-61.47	-13	Pass	7841
814	860	0.1	RMS	835.2	18.06	60	Pass	461
860	1000	0.1	RMS	888.6	-62.26	-13	Pass	1401
1000	3000	1	RMS	2688	-46.28	-13	Pass	2001
3000	10000	1	RMS	9964	-39.85	-13	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.33	-13	Pass	2986
30	814	0.1	RMS	763.2	-61.45	-13	Pass	7841
814	860	0.1	RMS	835.2	17.07	60	Pass	461
860	1000	0.1	RMS	992.3	-62.32	-13	Pass	1401
1000	3000	1	RMS	2686	-46.32	-13	Pass	2001
3000	10000	1	RMS	9945	-39.96	-13	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.2	-13	Pass	2986
30	814	0.1	RMS	801.5	-61.33	-13	Pass	7841
814	860	0.1	RMS	846.2	18.41	60	Pass	461
860	1000	0.1	RMS	891.6	-62.28	-13	Pass	1401
1000	3000	1	RMS	2692	-46.25	-13	Pass	2001
3000	10000	1	RMS	9970	-40	-13	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.47	-13	Pass	2986
30	814	0.1	RMS	783.1	-61.53	-13	Pass	7841
814	860	0.1	RMS	846.2	17.51	60	Pass	461
860	1000	0.1	RMS	878.6	-62.21	-13	Pass	1401
1000	3000	1	RMS	2682	-46.32	-13	Pass	2001
3000	10000	1	RMS	9952	-40.01	-13	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.2	-13	Pass	2986
30	814	0.1	RMS	808.9	-61.4	-13	Pass	7841
814	860	0.1	RMS	824.3	18.2	60	Pass	461
860	1000	0.1	RMS	895.4	-62.36	-13	Pass	1401
1000	3000	1	RMS	2676	-46.32	-13	Pass	2001
3000	10000	1	RMS	9965	-40.01	-13	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.05	-13	Pass	2986
30	814	0.1	RMS	791.2	-61.53	-13	Pass	7841
814	860	0.1	RMS	824.3	17.26	60	Pass	461
860	1000	0.1	RMS	886.1	-62.41	-13	Pass	1401
1000	3000	1	RMS	2686	-46.31	-13	Pass	2001
3000	10000	1	RMS	9983	-40	-13	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.65	-13	Pass	2986
30	814	0.1	RMS	802.4	-61.41	-13	Pass	7841
814	860	0.1	RMS	834.3	17.99	60	Pass	461
860	1000	0.1	RMS	869.2	-62.35	-13	Pass	1401
1000	3000	1	RMS	2688	-46.3	-13	Pass	2001
3000	10000	1	RMS	9950	-39.96	-13	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.39	-13	Pass	2986
30	814	0.1	RMS	813.3	-61.39	-13	Pass	7841
814	860	0.1	RMS	834.3	17.44	60	Pass	461
860	1000	0.1	RMS	880.3	-62.31	-13	Pass	1401
1000	3000	1	RMS	2678	-46.26	-13	Pass	2001
3000	10000	1	RMS	9970	-39.97	-13	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.28	-13	Pass	2986
30	814	0.1	RMS	810.8	-61.47	-13	Pass	7841
814	860	0.1	RMS	844.3	18.47	60	Pass	461
860	1000	0.1	RMS	899.3	-62.29	-13	Pass	1401
1000	3000	1	RMS	2681	-46.26	-13	Pass	2001
3000	10000	1	RMS	9967	-39.95	-13	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.67	-13	Pass	2986
30	814	0.1	RMS	793	-61.51	-13	Pass	7841
814	860	0.1	RMS	844.3	17.68	60	Pass	461
860	1000	0.1	RMS	892.1	-62.23	-13	Pass	1401
1000	3000	1	RMS	2691	-46.28	-13	Pass	2001
3000	10000	1	RMS	9954	-39.98	-13	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2986
30	814	0.1	RMS	809.8	-61.48	-13	Pass	7841
814	860	0.1	RMS	824.6	18.48	60	Pass	461
860	1000	0.1	RMS	887.2	-62.34	-13	Pass	1401
1000	3000	1	RMS	2691	-46.32	-13	Pass	2001
3000	10000	1	RMS	9974	-39.92	-13	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.63	-13	Pass	2986
30	814	0.1	RMS	811	-61.41	-13	Pass	7841
814	860	0.1	RMS	824.6	17.68	60	Pass	461
860	1000	0.1	RMS	994.1	-62.38	-13	Pass	1401
1000	3000	1	RMS	2689	-46.26	-13	Pass	2001
3000	10000	1	RMS	9950	-39.98	-13	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.26	-13	Pass	2986
30	814	0.1	RMS	801.9	-61.47	-13	Pass	7841
814	860	0.1	RMS	832.1	18.27	60	Pass	461
860	1000	0.1	RMS	990.7	-62.23	-13	Pass	1401
1000	3000	1	RMS	2686	-46.32	-13	Pass	2001
3000	10000	1	RMS	9964	-39.98	-13	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.47	-13	Pass	2986
30	814	0.1	RMS	807.9	-61.44	-13	Pass	7841
814	860	0.1	RMS	832.1	17.33	60	Pass	461
860	1000	0.1	RMS	995.4	-62.34	-13	Pass	1401
1000	3000	1	RMS	2693	-46.31	-13	Pass	2001
3000	10000	1	RMS	9961	-40	-13	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.1	-13	Pass	2986
30	814	0.1	RMS	807.1	-61.4	-13	Pass	7841
814	860	0.1	RMS	839.6	18.01	60	Pass	461
860	1000	0.1	RMS	907.4	-62.4	-13	Pass	1401
1000	3000	1	RMS	2690	-46.27	-13	Pass	2001
3000	10000	1	RMS	9945	-39.98	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.33	-13	Pass	2986
30	814	0.1	RMS	806.5	-61.48	-13	Pass	7841
814	860	0.1	RMS	839.6	17.32	60	Pass	461
860	1000	0.1	RMS	980.4	-62.3	-13	Pass	1401
1000	3000	1	RMS	2677	-46.28	-13	Pass	2001
3000	10000	1	RMS	9986	-39.96	-13	Pass	7001



10. LTE_Band7


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.75	-25	Pass	2986
30	1000	0.1	RMS	883	-61.12	-25	Pass	9701
1000	2490	1	RMS	2490	-46.18	-25	Pass	1491
2490	2580	1	RMS	2500.35	21.61	60	Pass	401
2580	3000	1	RMS	2684	-47.16	-25	Pass	421
3000	12000	1	RMS	7501	-56.9	-25	Pass	9001
12000	26000	1	RMS	25576	-42.07	-25	Pass	14001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-25	Pass	2986
30	1000	0.1	RMS	906.2	-60.89	-25	Pass	9701
1000	2490	1	RMS	2490	-46.72	-25	Pass	1491
2490	2580	1	RMS	2500.35	20.63	60	Pass	401
2580	3000	1	RMS	2686	-47.14	-25	Pass	421
3000	12000	1	RMS	7501	-58.09	-25	Pass	9001
12000	26000	1	RMS	25596	-42.48	-25	Pass	14001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.3	-25	Pass	2986
30	1000	0.1	RMS	996.6	-61	-25	Pass	9701
1000	2490	1	RMS	2489	-47.67	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.53	60	Pass	401
2580	3000	1	RMS	2692	-47.16	-25	Pass	421
3000	12000	1	RMS	7599	-58.68	-25	Pass	9001
12000	26000	1	RMS	25600	-42.5	-25	Pass	14001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.25	-25	Pass	401
0.15	30	0.01	RMS	0.16	-56.02	-25	Pass	2986
30	1000	0.1	RMS	896.9	-60.89	-25	Pass	9701
1000	2490	1	RMS	2488	-47.73	-25	Pass	1491
2490	2580	1	RMS	2532.75	20.75	60	Pass	401
2580	3000	1	RMS	2681	-47.17	-25	Pass	421
3000	12000	1	RMS	7599	-59.32	-25	Pass	9001
12000	26000	1	RMS	25596	-42.42	-25	Pass	14001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.14	-25	Pass	2986
30	1000	0.1	RMS	994.1	-60.98	-25	Pass	9701
1000	2490	1	RMS	2486	-47.82	-25	Pass	1491
2490	2580	1	RMS	2565.375	21.44	60	Pass	401
2580	3000	1	RMS	2691	-47.18	-25	Pass	421
3000	12000	1	RMS	7696	-55.73	-25	Pass	9001
12000	26000	1	RMS	25585	-42.4	-25	Pass	14001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.16	-25	Pass	2986
30	1000	0.1	RMS	902.2	-61.04	-25	Pass	9701
1000	2490	1	RMS	2489	-47.68	-25	Pass	1491
2490	2580	1	RMS	2565.375	20.49	60	Pass	401
2580	3000	1	RMS	2694	-47.17	-25	Pass	421
3000	12000	1	RMS	7696	-57.4	-25	Pass	9001
12000	26000	1	RMS	25600	-42.41	-25	Pass	14001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.42	-25	Pass	2986
30	1000	0.1	RMS	886.4	-60.93	-25	Pass	9701
1000	2490	1	RMS	2490	-46.14	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.31	60	Pass	401
2580	3000	1	RMS	2693	-47.11	-25	Pass	421
3000	12000	1	RMS	7502	-57.3	-25	Pass	9001
12000	26000	1	RMS	25600	-42.49	-25	Pass	14001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.86	-25	Pass	2986
30	1000	0.1	RMS	888.2	-61.03	-25	Pass	9701
1000	2490	1	RMS	2490	-46.44	-25	Pass	1491
2490	2580	1	RMS	2500.575	20.37	60	Pass	401
2580	3000	1	RMS	2690	-47.14	-25	Pass	421
3000	12000	1	RMS	7502	-58.44	-25	Pass	9001
12000	26000	1	RMS	25564	-42.45	-25	Pass	14001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.56	-25	Pass	2986
30	1000	0.1	RMS	886.7	-61.03	-25	Pass	9701
1000	2490	1	RMS	2487	-47.69	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.39	60	Pass	401
2580	3000	1	RMS	2684	-47.19	-25	Pass	421
3000	12000	1	RMS	7592	-57.84	-25	Pass	9001
12000	26000	1	RMS	25613	-42.4	-25	Pass	14001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-25	Pass	2986
30	1000	0.1	RMS	999.7	-60.96	-25	Pass	9701
1000	2490	1	RMS	2488	-47.74	-25	Pass	1491
2490	2580	1	RMS	2530.5	20.53	60	Pass	401
2580	3000	1	RMS	2681	-47.15	-25	Pass	421
3000	12000	1	RMS	7592	-59.16	-25	Pass	9001
12000	26000	1	RMS	25608	-42.48	-25	Pass	14001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-25	Pass	2986
30	1000	0.1	RMS	886.7	-61	-25	Pass	9701
1000	2490	1	RMS	2489	-47.64	-25	Pass	1491
2490	2580	1	RMS	2560.65	20.92	60	Pass	401
2580	3000	1	RMS	2683	-47.15	-25	Pass	421
3000	12000	1	RMS	7682	-56.14	-25	Pass	9001
12000	26000	1	RMS	25593	-42.46	-25	Pass	14001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.71	-25	Pass	2986
30	1000	0.1	RMS	895	-60.85	-25	Pass	9701
1000	2490	1	RMS	2489	-47.67	-25	Pass	1491
2490	2580	1	RMS	2560.65	19.98	60	Pass	401
2580	3000	1	RMS	2691	-47.2	-25	Pass	421
3000	12000	1	RMS	7682	-57.55	-25	Pass	9001
12000	26000	1	RMS	25617	-42.48	-25	Pass	14001



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-25	Pass	2986
30	1000	0.1	RMS	903.4	-60.94	-25	Pass	9701
1000	2490	1	RMS	2488	-45.45	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.21	60	Pass	401
2580	3000	1	RMS	2681	-47.15	-25	Pass	421
3000	12000	1	RMS	7503	-58.68	-25	Pass	9001
12000	26000	1	RMS	25582	-42.49	-25	Pass	14001



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-25	Pass	2986
30	1000	0.1	RMS	995.1	-60.92	-25	Pass	9701
1000	2490	1	RMS	2488	-45.12	-25	Pass	1491
2490	2580	1	RMS	2500.8	20.33	60	Pass	401
2580	3000	1	RMS	2694	-47.14	-25	Pass	421
3000	12000	1	RMS	7503	-59.57	-25	Pass	9001
12000	26000	1	RMS	25620	-42.44	-25	Pass	14001



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.44	-25	Pass	2986
30	1000	0.1	RMS	899.4	-60.93	-25	Pass	9701
1000	2490	1	RMS	2488	-47.73	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.42	60	Pass	401
2580	3000	1	RMS	2692	-47.17	-25	Pass	421
3000	12000	1	RMS	7585	-57.39	-25	Pass	9001
12000	26000	1	RMS	25615	-42.41	-25	Pass	14001



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-25	Pass	2986
30	1000	0.1	RMS	998.4	-61.02	-25	Pass	9701
1000	2490	1	RMS	2490	-47.67	-25	Pass	1491
2490	2580	1	RMS	2528.25	20.5	60	Pass	401
2580	3000	1	RMS	2688	-47.17	-25	Pass	421
3000	12000	1	RMS	7585	-58.54	-25	Pass	9001
12000	26000	1	RMS	25624	-42.41	-25	Pass	14001



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.43	-25	Pass	2986
30	1000	0.1	RMS	952	-61.12	-25	Pass	9701
1000	2490	1	RMS	2489	-47.71	-25	Pass	1491
2490	2595	1	RMS	2555.888	20.44	60	Pass	401
2595	3000	1	RMS	2677	-47.2	-25	Pass	406
3000	12000	1	RMS	7668	-59.09	-25	Pass	9001
12000	26000	1	RMS	25603	-42.35	-25	Pass	14001



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.56	-25	Pass	2986
30	1000	0.1	RMS	898.1	-60.87	-25	Pass	9701
1000	2490	1	RMS	2490	-47.72	-25	Pass	1491
2490	2595	1	RMS	2555.888	19.62	60	Pass	401
2595	3000	1	RMS	2680	-47.17	-25	Pass	406
3000	12000	1	RMS	7668	-59.77	-25	Pass	9001
12000	26000	1	RMS	25597	-42.43	-25	Pass	14001



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.53	-25	Pass	2986
30	1000	0.1	RMS	879.1	-61.04	-25	Pass	9701
1000	2490	1	RMS	2483	-46.07	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.13	60	Pass	401
2580	3000	1	RMS	2688	-47.12	-25	Pass	421
3000	12000	1	RMS	7503	-57.6	-25	Pass	9001
12000	26000	1	RMS	25585	-42.49	-25	Pass	14001



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.24	-25	Pass	2986
30	1000	0.1	RMS	884.5	-60.95	-25	Pass	9701
1000	2490	1	RMS	2490	-46.66	-25	Pass	1491
2490	2580	1	RMS	2501.025	20.33	60	Pass	401
2580	3000	1	RMS	2687	-47.18	-25	Pass	421
3000	12000	1	RMS	7503	-58.89	-25	Pass	9001
12000	26000	1	RMS	25605	-42.44	-25	Pass	14001



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.38	-25	Pass	2986
30	1000	0.1	RMS	896.6	-61.02	-25	Pass	9701
1000	2490	1	RMS	2490	-45.19	-25	Pass	1491
2490	2580	1	RMS	2526	21.34	60	Pass	401
2580	3000	1	RMS	2686	-47.11	-25	Pass	421
3000	12000	1	RMS	7578	-57.94	-25	Pass	9001
12000	26000	1	RMS	25600	-42.47	-25	Pass	14001



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-25	Pass	2986
30	1000	0.1	RMS	991.3	-60.86	-25	Pass	9701
1000	2490	1	RMS	2490	-45.77	-25	Pass	1491
2490	2580	1	RMS	2526	20.47	60	Pass	401
2580	3000	1	RMS	2696	-47.2	-25	Pass	421
3000	12000	1	RMS	7578	-59.25	-25	Pass	9001
12000	26000	1	RMS	25590	-42.41	-25	Pass	14001



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.91	-25	Pass	2986
30	1000	0.1	RMS	877.8	-61.11	-25	Pass	9701
1000	2490	1	RMS	2490	-47.69	-25	Pass	1491
2490	2595	1	RMS	2551.163	20.34	60	Pass	401
2595	3000	1	RMS	2689	-47.16	-25	Pass	406
3000	12000	1	RMS	7653	-60.16	-25	Pass	9001
12000	26000	1	RMS	25598	-42.5	-25	Pass	14001



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.36	-25	Pass	2986
30	1000	0.1	RMS	888.8	-60.99	-25	Pass	9701
1000	2490	1	RMS	2490	-47.75	-25	Pass	1491
2490	2595	1	RMS	2551.163	19.34	60	Pass	401
2595	3000	1	RMS	2687	-47.18	-25	Pass	406
3000	12000	1	RMS	7653	-61.03	-25	Pass	9001
12000	26000	1	RMS	25601	-42.47	-25	Pass	14001



4. LTE_Band12


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.8	-13	Pass	2986
30	689	0.1	RMS	685.4	-62.27	-13	Pass	6591
689	726	0.1	RMS	699.268	19.15	60	Pass	401
726	1000	0.1	RMS	876.3	-61.99	-13	Pass	2741
1000	3000	1	RMS	1398	-42.19	-13	Pass	2001
3000	10000	1	RMS	9987	-39.99	-13	Pass	7001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.98	-13	Pass	2986
30	689	0.1	RMS	685	-62.31	-13	Pass	6591
689	726	0.1	RMS	699.268	18.17	60	Pass	401
726	1000	0.1	RMS	903.4	-61.95	-13	Pass	2741
1000	3000	1	RMS	1398	-43.09	-13	Pass	2001
3000	10000	1	RMS	9957	-39.97	-13	Pass	7001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.66	-13	Pass	2986
30	689	0.1	RMS	670.7	-62.29	-13	Pass	6591
689	726	0.1	RMS	707.038	18.78	60	Pass	401
726	1000	0.1	RMS	899.3	-62.1	-13	Pass	2741
1000	3000	1	RMS	1414	-43.91	-13	Pass	2001
3000	10000	1	RMS	9951	-40	-13	Pass	7001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-13	Pass	2986
30	689	0.1	RMS	667.2	-62.29	-13	Pass	6591
689	726	0.1	RMS	707.038	17.87	60	Pass	401
726	1000	0.1	RMS	898.4	-62.05	-13	Pass	2741
1000	3000	1	RMS	1414	-44.61	-13	Pass	2001
3000	10000	1	RMS	9950	-40.02	-13	Pass	7001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.01	-13	Pass	2986
30	689	0.1	RMS	675.4	-62.33	-13	Pass	6591
689	726	0.1	RMS	714.808	17	60	Pass	401
726	1000	0.1	RMS	898.7	-62.11	-13	Pass	2741
1000	3000	1	RMS	1430	-44.59	-13	Pass	2001
3000	10000	1	RMS	9961	-39.99	-13	Pass	7001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.27	-13	Pass	2986
30	689	0.1	RMS	500.3	-62.35	-13	Pass	6591
689	726	0.1	RMS	714.808	16.2	60	Pass	401
726	1000	0.1	RMS	988.2	-62.12	-13	Pass	2741
1000	3000	1	RMS	1430	-45.19	-13	Pass	2001
3000	10000	1	RMS	9951	-40.01	-13	Pass	7001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-13	Pass	2986
30	689	0.1	RMS	668.3	-62.2	-13	Pass	6591
689	726	0.1	RMS	699.268	18.77	60	Pass	401
726	1000	0.1	RMS	886.1	-61.92	-13	Pass	2741
1000	3000	1	RMS	1398	-42.3	-13	Pass	2001
3000	10000	1	RMS	9969	-39.96	-13	Pass	7001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.63	-13	Pass	2986
30	689	0.1	RMS	682.6	-62.18	-13	Pass	6591
689	726	0.1	RMS	699.268	17.99	60	Pass	401
726	1000	0.1	RMS	983.4	-61.96	-13	Pass	2741
1000	3000	1	RMS	1398	-42.96	-13	Pass	2001
3000	10000	1	RMS	9964	-39.94	-13	Pass	7001



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2986
30	689	0.1	RMS	678.5	-62.23	-13	Pass	6591
689	726	0.1	RMS	706.205	18.35	60	Pass	401
726	1000	0.1	RMS	886.9	-61.99	-13	Pass	2741
1000	3000	1	RMS	1412	-46.22	-13	Pass	2001
3000	10000	1	RMS	9996	-40	-13	Pass	7001



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.46	-13	Pass	2986
30	689	0.1	RMS	688	-62.38	-13	Pass	6591
689	726	0.1	RMS	706.205	17.54	60	Pass	401
726	1000	0.1	RMS	891.3	-62.05	-13	Pass	2741
1000	3000	1	RMS	2686	-46.32	-13	Pass	2001
3000	10000	1	RMS	9963	-39.97	-13	Pass	7001



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.62	-13	Pass	2986
30	689	0.1	RMS	671.8	-62.27	-13	Pass	6591
689	726	0.1	RMS	713.235	18.23	60	Pass	401
726	1000	0.1	RMS	906	-62.11	-13	Pass	2741
1000	3000	1	RMS	1426	-44.16	-13	Pass	2001
3000	10000	1	RMS	9971	-39.97	-13	Pass	7001



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	689	0.1	RMS	670.6	-62.33	-13	Pass	6591
689	726	0.1	RMS	713.235	17.51	60	Pass	401
726	1000	0.1	RMS	936.4	-62.18	-13	Pass	2741
1000	3000	1	RMS	1426	-44.67	-13	Pass	2001
3000	10000	1	RMS	9967	-39.96	-13	Pass	7001



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.96	-13	Pass	2986
30	689	0.1	RMS	674	-62.22	-13	Pass	6591
689	726	0.1	RMS	699.36	18.8	60	Pass	401
726	1000	0.1	RMS	918.2	-62.05	-13	Pass	2741
1000	3000	1	RMS	1399	-41.67	-13	Pass	2001
3000	10000	1	RMS	9978	-40.01	-13	Pass	7001



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.23	-13	Pass	2986
30	689	0.1	RMS	491.2	-62.24	-13	Pass	6591
689	726	0.1	RMS	699.36	18.17	60	Pass	401
726	1000	0.1	RMS	889.3	-62.1	-13	Pass	2741
1000	3000	1	RMS	1399	-42.45	-13	Pass	2001
3000	10000	1	RMS	9942	-40.03	-13	Pass	7001



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.52	-13	Pass	2986
30	689	0.1	RMS	689	-62.15	-13	Pass	6591
689	726	0.1	RMS	705.373	18.5	60	Pass	401
726	1000	0.1	RMS	911	-61.97	-13	Pass	2741
1000	3000	1	RMS	2689	-46.3	-13	Pass	2001
3000	10000	1	RMS	9964	-39.95	-13	Pass	7001



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.06	-13	Pass	2986
30	689	0.1	RMS	687.5	-62.23	-13	Pass	6591
689	726	0.1	RMS	705.373	17.79	60	Pass	401
726	1000	0.1	RMS	880.5	-61.9	-13	Pass	2741
1000	3000	1	RMS	2681	-46.3	-13	Pass	2001
3000	10000	1	RMS	9937	-39.97	-13	Pass	7001



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.73	-13	Pass	2986
30	689	0.1	RMS	660.7	-62.31	-13	Pass	6591
689	726	0.1	RMS	711.293	18.08	60	Pass	401
726	1000	0.1	RMS	866.9	-61.8	-13	Pass	2741
1000	3000	1	RMS	1423	-42.26	-13	Pass	2001
3000	10000	1	RMS	9945	-40.01	-13	Pass	7001



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.8	-13	Pass	2986
30	689	0.1	RMS	682.4	-62.25	-13	Pass	6591
689	726	0.1	RMS	711.385	17.42	60	Pass	401
726	1000	0.1	RMS	901.5	-62	-13	Pass	2741
1000	3000	1	RMS	1423	-42.84	-13	Pass	2001
3000	10000	1	RMS	9977	-39.96	-13	Pass	7001



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.46	-13	Pass	2986
30	689	0.1	RMS	675.3	-62.29	-13	Pass	6591
689	726	0.1	RMS	699.545	18.26	60	Pass	401
726	1000	0.1	RMS	922	-62.09	-13	Pass	2741
1000	3000	1	RMS	1399	-41.35	-13	Pass	2001
3000	10000	1	RMS	10000	-39.99	-13	Pass	7001



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.76	-13	Pass	2986
30	689	0.1	RMS	679.6	-62.22	-13	Pass	6591
689	726	0.1	RMS	699.545	17.49	60	Pass	401
726	1000	0.1	RMS	905.4	-62.09	-13	Pass	2741
1000	3000	1	RMS	1399	-42.03	-13	Pass	2001
3000	10000	1	RMS	9968	-39.99	-13	Pass	7001



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2986
30	689	0.1	RMS	651	-62.31	-13	Pass	6591
689	726	0.1	RMS	703.06	18.52	60	Pass	401
726	1000	0.1	RMS	885.7	-62.02	-13	Pass	2741
1000	3000	1	RMS	1406	-45.44	-13	Pass	2001
3000	10000	1	RMS	9963	-39.99	-13	Pass	7001



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.84	-13	Pass	2986
30	689	0.1	RMS	687.9	-62.3	-13	Pass	6591
689	726	0.1	RMS	703.06	17.61	60	Pass	401
726	1000	0.1	RMS	920.7	-62.14	-13	Pass	2741
1000	3000	1	RMS	1406	-45.98	-13	Pass	2001
3000	10000	1	RMS	9956	-39.97	-13	Pass	7001



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-13	Pass	2986
30	689	0.1	RMS	689	-59.33	-13	Pass	6591
689	726	0.1	RMS	706.575	18.41	60	Pass	401
726	1000	0.1	RMS	882.7	-62.12	-13	Pass	2741
1000	3000	1	RMS	1413	-44.72	-13	Pass	2001
3000	10000	1	RMS	9985	-39.95	-13	Pass	7001



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.82	-13	Pass	2986
30	689	0.1	RMS	689	-60.6	-13	Pass	6591
689	726	0.1	RMS	706.575	17.66	60	Pass	401
726	1000	0.1	RMS	985.4	-62.12	-13	Pass	2741
1000	3000	1	RMS	1413	-45.4	-13	Pass	2001
3000	10000	1	RMS	9993	-39.96	-13	Pass	7001



5. LTE_Band13


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.29	-13	Pass	2986
30	767	0.1	RMS	756.5	-61.58	-13	Pass	7371
767	797	0.1	RMS	777.35	18.42	60	Pass	401
797	1000	0.1	RMS	981.4	-62.13	-13	Pass	2031
1000	3000	1	RMS	2686	-46.44	-13	Pass	2001
3000	10000	1	RMS	9973	-40	-13	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.61	-13	Pass	2986
30	767	0.1	RMS	755.5	-61.67	-13	Pass	7371
767	797	0.1	RMS	777.35	17.66	60	Pass	401
797	1000	0.1	RMS	990.8	-62.21	-13	Pass	2031
1000	3000	1	RMS	2687	-46.44	-13	Pass	2001
3000	10000	1	RMS	9949	-39.95	-13	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.66	-13	Pass	2986
30	767	0.1	RMS	750.2	-61.55	-13	Pass	7371
767	797	0.1	RMS	779.825	18.89	60	Pass	401
797	1000	0.1	RMS	998.8	-62	-13	Pass	2031
1000	3000	1	RMS	2682	-46.41	-13	Pass	2001
3000	10000	1	RMS	9976	-40.02	-13	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.72	-13	Pass	2986
30	767	0.1	RMS	752.6	-61.57	-13	Pass	7371
767	797	0.1	RMS	779.825	18.19	60	Pass	401
797	1000	0.1	RMS	954.3	-62.2	-13	Pass	2031
1000	3000	1	RMS	2688	-46.45	-13	Pass	2001
3000	10000	1	RMS	9971	-39.96	-13	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.48	-13	Pass	2986
30	767	0.1	RMS	765.1	-61.51	-13	Pass	7371
767	797	0.1	RMS	782.3	18.47	60	Pass	401
797	1000	0.1	RMS	970.9	-62.25	-13	Pass	2031
1000	3000	1	RMS	2686	-46.4	-13	Pass	2001
3000	10000	1	RMS	9971	-40.02	-13	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2986
30	767	0.1	RMS	760.9	-61.49	-13	Pass	7371
767	797	0.1	RMS	782.375	17.66	60	Pass	401
797	1000	0.1	RMS	956.8	-62.09	-13	Pass	2031
1000	3000	1	RMS	2681	-46.43	-13	Pass	2001
3000	10000	1	RMS	9959	-39.94	-13	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	767	0.1	RMS	760.7	-61.55	-13	Pass	7371
767	797	0.1	RMS	777.575	18.48	60	Pass	401
797	1000	0.1	RMS	968.4	-62.12	-13	Pass	2031
1000	3000	1	RMS	2679	-46.4	-13	Pass	2001
3000	10000	1	RMS	9973	-40.02	-13	Pass	7001



5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.67	-13	Pass	2986
30	767	0.1	RMS	763.9	-61.54	-13	Pass	7371
767	797	0.1	RMS	777.575	17.61	60	Pass	401
797	1000	0.1	RMS	860.4	-62.2	-13	Pass	2031
1000	3000	1	RMS	2683	-46.39	-13	Pass	2001
3000	10000	1	RMS	9949	-39.97	-13	Pass	7001



6. LTE_Band17


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.77	-13	Pass	2986
30	694	0.1	RMS	693.1	-62.21	-13	Pass	6641
694	726	0.1	RMS	704.32	18.36	60	Pass	401
726	1000	0.1	RMS	881.3	-61.91	-13	Pass	2741
1000	3000	1	RMS	2690	-46.42	-13	Pass	2001
3000	10000	1	RMS	9971	-39.98	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.86	-13	Pass	2986
30	694	0.1	RMS	663.1	-62.27	-13	Pass	6641
694	726	0.1	RMS	704.32	17.41	60	Pass	401
726	1000	0.1	RMS	865.8	-62.08	-13	Pass	2741
1000	3000	1	RMS	2691	-46.43	-13	Pass	2001
3000	10000	1	RMS	9972	-39.99	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.38	-13	Pass	2986
30	694	0.1	RMS	692.8	-62.32	-13	Pass	6641
694	726	0.1	RMS	707.84	18.41	60	Pass	401
726	1000	0.1	RMS	882.6	-62.07	-13	Pass	2741
1000	3000	1	RMS	1416	-44.05	-13	Pass	2001
3000	10000	1	RMS	9950	-40.03	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2986
30	694	0.1	RMS	691.5	-62.26	-13	Pass	6641
694	726	0.1	RMS	707.84	17.71	60	Pass	401
726	1000	0.1	RMS	872.6	-62.14	-13	Pass	2741
1000	3000	1	RMS	1416	-44.66	-13	Pass	2001
3000	10000	1	RMS	9958	-39.95	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.73	-13	Pass	2986
30	694	0.1	RMS	692.7	-62.23	-13	Pass	6641
694	726	0.1	RMS	711.36	18.36	60	Pass	401
726	1000	0.1	RMS	942.9	-62.21	-13	Pass	2741
1000	3000	1	RMS	1423	-42.47	-13	Pass	2001
3000	10000	1	RMS	9955	-40.03	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.63	-13	Pass	2986
30	694	0.1	RMS	690.2	-62.29	-13	Pass	6641
694	726	0.1	RMS	711.36	17.8	60	Pass	401
726	1000	0.1	RMS	894.4	-61.96	-13	Pass	2741
1000	3000	1	RMS	1423	-43.05	-13	Pass	2001
3000	10000	1	RMS	9976	-40.02	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.91	-13	Pass	2986
30	694	0.1	RMS	694	-61.92	-13	Pass	6641
694	726	0.1	RMS	704.56	17.94	60	Pass	401
726	1000	0.1	RMS	887.2	-62.1	-13	Pass	2741
1000	3000	1	RMS	2694	-46.4	-13	Pass	2001
3000	10000	1	RMS	9984	-39.98	-13	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.02	-13	Pass	2986
30	694	0.1	RMS	693.7	-62.21	-13	Pass	6641
694	726	0.1	RMS	704.56	17.22	60	Pass	401
726	1000	0.1	RMS	899.2	-62.14	-13	Pass	2741
1000	3000	1	RMS	2689	-46.44	-13	Pass	2001
3000	10000	1	RMS	9974	-40.02	-13	Pass	7001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.07	-13	Pass	2986
30	694	0.1	RMS	692.9	-62.24	-13	Pass	6641
694	726	0.1	RMS	705.6	18.21	60	Pass	401
726	1000	0.1	RMS	895.6	-62.11	-13	Pass	2741
1000	3000	1	RMS	1411	-46.26	-13	Pass	2001
3000	10000	1	RMS	9985	-39.99	-13	Pass	7001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.19	-13	Pass	2986
30	694	0.1	RMS	692.6	-62.29	-13	Pass	6641
694	726	0.1	RMS	705.6	17.3	60	Pass	401
726	1000	0.1	RMS	878.6	-62.06	-13	Pass	2741
1000	3000	1	RMS	2695	-46.42	-13	Pass	2001
3000	10000	1	RMS	9960	-40	-13	Pass	7001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.2	-13	Pass	2986
30	694	0.1	RMS	689	-59.48	-13	Pass	6641
694	726	0.1	RMS	706.56	17.94	60	Pass	401
726	1000	0.1	RMS	897	-61.87	-13	Pass	2741
1000	3000	1	RMS	1413	-45.09	-13	Pass	2001
3000	10000	1	RMS	9951	-39.97	-13	Pass	7001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.07	-13	Pass	2986
30	694	0.1	RMS	689	-60.64	-13	Pass	6641
694	726	0.1	RMS	706.56	17.16	60	Pass	401
726	1000	0.1	RMS	998.1	-61.91	-13	Pass	2741
1000	3000	1	RMS	1413	-45.78	-13	Pass	2001
3000	10000	1	RMS	9964	-40	-13	Pass	7001



7. LTE_Band66


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.78	-13	Pass	2986
30	1000	0.1	RMS	992.1	-60.94	-13	Pass	9701
1000	1700	1	RMS	1700	-49.46	-13	Pass	701
1700	1790	1	RMS	1710.35	21.48	60	Pass	401
1790	3000	1	RMS	2686	-46.83	-13	Pass	1211
3000	12000	1	RMS	11957	-38.28	-13	Pass	9001
12000	20000	1	RMS	19957	-26.82	-13	Pass	8001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.5	-13	Pass	2986
30	1000	0.1	RMS	883.6	-60.99	-13	Pass	9701
1000	1700	1	RMS	1700	-49.62	-13	Pass	701
1700	1790	1	RMS	1710.35	20.62	60	Pass	401
1790	3000	1	RMS	2693	-46.83	-13	Pass	1211
3000	12000	1	RMS	11959	-38.3	-13	Pass	9001
12000	20000	1	RMS	19975	-26.79	-13	Pass	8001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.07	-13	Pass	2986
30	1000	0.1	RMS	877.1	-61.03	-13	Pass	9701
1000	1700	1	RMS	1700	-50.93	-13	Pass	701
1700	1790	1	RMS	1744.55	21.27	60	Pass	401
1790	3000	1	RMS	2683	-46.86	-13	Pass	1211
3000	12000	1	RMS	11954	-38.32	-13	Pass	9001
12000	20000	1	RMS	19967	-26.8	-13	Pass	8001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.5	-13	Pass	2986
30	1000	0.1	RMS	904.5	-61.03	-13	Pass	9701
1000	1700	1	RMS	1700	-51	-13	Pass	701
1700	1790	1	RMS	1744.55	20.83	60	Pass	401
1790	3000	1	RMS	2685	-47.2	-13	Pass	1211
3000	12000	1	RMS	11959	-38.62	-13	Pass	9001
12000	20000	1	RMS	19961	-27.25	-13	Pass	8001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2986
30	1000	0.1	RMS	894.8	-60.81	-13	Pass	9701
1000	1700	1	RMS	1663	-51.02	-13	Pass	701
1700	1790	1	RMS	1778.75	21.17	60	Pass	401
1790	3000	1	RMS	2693	-47.16	-13	Pass	1211
3000	12000	1	RMS	11972	-38.6	-13	Pass	9001
12000	20000	1	RMS	19969	-27.18	-13	Pass	8001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.83	-13	Pass	2986
30	1000	0.1	RMS	884.7	-60.96	-13	Pass	9701
1000	1700	1	RMS	1671	-50.98	-13	Pass	701
1700	1790	1	RMS	1778.75	20.29	60	Pass	401
1790	3000	1	RMS	2681	-47.2	-13	Pass	1211
3000	12000	1	RMS	11955	-38.61	-13	Pass	9001
12000	20000	1	RMS	19955	-27.2	-13	Pass	8001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2986
30	1000	0.1	RMS	894.5	-60.88	-13	Pass	9701
1000	1700	1	RMS	1700	-49.25	-13	Pass	701
1700	1790	1	RMS	1710.125	21.58	60	Pass	401
1790	3000	1	RMS	2693	-47.21	-13	Pass	1211
3000	12000	1	RMS	11958	-38.56	-13	Pass	9001
12000	20000	1	RMS	19952	-27.21	-13	Pass	8001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.12	-13	Pass	2986
30	1000	0.1	RMS	908.4	-61.02	-13	Pass	9701
1000	1700	1	RMS	1700	-49.47	-13	Pass	701
1700	1790	1	RMS	1710.35	20.76	60	Pass	401
1790	3000	1	RMS	2685	-47.18	-13	Pass	1211
3000	12000	1	RMS	11957	-38.57	-13	Pass	9001
12000	20000	1	RMS	19951	-27.24	-13	Pass	8001



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.56	-13	Pass	2986
30	1000	0.1	RMS	911	-60.98	-13	Pass	9701
1000	1700	1	RMS	1685	-50.99	-13	Pass	701
1700	1790	1	RMS	1743.65	21.28	60	Pass	401
1790	3000	1	RMS	2694	-47.19	-13	Pass	1211
3000	12000	1	RMS	11955	-38.62	-13	Pass	9001
12000	20000	1	RMS	19957	-27.25	-13	Pass	8001



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.4	-13	Pass	2986
30	1000	0.1	RMS	990.1	-60.95	-13	Pass	9701
1000	1700	1	RMS	1679	-50.96	-13	Pass	701
1700	1790	1	RMS	1743.65	20.46	60	Pass	401
1790	3000	1	RMS	2692	-47.17	-13	Pass	1211
3000	12000	1	RMS	11947	-38.6	-13	Pass	9001
12000	20000	1	RMS	19953	-27.19	-13	Pass	8001



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.54	-13	Pass	2986
30	1000	0.1	RMS	999.4	-60.98	-13	Pass	9701
1000	1700	1	RMS	1666	-50.99	-13	Pass	701
1700	1790	1	RMS	1777.175	21.05	60	Pass	401
1790	3000	1	RMS	2680	-47.23	-13	Pass	1211
3000	12000	1	RMS	11979	-38.6	-13	Pass	9001
12000	20000	1	RMS	19972	-27.12	-13	Pass	8001



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.19	-13	Pass	2986
30	1000	0.1	RMS	901.3	-60.99	-13	Pass	9701
1000	1700	1	RMS	1697	-51	-13	Pass	701
1700	1790	1	RMS	1777.175	20.32	60	Pass	401
1790	3000	1	RMS	2695	-47.22	-13	Pass	1211
3000	12000	1	RMS	11949	-38.46	-13	Pass	9001
12000	20000	1	RMS	19965	-27.15	-13	Pass	8001



7.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.21	-13	Pass	2986
30	1000	0.1	RMS	888.9	-60.89	-13	Pass	9701
1000	1700	1	RMS	1700	-49.7	-13	Pass	701
1700	1790	1	RMS	1710.35	21.57	60	Pass	401
1790	3000	1	RMS	2687	-47.2	-13	Pass	1211
3000	12000	1	RMS	11964	-38.51	-13	Pass	9001
12000	20000	1	RMS	19966	-27.19	-13	Pass	8001



7.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2986
30	1000	0.1	RMS	972.9	-61.02	-13	Pass	9701
1000	1700	1	RMS	1700	-49.92	-13	Pass	701
1700	1790	1	RMS	1710.35	20.77	60	Pass	401
1790	3000	1	RMS	2694	-47.22	-13	Pass	1211
3000	12000	1	RMS	11969	-38.62	-13	Pass	9001
12000	20000	1	RMS	19982	-27.2	-13	Pass	8001



7.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.63	-13	Pass	2986
30	1000	0.1	RMS	941.7	-61.05	-13	Pass	9701
1000	1700	1	RMS	1669	-50.96	-13	Pass	701
1700	1790	1	RMS	1742.75	21.12	60	Pass	401
1790	3000	1	RMS	2682	-47.24	-13	Pass	1211
3000	12000	1	RMS	11948	-38.59	-13	Pass	9001
12000	20000	1	RMS	19956	-27.22	-13	Pass	8001



7.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.79	-13	Pass	2986
30	1000	0.1	RMS	989.1	-60.99	-13	Pass	9701
1000	1700	1	RMS	1680	-51	-13	Pass	701
1700	1790	1	RMS	1742.75	20.5	60	Pass	401
1790	3000	1	RMS	2683	-47.21	-13	Pass	1211
3000	12000	1	RMS	11958	-38.59	-13	Pass	9001
12000	20000	1	RMS	19954	-27.26	-13	Pass	8001



7.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.87	-13	Pass	2986
30	1000	0.1	RMS	891.3	-60.98	-13	Pass	9701
1000	1700	1	RMS	1668	-50.99	-13	Pass	701
1700	1790	1	RMS	1775.375	21.21	60	Pass	401
1790	3000	1	RMS	2690	-47.15	-13	Pass	1211
3000	12000	1	RMS	11951	-38.54	-13	Pass	9001
12000	20000	1	RMS	19968	-27.25	-13	Pass	8001



7.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.52	-13	Pass	2986
30	1000	0.1	RMS	887.5	-60.97	-13	Pass	9701
1000	1700	1	RMS	1656	-51.05	-13	Pass	701
1700	1790	1	RMS	1775.375	20.45	60	Pass	401
1790	3000	1	RMS	2677	-47.26	-13	Pass	1211
3000	12000	1	RMS	11952	-38.57	-13	Pass	9001
12000	20000	1	RMS	19964	-27.24	-13	Pass	8001



7.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.85	-13	Pass	2986
30	1000	0.1	RMS	914	-60.95	-13	Pass	9701
1000	1700	1	RMS	1693	-49.4	-13	Pass	701
1700	1790	1	RMS	1710.575	21.36	60	Pass	401
1790	3000	1	RMS	2695	-47.19	-13	Pass	1211
3000	12000	1	RMS	11960	-38.6	-13	Pass	9001
12000	20000	1	RMS	19968	-27.24	-13	Pass	8001



7.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.44	-13	Pass	2986
30	1000	0.1	RMS	864.3	-61.02	-13	Pass	9701
1000	1700	1	RMS	1693	-49.67	-13	Pass	701
1700	1790	1	RMS	1710.575	20.59	60	Pass	401
1790	3000	1	RMS	2695	-47.26	-13	Pass	1211
3000	12000	1	RMS	11974	-38.62	-13	Pass	9001
12000	20000	1	RMS	19962	-27.2	-13	Pass	8001



7.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.8	-13	Pass	2986
30	1000	0.1	RMS	896.9	-61.02	-13	Pass	9701
1000	1700	1	RMS	1698	-50.97	-13	Pass	701
1700	1790	1	RMS	1740.5	20.8	60	Pass	401
1790	3000	1	RMS	2677	-47.19	-13	Pass	1211
3000	12000	1	RMS	11962	-38.62	-13	Pass	9001
12000	20000	1	RMS	19955	-27.28	-13	Pass	8001



7.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-13	Pass	2986
30	1000	0.1	RMS	993.8	-60.93	-13	Pass	9701
1000	1700	1	RMS	1699	-51.03	-13	Pass	701
1700	1790	1	RMS	1740.5	19.92	60	Pass	401
1790	3000	1	RMS	2680	-47.29	-13	Pass	1211
3000	12000	1	RMS	11936	-38.62	-13	Pass	9001
12000	20000	1	RMS	19958	-27.22	-13	Pass	8001



7.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2986
30	1000	0.1	RMS	997.7	-60.77	-13	Pass	9701
1000	1700	1	RMS	1670	-51.03	-13	Pass	701
1700	1790	1	RMS	1770.65	20.97	60	Pass	401
1790	3000	1	RMS	2687	-47.24	-13	Pass	1211
3000	12000	1	RMS	11968	-38.58	-13	Pass	9001
12000	20000	1	RMS	19978	-27.25	-13	Pass	8001



7.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2986
30	1000	0.1	RMS	903.3	-61.07	-13	Pass	9701
1000	1700	1	RMS	1665	-51.01	-13	Pass	701
1700	1790	1	RMS	1770.65	20.14	60	Pass	401
1790	3000	1	RMS	2694	-47.26	-13	Pass	1211
3000	12000	1	RMS	11962	-38.57	-13	Pass	9001
12000	20000	1	RMS	19968	-27.19	-13	Pass	8001



7.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.53	-13	Pass	2986
30	1000	0.1	RMS	996.7	-60.96	-13	Pass	9701
1000	1700	1	RMS	1698	-48.67	-13	Pass	701
1700	1790	1	RMS	1710.8	21.42	60	Pass	401
1790	3000	1	RMS	2675	-47.2	-13	Pass	1211
3000	12000	1	RMS	11944	-38.52	-13	Pass	9001
12000	20000	1	RMS	19954	-27.16	-13	Pass	8001



7.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.39	-13	Pass	2986
30	1000	0.1	RMS	883.7	-61.03	-13	Pass	9701
1000	1700	1	RMS	1698	-49.3	-13	Pass	701
1700	1790	1	RMS	1710.8	20.64	60	Pass	401
1790	3000	1	RMS	2684	-47.21	-13	Pass	1211
3000	12000	1	RMS	11936	-38.53	-13	Pass	9001
12000	20000	1	RMS	19958	-27.27	-13	Pass	8001



7.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.91	-13	Pass	2986
30	1000	0.1	RMS	913.3	-60.76	-13	Pass	9701
1000	1700	1	RMS	1699	-51.03	-13	Pass	701
1700	1790	1	RMS	1738.25	20.78	60	Pass	401
1790	3000	1	RMS	2683	-47.17	-13	Pass	1211
3000	12000	1	RMS	11950	-38.46	-13	Pass	9001
12000	20000	1	RMS	19967	-27.17	-13	Pass	8001



7.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2986
30	1000	0.1	RMS	985.5	-60.95	-13	Pass	9701
1000	1700	1	RMS	1699	-50.93	-13	Pass	701
1700	1790	1	RMS	1738.25	20.04	60	Pass	401
1790	3000	1	RMS	2678	-47.18	-13	Pass	1211
3000	12000	1	RMS	11941	-38.63	-13	Pass	9001
12000	20000	1	RMS	19997	-27.21	-13	Pass	8001



7.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.74	-13	Pass	2986
30	1000	0.1	RMS	888	-60.91	-13	Pass	9701
1000	1700	1	RMS	1662	-50.99	-13	Pass	701
1700	1790	1	RMS	1765.925	20.74	60	Pass	401
1790	3000	1	RMS	1792	-36.48	-13	Pass	1211
3000	12000	1	RMS	11949	-38.57	-13	Pass	9001
12000	20000	1	RMS	19953	-27.18	-13	Pass	8001



7.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.62	-13	Pass	2986
30	1000	0.1	RMS	988	-60.92	-13	Pass	9701
1000	1700	1	RMS	1655	-50.99	-13	Pass	701
1700	1790	1	RMS	1765.925	20.04	60	Pass	401
1790	3000	1	RMS	1792	-37.25	-13	Pass	1211
3000	12000	1	RMS	11947	-38.59	-13	Pass	9001
12000	20000	1	RMS	19972	-27.24	-13	Pass	8001



7.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.88	-13	Pass	2986
30	1000	0.1	RMS	987.8	-61.02	-13	Pass	9701
1000	1700	1	RMS	1700	-49.74	-13	Pass	701
1700	1790	1	RMS	1711.025	21.39	60	Pass	401
1790	3000	1	RMS	2694	-47.24	-13	Pass	1211
3000	12000	1	RMS	11951	-38.58	-13	Pass	9001
12000	20000	1	RMS	19969	-27.21	-13	Pass	8001



7.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	1000	0.1	RMS	999.8	-61.04	-13	Pass	9701
1000	1700	1	RMS	1700	-49.9	-13	Pass	701
1700	1790	1	RMS	1711.025	20.62	60	Pass	401
1790	3000	1	RMS	2694	-47.19	-13	Pass	1211
3000	12000	1	RMS	11959	-38.58	-13	Pass	9001
12000	20000	1	RMS	19957	-27.2	-13	Pass	8001



7.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.55	-13	Pass	2986
30	1000	0.1	RMS	872.5	-60.76	-13	Pass	9701
1000	1700	1	RMS	1700	-49.86	-13	Pass	701
1700	1790	1	RMS	1736	20.69	60	Pass	401
1790	3000	1	RMS	2677	-47.13	-13	Pass	1211
3000	12000	1	RMS	11929	-38.58	-13	Pass	9001
12000	20000	1	RMS	19945	-27.28	-13	Pass	8001



7.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.51	-13	Pass	2986
30	1000	0.1	RMS	886.1	-61.01	-13	Pass	9701
1000	1700	1	RMS	1700	-50.06	-13	Pass	701
1700	1790	1	RMS	1736	19.83	60	Pass	401
1790	3000	1	RMS	2684	-47.23	-13	Pass	1211
3000	12000	1	RMS	11945	-38.57	-13	Pass	9001
12000	20000	1	RMS	19964	-27.16	-13	Pass	8001



7.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.34	-13	Pass	2986
30	1000	0.1	RMS	995.7	-60.93	-13	Pass	9701
1000	1700	1	RMS	1700	-51.02	-13	Pass	701
1700	1790	1	RMS	1760.975	20.45	60	Pass	401
1790	3000	1	RMS	1797	-40.84	-13	Pass	1211
3000	12000	1	RMS	11968	-38.57	-13	Pass	9001
12000	20000	1	RMS	19948	-27.2	-13	Pass	8001



7.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.5	-13	Pass	2986
30	1000	0.1	RMS	880.5	-60.98	-13	Pass	9701
1000	1700	1	RMS	1696	-51.01	-13	Pass	701
1700	1790	1	RMS	1761.2	19.56	60	Pass	401
1790	3000	1	RMS	1797	-40.52	-13	Pass	1211
3000	12000	1	RMS	11964	-38.62	-13	Pass	9001
12000	20000	1	RMS	19951	-27.18	-13	Pass	8001



8. LTE_Band38


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.11	-25	Pass	2986
30	1000	0.1	RMS	869.9	-57.01	-25	Pass	9701
1000	2560	1	RMS	2560	-41.13	-25	Pass	1561
2560	2630	1	RMS	2570.325	21.58	60	Pass	401
2630	3000	1	RMS	2689.2	-43.21	-25	Pass	401
3000	12000	1	RMS	5141	-49.53	-25	Pass	9001
12000	26500	1	RMS	25614	-37.79	-25	Pass	14501




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-48.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.78	-25	Pass	2986
30	1000	0.1	RMS	905.6	-56.98	-25	Pass	9701
1000	2560	1	RMS	2560	-41.34	-25	Pass	1561
2560	2630	1	RMS	2570.325	21.57	60	Pass	401
2630	3000	1	RMS	2694.75	-43.24	-25	Pass	401
3000	12000	1	RMS	5141	-52.07	-25	Pass	9001
12000	26500	1	RMS	25593	-37.94	-25	Pass	14501




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.63	-25	Pass	2986
30	1000	0.1	RMS	898.5	-56.85	-25	Pass	9701
1000	2560	1	RMS	2545	-43.12	-25	Pass	1561
2560	2630	1	RMS	2592.9	21.43	60	Pass	401
2630	3000	1	RMS	2687.35	-43.21	-25	Pass	401
3000	12000	1	RMS	7779	-48.4	-25	Pass	9001
12000	26500	1	RMS	25587	-37.95	-25	Pass	14501




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.91	-25	Pass	2986
30	1000	0.1	RMS	997.1	-57	-25	Pass	9701
1000	2560	1	RMS	2553	-43.05	-25	Pass	1561
2560	2630	1	RMS	2592.9	21.13	60	Pass	401
2630	3000	1	RMS	2692.9	-43.2	-25	Pass	401
3000	12000	1	RMS	5186	-52.5	-25	Pass	9001
12000	26500	1	RMS	25583	-37.94	-25	Pass	14501




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.07	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.8	-25	Pass	2986
30	1000	0.1	RMS	889.4	-57.04	-25	Pass	9701
1000	2560	1	RMS	2558	-43.14	-25	Pass	1561
2560	2630	1	RMS	2615.475	21.28	60	Pass	401
2630	3000	1	RMS	2684.575	-43.23	-25	Pass	401
3000	12000	1	RMS	7846	-48.35	-25	Pass	9001
12000	26500	1	RMS	25598	-37.9	-25	Pass	14501




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.4	-25	Pass	2986
30	1000	0.1	RMS	991.1	-57.01	-25	Pass	9701
1000	2560	1	RMS	2560	-43.15	-25	Pass	1561
2560	2630	1	RMS	2615.3	21.28	60	Pass	401
2630	3000	1	RMS	2677.175	-43.21	-25	Pass	401
3000	12000	1	RMS	5231	-52.32	-25	Pass	9001
12000	26500	1	RMS	25599	-37.95	-25	Pass	14501




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.72	-25	Pass	2986
30	1000	0.1	RMS	961	-57.01	-25	Pass	9701
1000	2560	1	RMS	2553	-37.58	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.4	60	Pass	401
2630	3000	1	RMS	2691.975	-43.2	-25	Pass	401
3000	12000	1	RMS	5141	-50.58	-25	Pass	9001
12000	26500	1	RMS	25599	-37.94	-25	Pass	14501




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.74	-25	Pass	2986
30	1000	0.1	RMS	884.5	-56.99	-25	Pass	9701
1000	2560	1	RMS	2552	-39.83	-25	Pass	1561
2560	2630	1	RMS	2570.5	21.47	60	Pass	401
2630	3000	1	RMS	2682.725	-43.22	-25	Pass	401
3000	12000	1	RMS	5141	-53.6	-25	Pass	9001
12000	26500	1	RMS	25613	-37.8	-25	Pass	14501



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.18	-25	Pass	2986
30	1000	0.1	RMS	991.5	-57.09	-25	Pass	9701
1000	2560	1	RMS	2550	-43.11	-25	Pass	1561
2560	2630	1	RMS	2590.625	21.71	60	Pass	401
2630	3000	1	RMS	2690.125	-43.21	-25	Pass	401
3000	12000	1	RMS	7772	-49.78	-25	Pass	9001
12000	26500	1	RMS	25592	-37.96	-25	Pass	14501



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.05	-25	Pass	2986
30	1000	0.1	RMS	997	-56.93	-25	Pass	9701
1000	2560	1	RMS	2555	-43.13	-25	Pass	1561
2560	2630	1	RMS	2590.45	21.25	60	Pass	401
2630	3000	1	RMS	2689.2	-43.23	-25	Pass	401
3000	12000	1	RMS	7772	-49.34	-25	Pass	9001
12000	26500	1	RMS	25602	-37.93	-25	Pass	14501



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.12	-25	Pass	2986
30	1000	0.1	RMS	917.2	-56.9	-25	Pass	9701
1000	2560	1	RMS	2558	-43.16	-25	Pass	1561
2560	2630	1	RMS	2610.75	21.43	60	Pass	401
2630	3000	1	RMS	2636.475	-43.16	-25	Pass	401
3000	12000	1	RMS	7832	-52.09	-25	Pass	9001
12000	26500	1	RMS	25619	-37.9	-25	Pass	14501



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.17	-25	Pass	2986
30	1000	0.1	RMS	865.7	-57	-25	Pass	9701
1000	2560	1	RMS	2560	-43.14	-25	Pass	1561
2560	2630	1	RMS	2610.75	21.02	60	Pass	401
2630	3000	1	RMS	2687.35	-43.21	-25	Pass	401
3000	12000	1	RMS	5221	-53.95	-25	Pass	9001
12000	26500	1	RMS	25594	-38.01	-25	Pass	14501



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.49	-25	Pass	2986
30	1000	0.1	RMS	912.5	-57	-25	Pass	9701
1000	2560	1	RMS	2558	-40.8	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.33	60	Pass	401
2630	3000	1	RMS	2685.5	-43.25	-25	Pass	401
3000	12000	1	RMS	5142	-49.21	-25	Pass	9001
12000	26500	1	RMS	25612	-37.9	-25	Pass	14501



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.52	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.27	-25	Pass	2986
30	1000	0.1	RMS	879.4	-57.01	-25	Pass	9701
1000	2560	1	RMS	2558	-41.33	-25	Pass	1561
2560	2630	1	RMS	2570.675	21.25	60	Pass	401
2630	3000	1	RMS	2687.35	-43.21	-25	Pass	401
3000	12000	1	RMS	5141	-52.37	-25	Pass	9001
12000	26500	1	RMS	25616	-37.86	-25	Pass	14501



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.59	-25	Pass	2986
30	1000	0.1	RMS	991.7	-56.97	-25	Pass	9701
1000	2560	1	RMS	2553	-43.1	-25	Pass	1561
2560	2630	1	RMS	2588.35	22.07	60	Pass	401
2630	3000	1	RMS	2693.825	-43.23	-25	Pass	401
3000	12000	1	RMS	7765	-48.07	-25	Pass	9001
12000	26500	1	RMS	25583	-37.92	-25	Pass	14501



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.27	-25	Pass	2986
30	1000	0.1	RMS	889.2	-57.09	-25	Pass	9701
1000	2560	1	RMS	2555	-43.09	-25	Pass	1561
2560	2630	1	RMS	2588.175	20.87	60	Pass	401
2630	3000	1	RMS	2683.65	-43.23	-25	Pass	401
3000	12000	1	RMS	5177	-51.44	-25	Pass	9001
12000	26500	1	RMS	25602	-37.88	-25	Pass	14501



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.98	-25	Pass	2986
30	1000	0.1	RMS	892.7	-56.99	-25	Pass	9701
1000	2560	1	RMS	2556	-43.14	-25	Pass	1561
2560	2645	1	RMS	2605.9	22.19	60	Pass	401
2645	3000	1	RMS	2692.925	-43.24	-25	Pass	401
3000	12000	1	RMS	7818	-50.19	-25	Pass	9001
12000	26500	1	RMS	25601	-37.9	-25	Pass	14501



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.75	-25	Pass	2986
30	1000	0.1	RMS	900.2	-56.97	-25	Pass	9701
1000	2560	1	RMS	2555	-43.2	-25	Pass	1561
2560	2645	1	RMS	2605.688	20.88	60	Pass	401
2645	3000	1	RMS	2684.05	-43.22	-25	Pass	401
3000	12000	1	RMS	7817	-51.71	-25	Pass	9001
12000	26500	1	RMS	25581	-37.92	-25	Pass	14501



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.35	-25	Pass	2986
30	1000	0.1	RMS	922.9	-56.89	-25	Pass	9701
1000	2560	1	RMS	2553	-41.61	-25	Pass	1561
2560	2630	1	RMS	2571.025	21.97	60	Pass	401
2630	3000	1	RMS	2690.125	-43.23	-25	Pass	401
3000	12000	1	RMS	5142	-48.68	-25	Pass	9001
12000	26500	1	RMS	25617	-37.91	-25	Pass	14501



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.34	-25	Pass	2986
30	1000	0.1	RMS	999.1	-56.93	-25	Pass	9701
1000	2560	1	RMS	2553	-41.98	-25	Pass	1561
2560	2630	1	RMS	2571.025	21.79	60	Pass	401
2630	3000	1	RMS	2679.95	-43.21	-25	Pass	401
3000	12000	1	RMS	5143	-54.06	-25	Pass	9001
12000	26500	1	RMS	25597	-37.88	-25	Pass	14501



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.71	-25	Pass	2986
30	1000	0.1	RMS	875.6	-57.05	-25	Pass	9701
1000	2560	1	RMS	2551	-42	-25	Pass	1561
2560	2630	1	RMS	2586.25	22.11	60	Pass	401
2630	3000	1	RMS	2694.75	-43.22	-25	Pass	401
3000	12000	1	RMS	5172	-52.68	-25	Pass	9001
12000	26500	1	RMS	25617	-37.97	-25	Pass	14501



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.18	-25	Pass	2986
30	1000	0.1	RMS	894.9	-56.94	-25	Pass	9701
1000	2560	1	RMS	2551	-42.43	-25	Pass	1561
2560	2630	1	RMS	2586.075	20.94	60	Pass	401
2630	3000	1	RMS	2686.425	-43.17	-25	Pass	401
3000	12000	1	RMS	7758	-49.05	-25	Pass	9001
12000	26500	1	RMS	25598	-37.97	-25	Pass	14501



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.03	-25	Pass	2986
30	1000	0.1	RMS	897.2	-56.97	-25	Pass	9701
1000	2560	1	RMS	2548	-43.11	-25	Pass	1561
2560	2645	1	RMS	2601.013	21.6	60	Pass	401
2645	3000	1	RMS	2679.613	-43.22	-25	Pass	401
3000	12000	1	RMS	7804	-51.64	-25	Pass	9001
12000	26500	1	RMS	25606	-37.91	-25	Pass	14501



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.21	-25	Pass	2986
30	1000	0.1	RMS	998.8	-57.04	-25	Pass	9701
1000	2560	1	RMS	2560	-43.07	-25	Pass	1561
2560	2645	1	RMS	2601.225	20.72	60	Pass	401
2645	3000	1	RMS	2684.05	-43.21	-25	Pass	401
3000	12000	1	RMS	5202	-56.96	-25	Pass	9001
12000	26500	1	RMS	25605	-37.88	-25	Pass	14501



9. LTE_Band41 full


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.97	-25	Pass	2986
30	1000	0.1	RMS	901.8	-56.9	-25	Pass	9701
1000	2486	1	RMS	2485	-42.89	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.33	60	Pass	401
2700	3000	1	RMS	2700.75	-43.66	-25	Pass	401
3000	12000	1	RMS	4993	-55.27	-25	Pass	9001
12000	27000	1	RMS	25599	-38.74	-25	Pass	15001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.88	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.71	-25	Pass	2986
30	1000	0.1	RMS	964.7	-56.92	-25	Pass	9701
1000	2486	1	RMS	2486	-42.64	-25	Pass	1487
2486	2700	1	RMS	2496.7	19.48	60	Pass	401
2700	3000	1	RMS	2700	-43.65	-25	Pass	401
3000	12000	1	RMS	7489	-56.35	-25	Pass	9001
12000	27000	1	RMS	25591	-38.78	-25	Pass	15001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.39	-25	Pass	2986
30	1000	0.1	RMS	897.6	-56.96	-25	Pass	9701
1000	2486	1	RMS	2486	-44.1	-25	Pass	1487
2486	2700	1	RMS	2590.86	21.19	60	Pass	401
2700	3000	1	RMS	2701.5	-43.68	-25	Pass	401
3000	12000	1	RMS	7772	-48.05	-25	Pass	9001
12000	27000	1	RMS	25599	-38.81	-25	Pass	15001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.74	-25	Pass	2986
30	1000	0.1	RMS	986.3	-56.97	-25	Pass	9701
1000	2486	1	RMS	2486	-44.04	-25	Pass	1487
2486	2700	1	RMS	2590.86	20.29	60	Pass	401
2700	3000	1	RMS	2701.5	-43.68	-25	Pass	401
3000	12000	1	RMS	5182	-51.94	-25	Pass	9001
12000	27000	1	RMS	25604	-38.77	-25	Pass	15001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.66	-25	Pass	2986
30	1000	0.1	RMS	878.2	-56.97	-25	Pass	9701
1000	2486	1	RMS	2486	-44.12	-25	Pass	1487
2486	2700	1	RMS	2685.02	20.27	60	Pass	401
2700	3000	1	RMS	2711.25	-43.24	-25	Pass	401
3000	12000	1	RMS	5370	-47.98	-25	Pass	9001
12000	27000	1	RMS	25588	-38.82	-25	Pass	15001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.15	-25	Pass	2986
30	1000	0.1	RMS	891.8	-56.94	-25	Pass	9701
1000	2486	1	RMS	2485	-44.08	-25	Pass	1487
2486	2700	1	RMS	2685.02	19.66	60	Pass	401
2700	3000	1	RMS	2700	-43.35	-25	Pass	401
3000	12000	1	RMS	5371	-47.95	-25	Pass	9001
12000	27000	1	RMS	25602	-38.86	-25	Pass	15001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.74	-25	Pass	2986
30	1000	0.1	RMS	988	-56.98	-25	Pass	9701
1000	2486	1	RMS	2486	-42.03	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.2	60	Pass	401
2700	3000	1	RMS	2700	-43.63	-25	Pass	401
3000	12000	1	RMS	7490	-56.07	-25	Pass	9001
12000	27000	1	RMS	25608	-38.81	-25	Pass	15001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.59	-25	Pass	2986
30	1000	0.1	RMS	897.4	-56.99	-25	Pass	9701
1000	2486	1	RMS	2479	-41.57	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.81	60	Pass	401
2700	3000	1	RMS	2700.75	-43.67	-25	Pass	401
3000	12000	1	RMS	4993	-56	-25	Pass	9001
12000	27000	1	RMS	25607	-38.88	-25	Pass	15001



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.96	-25	Pass	2986
30	1000	0.1	RMS	949.9	-56.99	-25	Pass	9701
1000	2486	1	RMS	2486	-44.08	-25	Pass	1487
2486	2700	1	RMS	2588.185	20.43	60	Pass	401
2700	3000	1	RMS	2702.25	-43.68	-25	Pass	401
3000	12000	1	RMS	5177	-51	-25	Pass	9001
12000	27000	1	RMS	25599	-38.78	-25	Pass	15001



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.74	-25	Pass	2986
30	1000	0.1	RMS	895.6	-56.92	-25	Pass	9701
1000	2486	1	RMS	2444	-44.06	-25	Pass	1487
2486	2700	1	RMS	2588.72	19.91	60	Pass	401
2700	3000	1	RMS	2700	-43.66	-25	Pass	401
3000	12000	1	RMS	7766	-51.26	-25	Pass	9001
12000	27000	1	RMS	25596	-38.84	-25	Pass	15001



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.59	-25	Pass	2986
30	1000	0.1	RMS	882.1	-57.02	-25	Pass	9701
1000	2486	1	RMS	2452	-44.12	-25	Pass	1487
2486	2700	1	RMS	2680.74	20.81	60	Pass	401
2700	3000	1	RMS	2706.75	-43.26	-25	Pass	401
3000	12000	1	RMS	5362	-52.07	-25	Pass	9001
12000	27000	1	RMS	25590	-38.87	-25	Pass	15001



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.77	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.68	-25	Pass	2986
30	1000	0.1	RMS	990.4	-56.91	-25	Pass	9701
1000	2486	1	RMS	2426	-44.06	-25	Pass	1487
2486	2700	1	RMS	2680.74	19.37	60	Pass	401
2700	3000	1	RMS	2706.75	-43.38	-25	Pass	401
3000	12000	1	RMS	5362	-51.05	-25	Pass	9001
12000	27000	1	RMS	25605	-38.79	-25	Pass	15001



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.7	-25	Pass	2986
30	1000	0.1	RMS	880.2	-56.74	-25	Pass	9701
1000	2486	1	RMS	2486	-41.93	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.13	60	Pass	401
2700	3000	1	RMS	2700	-43.66	-25	Pass	401
3000	12000	1	RMS	11868	-58.17	-25	Pass	9001
12000	27000	1	RMS	25595	-38.81	-25	Pass	15001



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.14	-25	Pass	2986
30	1000	0.1	RMS	916.4	-56.97	-25	Pass	9701
1000	2486	1	RMS	2470	-41.52	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.52	60	Pass	401
2700	3000	1	RMS	2700.75	-43.66	-25	Pass	401
3000	12000	1	RMS	4994	-57.02	-25	Pass	9001
12000	27000	1	RMS	25602	-38.82	-25	Pass	15001



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.91	-25	Pass	2986
30	1000	0.1	RMS	906.5	-56.9	-25	Pass	9701
1000	2486	1	RMS	2476	-44.1	-25	Pass	1487
2486	2700	1	RMS	2586.045	21.26	60	Pass	401
2700	3000	1	RMS	2702.25	-43.69	-25	Pass	401
3000	12000	1	RMS	7759	-50.36	-25	Pass	9001
12000	27000	1	RMS	25612	-38.74	-25	Pass	15001



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.2	-25	Pass	2986
30	1000	0.1	RMS	879	-57.05	-25	Pass	9701
1000	2486	1	RMS	2485	-44.07	-25	Pass	1487
2486	2700	1	RMS	2586.045	20.07	60	Pass	401
2700	3000	1	RMS	2702.25	-43.71	-25	Pass	401
3000	12000	1	RMS	5173	-51.61	-25	Pass	9001
12000	27000	1	RMS	25616	-38.88	-25	Pass	15001



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.14	-25	Pass	2986
30	1000	0.1	RMS	882.9	-56.97	-25	Pass	9701
1000	2486	1	RMS	2443	-44.04	-25	Pass	1487
2486	2700	1	RMS	2675.925	21.25	60	Pass	401
2700	3000	1	RMS	2702.25	-32.65	-25	Pass	401
3000	12000	1	RMS	5352	-47.2	-25	Pass	9001
12000	27000	1	RMS	25600	-38.8	-25	Pass	15001



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.79	-25	Pass	2986
30	1000	0.1	RMS	969.7	-56.97	-25	Pass	9701
1000	2486	1	RMS	2436	-44.11	-25	Pass	1487
2486	2700	1	RMS	2675.925	19.31	60	Pass	401
2700	3000	1	RMS	2702.25	-33.32	-25	Pass	401
3000	12000	1	RMS	5352	-47.67	-25	Pass	9001
12000	27000	1	RMS	25606	-38.8	-25	Pass	15001



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.21	-25	Pass	2986
30	1000	0.1	RMS	985.7	-56.99	-25	Pass	9701
1000	2486	1	RMS	2486	-42.09	-25	Pass	1487
2486	2700	1	RMS	2497.235	21.09	60	Pass	401
2700	3000	1	RMS	2700	-43.67	-25	Pass	401
3000	12000	1	RMS	11848	-58.15	-25	Pass	9001
12000	27000	1	RMS	25597	-38.77	-25	Pass	15001



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.12	-25	Pass	2986
30	1000	0.1	RMS	934.8	-56.97	-25	Pass	9701
1000	2486	1	RMS	2462	-42.29	-25	Pass	1487
2486	2700	1	RMS	2496.7	19.52	60	Pass	401
2700	3000	1	RMS	2700	-43.67	-25	Pass	401
3000	12000	1	RMS	4994	-57.42	-25	Pass	9001
12000	27000	1	RMS	25610	-38.8	-25	Pass	15001



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.75	-25	Pass	2986
30	1000	0.1	RMS	972.1	-57.03	-25	Pass	9701
1000	2486	1	RMS	2482	-44.1	-25	Pass	1487
2486	2700	1	RMS	2583.905	21.34	60	Pass	401
2700	3000	1	RMS	2703	-43.66	-25	Pass	401
3000	12000	1	RMS	7752	-49.49	-25	Pass	9001
12000	27000	1	RMS	25576	-38.83	-25	Pass	15001



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.08	-25	Pass	2986
30	1000	0.1	RMS	963.7	-57	-25	Pass	9701
1000	2486	1	RMS	2480	-44.09	-25	Pass	1487
2486	2700	1	RMS	2583.905	19.9	60	Pass	401
2700	3000	1	RMS	2700	-43.65	-25	Pass	401
3000	12000	1	RMS	7752	-48.12	-25	Pass	9001
12000	27000	1	RMS	25602	-38.8	-25	Pass	15001



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.08	-25	Pass	2986
30	1000	0.1	RMS	877.9	-57	-25	Pass	9701
1000	2486	1	RMS	2451	-44.1	-25	Pass	1487
2486	2700	1	RMS	2671.11	21.06	60	Pass	401
2700	3000	1	RMS	2706.75	-32.6	-25	Pass	401
3000	12000	1	RMS	5342	-50.96	-25	Pass	9001
12000	27000	1	RMS	25605	-38.81	-25	Pass	15001



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.24	-25	Pass	2986
30	1000	0.1	RMS	877.1	-56.94	-25	Pass	9701
1000	2486	1	RMS	2425	-44.1	-25	Pass	1487
2486	2700	1	RMS	2671.11	19.71	60	Pass	401
2700	3000	1	RMS	2706.75	-32.49	-25	Pass	401
3000	12000	1	RMS	8013	-51.73	-25	Pass	9001
12000	27000	1	RMS	25587	-38.86	-25	Pass	15001



--BLANK BELOW--