





11G-Ant1-2412-PASS



11G-Ant1-2462-PASS



11N20SISO-Ant1-2412-PASS



11N20SISO-Ant1-2462-PASS





11N40SISO-Ant1-2422-PASS




11N40SISO-Ant1-2452-PASS

Conducted Spurious Emission Test Graphs







11B-Ant1-2437-30~1000-PASS




11B-Ant1-2437-1000~25000-PASS




11B-Ant1-2462-30~1000-PASS




11B-Ant1-2462-1000~25000-PASS




11G-Ant1-2412-30~1000-PASS




11G-Ant1-2412-1000~25000-PASS




11G-Ant1-2437-30~1000-PASS




11G-Ant1-2437-1000~25000-PASS




11G-Ant1-2462-30~1000-PASS




11G-Ant1-2462-1000~25000-PASS




11N20SISO-Ant1-2412-30~1000-PASS




11N20SISO-Ant1-2412-1000~25000-PASS




11N20SISO-Ant1-2437-30~1000-PASS




11N20SISO-Ant1-2437-1000~25000-PASS




11N20SISO-Ant1-2462-30~1000-PASS




11N20SISO-Ant1-2462-1000~25000-PASS




11N40SISO-Ant1-2422-30~1000-PASS




11N40SISO-Ant1-2422-1000~25000-PASS




11N40SISO-Ant1-2437-30~1000-PASS



11N40SISO-Ant1-2437-1000~25000-PASS



11N40SISO-Ant1-2452-30~1000-PASS




11N40SISO-Ant1-2452-1000~25000-PASS


- Notes:
- Offset = Cable loss

Duty cycle


TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor
11B	Ant1	2412	27.00	27.00	100.00	0.00
11B	Ant1	2437	27.00	27.00	100.00	0.00
11B	Ant1	2462	27.00	27.00	100.00	0.00
11G	Ant1	2412	27.00	27.00	100.00	0.00
11G	Ant1	2437	27.00	27.00	100.00	0.00
11G	Ant1	2462	27.00	27.00	100.00	0.00
11N20SISO	Ant1	2412	27.00	27.00	100.00	0.00
11N20SISO	Ant1	2437	27.00	27.00	100.00	0.00
11N20SISO	Ant1	2462	27.00	27.00	100.00	0.00
11N40SISO	Ant1	2422	27.00	27.00	100.00	0.00
11N40SISO	Ant1	2437	27.00	27.00	100.00	0.00
11N40SISO	Ant1	2452	27.00	27.00	100.00	0.00

Test Graphs







NTNV-11B-Ant1-2437




NTNV-11B-Ant1-2462




NTVN-11G-Ant1-2412




NTVN-11G-Ant1-2437




NTVN-11G-Ant1-2462




NTVN-11N20SISO-Ant1-2412




NTNV-11N20SISO-Ant1-2437



NTNV-11N20SISO-Ant1-2462






NTNV-11N40SISO-Ant1-2452

Emissions in Restricted Bands

Transmit at 2412MHz by 802.11b

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	46.81	39.75	-7.060	74.00	34.25	PK	Horizo	PASS
2	7236.00	44.68	44.50	-0.180	74.00	29.50	PK	Horizo	PASS
3	9648.00	42.60	44.98	2.380	74.00	29.02	PK	Horizo	PASS
4	4824.50	40.85	33.79	-7.060	54.00	20.21	AV	Horizo	PASS
5	7236.00	35.89	35.71	-0.180	54.00	18.29	AV	Horizo	PASS
6	9648.00	34.36	36.74	2.380	54.00	17.26	AV	Horizo	PASS

Transmit at 2412MHz by 802.11b

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	46.75	39.69	-7.060	74.00	34.31	PK	Vertic	PASS
2	7236.00	43.55	43.37	-0.180	74.00	30.63	PK	Vertic	PASS
3	9648.00	42.48	44.86	2.380	74.00	29.14	PK	Vertic	PASS
4	4824.00	38.48	31.42	-7.060	54.00	22.58	AV	Vertic	PASS
5	7236.00	34.86	34.68	-0.180	54.00	19.32	AV	Vertic	PASS
6	9648.00	34.60	36.98	2.380	54.00	17.02	AV	Vertic	PASS

Transmit at 2437MHz by 802.11b

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	47.28	40.24	-7.040	74.00	33.76	PK	Horizo	PASS
2	7311.00	44.15	43.96	-0.190	74.00	30.04	PK	Horizo	PASS
3	9748.00	42.26	44.60	2.340	74.00	29.40	PK	Horizo	PASS
4	4874.50	43.52	36.48	-7.040	54.00	17.52	AV	Horizo	PASS
5	7311.00	37.04	36.85	-0.190	54.00	17.15	AV	Horizo	PASS
6	9748.00	33.89	36.23	2.340	54.00	17.77	AV	Horizo	PASS

Transmit at 2437MHz by 802.11b

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	46.38	39.34	-7.040	74.00	34.66	PK	Vertic	PASS
2	7311.00	43.49	43.30	-0.190	74.00	30.70	PK	Vertic	PASS
3	9748.00	40.76	43.10	2.340	74.00	30.90	PK	Vertic	PASS
4	4874.50	39.70	32.66	-7.040	54.00	21.34	AV	Vertic	PASS
5	7311.00	36.50	36.31	-0.190	54.00	17.69	AV	Vertic	PASS
6	9748.00	33.47	35.81	2.340	54.00	18.19	AV	Vertic	PASS

Transmit at 2462MHz by 802.11b

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	48.92	42.04	-6.880	74.00	31.96	PK	Horizo	PASS
2	7386.00	43.34	43.27	-0.070	74.00	30.73	PK	Horizo	PASS
3	9848.00	43.62	46.21	2.590	74.00	27.79	PK	Horizo	PASS
4	4924.50	43.14	36.26	-6.880	54.00	17.74	AV	Horizo	PASS
5	7386.00	35.44	35.37	-0.070	54.00	18.63	AV	Horizo	PASS
6	9848.00	34.06	36.65	2.590	54.00	17.35	AV	Horizo	PASS

Transmit at 2462MHz by 802.11b

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	45.54	38.66	-6.880	74.00	35.34	PK	Vertic	PASS
2	7386.00	42.43	42.36	-0.070	74.00	31.64	PK	Vertic	PASS
3	9848.00	41.04	43.63	2.590	74.00	30.37	PK	Vertic	PASS
4	4924.00	38.27	31.39	-6.880	54.00	22.61	AV	Vertic	PASS
5	7386.00	35.27	35.20	-0.070	54.00	18.80	AV	Vertic	PASS
6	9848.00	33.00	35.59	2.590	54.00	18.41	AV	Vertic	PASS

Transmit at 2412MHz by 802.11g

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	46.12	39.06	-7.060	74.00	34.94	PK	Horizo	PASS
2	7236.00	42.72	42.54	-0.180	74.00	31.46	PK	Horizo	PASS
3	9648.00	42.45	44.83	2.380	74.00	29.17	PK	Horizo	PASS
4	4824.00	37.74	30.68	-7.060	54.00	23.32	AV	Horizo	PASS
5	7236.00	35.73	35.55	-0.180	54.00	18.45	AV	Horizo	PASS
6	9648.00	35.09	37.47	2.380	54.00	16.53	AV	Horizo	PASS

Transmit at 2412MHz by 802.11g

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	45.17	38.11	-7.060	74.00	35.89	PK	Vertic	PASS
2	7236.00	41.86	41.68	-0.180	74.00	32.32	PK	Vertic	PASS
3	9648.00	42.18	44.56	2.380	74.00	29.44	PK	Vertic	PASS
4	4824.00	38.12	31.06	-7.060	54.00	22.94	AV	Vertic	PASS
5	7236.00	33.78	33.60	-0.180	54.00	20.40	AV	Vertic	PASS
6	9648.00	34.39	36.77	2.380	54.00	17.23	AV	Vertic	PASS

Transmit at 2437MHz by 802.11g

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	46.41	39.37	-7.040	74.00	34.63	PK	Horizo	PASS
2	7311.00	43.00	42.81	-0.190	74.00	31.19	PK	Horizo	PASS
3	9748.00	40.97	43.31	2.340	74.00	30.69	PK	Horizo	PASS
4	4874.00	38.37	31.33	-7.040	54.00	22.67	AV	Horizo	PASS
5	7311.00	35.18	34.99	-0.190	54.00	19.01	AV	Horizo	PASS
6	9748.00	33.79	36.13	2.340	54.00	17.87	AV	Horizo	PASS

Transmit at 2437MHz by 802.11g

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	45.49	38.45	-7.040	74.00	35.55	PK	Vertic	PASS
2	7311.00	43.30	43.11	-0.190	74.00	30.89	PK	Vertic	PASS
3	9748.00	41.24	43.58	2.340	74.00	30.42	PK	Vertic	PASS
4	4874.00	37.71	30.67	-7.040	54.00	23.33	AV	Vertic	PASS
5	7311.00	34.88	34.69	-0.190	54.00	19.31	AV	Vertic	PASS
6	9748.00	34.31	36.65	2.340	54.00	17.35	AV	Vertic	PASS

Transmit at 2462MHz by 802.11g

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	46.24	39.36	-6.880	74.00	34.64	PK	Horizo	PASS
2	7386.00	43.18	43.11	-0.070	74.00	30.89	PK	Horizo	PASS
3	9848.00	42.44	45.03	2.590	74.00	28.97	PK	Horizo	PASS
4	4924.00	37.87	30.99	-6.880	54.00	23.01	AV	Horizo	PASS
5	7386.00	34.85	34.78	-0.070	54.00	19.22	AV	Horizo	PASS
6	9848.00	33.81	36.40	2.590	54.00	17.60	AV	Horizo	PASS

Transmit at 2462MHz by 802.11g

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	45.11	38.23	-6.880	74.00	35.77	PK	Vertic	PASS
2	7386.00	42.84	42.77	-0.070	74.00	31.23	PK	Vertic	PASS
3	9848.00	42.09	44.68	2.590	74.00	29.32	PK	Vertic	PASS
4	4924.00	38.27	31.39	-6.880	54.00	22.61	AV	Vertic	PASS
5	7386.00	35.05	34.98	-0.070	54.00	19.02	AV	Vertic	PASS
6	9848.00	32.95	35.54	2.590	54.00	18.46	AV	Vertic	PASS

Transmit at 2412MHz by 802.11n(20MHz)

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	45.15	38.09	-7.060	74.00	35.91	PK	Horizo	PASS
2	7236.00	42.44	42.26	-0.180	74.00	31.74	PK	Horizo	PASS
3	9648.00	42.97	45.35	2.380	74.00	28.65	PK	Horizo	PASS
4	4824.00	37.97	30.91	-7.060	54.00	23.09	AV	Horizo	PASS
5	7236.00	34.70	34.52	-0.180	54.00	19.48	AV	Horizo	PASS
6	9648.00	34.31	36.69	2.380	54.00	17.31	AV	Horizo	PASS

Transmit at 2412MHz by 802.11n(20MHz)

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	45.32	38.26	-7.060	74.00	35.74	PK	Vertic	PASS
2	7236.00	42.30	42.12	-0.180	74.00	31.88	PK	Vertic	PASS
3	9648.00	41.62	44.00	2.380	74.00	30.00	PK	Vertic	PASS
4	4824.00	37.77	30.71	-7.060	54.00	23.29	AV	Vertic	PASS
5	7236.00	35.06	34.88	-0.180	54.00	19.12	AV	Vertic	PASS
6	9648.00	34.85	37.23	2.380	54.00	16.77	AV	Vertic	PASS

Transmit at 2437MHz by 802.11n(20MHz)

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	45.86	38.82	-7.040	74.00	35.18	PK	Horizo	PASS
2	7311.00	42.75	42.56	-0.190	74.00	31.44	PK	Horizo	PASS
3	9748.00	41.38	43.72	2.340	74.00	30.28	PK	Horizo	PASS
4	4874.00	37.63	30.59	-7.040	54.00	23.41	AV	Horizo	PASS
5	7311.00	35.53	35.34	-0.190	54.00	18.66	AV	Horizo	PASS
6	9748.00	33.59	35.93	2.340	54.00	18.07	AV	Horizo	PASS

Transmit at 2437MHz by 802.11n(20MHz)

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	46.21	39.17	-7.040	74.00	34.83	PK	Vertic	PASS
2	7311.00	42.84	42.65	-0.190	74.00	31.35	PK	Vertic	PASS
3	9748.00	40.87	43.21	2.340	74.00	30.79	PK	Vertic	PASS
4	4874.00	37.53	30.49	-7.040	54.00	23.51	AV	Vertic	PASS
5	7311.00	34.79	34.60	-0.190	54.00	19.40	AV	Vertic	PASS
6	9748.00	34.62	36.96	2.340	54.00	17.04	AV	Vertic	PASS

Transmit at 2462MHz by 802.11n(20MHz)

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	45.64	38.76	-6.880	74.00	35.24	PK	Horizo	PASS
2	7386.00	43.29	43.22	-0.070	74.00	30.78	PK	Horizo	PASS
3	9848.00	40.97	43.56	2.590	74.00	30.44	PK	Horizo	PASS
4	4924.00	36.98	30.10	-6.880	54.00	23.90	AV	Horizo	PASS
5	7386.00	35.67	35.60	-0.070	54.00	18.40	AV	Horizo	PASS
6	9848.00	33.37	35.96	2.590	54.00	18.04	AV	Horizo	PASS

Transmit at 2462MHz by 802.11n(20MHz)

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	45.64	38.76	-6.880	74.00	35.24	PK	Vertic	PASS
2	7386.00	42.67	42.60	-0.070	74.00	31.40	PK	Vertic	PASS
3	9848.00	40.58	43.17	2.590	74.00	30.83	PK	Vertic	PASS
4	4924.00	37.47	30.59	-6.880	54.00	23.41	AV	Vertic	PASS
5	7386.00	35.07	35.00	-0.070	54.00	19.00	AV	Vertic	PASS
6	9848.00	33.26	35.85	2.590	54.00	18.15	AV	Vertic	PASS

Transmit at 2422MHz by 802.11n(40MHz)

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	46.61	39.56	-7.050	74.00	34.44	PK	Horizo	PASS
2	7266.00	43.06	42.88	-0.180	74.00	31.12	PK	Horizo	PASS
3	9688.00	41.42	43.58	2.160	74.00	30.42	PK	Horizo	PASS
4	4844.00	37.56	30.51	-7.050	54.00	23.49	AV	Horizo	PASS
5	7266.00	34.59	34.41	-0.180	54.00	19.59	AV	Horizo	PASS
6	9688.00	34.10	36.26	2.160	54.00	17.74	AV	Horizo	PASS

Transmit at 2422MHz by 802.11n(40MHz)

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	45.20	38.15	-7.050	74.00	35.85	PK	Vertic	PASS
2	7266.00	42.39	42.21	-0.180	74.00	31.79	PK	Vertic	PASS
3	9688.00	42.18	44.34	2.160	74.00	29.66	PK	Vertic	PASS
4	4844.00	37.66	30.61	-7.050	54.00	23.39	AV	Vertic	PASS
5	7266.00	35.09	34.91	-0.180	54.00	19.09	AV	Vertic	PASS
6	9688.00	33.99	36.15	2.160	54.00	17.85	AV	Vertic	PASS

Transmit at 2437MHz by 802.11n(40MHz)

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	46.25	39.21	-7.040	74.00	34.79	PK	Horizo	PASS
2	7292.00	45.76	45.57	-0.190	74.00	28.43	PK	Horizo	PASS
3	9748.00	41.92	44.26	2.340	74.00	29.74	PK	Horizo	PASS
4	4874.00	37.78	30.74	-7.040	54.00	23.26	AV	Horizo	PASS
5	7311.00	34.58	34.39	-0.190	54.00	19.61	AV	Horizo	PASS
6	9748.00	33.78	36.12	2.340	54.00	17.88	AV	Horizo	PASS

Transmit at 2437MHz by 802.11n(40MHz)

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	45.55	38.51	-7.040	74.00	35.49	PK	Vertic	PASS
2	7311.00	42.81	42.62	-0.190	74.00	31.38	PK	Vertic	PASS
3	9748.00	41.39	43.73	2.340	74.00	30.27	PK	Vertic	PASS
4	4874.00	37.32	30.28	-7.040	54.00	23.72	AV	Vertic	PASS
5	7311.00	35.65	35.46	-0.190	54.00	18.54	AV	Vertic	PASS
6	9748.00	34.76	37.10	2.340	54.00	16.90	AV	Vertic	PASS

Transmit at 2452MHz by 802.11n(40MHz)

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	44.81	37.81	-7.000	74.00	36.19	PK	Horizo	PASS
2	7356.00	44.41	44.30	-0.110	74.00	29.70	PK	Horizo	PASS
3	9808.00	41.76	44.36	2.600	74.00	29.64	PK	Horizo	PASS
4	4904.00	37.99	30.99	-7.000	54.00	23.01	AV	Horizo	PASS
5	7356.00	36.07	35.96	-0.110	54.00	18.04	AV	Horizo	PASS
6	9808.00	34.29	36.89	2.600	54.00	17.11	AV	Horizo	PASS

Transmit at 2452MHz by 802.11n(40MHz)

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	45.31	38.31	-7.000	74.00	35.69	PK	Vertic	PASS
2	7356.00	44.11	44.00	-0.110	74.00	30.00	PK	Vertic	PASS
3	9808.00	41.47	44.07	2.600	74.00	29.93	PK	Vertic	PASS
4	4904.00	37.73	30.73	-7.000	54.00	23.27	AV	Vertic	PASS
5	7356.00	35.17	35.06	-0.110	54.00	18.94	AV	Vertic	PASS
6	9808.00	33.68	36.28	2.600	54.00	17.72	AV	Vertic	PASS

Transmit at 2412MHz by 802.11b

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	35.09	42.84	22.92	-19.920	40.00	17.08	PK	Horizo	PASS
2	62.98	40.46	20.32	-20.140	40.00	19.68	PK	Horizo	PASS
3	94.51	50.00	25.85	-24.150	43.50	17.65	PK	Horizo	PASS
4	159.98	37.60	18.77	-18.830	43.50	24.73	PK	Horizo	PASS
5	320.27	45.78	27.71	-18.070	46.00	18.29	PK	Horizo	PASS
6	640.62	51.08	40.10	-10.980	46.00	5.90	PK	Horizo	PASS

Transmit at 2412MHz by 802.11b

Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	35.09	50.57	30.65	-19.920	40.00	9.35	PK	Vertic	PASS
2	61.28	48.17	28.31	-19.860	40.00	11.69	PK	Vertic	PASS
3	94.51	57.46	33.31	-24.150	43.50	10.19	PK	Vertic	PASS
4	115.12	51.36	29.68	-21.680	43.50	13.82	PK	Vertic	PASS
5	559.86	37.28	24.81	-12.470	46.00	21.19	PK	Vertic	PASS
6	639.40	37.08	26.10	-10.980	46.00	19.90	PK	Vertic	PASS


Note: Level = Reading + Factor (Antenna factor + Amplifier factor + Cable loss)

Note: In the report, for the sections below 1G and 18~40G, verification tests were only performed on the worst channel in the worst mode of the 1~18G range.

Note: All test data above 18GHz are noise base, so no data shown in this report.

AC Power Line Conducted Emission

Probe: ENV216_101189(0.009-30MHz)	Polarity: Line
Note: Transmit at 2412MHz by 802.11b	Power: AC 120V/60Hz




No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.010	29.532	19.183	-80.468	110.000	10.349	QP
2		0.025	30.033	19.998	-79.967	110.000	10.035	QP
3		0.050	30.041	20.310	-59.959	90.000	9.731	QP
4		0.078	28.077	18.373	-57.875	85.952	9.704	QP
5		0.104	26.184	16.495	-57.150	83.334	9.689	QP
6	*	0.129	25.757	16.078	-55.616	81.373	9.679	QP

Probe: ENV216_101189(0.009-30MHz)

Polarity: Line

Note: Transmit at 2412MHz by 802.11b

Power: AC 120V/60Hz




No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.152	41.071	31.400	-24.819	65.890	9.671	QP
2		0.555	35.738	26.046	-20.262	56.000	9.691	QP
3		1.304	27.887	18.168	-28.113	56.000	9.719	QP
4		3.376	28.958	19.159	-27.042	56.000	9.799	QP
5	*	12.719	40.148	30.175	-19.852	60.000	9.973	QP
6		25.654	29.245	18.498	-30.755	60.000	10.747	QP

Probe: ENV216_101189(0.009-30MHz)

Polarity: Neutral

Note: Transmit at 2412MHz by 802.11b

Power: AC 120V/60Hz




No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.010	28.620	18.232	-81.380	110.000	10.388	QP
2		0.025	29.993	19.936	-80.007	110.000	10.057	QP
3		0.050	29.681	19.950	-60.319	90.000	9.731	QP
4		0.075	28.172	18.481	-58.137	86.309	9.691	QP
5		0.104	26.240	16.583	-57.094	83.334	9.657	QP
6	*	0.130	25.413	15.733	-55.889	81.303	9.680	QP

Probe: ENV216_101189(0.009-30MHz)

Polarity: Neutral

Note: Transmit at 2412MHz by 802.11b

Power: AC 120V/60Hz



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.152	41.504	31.816	-24.386	65.890	9.689	QP
2	*	0.546	42.479	32.873	-13.521	56.000	9.606	QP
3		1.592	32.041	22.352	-23.959	56.000	9.689	QP
4		3.318	33.959	24.204	-22.041	56.000	9.755	QP
5		12.959	39.938	29.928	-20.062	60.000	10.010	QP
6		25.982	28.347	17.491	-31.653	60.000	10.856	QP

Note: Level = Reading + Factor (Antenna factor + Amplifier factor + Cable loss)

_____ The End _____