

USERINSTRUCTION

Pixie String Lights


3939



I .ProductParameter:

Category	LEDController
DominationPrinciple	BT
APP	ZENGGE
PartNumber	ZJ-BCUAS-HC2-1K-DZ-Z
InputVoltage	5V
MaxOutputPower	144W
WorkFor	PixelLEDStrip
ConnectMethod	CommonAnode
WorkingTemperature	-20~+55°C
ControlDistance	Visibledistance30M
Certification	CE,RoHS,FCC
Warranty	1Year
NetWeight	10.5g
Dimension(L*B*H)	74MM*19MM*15MM


1. Remote Controller Key Instruction



2.APP functions are introduced in detail:


a).Colors

- 1) Light color adjustment is divided into whole sections and segments, providing different columns for color selection or editing, and can adjust the brightness.
- 2) In the segmentation interface, you can smear or erase the color of the segmentation and set the gradient effect.




b) Game features

The game functions include "Shake" and "Camera Color" functions, click "Shake" to shake the phone, and the light will change color with the shake of the phone; The "Camera Pick" function can pick colors manually or automatically.



c) Scene Mode

Built-in atmosphere, life, landscape, festival, mood four categories of scene mode light effect selection, and you can click "Favorites" to add custom scenes.




d).Music Mode

①Musical pattern:The lights jump and change with the music


Click "Add Music" to import the music file or import from the built-in music library.

Note: IOS requires downloading music files to iTunes or following the instructions to import music from a PC, while Android requires downloading music files to your phone to use.




②microphone

Mobile phone microphone or device microphone function (voice-activated version only), according to the signal received by the microphone into a different rhythm of the light effectAdjustable brightness and sensitivity.




e).Light timer

- 1) Switch on and off the lights they control based on the time you set.
- 2) When you turn on the light, you can freely choose different lighting effects in different colors or scenes.




f).About setting

In Settings, you can view device information and set color calibration and lamp number.



g).Grouping operations

Multiple controllers can be classified into the same group, and the devices in the group can be controlled by one-key dimming, color tuning, switching and other functions at the same time.



Notice:

- 1) Please use the product in a dry environment;
- 2) The input voltage must be 5V DC. Do not use 220V AC power directly;
- 3) This product is anode connection mode, do not connect wrong, easy to lead to product failure.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.