


Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Z+CH0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2441.20	42.46	2.29	44.75	-	-	Horizontal	NA
2	2923.20	29.01	5.41	34.42	54.00	19.58	Horizontal	PASS
3	6868.50	38.68	-2.25	36.43	54.00	17.57	Horizontal	PASS
4	17351.50	32.89	12.80	45.69	54.00	8.31	Horizontal	PASS
5	2440.80	44.83	2.29	47.12	-	-	Horizontal	NA
6	2913.80	38.44	5.37	43.81	74.00	30.19	Horizontal	PASS
7	6850.50	45.96	-2.32	43.64	74.00	30.36	Horizontal	PASS
8	17341.00	40.92	12.45	53.37	74.00	20.63	Horizontal	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Z+CH0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2441.20	40.46	2.29	42.75	-	-	Vertical	NA
2	2941.80	29.41	5.49	34.90	54.00	19.10	Vertical	PASS
3	8119.00	37.49	0.48	37.97	54.00	16.03	Vertical	PASS
4	17349.00	33.30	12.82	46.12	54.00	7.88	Vertical	PASS
5	2441.00	43.30	2.29	45.59	-	-	Vertical	NA
6	2941.20	39.42	5.49	44.91	74.00	29.09	Vertical	PASS
7	8118.50	45.02	0.47	45.49	74.00	28.51	Vertical	PASS
8	17350.00	39.22	12.86	52.08	74.00	21.92	Vertical	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	High
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Z+CH0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	48.90	2.37	51.27	-	-	Horizontal	NA
2	2899.80	29.33	5.30	34.63	54.00	19.37	Horizontal	PASS
3	5150.00	39.57	-6.69	32.88	54.00	21.12	Horizontal	PASS
4	8878.00	37.95	2.21	40.16	54.00	13.84	Horizontal	PASS
5	2480.20	49.91	2.37	52.28	-	-	Horizontal	NA
6	2922.80	38.27	5.41	43.68	74.00	30.32	Horizontal	PASS
7	5172.00	47.61	-6.80	40.81	74.00	33.19	Horizontal	PASS
8	8877.50	43.98	2.22	46.20	74.00	27.80	Horizontal	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	High
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Z+CH0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	46.72	2.37	49.09	-	-	Vertical	NA
2	2924.20	29.25	5.41	34.66	54.00	19.34	Vertical	PASS
3	4786.00	39.41	-7.65	31.76	54.00	22.24	Vertical	PASS
4	7022.00	38.70	-1.93	36.77	54.00	17.23	Vertical	PASS
5	2480.20	48.01	2.37	50.38	-	-	Vertical	NA
6	2899.60	38.49	5.30	43.79	74.00	30.21	Vertical	PASS
7	4794.00	46.79	-7.58	39.21	74.00	34.79	Vertical	PASS
8	6988.00	45.38	-1.96	43.42	74.00	30.58	Vertical	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	Low
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Y+CH1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	40.77	2.22	42.99	-	-	Horizontal	NA
2	2898.00	29.33	5.29	34.62	54.00	19.38	Horizontal	PASS
3	5091.00	39.52	-7.50	32.02	54.00	21.98	Horizontal	PASS
4	8874.50	37.12	2.27	39.39	54.00	14.61	Horizontal	PASS
5	2402.00	43.76	2.22	45.98	-	-	Horizontal	NA
6	2848.40	38.71	5.03	43.74	74.00	30.26	Horizontal	PASS
7	5285.50	45.89	-6.40	39.49	74.00	34.51	Horizontal	PASS
8	9172.00	43.97	3.06	47.03	74.00	26.97	Horizontal	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	Low
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Y+CH1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	44.93	2.22	47.15	-	-	Vertical	NA
2	2898.60	29.47	5.30	34.77	54.00	19.23	Vertical	PASS
3	7187.50	37.94	-1.77	36.17	54.00	17.83	Vertical	PASS
4	17347.00	33.08	12.73	45.81	54.00	8.19	Vertical	PASS
5	2401.80	46.89	2.22	49.11	-	-	Vertical	NA
6	2984.00	38.42	5.22	43.64	74.00	30.36	Vertical	PASS
7	7021.50	45.30	-1.93	43.37	74.00	30.63	Vertical	PASS
8	17355.50	39.82	12.65	52.47	74.00	21.53	Vertical	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Y+CH1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2441.20	38.81	2.29	41.10	-	-	Horizontal	NA
2	2850.20	29.74	5.04	34.78	54.00	19.22	Horizontal	PASS
3	5148.50	38.00	-6.72	31.28	54.00	22.72	Horizontal	PASS
4	9618.00	36.36	2.85	39.21	54.00	14.79	Horizontal	PASS
5	2441.00	42.07	2.29	44.36	-	-	Horizontal	NA
6	2864.60	38.59	5.12	43.71	74.00	30.29	Horizontal	PASS
7	4955.00	45.13	-7.55	37.58	74.00	36.42	Horizontal	PASS
8	9681.00	42.96	3.22	46.18	74.00	27.82	Horizontal	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Y+CH1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2441.20	43.69	2.29	45.98	-	-	Vertical	NA
2	2915.60	29.42	5.37	34.79	54.00	19.21	Vertical	PASS
3	4800.50	40.81	-7.54	33.27	54.00	20.73	Vertical	PASS
4	10485.00	36.42	4.11	40.53	54.00	13.47	Vertical	PASS
5	2440.80	46.14	2.29	48.43	-	-	Vertical	NA
6	2949.80	38.13	5.53	43.66	74.00	30.34	Vertical	PASS
7	4889.50	46.37	-8.01	38.36	74.00	35.64	Vertical	PASS
8	10766.00	42.67	4.32	46.99	74.00	27.01	Vertical	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	High
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Y+CH1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	43.46	2.37	45.83	-	-	Horizontal	NA
2	2911.60	29.34	5.35	34.69	54.00	19.31	Horizontal	PASS
3	7056.00	38.38	-2.14	36.24	54.00	17.76	Horizontal	PASS
4	8828.00	36.43	2.49	38.92	54.00	15.08	Horizontal	PASS
5	2479.80	45.49	2.37	47.86	-	-	Horizontal	NA
6	2912.00	38.50	5.35	43.85	74.00	30.15	Horizontal	PASS
7	6864.50	44.62	-2.26	42.36	74.00	31.64	Horizontal	PASS
8	8830.00	43.86	2.51	46.37	74.00	27.63	Horizontal	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	High
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Y+CH1		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	50.04	2.37	52.41	-	-	Vertical	NA
2	2834.80	29.63	4.96	34.59	54.00	19.41	Vertical	PASS
3	4800.50	38.73	-7.54	31.19	54.00	22.81	Vertical	PASS
4	8857.50	36.39	2.57	38.96	54.00	15.04	Vertical	PASS
5	2480.00	51.13	2.37	53.50	-	-	Vertical	NA
6	2810.40	39.23	4.82	44.05	74.00	29.95	Vertical	PASS
7	4782.50	45.61	-7.68	37.93	74.00	36.07	Vertical	PASS
8	9074.00	44.13	2.10	46.23	74.00	27.77	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	Low
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Z+CH0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2319.50	29.98	1.19	31.17	54.00	22.83	Horizontal	PASS
2	2355.01	30.05	1.45	31.50	54.00	22.50	Horizontal	PASS
3	2389.90	30.24	1.43	31.67	54.00	22.33	Horizontal	PASS
4	2319.90	40.51	1.19	41.70	74.00	32.30	Horizontal	PASS
5	2355.17	40.34	1.45	41.79	74.00	32.21	Horizontal	PASS
6	2389.64	40.67	1.43	42.10	74.00	31.90	Horizontal	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	Low
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Z+CH0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2321.75	30.08	1.21	31.29	54.00	22.71	Vertical	PASS
2	2346.42	30.14	1.42	31.56	54.00	22.44	Vertical	PASS
3	2389.68	32.08	1.43	33.51	54.00	20.49	Vertical	PASS
4	2321.47	41.19	1.20	42.39	74.00	31.61	Vertical	PASS
5	2345.92	40.53	1.41	41.94	74.00	32.06	Vertical	PASS
6	2389.64	46.68	1.43	48.11	74.00	25.89	Vertical	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	High
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Z+CH0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.63	31.65	1.86	33.51	54.00	20.49	Horizontal	PASS
2	2492.87	30.34	1.95	32.29	54.00	21.71	Horizontal	PASS
3	2498.28	30.31	2.01	32.32	54.00	21.68	Horizontal	PASS
4	2483.62	44.28	1.86	46.14	74.00	27.86	Horizontal	PASS
5	2492.87	40.61	1.95	42.56	74.00	31.44	Horizontal	PASS
6	2498.36	41.59	2.01	43.60	74.00	30.40	Horizontal	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	High
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Z+CH0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.56	31.19	1.85	33.04	54.00	20.96	Vertical	PASS
2	2491.66	30.29	1.95	32.24	54.00	21.76	Vertical	PASS
3	2497.70	30.31	2.01	32.32	54.00	21.68	Vertical	PASS
4	2483.66	42.12	1.86	43.98	74.00	30.02	Vertical	PASS
5	2491.79	41.14	1.95	43.09	74.00	30.91	Vertical	PASS
6	2497.74	41.50	2.01	43.51	74.00	30.49	Vertical	PASS

Project Information

Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	High
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Z+CH0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.63	32.11	1.86	33.97	54.00	20.03	Horizontal	PASS
2	2491.40	30.00	1.94	31.94	54.00	22.06	Horizontal	PASS
3	2497.71	30.12	2.01	32.13	54.00	21.87	Horizontal	PASS
4	2483.59	42.86	1.85	44.71	74.00	29.29	Horizontal	PASS
5	2491.32	41.03	1.94	42.97	74.00	31.03	Horizontal	PASS
6	2497.63	41.83	2.00	43.83	74.00	30.17	Horizontal	PASS

Project Information

Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	High
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Z+CH0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.55	31.41	1.85	33.26	54.00	20.74	Vertical	PASS
2	2489.67	30.39	1.92	32.31	54.00	21.69	Vertical	PASS
3	2497.58	30.23	2.00	32.23	54.00	21.77	Vertical	PASS
4	2483.55	42.62	1.85	44.47	74.00	29.53	Vertical	PASS
5	2489.74	41.12	1.92	43.04	74.00	30.96	Vertical	PASS
6	2497.57	41.18	2.00	43.18	74.00	30.82	Vertical	PASS

Project Information

Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	Low
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Z+CH0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2324.73	30.16	1.23	31.39	54.00	22.61	Horizontal	PASS
2	2355.45	30.53	1.45	31.98	54.00	22.02	Horizontal	PASS
3	2389.11	30.35	1.43	31.78	54.00	22.22	Horizontal	PASS
4	2325.14	41.30	1.24	42.54	74.00	31.46	Horizontal	PASS
5	2355.73	40.10	1.45	41.55	74.00	32.45	Horizontal	PASS
6	2389.36	40.40	1.43	41.83	74.00	32.17	Horizontal	PASS

Project Information

Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	Low
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Z+CH0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2318.09	30.48	1.18	31.66	54.00	22.34	Vertical	PASS
2	2341.06	30.47	1.37	31.84	54.00	22.16	Vertical	PASS
3	2389.80	31.21	1.43	32.64	54.00	21.36	Vertical	PASS
4	2317.87	41.52	1.17	42.69	74.00	31.31	Vertical	PASS
5	2341.38	41.53	1.38	42.91	74.00	31.09	Vertical	PASS
6	2389.30	43.03	1.43	44.46	74.00	29.54	Vertical	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	Low
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Z+CH0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2320.88	30.50	1.20	31.70	54.00	22.30	Horizontal	PASS
2	2361.00	30.55	1.44	31.99	54.00	22.01	Horizontal	PASS
3	2389.36	30.49	1.43	31.92	54.00	22.08	Horizontal	PASS
4	2321.19	40.81	1.20	42.01	74.00	31.99	Horizontal	PASS
5	2360.75	41.56	1.44	43.00	74.00	31.00	Horizontal	PASS
6	2389.80	40.36	1.43	41.79	74.00	32.21	Horizontal	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	Low
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Z+CH0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2320.16	30.64	1.19	31.83	54.00	22.17	Vertical	PASS
2	2358.74	30.79	1.45	32.24	54.00	21.76	Vertical	PASS
3	2389.74	31.43	1.43	32.86	54.00	21.14	Vertical	PASS
4	2319.72	41.02	1.19	42.21	74.00	31.79	Vertical	PASS
5	2358.27	41.18	1.45	42.63	74.00	31.37	Vertical	PASS
6	2389.83	45.04	1.43	46.47	74.00	27.53	Vertical	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	High
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Z+CH0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.59	32.18	1.85	34.03	54.00	19.97	Horizontal	PASS
2	2490.88	30.06	1.93	31.99	54.00	22.01	Horizontal	PASS
3	2495.77	30.31	1.98	32.29	54.00	21.71	Horizontal	PASS
4	2483.63	43.02	1.86	44.88	74.00	29.12	Horizontal	PASS
5	2491.12	41.09	1.93	43.02	74.00	30.98	Horizontal	PASS
6	2495.72	41.74	1.98	43.72	74.00	30.28	Horizontal	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	High
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Z+CH0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.70	31.11	1.86	32.97	54.00	21.03	Vertical	PASS
2	2491.67	30.18	1.95	32.13	54.00	21.87	Vertical	PASS
3	2499.41	30.30	2.03	32.33	54.00	21.67	Vertical	PASS
4	2483.73	41.19	1.86	43.05	74.00	30.95	Vertical	PASS
5	2491.75	41.19	1.95	43.14	74.00	30.86	Vertical	PASS
6	2499.38	40.99	2.03	43.02	74.00	30.98	Vertical	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	Low
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Y+CH1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2325.80	30.23	1.24	31.47	54.00	22.53	Horizontal	PASS
2	2358.02	30.77	1.45	32.22	54.00	21.78	Horizontal	PASS
3	2387.36	30.46	1.42	31.88	54.00	22.12	Horizontal	PASS
4	2326.61	41.62	1.25	42.87	74.00	31.13	Horizontal	PASS
5	2358.39	41.33	1.45	42.78	74.00	31.22	Horizontal	PASS
6	2387.70	41.17	1.43	42.60	74.00	31.40	Horizontal	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	Low
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Y+CH1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2324.20	30.50	1.23	31.73	54.00	22.27	Vertical	PASS
2	2344.67	30.39	1.40	31.79	54.00	22.21	Vertical	PASS
3	2389.90	31.93	1.43	33.36	54.00	20.64	Vertical	PASS
4	2323.51	41.16	1.22	42.38	74.00	31.62	Vertical	PASS
5	2344.54	41.91	1.40	43.31	74.00	30.69	Vertical	PASS
6	2389.80	43.39	1.43	44.82	74.00	29.18	Vertical	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	High
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Y+CH1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.73	30.78	1.86	32.64	54.00	21.36	Horizontal	PASS
2	2491.55	30.21	1.95	32.16	54.00	21.84	Horizontal	PASS
3	2496.37	30.40	2.00	32.40	54.00	21.60	Horizontal	PASS
4	2483.76	41.03	1.87	42.90	74.00	31.10	Horizontal	PASS
5	2491.57	40.54	1.95	42.49	74.00	31.51	Horizontal	PASS
6	2496.48	41.36	2.00	43.36	74.00	30.64	Horizontal	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	High
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Y+CH1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.94	32.36	1.87	34.23	54.00	19.77	Vertical	PASS
2	2485.13	31.45	1.87	33.32	54.00	20.68	Vertical	PASS
3	2496.65	30.46	2.00	32.46	54.00	21.54	Vertical	PASS
4	2483.63	43.58	1.86	45.44	74.00	28.56	Vertical	PASS
5	2485.52	42.26	1.88	44.14	74.00	29.86	Vertical	PASS
6	2496.80	40.59	2.00	42.59	74.00	31.41	Vertical	PASS

Project Information

Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	High
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Y+CH1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.57	31.07	1.85	32.92	54.00	21.08	Horizontal	PASS
2	2488.43	30.00	1.91	31.91	54.00	22.09	Horizontal	PASS
3	2498.72	30.17	2.01	32.18	54.00	21.82	Horizontal	PASS
4	2483.66	40.83	1.86	42.69	74.00	31.31	Horizontal	PASS
5	2488.47	41.71	1.91	43.62	74.00	30.38	Horizontal	PASS
6	2498.64	40.76	2.01	42.77	74.00	31.23	Horizontal	PASS

Project Information

Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	High
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Y+CH1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	33.83	1.85	35.68	54.00	18.32	Vertical	PASS
2	2489.94	30.37	1.93	32.30	54.00	21.70	Vertical	PASS
3	2498.26	30.54	2.01	32.55	54.00	21.45	Vertical	PASS
4	2483.62	42.77	1.86	44.63	74.00	29.37	Vertical	PASS
5	2489.96	40.97	1.93	42.90	74.00	31.10	Vertical	PASS
6	2497.96	41.28	2.01	43.29	74.00	30.71	Vertical	PASS

Project Information

Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	Low
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Y+CH1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2320.63	30.62	1.20	31.82	54.00	22.18	Horizontal	PASS
2	2364.73	30.42	1.44	31.86	54.00	22.14	Horizontal	PASS
3	2389.30	30.67	1.43	32.10	54.00	21.90	Horizontal	PASS
4	2320.88	41.41	1.20	42.61	74.00	31.39	Horizontal	PASS
5	2364.69	41.21	1.44	42.65	74.00	31.35	Horizontal	PASS
6	2388.95	40.83	1.43	42.26	74.00	31.74	Horizontal	PASS

Project Information

Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	Low
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Y+CH1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2321.16	30.53	1.20	31.73	54.00	22.27	Vertical	PASS
2	2379.61	30.89	1.43	32.32	54.00	21.68	Vertical	PASS
3	2389.33	31.65	1.43	33.08	54.00	20.92	Vertical	PASS
4	2321.41	41.34	1.20	42.54	74.00	31.46	Vertical	PASS
5	2380.40	43.37	1.43	44.80	74.00	29.20	Vertical	PASS
6	2389.14	41.87	1.43	43.30	74.00	30.70	Vertical	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	Low
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Y+CH1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2319.65	30.57	1.19	31.76	54.00	22.24	Horizontal	PASS
2	2344.42	30.26	1.40	31.66	54.00	22.34	Horizontal	PASS
3	2389.30	31.25	1.43	32.68	54.00	21.32	Horizontal	PASS
4	2319.56	40.81	1.19	42.00	74.00	32.00	Horizontal	PASS
5	2344.57	41.00	1.40	42.40	74.00	31.60	Horizontal	PASS
6	2389.68	40.79	1.43	42.22	74.00	31.78	Horizontal	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	Low
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Y+CH1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2322.04	30.47	1.21	31.68	54.00	22.32	Vertical	PASS
2	2354.35	30.38	1.45	31.83	54.00	22.17	Vertical	PASS
3	2389.27	31.96	1.43	33.39	54.00	20.61	Vertical	PASS
4	2323.35	40.72	1.22	41.94	74.00	32.06	Vertical	PASS
5	2353.51	40.66	1.45	42.11	74.00	31.89	Vertical	PASS
6	2389.05	41.83	1.43	43.26	74.00	30.74	Vertical	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	High
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Y+CH1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.76	30.76	1.87	32.63	54.00	21.37	Horizontal	PASS
2	2487.29	30.17	1.90	32.07	54.00	21.93	Horizontal	PASS
3	2496.36	30.35	2.00	32.35	54.00	21.65	Horizontal	PASS
4	2483.70	41.61	1.86	43.47	74.00	30.53	Horizontal	PASS
5	2487.30	41.55	1.90	43.45	74.00	30.55	Horizontal	PASS
6	2496.12	41.13	1.99	43.12	74.00	30.88	Horizontal	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	High
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	Y+CH1		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.78	32.80	1.87	34.67	54.00	19.33	Vertical	PASS
2	2486.18	30.84	1.88	32.72	54.00	21.28	Vertical	PASS
3	2493.84	30.38	1.97	32.35	54.00	21.65	Vertical	PASS
4	2483.77	44.16	1.87	46.03	74.00	27.97	Vertical	PASS
5	2486.49	41.90	1.89	43.79	74.00	30.21	Vertical	PASS
6	2493.59	41.29	1.96	43.25	74.00	30.75	Vertical	PASS

~The End~