




Test Graphs







NTVN-11g-CDD-Ant4-2412




NTVN-11g-CDD-Ant6-2412




NTVN-11g-CDD-Ant4-2437




NTVN-11g-CDD-Ant6-2437




NTVN-11g-CDD-Ant4-2462




NTVN-11g-CDD-Ant6-2462




NTNV-11n20MIMO-Ant4-2412




NTNV-11n20MIMO-Ant6-2412




NTNV-11n20MIMO-Ant4-2437




NTNV-11n20MIMO-Ant6-2437




NTNV-11n20MIMO-Ant4-2462




NTNV-11n20MIMO-Ant6-2462




NTNV-11n40MIMO-Ant4-2422




NTNV-11n40MIMO-Ant6-2422




NTNV-11n40MIMO-Ant4-2437




NTNV-11n40MIMO-Ant6-2437




NTNV-11n40MIMO-Ant4-2452




NTNV-11n40MIMO-Ant6-2452




NTNV-11ax20MIMO-Ant4-2412




NTNV-11ax20MIMO-Ant6-2412




NTNV-11ax20MIMO-Ant4-2437




NTNV-11ax20MIMO-Ant6-2437




NTNV-11ax20MIMO-Ant4-2462




NTNV-11ax20MIMO-Ant6-2462




NTN-11ax40MIMO-Ant4-2422




NTN-11ax40MIMO-Ant6-2422




NTN-11ax40MIMO-Ant4-2437




NTN-11ax40MIMO-Ant6-2437




NTN-11ax40MIMO-Ant4-2452




NTN-11ax40MIMO-Ant6-2452




NTNV-11be20MIMO-Ant4-2412




NTNV-11be20MIMO-Ant6-2412




NTNV-11be20MIMO-Ant4-2437




NTNV-11be20MIMO-Ant6-2437




NTNV-11be20MIMO-Ant4-2462




NTNV-11be20MIMO-Ant6-2462




NTNV-11be40MIMO-Ant4-2422




NTNV-11be40MIMO-Ant6-2422




NTNV-11be40MIMO-Ant4-2437



NTNV-11be40MIMO-Ant6-2437



NTNV-11be40MIMO-Ant4-2452




NTNV-11be40MIMO-Ant6-2452

Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	1
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	82.62	56.87	-26.30	30.57	40.00	9.43	Horizontal	PASS
2	90.92	54.71	-25.31	29.40	43.50	14.10	Horizontal	PASS
3	146.55	59.10	-26.05	33.05	43.50	10.45	Horizontal	PASS
4	302.81	50.54	-19.25	31.29	47.00	15.71	Horizontal	PASS
5	399.76	43.27	-12.77	30.50	47.00	16.50	Horizontal	PASS
6	449.14	40.54	-8.63	31.91	47.00	15.09	Horizontal	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	-	Channel	1
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	67.35	60.21	-24.69	35.52	40.00	4.48	Vertical	PASS
2	73.17	62.53	-26.22	36.31	40.00	3.69	Vertical	PASS
3	77.05	65.47	-27.63	37.84	40.00	2.16	Vertical	PASS
4	83.74	63.00	-26.18	36.82	40.00	3.18	Vertical	PASS
5	90.33	60.09	-25.76	34.33	43.50	9.17	Vertical	PASS
6	147.18	63.97	-25.73	38.24	43.50	5.26	Vertical	PASS


Data List

NO.	Freq. [MHz]	Factor [dB/m]	QP Reading [dBμV]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	77.4994	-27.63	60.68	33.05	40.00	6.95	100	319.4	Vertical	PASS

Test Result Above 1GHz

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	1
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2390.20	40.70	2.22	42.92	54.00	11.08	Horizontal	PASS
2	4824.50	42.40	-7.85	34.55	54.00	19.45	Horizontal	PASS
3	17359.00	31.37	12.51	43.88	54.00	10.12	Horizontal	PASS
4	2389.20	49.84	2.22	52.06	74.00	21.94	Horizontal	PASS
5	2409.20	49.18	2.24	51.42	-	-	Horizontal	NA
6	4824.00	46.40	-7.84	38.56	74.00	35.44	Horizontal	PASS
7	17344.00	39.20	12.58	51.78	74.00	22.22	Horizontal	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	-	Channel	1
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2410.00	37.07	2.23	39.30	-	-	Vertical	NA
2	4824.50	40.45	-7.85	32.60	54.00	21.40	Vertical	PASS
3	14352.00	32.61	9.31	41.92	54.00	12.08	Vertical	PASS
4	17354.50	31.97	12.68	44.65	54.00	9.35	Vertical	PASS
5	2409.20	41.29	2.24	43.53	-	-	Vertical	NA
6	4790.50	45.85	-7.61	38.24	74.00	35.76	Vertical	PASS
7	15077.50	40.40	8.98	49.38	74.00	24.62	Vertical	PASS
8	17360.50	39.38	12.45	51.83	74.00	22.17	Vertical	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	-	Channel	6
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2438.00	50.77	2.29	53.06	-	-	Horizontal	NA
2	4874.50	46.11	-8.08	38.03	54.00	15.97	Horizontal	PASS
3	13852.00	32.42	8.70	41.12	54.00	12.88	Horizontal	PASS
4	17371.50	32.33	12.02	44.35	54.00	9.65	Horizontal	PASS
5	2437.80	53.28	2.29	55.57	-	-	Horizontal	NA
6	4874.00	49.32	-8.08	41.24	74.00	32.76	Horizontal	PASS
7	13804.00	40.96	7.99	48.95	74.00	25.05	Horizontal	PASS
8	17367.50	40.25	12.18	52.43	74.00	21.57	Horizontal	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	-	Channel	6
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2438.00	39.13	2.29	41.42	-	-	Vertical	NA
2	3200.50	45.40	-12.68	32.72	54.00	21.28	Vertical	PASS
3	4874.50	42.10	-8.08	34.02	54.00	19.98	Vertical	PASS
4	17342.50	31.64	12.51	44.15	54.00	9.85	Vertical	PASS
5	2437.60	42.85	2.29	45.14	-	-	Vertical	NA
6	3200.00	51.32	-12.68	38.64	74.00	35.36	Vertical	PASS
7	4874.00	47.71	-8.08	39.63	74.00	34.37	Vertical	PASS
8	17349.00	39.05	12.82	51.87	74.00	22.13	Vertical	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	-	Channel	11
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2461.40	50.16	2.34	52.50	-	-	Horizontal	NA
2	4924.50	48.92	-7.76	41.16	54.00	12.84	Horizontal	PASS
3	13848.00	32.99	8.70	41.69	54.00	12.31	Horizontal	PASS
4	17349.00	31.87	12.82	44.69	54.00	9.31	Horizontal	PASS
5	2461.20	53.18	2.33	55.51	-	-	Horizontal	NA
6	4924.00	50.59	-7.76	42.83	74.00	31.17	Horizontal	PASS
7	13815.50	41.27	8.18	49.45	74.00	24.55	Horizontal	PASS
8	17341.50	39.30	12.47	51.77	74.00	22.23	Horizontal	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	-	Channel	11
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2461.40	40.55	2.34	42.89	-	-	Vertical	NA
2	4924.50	47.03	-7.76	39.27	54.00	14.73	Vertical	PASS
3	14366.50	32.69	9.00	41.69	54.00	12.31	Vertical	PASS
4	17348.50	31.62	12.79	44.41	54.00	9.59	Vertical	PASS
5	2461.00	44.58	2.33	46.91	-	-	Vertical	NA
6	4924.00	49.09	-7.76	41.33	74.00	32.67	Vertical	PASS
7	13907.50	41.53	7.84	49.37	74.00	24.63	Vertical	PASS
8	17351.00	38.66	12.82	51.48	74.00	22.52	Vertical	PASS

Project Information

Mode:	802.11g	Band:	-
Bandwidth	-	Channel	11
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2455.20	46.50	2.32	48.82	-	-	Horizontal	NA
2	4926.50	39.72	-7.75	31.97	54.00	22.03	Horizontal	PASS
3	14324.00	32.87	8.71	41.58	54.00	12.42	Horizontal	PASS
4	17364.00	31.83	12.31	44.14	54.00	9.86	Horizontal	PASS
5	2454.60	53.71	2.32	56.03	-	-	Horizontal	NA
6	4923.50	46.81	-7.76	39.05	74.00	34.95	Horizontal	PASS
7	15247.00	40.07	9.28	49.35	74.00	24.65	Horizontal	PASS
8	17874.50	39.54	12.51	52.05	74.00	21.95	Horizontal	PASS

Project Information

Mode:	802.11g	Band:	-
Bandwidth	-	Channel	11
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2455.00	41.54	2.32	43.86	-	-	Vertical	NA
2	2886.60	27.86	5.23	33.09	54.00	20.91	Vertical	PASS
3	4922.50	38.54	-7.77	30.77	54.00	23.23	Vertical	PASS
4	17365.50	32.11	12.26	44.37	54.00	9.63	Vertical	PASS
5	2454.40	48.64	2.32	50.96	-	-	Vertical	NA
6	2933.80	37.35	5.46	42.81	74.00	31.19	Vertical	PASS
7	4924.00	45.69	-7.76	37.93	74.00	36.07	Vertical	PASS
8	17374.50	40.02	11.90	51.92	74.00	22.08	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.40	44.47	2.32	46.79	-	-	Horizontal	NA
2	2800.00	28.17	4.76	32.93	54.00	21.07	Horizontal	PASS
3	15078.50	33.71	8.99	42.70	54.00	11.30	Horizontal	PASS
4	17351.00	31.26	12.82	44.08	54.00	9.92	Horizontal	PASS
5	2454.80	51.93	2.32	54.25	-	-	Horizontal	NA
6	2835.80	38.50	4.96	43.46	74.00	30.54	Horizontal	PASS
7	13869.00	41.44	8.40	49.84	74.00	24.16	Horizontal	PASS
8	17348.50	39.19	12.79	51.98	74.00	22.02	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.80	40.45	2.32	42.77	-	-	Vertical	NA
2	8819.00	36.32	2.40	38.72	54.00	15.28	Vertical	PASS
3	15076.50	34.09	8.98	43.07	54.00	10.93	Vertical	PASS
4	17333.00	33.15	12.08	45.23	54.00	8.77	Vertical	PASS
5	2454.40	47.74	2.32	50.06	-	-	Vertical	NA
6	9064.50	44.40	2.18	46.58	74.00	27.42	Vertical	PASS
7	14362.00	41.07	9.10	50.17	74.00	23.83	Vertical	PASS
8	17347.00	39.98	12.73	52.71	74.00	21.29	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	9
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.60	43.21	2.32	45.53	-	-	Horizontal	NA
2	2936.60	28.33	5.47	33.80	54.00	20.20	Horizontal	PASS
3	15064.00	34.14	8.94	43.08	54.00	10.92	Horizontal	PASS
4	17838.50	32.44	12.64	45.08	54.00	8.92	Horizontal	PASS
5	2454.40	50.40	2.32	52.72	-	-	Horizontal	NA
6	2936.40	38.80	5.46	44.26	74.00	29.74	Horizontal	PASS
7	14899.50	41.87	8.31	50.18	74.00	23.82	Horizontal	PASS
8	17346.50	39.96	12.70	52.66	74.00	21.34	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	9
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2443.40	37.40	2.29	39.69	-	-	Vertical	NA
2	4794.00	38.46	-7.58	30.88	54.00	23.12	Vertical	PASS
3	14407.50	34.62	8.17	42.79	54.00	11.21	Vertical	PASS
4	17349.00	32.30	12.82	45.12	54.00	8.88	Vertical	PASS
5	2461.40	45.14	2.34	47.48	-	-	Vertical	NA
6	4782.00	46.98	-7.69	39.29	74.00	34.71	Vertical	PASS
7	15086.00	41.59	9.01	50.60	74.00	23.40	Vertical	PASS
8	17349.50	40.39	12.84	53.23	74.00	20.77	Vertical	PASS

Project Information

Mode:	802.11be	Band:	-
Bandwidth	40MHz	Channel	3
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2390.00	48.69	2.22	50.91	54.00	3.09	Horizontal	PASS
2	2429.40	50.85	2.27	53.12	-	-	Horizontal	NA
3	14350.00	32.21	9.35	41.56	54.00	12.44	Horizontal	PASS
4	17858.50	31.54	12.70	44.24	54.00	9.76	Horizontal	PASS
5	2389.40	58.16	2.22	60.38	74.00	13.62	Horizontal	PASS
6	2429.20	58.26	2.27	60.53	-	-	Horizontal	NA
7	15248.50	40.14	9.31	49.45	74.00	24.55	Horizontal	PASS
8	17348.00	39.04	12.77	51.81	74.00	22.19	Horizontal	PASS

Project Information

Mode:	802.11be	Band:	-
Bandwidth	40MHz	Channel	3
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2390.40	44.58	2.22	46.80	54.00	7.20	Vertical	PASS
2	2429.40	45.96	2.27	48.23	-	-	Vertical	NA
3	4800.50	37.97	-7.54	30.43	54.00	23.57	Vertical	PASS
4	17354.00	31.32	12.70	44.02	54.00	9.98	Vertical	PASS
5	2390.20	53.72	2.22	55.94	74.00	18.06	Vertical	PASS
6	2428.20	55.28	2.27	57.55	-	-	Vertical	NA
7	4757.50	44.62	-7.90	36.72	74.00	37.28	Vertical	PASS
8	17948.00	38.77	12.16	50.93	74.00	23.07	Vertical	PASS

Radiated Band Edge

Test Result


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	1
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2355.45	41.09	1.45	42.54	54.00	11.46	Horizontal	PASS
2	2372.40	41.25	1.43	42.68	54.00	11.32	Horizontal	PASS
3	2389.73	44.77	1.43	46.20	54.00	7.80	Horizontal	PASS
4	2356.16	52.22	1.44	53.66	74.00	20.34	Horizontal	PASS
5	2371.47	52.54	1.43	53.97	74.00	20.03	Horizontal	PASS
6	2389.40	55.15	1.43	56.58	74.00	17.42	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	1
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2364.34	41.03	1.44	42.47	54.00	11.53	Vertical	PASS
2	2377.37	41.08	1.43	42.51	54.00	11.49	Vertical	PASS
3	2388.46	41.10	1.43	42.53	54.00	11.47	Vertical	PASS
4	2365.87	53.13	1.44	54.57	74.00	19.43	Vertical	PASS
5	2381.03	52.48	1.43	53.91	74.00	20.09	Vertical	PASS
6	2389.47	53.55	1.43	54.98	74.00	19.02	Vertical	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	-	Channel	11
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.60	46.24	1.86	48.10	54.00	5.90	Horizontal	PASS
2	2485.38	44.60	1.88	46.48	54.00	7.52	Horizontal	PASS
3	2487.06	43.09	1.90	44.99	54.00	9.01	Horizontal	PASS
4	2483.79	57.08	1.87	58.95	74.00	15.05	Horizontal	PASS
5	2485.04	55.30	1.87	57.17	74.00	16.83	Horizontal	PASS
6	2487.25	53.07	1.90	54.97	74.00	19.03	Horizontal	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	-	Channel	11
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.96	36.69	1.87	38.56	54.00	15.44	Vertical	PASS
2	2485.40	36.44	1.88	38.32	54.00	15.68	Vertical	PASS
3	2488.76	34.92	1.92	36.84	54.00	17.16	Vertical	PASS
4	2484.32	47.27	1.87	49.14	74.00	24.86	Vertical	PASS
5	2485.35	46.69	1.88	48.57	74.00	25.43	Vertical	PASS
6	2488.83	45.08	1.92	47.00	74.00	27.00	Vertical	PASS

Project Information

Mode:	802.11g	Band:	-
Bandwidth	-	Channel	1
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2376.48	41.01	1.43	42.44	54.00	11.56	Horizontal	PASS
2	2388.58	45.15	1.43	46.58	54.00	7.42	Horizontal	PASS
3	2389.92	48.41	1.43	49.84	54.00	4.16	Horizontal	PASS
4	2377.19	52.79	1.43	54.22	74.00	19.78	Horizontal	PASS
5	2388.50	56.61	1.43	58.04	74.00	15.96	Horizontal	PASS
6	2389.70	59.55	1.43	60.98	74.00	13.02	Horizontal	PASS

Project Information

Mode:	802.11g	Band:	-
Bandwidth	-	Channel	1
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2356.01	40.93	1.44	42.37	54.00	11.63	Vertical	PASS
2	2380.43	41.13	1.43	42.56	54.00	11.44	Vertical	PASS
3	2389.85	44.18	1.43	45.61	54.00	8.39	Vertical	PASS
4	2357.62	53.17	1.45	54.62	74.00	19.38	Vertical	PASS
5	2381.44	52.87	1.43	54.30	74.00	19.70	Vertical	PASS
6	2389.92	56.81	1.43	58.24	74.00	15.76	Vertical	PASS

Project Information

Mode:	802.11g	Band:	-
Bandwidth	-	Channel	11
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.55	50.64	1.85	52.49	54.00	1.51	Horizontal	PASS
2	2484.94	46.74	1.87	48.61	54.00	5.39	Horizontal	PASS
3	2486.70	43.00	1.89	44.89	54.00	9.11	Horizontal	PASS
4	2484.06	63.85	1.87	65.72	74.00	8.28	Horizontal	PASS
5	2484.70	61.79	1.87	63.66	74.00	10.34	Horizontal	PASS
6	2487.20	54.86	1.90	56.76	74.00	17.24	Horizontal	PASS

Project Information

Mode:	802.11g	Band:	-
Bandwidth	-	Channel	11
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.53	42.13	1.85	43.98	54.00	10.02	Vertical	PASS
2	2484.97	40.04	1.87	41.91	54.00	12.09	Vertical	PASS
3	2486.91	36.04	1.90	37.94	54.00	16.06	Vertical	PASS
4	2483.53	56.67	1.85	58.52	74.00	15.48	Vertical	PASS
5	2484.13	58.15	1.87	60.02	74.00	13.98	Vertical	PASS
6	2484.70	56.29	1.87	58.16	74.00	15.84	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2358.70	41.72	1.45	43.17	54.00	10.83	Horizontal	PASS
2	2370.99	41.62	1.44	43.06	54.00	10.94	Horizontal	PASS
3	2389.70	46.88	1.43	48.31	54.00	5.69	Horizontal	PASS
4	2361.28	52.87	1.44	54.31	74.00	19.69	Horizontal	PASS
5	2372.82	53.65	1.44	55.09	74.00	18.91	Horizontal	PASS
6	2389.62	58.31	1.43	59.74	74.00	14.26	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2366.77	41.67	1.44	43.11	54.00	10.89	Vertical	PASS
2	2380.55	41.73	1.43	43.16	54.00	10.84	Vertical	PASS
3	2389.66	43.43	1.43	44.86	54.00	9.14	Vertical	PASS
4	2364.71	53.94	1.44	55.38	74.00	18.62	Vertical	PASS
5	2380.88	53.41	1.43	54.84	74.00	19.16	Vertical	PASS
6	2389.77	55.96	1.43	57.39	74.00	16.61	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.86	50.79	1.87	52.66	54.00	1.34	Horizontal	PASS
2	2484.46	49.81	1.87	51.68	54.00	2.32	Horizontal	PASS
3	2484.94	48.51	1.87	50.38	54.00	3.62	Horizontal	PASS
4	2483.50	63.59	1.85	65.44	74.00	8.56	Horizontal	PASS
5	2484.58	64.78	1.87	66.65	74.00	7.35	Horizontal	PASS
6	2485.16	64.25	1.88	66.13	74.00	7.87	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.55	41.48	1.85	43.33	54.00	10.67	Vertical	PASS
2	2484.85	39.81	1.87	41.68	54.00	12.32	Vertical	PASS
3	2485.71	38.78	1.88	40.66	54.00	13.34	Vertical	PASS
4	2483.86	53.58	1.87	55.45	74.00	18.55	Vertical	PASS
5	2484.90	54.02	1.87	55.89	74.00	18.11	Vertical	PASS
6	2486.05	52.10	1.88	53.98	74.00	20.02	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	3
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2351.15	41.71	1.45	43.16	54.00	10.84	Horizontal	PASS
2	2387.64	47.15	1.43	48.58	54.00	5.42	Horizontal	PASS
3	2389.75	50.43	1.43	51.86	54.00	2.14	Horizontal	PASS
4	2352.78	53.41	1.45	54.86	74.00	19.14	Horizontal	PASS
5	2387.33	58.43	1.42	59.85	74.00	14.15	Horizontal	PASS
6	2389.71	60.95	1.43	62.38	74.00	11.62	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	3
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2351.99	41.53	1.44	42.97	54.00	11.03	Vertical	PASS
2	2370.74	41.55	1.44	42.99	54.00	11.01	Vertical	PASS
3	2389.62	46.73	1.43	48.16	54.00	5.84	Vertical	PASS
4	2351.20	52.97	1.45	54.42	74.00	19.58	Vertical	PASS
5	2370.78	53.83	1.44	55.27	74.00	18.73	Vertical	PASS
6	2389.58	58.02	1.43	59.45	74.00	14.55	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	9
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.60	50.83	1.86	52.69	54.00	1.31	Horizontal	PASS
2	2484.56	49.98	1.87	51.85	54.00	2.15	Horizontal	PASS
3	2486.80	48.01	1.90	49.91	54.00	4.09	Horizontal	PASS
4	2483.67	64.18	1.86	66.04	74.00	7.96	Horizontal	PASS
5	2484.66	64.28	1.87	66.15	74.00	7.85	Horizontal	PASS
6	2486.39	61.12	1.89	63.01	74.00	10.99	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	9
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.71	44.24	1.86	46.10	54.00	7.90	Vertical	PASS
2	2485.07	42.90	1.87	44.77	54.00	9.23	Vertical	PASS
3	2486.50	42.18	1.89	44.07	54.00	9.93	Vertical	PASS
4	2484.18	57.01	1.87	58.88	74.00	15.12	Vertical	PASS
5	2485.03	56.23	1.87	58.10	74.00	15.90	Vertical	PASS
6	2486.56	54.06	1.89	55.95	74.00	18.05	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	357125130005048-	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2359.33	40.99	1.45	42.44	54.00	11.56	Horizontal	PASS
2	2373.23	41.13	1.44	42.57	54.00	11.43	Horizontal	PASS
3	2389.85	43.78	1.43	45.21	54.00	8.79	Horizontal	PASS
4	2357.47	52.89	1.44	54.33	74.00	19.67	Horizontal	PASS
5	2373.53	53.38	1.44	54.82	74.00	19.18	Horizontal	PASS
6	2389.77	56.19	1.43	57.62	74.00	16.38	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	357125130005048-	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2364.64	40.78	1.44	42.22	54.00	11.78	Vertical	PASS
2	2369.19	40.81	1.44	42.25	54.00	11.75	Vertical	PASS
3	2388.35	42.23	1.43	43.66	54.00	10.34	Vertical	PASS
4	2364.52	52.32	1.44	53.76	74.00	20.24	Vertical	PASS
5	2370.91	52.58	1.44	54.02	74.00	19.98	Vertical	PASS
6	2388.95	53.92	1.43	55.35	74.00	18.65	Vertical	PASS


Project Information			
Mode:	802.11be20	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	357125130005048-	Engineer:	Tian Shuo
Remark:			

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.58	50.35	1.85	52.20	54.00	1.80	Horizontal	PASS
2	2485.04	48.63	1.87	50.50	54.00	3.50	Horizontal	PASS
3	2486.55	45.86	1.89	47.75	54.00	6.25	Horizontal	PASS
4	2484.15	64.88	1.87	66.75	74.00	7.25	Horizontal	PASS
5	2485.47	63.29	1.88	65.17	74.00	8.83	Horizontal	PASS
6	2487.23	61.48	1.90	63.38	74.00	10.62	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	357125130005048-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.74	39.00	1.86	40.86	54.00	13.14	Vertical	PASS
2	2484.92	38.62	1.87	40.49	54.00	13.51	Vertical	PASS
3	2487.37	36.33	1.90	38.23	54.00	15.77	Vertical	PASS
4	2483.70	53.87	1.86	55.73	74.00	18.27	Vertical	PASS
5	2485.21	54.36	1.88	56.24	74.00	17.76	Vertical	PASS
6	2487.51	52.79	1.90	54.69	74.00	19.31	Vertical	PASS

Project Information

Mode:	802.11be	Band:	-
Bandwidth	40MHz	Channel	3
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2386.85	47.11	1.42	48.53	54.00	5.47	Horizontal	PASS
2	2389.23	50.57	1.43	52.00	54.00	2.00	Horizontal	PASS
3	2389.89	51.53	1.43	52.96	54.00	1.04	Horizontal	PASS
4	2387.33	59.23	1.42	60.65	74.00	13.35	Horizontal	PASS
5	2388.65	60.27	1.43	61.70	74.00	12.30	Horizontal	PASS
6	2389.97	62.37	1.43	63.80	74.00	10.20	Horizontal	PASS

Project Information

Mode:	802.11be	Band:	-
Bandwidth	40MHz	Channel	3
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2368.41	41.18	1.44	42.62	54.00	11.38	Vertical	PASS
2	2388.04	44.46	1.43	45.89	54.00	8.11	Vertical	PASS
3	2389.58	46.62	1.43	48.05	54.00	5.95	Vertical	PASS
4	2369.68	52.87	1.44	54.31	74.00	19.69	Vertical	PASS
5	2388.52	55.31	1.43	56.74	74.00	17.26	Vertical	PASS
6	2389.71	58.13	1.43	59.56	74.00	14.44	Vertical	PASS

Project Information

Mode:	802.11be	Band:	-
Bandwidth	40MHz	Channel	9
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.94	50.92	1.87	52.79	54.00	1.21	Horizontal	PASS
2	2485.95	49.46	1.88	51.34	54.00	2.66	Horizontal	PASS
3	2488.03	48.07	1.90	49.97	54.00	4.03	Horizontal	PASS
4	2484.15	62.23	1.87	64.10	74.00	9.90	Horizontal	PASS
5	2485.88	61.74	1.88	63.62	74.00	10.38	Horizontal	PASS
6	2487.99	59.52	1.90	61.42	74.00	12.58	Horizontal	PASS

Project Information

Mode:	802.11be	Band:	-
Bandwidth	40MHz	Channel	9
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.64	44.89	1.86	46.75	54.00	7.25	Vertical	PASS
2	2485.88	42.70	1.88	44.58	54.00	9.42	Vertical	PASS
3	2488.54	37.99	1.91	39.90	54.00	14.10	Vertical	PASS
4	2483.57	56.72	1.85	58.57	74.00	15.43	Vertical	PASS
5	2486.22	54.58	1.88	56.46	74.00	17.54	Vertical	PASS
6	2487.96	51.97	1.90	53.87	74.00	20.13	Vertical	PASS

~The End~