


Appendix-E Field Strength of Spurious Radiation-234G

For GSM:

Project Information			
Mode:	GSM	Band:	GSM 850
Bandwidth:	-	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1673.60	43.78	-114.14	-70.36	-13.00	57.36	Horizontal	PASS
2	3420.00	40.02	-107.48	-67.46	-13.00	54.46	Horizontal	PASS
3	8913.60	35.55	-93.42	-57.87	-13.00	44.87	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM 850
Bandwidth:	-	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1582.40	42.55	-114.20	-71.65	-13.00	58.65	Vertical	PASS
2	3450.40	39.71	-107.43	-67.72	-13.00	54.72	Vertical	PASS
3	8987.20	35.70	-93.63	-57.93	-13.00	44.93	Vertical	PASS

Project Information			
Mode:	GSM	Band:	GSM 1900
Bandwidth:	-	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	109.94	-84.95	24.99	-	-	Horizontal	NA
2	3760.00	42.37	-107.25	-64.88	-13.00	51.88	Horizontal	PASS
3	5640.00	48.25	-100.83	-52.58	-13.00	39.58	Horizontal	PASS
4	17862.00	35.54	-82.61	-47.07	-13.00	34.07	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM 1900
Bandwidth:	-	Channel:	-
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	96.66	-84.95	11.71	-	-	Vertical	NA
2	5640.00	52.09	-100.83	-48.74	-13.00	35.74	Vertical	PASS
3	9583.50	36.76	-92.52	-55.76	-13.00	42.76	Vertical	PASS
4	17897.50	35.87	-83.02	-47.15	-13.00	34.15	Vertical	PASS

For WCDMA:

Project Information			
Mode:	WCDMA	Band:	II
Bandwidth:	-	Channel:	-
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.80	98.73	-84.95	13.78	-	-	Horizontal	NA
2	1959.80	40.26	-84.77	-44.51	-	-	Horizontal	NA
3	4796.00	38.68	-102.83	-64.15	-13.00	51.15	Horizontal	PASS
4	8878.50	36.75	-93.07	-56.32	-13.00	43.32	Horizontal	PASS
5	17350.50	35.19	-82.42	-47.23	-13.00	34.23	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	II
Bandwidth:	-	Channel:	-
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.00	84.25	-84.95	-0.70	-	-	Vertical	NA
2	1959.00	47.81	-84.76	-36.95	-	-	Vertical	NA
3	4971.00	38.07	-102.83	-64.76	-13.00	51.76	Vertical	PASS
4	9532.50	37.13	-92.68	-55.55	-13.00	42.55	Vertical	PASS
5	17838.00	35.50	-82.63	-47.13	-13.00	34.13	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	IV
Bandwidth:	-	Channel:	-
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1732.00	98.51	-85.22	13.29	-	-	Horizontal	NA
2	2133.40	38.00	-84.52	-46.52	-	-	Horizontal	NA
3	5675.50	38.53	-100.78	-62.25	-13.00	49.25	Horizontal	PASS
4	10119.00	35.90	-92.05	-56.15	-13.00	43.15	Horizontal	PASS
5	17363.50	34.91	-82.93	-48.02	-13.00	35.02	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	IV
Bandwidth:	-	Channel:	-
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1733.40	78.21	-85.20	-6.99	-	-	Vertical	NA
2	2133.00	42.04	-84.52	-42.48	-	-	Vertical	NA
3	4801.50	38.09	-102.81	-64.72	-13.00	51.72	Vertical	PASS
4	9497.00	35.80	-92.64	-56.84	-13.00	43.84	Vertical	PASS
5	17834.50	34.29	-82.69	-48.40	-13.00	35.40	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	V
Bandwidth:	-	Channel:	-
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2009.60	41.53	-113.46	-71.93	-13.00	58.93	Horizontal	PASS
2	4559.20	37.50	-104.17	-66.67	-13.00	53.67	Horizontal	PASS
3	8861.60	35.16	-92.94	-57.78	-13.00	44.78	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	V
Bandwidth:	-	Channel:	-
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1741.60	42.54	-114.00	-71.46	-13.00	58.46	Vertical	PASS
2	3835.20	38.30	-106.43	-68.13	-13.00	55.13	Vertical	PASS
3	8888.00	35.41	-93.10	-57.69	-13.00	44.69	Vertical	PASS

For LTE:

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.20	116.46	-95.06	21.40	-	-	Horizontal	NA
2	1965.00	44.69	-94.67	-49.98	-	-	Horizontal	NA
3	5613.50	48.06	-101.19	-53.13	-13.00	40.13	Horizontal	PASS
4	8899.50	37.34	-93.43	-56.09	-13.00	43.09	Horizontal	PASS
5	17340.50	36.01	-82.84	-46.83	-13.00	33.83	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	111.01	-95.06	15.95	-	-	Vertical	NA
2	1952.20	52.48	-94.53	-42.05	-	-	Vertical	NA
3	5613.00	54.84	-101.20	-46.36	-13.00	33.36	Vertical	PASS
4	9598.00	37.29	-92.43	-55.14	-13.00	42.14	Vertical	PASS
5	17835.50	35.77	-82.67	-46.90	-13.00	33.90	Vertical	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	107.94	-95.01	12.93	-	-	Horizontal	NA
2	2127.00	42.75	-94.70	-51.95	-	-	Horizontal	NA
3	5506.00	38.89	-101.20	-62.31	-13.00	49.31	Horizontal	PASS
4	8881.50	36.60	-93.11	-56.51	-13.00	43.51	Horizontal	PASS
5	17871.00	35.46	-82.71	-47.25	-13.00	34.25	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	93.92	-95.01	-1.09	-	-	Vertical	NA
2	2130.60	46.84	-94.69	-47.85	-	-	Vertical	NA
3	4793.00	37.58	-102.85	-65.27	-13.00	52.27	Vertical	PASS
4	9519.50	36.57	-92.64	-56.07	-13.00	43.07	Vertical	PASS
5	17350.00	34.28	-82.40	-48.12	-13.00	35.12	Vertical	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	44.88	-114.12	-69.24	-13.00	56.24	Horizontal	PASS
2	2496.00	57.50	-111.38	-53.88	-13.00	40.88	Horizontal	PASS
3	8860.80	35.27	-92.95	-57.68	-13.00	44.68	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	42.32	-114.12	-71.80	-13.00	58.80	Vertical	PASS
2	2496.00	54.48	-111.38	-56.90	-13.00	43.90	Vertical	PASS
3	8047.20	35.83	-95.45	-59.62	-13.00	46.62	Vertical	PASS

Project Information			
Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	-357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	93.97	-83.04	10.93	-	-	Horizontal	NA
2	2981.40	35.68	-80.01	-44.33	-25.00	19.33	Horizontal	PASS
3	15133.00	33.15	-86.66	-53.51	-25.00	28.51	Horizontal	PASS
4	17867.00	31.82	-82.66	-50.84	-25.00	25.84	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	-357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.00	92.14	-83.04	9.10	-	-	Vertical	NA
2	2951.90	35.94	-80.00	-44.06	-25.00	19.06	Vertical	PASS
3	14657.50	31.41	-85.55	-54.14	-25.00	29.14	Vertical	PASS
4	17338.50	31.78	-82.93	-51.15	-25.00	26.15	Vertical	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2109.50	56.57	-113.21	-56.64	-13.00	43.64	Horizontal	PASS
2	3430.05	39.83	-107.46	-67.63	-13.00	54.63	Horizontal	PASS
3	7416.90	36.83	-96.67	-59.84	-13.00	46.84	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2109.15	56.88	-113.21	-56.33	-13.00	43.33	Vertical	PASS
2	3545.55	39.99	-107.75	-67.76	-13.00	54.76	Vertical	PASS
3	7952.05	36.19	-95.47	-59.28	-13.00	46.28	Vertical	PASS

Project Information			
Mode:	LTE	Band:	17
Bandwidth:	10MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.25	44.59	-114.35	-69.76	-13.00	56.76	Horizontal	PASS
2	2116.85	55.54	-113.21	-57.67	-13.00	44.67	Horizontal	PASS
3	7399.75	36.72	-96.50	-59.78	-13.00	46.78	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	17
Bandwidth:	10MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1410.90	43.52	-114.35	-70.83	-13.00	57.83	Vertical	PASS
2	2116.85	56.62	-113.21	-56.59	-13.00	43.59	Vertical	PASS
3	7321.70	36.61	-96.27	-59.66	-13.00	46.66	Vertical	PASS

Project Information			
Mode:	LTE	Band:	25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	116.12	-95.04	21.08	-	-	Horizontal	NA
2	1971.00	44.14	-94.72	-50.58	-	-	Horizontal	NA
3	3747.00	42.38	-107.43	-65.05	-13.00	52.05	Horizontal	PASS
4	5621.00	45.30	-101.09	-55.79	-13.00	42.79	Horizontal	PASS
5	17874.00	35.39	-82.74	-47.35	-13.00	34.35	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	104.50	-95.04	9.46	-	-	Vertical	NA
2	1963.20	48.45	-94.64	-46.19	-	-	Vertical	NA
3	5621.00	52.49	-101.09	-48.60	-13.00	35.60	Vertical	PASS
4	9494.50	37.08	-92.69	-55.61	-13.00	42.61	Vertical	PASS
5	17357.00	35.80	-82.67	-46.87	-13.00	33.87	Vertical	PASS

Project Information			
Mode:	LTE	Band:	26(814-824)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	44.37	-114.17	-69.80	-13.00	56.80	Horizontal	PASS
2	2443.60	57.50	-111.26	-53.76	-13.00	40.76	Horizontal	PASS
3	8911.60	35.90	-93.38	-57.48	-13.00	44.48	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	26(814-824)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	44.52	-114.17	-69.65	-13.00	56.65	Vertical	PASS
2	2443.60	53.70	-111.26	-57.56	-13.00	44.56	Vertical	PASS
3	8874.80	35.52	-93.02	-57.50	-13.00	44.50	Vertical	PASS

Project Information			
Mode:	LTE	Band:	26(824-849)
Bandwidth:	15MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1659.60	43.11	-114.11	-71.00	-13.00	58.00	Horizontal	PASS
2	2489.20	55.68	-111.33	-55.65	-13.00	42.65	Horizontal	PASS
3	8897.60	36.22	-93.16	-56.94	-13.00	43.94	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	26(824-849)
Bandwidth:	15MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1402.00	42.86	-114.32	-71.46	-13.00	58.46	Vertical	PASS
2	2489.60	53.74	-111.34	-57.60	-13.00	44.60	Vertical	PASS
3	8906.80	36.00	-93.29	-57.29	-13.00	44.29	Vertical	PASS

Project Information			
Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048-	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	111.29	-94.91	16.38	-	-	Horizontal	NA
2	2146.40	42.81	-94.67	-51.86	-	-	Horizontal	NA
3	3472.00	46.02	-107.15	-61.13	-13.00	48.13	Horizontal	PASS
4	5208.00	59.21	-102.19	-42.98	-13.00	29.98	Horizontal	PASS
5	17348.00	34.16	-82.49	-48.33	-13.00	35.33	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.20	102.27	-94.91	7.36	-	-	Vertical	NA
2	2148.40	46.72	-94.66	-47.94	-	-	Vertical	NA
3	5208.00	61.93	-102.19	-40.26	-13.00	27.26	Vertical	PASS
4	10450.50	34.75	-91.07	-56.32	-13.00	43.32	Vertical	PASS
5	17366.50	35.10	-83.04	-47.94	-13.00	34.94	Vertical	PASS

Project Information			
Mode:	LTE	Band:	38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.10	105.70	-93.29	12.41	-	-	Horizontal	NA
2	5196.00	37.95	-102.18	-64.23	-25.00	39.23	Horizontal	PASS
3	8902.50	37.26	-93.46	-56.20	-25.00	31.20	Horizontal	PASS
4	17341.50	34.75	-82.79	-48.04	-25.00	23.04	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.00	95.45	-93.29	2.16	-	-	Vertical	NA
2	4765.50	38.11	-103.09	-64.98	-25.00	39.98	Vertical	PASS
3	8873.50	35.38	-92.98	-57.60	-25.00	32.60	Vertical	PASS
4	17885.50	34.58	-82.88	-48.30	-25.00	23.30	Vertical	PASS

Project Information			
Mode:	LTE	Band:	41(2496-2690)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.20	104.33	-82.41	21.92	-	-	Horizontal	NA
2	4797.50	38.80	-102.81	-64.01	-25.00	39.01	Horizontal	PASS
3	8853.50	35.00	-92.63	-57.63	-25.00	32.63	Horizontal	PASS
4	17338.00	34.88	-82.95	-48.07	-25.00	23.07	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	41(2496-2690)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.00	92.66	-82.40	10.26	-	-	Vertical	NA
2	5048.50	38.20	-102.82	-64.62	-25.00	39.62	Vertical	PASS
3	7752.50	41.04	-96.49	-55.45	-25.00	30.45	Vertical	PASS
4	17872.50	34.53	-82.72	-48.19	-25.00	23.19	Vertical	PASS

Project Information			
Mode:	LTE	Band:	42(3450-3550)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3491.23	101.03	-78.52	22.51	-	-	Horizontal	NA
2	6171.65	36.09	-69.82	-33.73	-13.00	20.73	Horizontal	PASS
3	10473.25	37.88	-90.92	-53.04	-13.00	40.04	Horizontal	PASS
4	17852.80	34.27	-81.30	-47.03	-13.00	34.03	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	42(3450-3550)
Bandwidth:	20MHz	Channel:	-
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3490.95	89.01	-78.52	10.49	-	-	Vertical	NA
2	6165.60	36.08	-69.98	-33.90	-13.00	20.90	Vertical	PASS
3	10473.25	42.76	-90.92	-48.16	-13.00	35.16	Vertical	PASS
4	17848.58	34.38	-81.33	-46.95	-13.00	33.95	Vertical	PASS

For LTE CA:

Project Information			
Mode:	LTE CA	Band:	CA_7C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2534.10	94.61	-82.90	11.71	-	-	Horizontal	NA
2	2963.80	35.75	-79.95	-44.20	-25.00	19.20	Horizontal	PASS
3	15113.00	32.61	-86.38	-53.77	-25.00	28.77	Horizontal	PASS
4	17348.00	31.52	-82.49	-50.97	-25.00	25.97	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_7C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2534.00	92.14	-82.90	9.24	-	-	Vertical	NA
2	2992.30	35.91	-80.19	-44.28	-25.00	19.28	Vertical	PASS
3	14268.00	33.36	-87.39	-54.03	-25.00	29.03	Vertical	PASS
4	17882.00	31.41	-82.84	-51.43	-25.00	26.43	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_41C(2496-2690MHz)
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2592.00	95.29	-82.42	12.87	-	-	Horizontal	NA
2	2985.60	36.09	-80.08	-43.99	-25.00	18.99	Horizontal	PASS
3	15068.50	32.86	-86.31	-53.45	-25.00	28.45	Horizontal	PASS
4	17346.00	31.43	-82.58	-51.15	-25.00	26.15	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_41C(2496-2690MHz)
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2592.00	92.73	-82.42	10.31	-	-	Vertical	NA
2	2934.00	36.09	-80.20	-44.11	-25.00	19.11	Vertical	PASS
3	14352.00	31.88	-85.95	-54.07	-25.00	29.07	Vertical	PASS
4	17352.00	31.52	-82.48	-50.96	-25.00	25.96	Vertical	PASS

~The End~