


Appendix-E Field Strength of Spurious Radiation-NR

For NR:

Project Information			
Mode:	SA	Band:	n2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1870.60	97.53	-84.97	12.56	-	-	Horizontal	NA
2	1965.00	43.61	-84.81	-41.20	-	-	Horizontal	NA
3	2973.00	36.15	-79.91	-43.76	-13.00	30.76	Horizontal	PASS
4	7957.50	38.64	-95.32	-56.68	-13.00	43.68	Horizontal	PASS
5	17351.50	32.57	-82.46	-49.89	-13.00	36.89	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1870.40	98.84	-84.97	13.87	-	-	Vertical	NA
2	1968.40	51.61	-84.84	-33.23	-	-	Vertical	NA
3	2963.00	35.67	-79.95	-44.28	-13.00	31.28	Vertical	PASS
4	10774.00	35.31	-90.94	-55.63	-13.00	42.63	Vertical	PASS
5	17849.50	32.27	-82.47	-50.20	-13.00	37.20	Vertical	PASS

Project Information			
Mode:	SA	Band:	n5
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2626.67	41.03	-110.51	-69.48	-13.00	56.48	Horizontal	PASS
2	3412.27	40.36	-107.49	-67.13	-13.00	54.13	Horizontal	PASS
3	7429.60	37.21	-96.80	-59.59	-13.00	46.59	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n5
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1819.73	43.30	-113.96	-70.66	-13.00	57.66	Vertical	PASS
2	2453.87	45.13	-111.13	-66.00	-13.00	53.00	Vertical	PASS
3	8909.07	36.35	-93.34	-56.99	-13.00	43.99	Vertical	PASS

Project Information			
Mode:	SA	Band:	n7
Bandwidth:	40MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2515.70	103.64	-93.31	10.33	-	-	Horizontal	NA
2	2879.10	36.28	-90.64	-54.36	-25.00	29.36	Horizontal	PASS
3	7547.00	42.47	-96.86	-54.39	-25.00	29.39	Horizontal	PASS
4	17358.50	32.28	-82.73	-50.45	-25.00	25.45	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n7
Bandwidth:	40MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2515.60	104.28	-93.31	10.97	-	-	Vertical	NA
2	2637.90	45.67	-92.65	-46.98	-	-	Vertical	NA
3	7547.00	39.71	-96.86	-57.15	-25.00	32.15	Vertical	PASS
4	11484.50	34.41	-90.34	-55.93	-25.00	30.93	Vertical	PASS
5	17354.50	31.65	-82.58	-50.93	-25.00	25.93	Vertical	PASS

Project Information			
Mode:	SA	Band:	n25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1870.40	97.54	-84.97	12.57	-	-	Horizontal	NA
2	1954.60	44.04	-84.72	-40.68	-	-	Horizontal	NA
3	2971.00	35.62	-79.92	-44.30	-13.00	31.30	Horizontal	PASS
4	14068.00	34.31	-87.27	-52.96	-13.00	39.96	Horizontal	PASS
5	17344.50	32.42	-82.66	-50.24	-13.00	37.24	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1870.40	98.86	-84.97	13.89	-	-	Vertical	NA
2	1967.80	51.26	-84.84	-33.58	-	-	Vertical	NA
3	2966.40	35.73	-79.94	-44.21	-13.00	31.21	Vertical	PASS
4	15069.50	34.61	-86.30	-51.69	-13.00	38.69	Vertical	PASS
5	17368.50	33.46	-83.12	-49.66	-13.00	36.66	Vertical	PASS

Project Information			
Mode:	SA	Band:	n38
Bandwidth:	40MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2576.10	110.65	-93.35	17.30	-	-	Horizontal	NA
2	2900.00	36.66	-90.51	-53.85	-25.00	28.85	Horizontal	PASS
3	12880.00	37.15	-89.83	-52.68	-25.00	27.68	Horizontal	PASS
4	17351.00	31.29	-82.44	-51.15	-25.00	26.15	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n38
Bandwidth:	40MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2575.90	112.02	-93.35	18.67	-	-	Vertical	NA
2	2962.90	35.70	-90.57	-54.87	-25.00	29.87	Vertical	PASS
3	15082.50	32.75	-86.26	-53.51	-25.00	28.51	Vertical	PASS
4	17342.50	31.88	-82.75	-50.87	-25.00	25.87	Vertical	PASS

Project Information			
Mode:	SA	Band:	n41(2496~2690MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2544.00	108.46	-93.46	15.00	-	-	Horizontal	NA
2	2928.70	36.36	-90.47	-54.11	-25.00	29.11	Horizontal	PASS
3	13805.00	34.26	-87.25	-52.99	-25.00	27.99	Horizontal	PASS
4	17997.00	31.29	-82.47	-51.18	-25.00	26.18	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n41(2496~2690MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.80	110.45	-93.46	16.99	-	-	Vertical	NA
2	2932.40	35.93	-90.47	-54.54	-25.00	29.54	Vertical	PASS
3	13851.00	33.35	-86.55	-53.20	-25.00	28.20	Vertical	PASS
4	17330.00	32.02	-83.32	-51.30	-25.00	26.30	Vertical	PASS

Project Information			
Mode:	SA	Band:	n66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.60	93.85	-85.19	8.66	-	-	Horizontal	NA
2	2140.20	41.23	-84.59	-43.36	-	-	Horizontal	NA
3	2974.40	35.48	-79.90	-44.42	-13.00	31.42	Horizontal	PASS
4	14347.50	34.30	-85.97	-51.67	-13.00	38.67	Horizontal	PASS
5	17850.50	32.99	-82.47	-49.48	-13.00	36.48	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.60	95.09	-85.19	9.90	-	-	Vertical	NA
2	2139.60	48.17	-84.58	-36.41	-	-	Vertical	NA
3	2976.20	36.06	-79.92	-43.86	-13.00	30.86	Vertical	PASS
4	5304.50	39.11	-101.51	-62.40	-13.00	49.40	Vertical	PASS
5	17358.50	33.52	-82.73	-49.21	-13.00	36.21	Vertical	PASS

Project Information			
Mode:	SA	Band:	n77(3450~3550MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	96.94	-78.42	18.52	-	-	Horizontal	NA
2	6167.25	36.10	-69.94	-33.84	-13.00	20.84	Horizontal	PASS
3	15235.02	34.18	-85.82	-51.64	-13.00	38.64	Horizontal	PASS
4	17881.17	34.36	-81.68	-47.32	-13.00	34.32	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n77(3450~3550MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	97.04	-78.42	18.62	-	-	Vertical	NA
2	6168.35	35.94	-69.90	-33.96	-13.00	20.96	Vertical	PASS
3	15082.83	34.17	-86.17	-52.00	-13.00	39.00	Vertical	PASS
4	17872.73	34.31	-81.56	-47.25	-13.00	34.25	Vertical	PASS

Project Information			
Mode:	SA	Band:	n77(3700~3980MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	91.65	-77.73	13.92	-	-	Horizontal	NA
2	6225.83	36.58	-69.94	-33.36	-13.00	20.36	Horizontal	PASS
3	14416.22	34.83	-87.03	-52.20	-13.00	39.20	Horizontal	PASS
4	17983.52	34.31	-81.71	-47.40	-13.00	34.40	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n77(3700~3980MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	91.34	-77.73	13.61	-	-	Vertical	NA
2	6174.40	36.08	-69.74	-33.66	-13.00	20.66	Vertical	PASS
3	15078.23	34.17	-86.15	-51.98	-13.00	38.98	Vertical	PASS
4	17832.10	35.24	-82.04	-46.80	-13.00	33.80	Vertical	PASS

For NR CA:

Project Information			
Mode:	NR CA	Band:	CA_n5_n78(3700-3800MHz)
Bandwidth:	40MHz	Channel:	Mid
IMEI:	357125130005048-	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3701.05	103.89	-88.74	15.15	-	-	Horizontal	NA
2	6358.10	39.65	-79.96	-40.31	-13.00	27.31	Horizontal	PASS
3	15066.35	34.16	-86.10	-51.94	-13.00	38.94	Horizontal	PASS
4	17853.95	34.83	-81.32	-46.49	-13.00	33.49	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n5_n78(3700-3800MHz)
Bandwidth:	40MHz	Channel:	Mid
IMEI:	357125130005048-	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3701.05	104.17	-88.74	15.43	-	-	Vertical	NA
2	6215.93	40.92	-81.11	-40.19	-13.00	27.19	Vertical	PASS
3	15075.17	34.46	-86.14	-51.68	-13.00	38.68	Vertical	PASS
4	17855.48	34.01	-81.34	-47.33	-13.00	34.33	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n5_n78(3450-3550MHz)
Bandwidth:	40MHz	Channel:	Mid
IMEI:	357125130005048-	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	107.71	-88.97	18.74	-	-	Horizontal	NA
2	6319.33	39.85	-80.26	-40.41	-13.00	27.41	Horizontal	PASS
3	15079.77	34.16	-86.16	-52.00	-13.00	39.00	Horizontal	PASS
4	17873.50	34.54	-81.57	-47.03	-13.00	34.03	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n5_n78(3450-3550MHz)
Bandwidth:	40MHz	Channel:	Mid
IMEI:	357125130005048-	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	101.59	-88.97	12.62	-	-	Vertical	NA
2	6369.65	39.74	-80.08	-40.34	-13.00	27.34	Vertical	PASS
3	10352.88	38.44	-91.48	-53.04	-13.00	40.04	Vertical	PASS
4	17963.20	34.81	-82.00	-47.19	-13.00	34.19	Vertical	PASS

~The End~