


Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	52
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5265.39	36.07	14.26	50.33	-	-	Horizontal	NA
2	9132.05	35.63	2.91	38.54	54.00	15.46	Horizontal	PASS
3	12375.16	34.84	5.75	40.59	54.00	13.41	Horizontal	PASS
4	17981.60	31.94	13.53	45.47	54.00	8.53	Horizontal	PASS
5	5264.29	42.06	14.25	56.31	-	-	Horizontal	NA
6	6472.50	40.05	17.15	57.20	68.20	11.00	Horizontal	PASS
7	10520.53	45.16	4.03	49.19	68.20	19.01	Horizontal	PASS
8	17370.93	40.81	12.17	52.98	68.20	15.22	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	52
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9151.61	35.69	3.36	39.05	54.00	14.95	Vertical	PASS
2	11335.91	35.92	4.92	40.84	54.00	13.16	Vertical	PASS
3	17999.23	31.82	13.78	45.60	54.00	8.40	Vertical	PASS
4	6356.63	39.55	17.19	56.74	68.20	11.46	Vertical	PASS
5	10521.68	43.39	4.02	47.41	68.20	20.79	Vertical	PASS
6	17847.43	39.09	13.88	52.97	74.00	21.03	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	56
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5294.36	34.98	14.45	49.43	-	-	Horizontal	NA
2	8485.35	36.04	1.51	37.55	54.00	16.45	Horizontal	PASS
3	12411.20	34.34	6.03	40.37	54.00	13.63	Horizontal	PASS
4	17858.16	31.17	13.89	45.06	54.00	8.94	Horizontal	PASS
5	5295.28	41.76	14.46	56.22	-	-	Horizontal	NA
6	6360.30	40.93	17.13	58.06	68.20	10.14	Horizontal	PASS
7	10594.14	44.24	4.13	48.37	68.20	19.83	Horizontal	PASS
8	17962.43	39.95	13.25	53.20	74.00	20.80	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	56
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9039.28	36.46	2.35	38.81	54.00	15.19	Vertical	PASS
2	12660.76	34.35	6.13	40.48	54.00	13.52	Vertical	PASS
3	17986.20	32.25	13.59	45.84	54.00	8.16	Vertical	PASS
4	6380.83	40.39	16.84	57.23	68.20	10.97	Vertical	PASS
5	10598.74	44.37	4.17	48.54	68.20	19.66	Vertical	PASS
6	17862.00	39.44	13.83	53.27	74.00	20.73	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.49	37.69	14.55	52.24	-	-	Horizontal	NA
2	9135.50	35.68	2.99	38.67	54.00	15.33	Horizontal	PASS
3	10636.69	37.51	4.05	41.56	54.00	12.44	Horizontal	PASS
4	17864.30	32.65	13.81	46.46	54.00	7.54	Horizontal	PASS
5	5321.13	44.98	14.55	59.53	-	-	Horizontal	NA
6	6403.93	40.66	16.60	57.26	68.20	10.94	Horizontal	PASS
7	10638.60	45.11	4.05	49.16	74.00	24.84	Horizontal	PASS
8	17890.75	39.48	13.46	52.94	74.00	21.06	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.13	36.76	14.55	51.31	-	-	Vertical	NA
2	9141.64	35.37	3.16	38.53	54.00	15.47	Vertical	PASS
3	10643.20	36.86	4.04	40.90	54.00	13.10	Vertical	PASS
4	17893.43	31.96	13.43	45.39	54.00	8.61	Vertical	PASS
5	5320.94	42.36	14.55	56.91	-	-	Vertical	NA
6	6495.97	39.34	17.46	56.80	68.20	11.40	Vertical	PASS
7	10637.45	44.56	4.05	48.61	74.00	25.39	Vertical	PASS
8	17878.48	40.23	13.62	53.85	74.00	20.15	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5500.98	38.80	14.68	53.48	-	-	Horizontal	NA
2	10999.33	37.24	5.05	42.29	54.00	11.71	Horizontal	PASS
3	11477.37	35.67	4.93	40.60	54.00	13.40	Horizontal	PASS
4	17984.67	31.90	13.57	45.47	54.00	8.53	Horizontal	PASS
5	5496.40	44.66	14.66	59.32	-	-	Horizontal	NA
6	6372.95	40.32	16.87	57.19	68.20	11.01	Horizontal	PASS
7	11000.87	45.05	5.03	50.08	74.00	23.92	Horizontal	PASS
8	17890.75	39.77	13.46	53.23	74.00	20.77	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5501.72	36.70	14.68	51.38	-	-	Vertical	NA
2	11001.63	38.31	5.02	43.33	54.00	10.67	Vertical	PASS
3	12395.86	34.24	6.17	40.41	54.00	13.59	Vertical	PASS
4	17863.53	31.90	13.82	45.72	54.00	8.28	Vertical	PASS
5	5500.80	43.25	14.68	57.93	-	-	Vertical	NA
6	6313.73	39.85	16.85	56.70	68.20	11.50	Vertical	PASS
7	11002.78	45.77	5.00	50.77	74.00	23.23	Vertical	PASS
8	17886.91	39.24	13.51	52.75	74.00	21.25	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	120
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8473.85	36.06	1.39	37.45	54.00	16.55	Horizontal	PASS
2	11202.51	39.43	4.61	44.04	54.00	9.96	Horizontal	PASS
3	17983.90	32.93	13.56	46.49	54.00	7.51	Horizontal	PASS
4	6238.74	41.18	15.87	57.05	68.20	11.15	Horizontal	PASS
5	11202.51	45.92	4.61	50.53	74.00	23.47	Horizontal	PASS
6	17889.21	39.54	13.48	53.02	74.00	20.98	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	120
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11200.59	41.22	4.60	45.82	54.00	8.18	Vertical	PASS
2	12440.71	35.08	5.42	40.50	54.00	13.50	Vertical	PASS
3	17994.25	32.00	13.71	45.71	54.00	8.29	Vertical	PASS
4	6464.80	40.08	16.89	56.97	68.20	11.23	Vertical	PASS
5	11200.21	47.00	4.60	51.60	74.00	22.40	Vertical	PASS
6	17865.06	39.59	13.79	53.38	74.00	20.62	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5705.77	38.24	14.90	53.14	-	-	Horizontal	NA
2	9176.91	35.33	3.10	38.43	54.00	15.57	Horizontal	PASS
3	11395.33	38.15	5.35	43.50	54.00	10.50	Horizontal	PASS
4	17985.82	31.88	13.58	45.46	54.00	8.54	Horizontal	PASS
5	5705.96	44.17	14.90	59.07	-	-	Horizontal	NA
6	6236.17	40.85	15.87	56.72	68.20	11.48	Horizontal	PASS
7	11394.95	47.03	5.36	52.39	74.00	21.61	Horizontal	PASS
8	17830.94	40.89	13.18	54.07	74.00	19.93	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5706.32	36.71	14.90	51.61	-	-	Vertical	NA
2	9173.07	35.42	3.13	38.55	54.00	15.45	Vertical	PASS
3	11399.16	41.25	5.38	46.63	54.00	7.37	Vertical	PASS
4	17836.69	32.14	13.42	45.56	54.00	8.44	Vertical	PASS
5	5706.32	43.29	14.90	58.19	-	-	Vertical	NA
6	6350.21	39.83	17.23	57.06	68.20	11.14	Vertical	PASS
7	11399.93	49.46	5.39	54.85	74.00	19.15	Vertical	PASS
8	17877.33	40.10	13.63	53.73	74.00	20.27	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9168.09	35.59	3.18	38.77	54.00	15.23	Horizontal	PASS
2	11489.63	39.16	4.86	44.02	54.00	9.98	Horizontal	PASS
3	17895.35	32.29	13.40	45.69	54.00	8.31	Horizontal	PASS
4	6420.06	40.30	16.64	56.94	68.20	11.26	Horizontal	PASS
5	11493.08	45.23	4.85	50.08	74.00	23.92	Horizontal	PASS
6	17995.40	39.40	13.72	53.12	74.00	20.88	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9036.98	35.66	2.37	38.03	54.00	15.97	Vertical	PASS
2	11490.78	39.56	4.86	44.42	54.00	9.58	Vertical	PASS
3	17982.37	31.55	13.54	45.09	54.00	8.91	Vertical	PASS
4	6166.51	41.09	16.15	57.24	68.20	10.96	Vertical	PASS
5	11489.25	48.07	4.87	52.94	74.00	21.06	Vertical	PASS
6	17842.44	39.41	13.66	53.07	74.00	20.93	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	157
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9471.32	36.17	2.36	38.53	54.00	15.47	Horizontal	PASS
2	11570.90	36.05	5.25	41.30	54.00	12.70	Horizontal	PASS
3	17889.60	32.07	13.48	45.55	54.00	8.45	Horizontal	PASS
4	5791.21	42.45	15.67	58.12	68.20	10.08	Horizontal	PASS
5	11571.29	43.33	5.25	48.58	74.00	25.42	Horizontal	PASS
6	17932.91	39.81	13.16	52.97	74.00	21.03	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	157
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8480.75	35.69	1.47	37.16	54.00	16.84	Vertical	PASS
2	11569.75	38.40	5.23	43.63	54.00	10.37	Vertical	PASS
3	17994.63	31.83	13.71	45.54	54.00	8.46	Vertical	PASS
4	5791.39	41.56	15.68	57.24	68.20	10.96	Vertical	PASS
5	11571.29	45.68	5.25	50.93	74.00	23.07	Vertical	PASS
6	17714.02	42.02	11.71	53.73	74.00	20.27	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5821.28	36.20	15.66	51.86	-	-	Horizontal	NA
2	9033.15	36.30	2.39	38.69	54.00	15.31	Horizontal	PASS
3	11649.49	37.21	4.14	41.35	54.00	12.65	Horizontal	PASS
4	17893.81	32.08	13.42	45.50	54.00	8.50	Horizontal	PASS
5	5820.73	43.02	15.66	58.68	-	-	Horizontal	NA
6	6359.01	40.06	17.02	57.08	68.20	11.12	Horizontal	PASS
7	10519.00	43.86	4.04	47.90	68.20	20.30	Horizontal	PASS
8	17995.02	39.84	13.72	53.56	74.00	20.44	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9514.25	35.62	2.67	38.29	-	-	Vertical	NA
2	11648.72	41.46	4.16	45.62	54.00	8.38	Vertical	PASS
3	17838.23	31.69	13.49	45.18	54.00	8.82	Vertical	PASS
4	6386.15	39.91	16.69	56.60	68.20	11.60	Vertical	PASS
5	11647.57	48.13	4.19	52.32	74.00	21.68	Vertical	PASS
6	17993.10	39.42	13.69	53.11	74.00	20.89	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9127.45	35.31	2.78	38.09	54.00	15.91	Horizontal	PASS
2	11419.48	34.65	5.26	39.91	54.00	14.09	Horizontal	PASS
3	17878.10	31.93	13.63	45.56	54.00	8.44	Horizontal	PASS
4	6277.98	40.40	16.42	56.82	68.20	11.38	Horizontal	PASS
5	15246.04	40.68	9.81	50.49	68.20	17.71	Horizontal	PASS
6	17857.01	39.00	13.89	52.89	74.00	21.11	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8432.83	35.95	1.08	37.03	54.00	16.97	Vertical	PASS
2	12412.35	34.29	6.01	40.30	54.00	13.70	Vertical	PASS
3	17980.07	31.77	13.50	45.27	54.00	8.73	Vertical	PASS
4	6291.54	40.22	16.66	56.88	68.20	11.32	Vertical	PASS
5	10481.43	43.18	4.32	47.50	68.20	20.70	Vertical	PASS
6	17996.93	39.23	13.75	52.98	74.00	21.02	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	52
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9019.73	36.13	2.47	38.60	54.00	15.40	Horizontal	PASS
2	12420.78	35.08	5.83	40.91	54.00	13.09	Horizontal	PASS
3	17880.40	32.54	13.59	46.13	54.00	7.87	Horizontal	PASS
4	6303.83	40.43	16.84	57.27	68.20	10.93	Horizontal	PASS
5	10525.52	45.10	3.96	49.06	68.20	19.14	Horizontal	PASS
6	17392.78	41.03	12.09	53.12	68.20	15.08	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	52
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9122.09	35.31	2.65	37.96	54.00	16.04	Vertical	PASS
2	12372.10	34.48	5.68	40.16	54.00	13.84	Vertical	PASS
3	6381.75	40.23	16.83	57.06	68.20	11.14	Vertical	PASS
4	10514.02	42.69	4.11	46.80	68.20	21.40	Vertical	PASS
5	17851.65	39.65	13.97	53.62	74.00	20.38	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6364.33	39.67	17.01	56.68	68.20	11.52	Horizontal	PASS
2	11198.29	44.79	4.59	49.38	74.00	24.62	Horizontal	PASS
3	17996.17	39.83	13.73	53.56	74.00	20.44	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11206.34	40.29	4.64	44.93	54.00	9.07	Vertical	PASS
2	12404.68	34.39	6.16	40.55	54.00	13.45	Vertical	PASS
3	17995.02	31.57	13.72	45.29	54.00	8.71	Vertical	PASS
4	6200.24	40.81	15.90	56.71	68.20	11.49	Vertical	PASS
5	11200.97	47.29	4.60	51.89	74.00	22.11	Vertical	PASS
6	17996.17	39.89	13.73	53.62	74.00	20.38	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9132.82	36.09	2.92	39.01	54.00	14.99	Horizontal	PASS
2	12040.88	35.08	5.39	40.47	54.00	13.53	Horizontal	PASS
3	17856.63	31.42	13.90	45.32	54.00	8.68	Horizontal	PASS
4	6358.83	40.88	17.02	57.90	68.20	10.30	Horizontal	PASS
5	12020.57	44.26	5.31	49.57	74.00	24.43	Horizontal	PASS
6	17856.25	39.57	13.91	53.48	74.00	20.52	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9149.30	34.79	3.35	38.14	54.00	15.86	Vertical	PASS
2	11645.27	40.17	4.27	44.44	54.00	9.56	Vertical	PASS
3	17851.26	32.10	13.97	46.07	54.00	7.93	Vertical	PASS
4	6284.03	40.96	16.34	57.30	68.20	10.90	Vertical	PASS
5	11646.80	46.63	4.23	50.86	74.00	23.14	Vertical	PASS
6	17968.95	39.64	13.35	52.99	74.00	21.01	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9137.80	35.79	3.05	38.84	54.00	15.16	Horizontal	PASS
2	12241.37	35.01	5.35	40.36	54.00	13.64	Horizontal	PASS
3	17838.61	31.99	13.51	45.50	54.00	8.50	Horizontal	PASS
4	6361.58	40.27	17.12	57.39	68.20	10.81	Horizontal	PASS
5	13673.94	41.56	9.23	50.79	68.20	17.41	Horizontal	PASS
6	17999.23	39.69	13.78	53.47	74.00	20.53	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9181.89	35.26	3.05	38.31	54.00	15.69	Vertical	PASS
2	11398.01	34.47	5.37	39.84	54.00	14.16	Vertical	PASS
3	17973.17	32.00	13.40	45.40	54.00	8.60	Vertical	PASS
4	6448.11	40.06	16.86	56.92	68.20	11.28	Vertical	PASS
5	14361.28	41.54	8.88	50.42	68.20	17.78	Vertical	PASS
6	17382.05	40.87	12.13	53.00	68.20	15.20	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9168.86	35.03	3.18	38.21	54.00	15.79	Horizontal	PASS
2	12086.50	35.09	5.26	40.35	54.00	13.65	Horizontal	PASS
3	17971.63	32.43	13.38	45.81	54.00	8.19	Horizontal	PASS
4	6483.13	40.21	17.30	57.51	68.20	10.69	Horizontal	PASS
5	15071.62	41.89	9.14	51.03	68.20	17.17	Horizontal	PASS
6	17881.16	39.60	13.58	53.18	74.00	20.82	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9188.79	35.49	2.97	38.46	54.00	15.54	Vertical	PASS
2	12375.16	34.14	5.75	39.89	54.00	14.11	Vertical	PASS
3	17990.42	31.79	13.65	45.44	54.00	8.56	Vertical	PASS
4	6361.03	39.83	17.13	56.96	68.20	11.24	Vertical	PASS
5	14351.70	41.45	8.99	50.44	68.20	17.76	Vertical	PASS
6	17983.13	39.43	13.54	52.97	74.00	21.03	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9134.74	35.60	2.97	38.57	54.00	15.43	Horizontal	PASS
2	11019.27	36.40	4.73	41.13	54.00	12.87	Horizontal	PASS
3	17983.52	32.18	13.55	45.73	54.00	8.27	Horizontal	PASS
4	6297.96	40.81	16.68	57.49	68.20	10.71	Horizontal	PASS
5	13681.61	41.29	9.29	50.58	68.20	17.62	Horizontal	PASS
6	17863.91	39.28	13.81	53.09	74.00	20.91	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11028.47	37.78	4.58	42.36	54.00	11.64	Vertical	PASS
2	12657.69	34.75	6.14	40.89	54.00	13.11	Vertical	PASS
3	17972.40	31.83	13.39	45.22	54.00	8.78	Vertical	PASS
4	6403.01	41.12	16.47	57.59	68.20	10.61	Vertical	PASS
5	11028.08	44.01	4.59	48.60	74.00	25.40	Vertical	PASS
6	17886.53	39.84	13.51	53.35	74.00	20.65	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9160.81	35.13	3.26	38.39	54.00	15.61	Horizontal	PASS
2	12392.03	33.91	6.09	40.00	54.00	14.00	Horizontal	PASS
3	17904.16	31.89	13.32	45.21	54.00	8.79	Horizontal	PASS
4	6464.25	39.79	17.00	56.79	68.20	11.41	Horizontal	PASS
5	13699.24	41.10	9.42	50.52	68.20	17.68	Horizontal	PASS
6	17864.30	39.26	13.81	53.07	74.00	20.93	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9132.82	35.58	2.92	38.50	54.00	15.50	Vertical	PASS
2	11586.24	35.83	5.51	41.34	54.00	12.66	Vertical	PASS
3	17861.61	32.06	13.84	45.90	54.00	8.10	Vertical	PASS
4	6363.05	40.56	16.97	57.53	68.20	10.67	Vertical	PASS
5	10454.22	44.36	4.39	48.75	68.20	19.45	Vertical	PASS
6	17374.76	40.67	12.15	52.82	68.20	15.38	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9193.01	35.30	2.93	38.23	54.00	15.77	Horizontal	PASS
2	11966.90	35.14	5.07	40.21	54.00	13.79	Horizontal	PASS
3	17851.26	31.42	13.97	45.39	54.00	8.61	Horizontal	PASS
4	6342.51	39.83	17.21	57.04	68.20	11.16	Horizontal	PASS
5	13678.92	40.92	9.27	50.19	68.20	18.01	Horizontal	PASS
6	17863.53	39.33	13.82	53.15	74.00	20.85	Horizontal	PASS
7	17863.53	39.33	13.82	53.15	74.00	20.85	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9086.05	36.22	2.13	38.35	54.00	15.65	Vertical	PASS
2	12642.74	34.50	6.01	40.51	54.00	13.49	Vertical	PASS
3	17842.06	32.00	13.65	45.65	54.00	8.35	Vertical	PASS
4	6494.13	39.12	17.44	56.56	68.20	11.64	Vertical	PASS
5	14514.62	42.37	7.94	50.31	68.20	17.89	Vertical	PASS
6	17831.71	39.32	13.21	52.53	74.00	21.47	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9463.27	36.32	2.25	38.57	54.00	15.43	Horizontal	PASS
2	11199.44	35.80	4.60	40.40	54.00	13.60	Horizontal	PASS
3	17988.12	32.25	13.62	45.87	54.00	8.13	Horizontal	PASS
4	6319.41	39.95	16.99	56.94	68.20	11.26	Horizontal	PASS
5	15243.74	41.71	9.74	51.45	68.20	16.75	Horizontal	PASS
6	17863.15	39.50	13.82	53.32	74.00	20.68	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9175.76	34.90	3.11	38.01	54.00	15.99	Vertical	PASS
2	11449.00	34.75	5.08	39.83	54.00	14.17	Vertical	PASS
3	17983.90	32.51	13.56	46.07	54.00	7.93	Vertical	PASS
4	6320.33	41.77	16.99	58.76	68.20	9.44	Vertical	PASS
5	13684.29	41.01	9.30	50.31	68.20	17.89	Vertical	PASS
6	17993.87	39.51	13.71	53.22	74.00	20.78	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9178.44	34.66	3.08	37.74	54.00	16.26	Horizontal	PASS
2	11533.33	34.80	4.87	39.67	54.00	14.33	Horizontal	PASS
3	17856.25	31.59	13.91	45.50	54.00	8.50	Horizontal	PASS
4	6339.39	39.94	17.18	57.12	68.20	11.08	Horizontal	PASS
5	15121.45	41.85	8.46	50.31	68.20	17.89	Horizontal	PASS
6	17991.18	40.62	13.66	54.28	74.00	19.72	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9137.04	34.97	3.03	38.00	54.00	16.00	Vertical	PASS
2	11580.87	34.62	5.42	40.04	54.00	13.96	Vertical	PASS
3	17985.05	31.62	13.57	45.19	54.00	8.81	Vertical	PASS
4	6480.38	39.57	17.26	56.83	68.20	11.37	Vertical	PASS
5	14623.49	41.11	9.18	50.29	68.20	17.91	Vertical	PASS
6	17982.75	39.15	13.54	52.69	74.00	21.31	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9144.32	35.43	3.23	38.66	54.00	15.34	Horizontal	PASS
2	12157.42	35.61	4.82	40.43	54.00	13.57	Horizontal	PASS
3	17978.15	32.57	13.47	46.04	54.00	7.96	Horizontal	PASS
4	6348.74	39.63	17.21	56.84	68.20	11.36	Horizontal	PASS
5	14612.75	41.79	8.89	50.68	68.20	17.52	Horizontal	PASS
6	17997.32	39.46	13.75	53.21	74.00	20.79	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8428.23	35.91	1.06	36.97	54.00	17.03	Vertical	PASS
2	11368.88	34.77	5.16	39.93	54.00	14.07	Vertical	PASS
3	17997.32	31.98	13.75	45.73	54.00	8.27	Vertical	PASS
4	6164.31	40.96	15.97	56.93	68.20	11.27	Vertical	PASS
5	15085.80	40.88	9.08	49.96	68.20	18.24	Vertical	PASS
6	17840.14	39.45	13.57	53.02	74.00	20.98	Vertical	PASS