


Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	155
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9038.52	35.92	2.36	38.28	54.00	15.72	Horizontal	PASS
2	12010.60	34.96	5.27	40.23	54.00	13.77	Horizontal	PASS
3	17891.90	32.08	13.44	45.52	54.00	8.48	Horizontal	PASS
4	6477.45	40.48	17.17	57.65	68.20	10.55	Horizontal	PASS
5	15073.92	41.38	9.13	50.51	68.20	17.69	Horizontal	PASS
6	17884.61	39.71	13.54	53.25	74.00	20.75	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9133.59	35.36	2.94	38.30	54.00	15.70	Vertical	PASS
2	11549.43	35.82	4.89	40.71	54.00	13.29	Vertical	PASS
3	17992.72	31.45	13.68	45.13	54.00	8.87	Vertical	PASS
4	6380.10	40.38	16.76	57.14	68.20	11.06	Vertical	PASS
5	14661.82	40.26	9.61	49.87	68.20	18.33	Vertical	PASS
6	17820.59	39.83	12.74	52.57	74.00	21.43	Vertical	PASS

Project Information

Mode:	802.11ac160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5407.66	35.06	14.65	49.71	54.00	4.29	Horizontal	PASS
2	11428.30	35.13	5.21	40.34	54.00	13.66	Horizontal	PASS
3	17886.91	32.64	13.51	46.15	54.00	7.85	Horizontal	PASS
4	5405.28	42.81	14.65	57.46	74.00	16.54	Horizontal	PASS
5	14074.92	42.96	8.14	51.10	68.20	17.10	Horizontal	PASS
6	17968.95	40.24	13.35	53.59	74.00	20.41	Horizontal	PASS

Project Information

Mode:	802.11ac160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5391.71	34.42	14.66	49.08	54.00	4.92	Vertical	PASS
2	12399.70	34.31	6.25	40.56	54.00	13.44	Vertical	PASS
3	17863.91	31.70	13.81	45.51	54.00	8.49	Vertical	PASS
4	5395.20	42.03	14.66	56.69	74.00	17.31	Vertical	PASS
5	13664.74	40.82	9.16	49.98	68.20	18.22	Vertical	PASS
6	17986.97	39.61	13.60	53.21	74.00	20.79	Vertical	PASS

Project Information

Mode:	802.11ac160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5437.55	34.61	14.33	48.94	54.00	5.06	Horizontal	PASS
2	12094.55	34.78	5.21	39.99	54.00	14.01	Horizontal	PASS
3	17868.90	31.73	13.75	45.48	54.00	8.52	Horizontal	PASS
4	5463.03	42.15	14.44	56.59	68.20	11.61	Horizontal	PASS
5	13701.54	40.71	9.34	50.05	68.20	18.15	Horizontal	PASS
6	17859.70	39.53	13.86	53.39	74.00	20.61	Horizontal	PASS

Project Information

Mode:	802.11ac160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5437.73	34.90	14.33	49.23	54.00	4.77	Vertical	PASS
2	11173.76	36.09	4.36	40.45	54.00	13.55	Vertical	PASS
3	17972.02	32.09	13.39	45.48	54.00	8.52	Vertical	PASS
4	6323.81	40.35	16.96	57.31	68.20	10.89	Vertical	PASS
5	15063.57	41.76	9.17	50.93	68.20	17.27	Vertical	PASS
6	17883.46	39.75	13.56	53.31	74.00	20.69	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	48
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2335.08	32.69	2.02	34.71	54.00	19.29	Horizontal	PASS
2	11379.61	34.30	5.24	39.54	54.00	14.46	Horizontal	PASS
3	17885.76	31.32	13.52	44.84	54.00	9.16	Horizontal	PASS
4	2275.86	39.74	1.86	41.60	74.00	32.40	Horizontal	PASS
5	11434.81	41.96	5.17	47.13	74.00	26.87	Horizontal	PASS
6	17836.31	39.18	13.40	52.58	74.00	21.42	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	48
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2241.21	32.58	1.88	34.46	54.00	19.54	Vertical	PASS
2	11433.66	33.89	5.18	39.07	54.00	14.93	Vertical	PASS
3	17984.28	31.72	13.57	45.29	54.00	8.71	Vertical	PASS
4	2196.29	41.76	1.32	43.08	68.20	25.12	Vertical	PASS
5	11419.48	41.37	5.26	46.63	74.00	27.37	Vertical	PASS
6	17812.54	40.00	12.40	52.40	74.00	21.60	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	52
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5269.24	34.05	14.29	48.34	-	-	Horizontal	NA
2	5269.06	42.38	14.29	56.67	-	-	Horizontal	NA

Project Information

Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	52
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2272.93	32.01	1.88	33.89	54.00	20.11	Vertical	PASS
2	12221.06	34.06	5.31	39.37	54.00	14.63	Vertical	PASS
3	17840.53	31.02	13.59	44.61	54.00	9.39	Vertical	PASS
4	2265.41	40.69	1.92	42.61	74.00	31.39	Vertical	PASS
5	12075.00	41.43	5.31	46.74	74.00	27.26	Vertical	PASS
6	17985.05	38.89	13.57	52.46	74.00	21.54	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2261.19	32.42	2.10	34.52	54.00	19.48	Horizontal	PASS
2	5598.34	35.98	14.74	50.72	-	-	Horizontal	NA
3	11201.36	37.99	4.61	42.60	54.00	11.40	Horizontal	PASS
4	17881.93	31.13	13.57	44.70	54.00	9.30	Horizontal	PASS
5	2241.02	39.42	2.07	41.49	74.00	32.51	Horizontal	PASS
6	5597.60	43.80	14.74	58.54	-	-	Horizontal	NA
7	11199.82	45.60	4.60	50.20	74.00	23.80	Horizontal	PASS
8	17891.51	39.38	13.45	52.83	74.00	21.17	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2227.64	33.02	1.83	34.85	54.00	19.15	Vertical	PASS
2	5606.22	34.31	14.76	49.07	-	-	Vertical	NA
3	11198.29	40.50	4.59	45.09	54.00	8.91	Vertical	PASS
4	17896.11	31.16	13.39	44.55	54.00	9.45	Vertical	PASS
5	2229.11	40.36	1.85	42.21	74.00	31.79	Vertical	PASS
6	5597.42	42.39	14.73	57.12	-	-	Vertical	NA
7	11207.11	49.50	4.64	54.14	74.00	19.86	Vertical	PASS
8	17978.15	38.57	13.47	52.04	74.00	21.96	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2278.06	32.46	1.90	34.36	54.00	19.64	Horizontal	PASS
2	5821.83	34.43	15.65	50.08	-	-	Horizontal	NA
3	11649.49	35.01	4.14	39.15	54.00	14.85	Horizontal	PASS
4	17858.16	30.47	13.89	44.36	54.00	9.64	Horizontal	PASS
5	2238.46	40.76	1.81	42.57	74.00	31.43	Horizontal	PASS
6	5820.91	41.81	15.66	57.47	-	-	Horizontal	NA
7	11644.89	42.85	4.29	47.14	74.00	26.86	Horizontal	PASS
8	17858.55	39.02	13.88	52.90	74.00	21.10	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2276.04	32.12	1.89	34.01	54.00	19.99	Vertical	PASS
2	5818.34	33.60	15.67	49.27	-	-	Vertical	NA
3	11646.04	38.78	4.25	43.03	54.00	10.97	Vertical	PASS
4	17850.11	30.57	13.99	44.56	54.00	9.44	Vertical	PASS
5	2266.33	40.61	1.88	42.49	74.00	31.51	Vertical	PASS
6	5819.63	41.61	15.66	57.27	-	-	Vertical	NA
7	11657.92	46.73	4.24	50.97	74.00	23.03	Vertical	PASS
8	17842.06	38.47	13.65	52.12	74.00	21.88	Vertical	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2252.03	32.36	1.98	34.34	54.00	19.66	Horizontal	PASS
2	5177.57	38.93	13.90	52.83	-	-	Horizontal	NA
3	11364.66	34.02	5.14	39.16	54.00	14.84	Horizontal	PASS
4	17850.50	30.64	13.98	44.62	54.00	9.38	Horizontal	PASS
5	2236.99	40.31	1.82	42.13	74.00	31.87	Horizontal	PASS
6	5176.47	46.22	13.91	60.13	-	-	Horizontal	NA
7	11415.26	42.98	5.29	48.27	74.00	25.73	Horizontal	PASS
8	17880.78	38.89	13.59	52.48	74.00	21.52	Horizontal	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2333.98	32.21	2.02	34.23	54.00	19.77	Vertical	PASS
2	5174.46	36.10	13.90	50.00	-	-	Vertical	NA
3	11365.43	33.60	5.14	38.74	54.00	15.26	Vertical	PASS
4	17886.15	32.11	13.52	45.63	54.00	8.37	Vertical	PASS
5	2269.08	39.65	1.90	41.55	74.00	32.45	Vertical	PASS
6	5176.66	42.68	13.91	56.59	-	-	Vertical	NA
7	11411.05	41.41	5.32	46.73	74.00	27.27	Vertical	PASS
8	17866.98	38.23	13.77	52.00	74.00	22.00	Vertical	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2310.51	32.34	1.83	34.17	54.00	19.83	Horizontal	PASS
2	12032.07	34.08	5.36	39.44	54.00	14.56	Horizontal	PASS
3	17835.16	31.43	13.36	44.79	54.00	9.21	Horizontal	PASS
4	2256.24	40.48	1.96	42.44	74.00	31.56	Horizontal	PASS
5	12107.97	43.18	5.12	48.30	74.00	25.70	Horizontal	PASS
6	17860.08	38.54	13.86	52.40	74.00	21.60	Horizontal	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2240.84	32.27	1.87	34.14	54.00	19.86	Vertical	PASS
2	12004.85	33.72	5.24	38.96	54.00	15.04	Vertical	PASS
3	17856.25	31.17	13.91	45.08	54.00	8.92	Vertical	PASS
4	2269.99	39.77	1.89	41.66	74.00	32.34	Vertical	PASS
5	12090.34	41.98	5.24	47.22	74.00	26.78	Vertical	PASS
6	17847.04	39.12	13.86	52.98	74.00	21.02	Vertical	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2234.42	32.60	1.79	34.39	54.00	19.61	Horizontal	PASS
2	11467.02	34.06	4.98	39.04	54.00	14.96	Horizontal	PASS
3	17861.61	31.26	13.84	45.10	54.00	8.90	Horizontal	PASS
4	2250.74	40.23	1.98	42.21	74.00	31.79	Horizontal	PASS
5	11395.71	41.52	5.35	46.87	74.00	27.13	Horizontal	PASS
6	17879.25	39.12	13.61	52.73	74.00	21.27	Horizontal	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2244.14	32.35	1.91	34.26	54.00	19.74	Vertical	PASS
2	11434.05	34.15	5.18	39.33	54.00	14.67	Vertical	PASS
3	17980.07	31.24	13.50	44.74	54.00	9.26	Vertical	PASS
4	2274.21	39.99	1.88	41.87	74.00	32.13	Vertical	PASS
5	11469.32	41.94	4.97	46.91	74.00	27.09	Vertical	PASS
6	17971.25	38.61	13.37	51.98	74.00	22.02	Vertical	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	118
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2237.72	32.06	2.01	34.07	54.00	19.93	Horizontal	PASS
2	5593.75	34.17	14.72	48.89	-	-	Horizontal	NA
3	11176.44	36.07	4.38	40.45	54.00	13.55	Horizontal	PASS
4	17847.04	30.70	13.86	44.56	54.00	9.44	Horizontal	PASS
5	2275.86	40.46	1.95	42.41	74.00	31.59	Horizontal	PASS
6	5594.49	41.04	14.72	55.76	-	-	Horizontal	NA
7	11192.92	43.51	4.54	48.05	74.00	25.95	Horizontal	PASS
8	17855.10	38.11	13.92	52.03	74.00	21.97	Horizontal	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	118
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2241.94	32.52	2.08	34.60	54.00	19.40	Vertical	PASS
2	5593.94	33.40	14.72	48.12	-	-	Vertical	NA
3	11179.51	38.02	4.41	42.43	54.00	11.57	Vertical	PASS
4	17846.66	31.15	13.84	44.99	54.00	9.01	Vertical	PASS
5	2291.81	41.44	1.78	43.22	74.00	30.78	Vertical	PASS
6	5599.44	42.07	14.74	56.81	-	-	Vertical	NA
7	11190.62	44.85	4.51	49.36	74.00	24.64	Vertical	PASS
8	17990.80	38.64	13.65	52.29	74.00	21.71	Vertical	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2240.11	32.83	1.82	34.65	54.00	19.35	Horizontal	PASS
2	11588.92	34.70	5.56	40.26	54.00	13.74	Horizontal	PASS
3	17885.00	31.73	13.54	45.27	54.00	8.73	Horizontal	PASS
4	2273.84	39.75	1.89	41.64	74.00	32.36	Horizontal	PASS
5	11587.77	41.54	5.54	47.08	74.00	26.92	Horizontal	PASS
6	17979.68	38.65	13.50	52.15	74.00	21.85	Horizontal	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2249.46	32.16	1.88	34.04	54.00	19.96	Vertical	PASS
2	11588.54	35.02	5.56	40.58	54.00	13.42	Vertical	PASS
3	17987.35	31.85	13.61	45.46	54.00	8.54	Vertical	PASS
4	2258.99	40.71	1.89	42.60	74.00	31.40	Vertical	PASS
5	11603.49	42.48	5.63	48.11	74.00	25.89	Vertical	PASS
6	17996.93	38.45	13.75	52.20	74.00	21.80	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2279.16	32.71	1.85	34.56	54.00	19.44	Horizontal	PASS
2	5188.76	34.97	13.91	48.88	-	-	Horizontal	NA
3	12113.34	33.50	5.08	38.58	54.00	15.42	Horizontal	PASS
4	17964.73	31.32	13.28	44.60	54.00	9.40	Horizontal	PASS
5	2277.69	39.83	1.86	41.69	74.00	32.31	Horizontal	PASS
6	5177.02	42.91	13.91	56.82	-	-	Horizontal	NA
7	12194.61	41.65	5.21	46.86	74.00	27.14	Horizontal	PASS
8	17982.75	38.41	13.54	51.95	74.00	22.05	Horizontal	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2232.77	32.14	1.77	33.91	54.00	20.09	Vertical	PASS
2	11411.43	34.00	5.32	39.32	54.00	14.68	Vertical	PASS
3	17840.14	31.08	13.57	44.65	54.00	9.35	Vertical	PASS
4	2213.71	39.80	1.51	41.31	74.00	32.69	Vertical	PASS
5	11362.75	41.67	5.12	46.79	74.00	27.21	Vertical	PASS
6	17878.86	38.49	13.62	52.11	74.00	21.89	Vertical	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2254.41	32.14	1.97	34.11	54.00	19.89	Horizontal	PASS
2	5321.68	35.00	14.55	49.55	-	-	Horizontal	NA
3	11551.35	34.58	4.91	39.49	54.00	14.51	Horizontal	PASS
4	17860.46	31.22	13.85	45.07	54.00	8.93	Horizontal	PASS
5	2247.62	39.71	1.96	41.67	74.00	32.33	Horizontal	PASS
6	5321.31	42.36	14.55	56.91	-	-	Horizontal	NA
7	11402.23	41.42	5.38	46.80	74.00	27.20	Horizontal	PASS
8	17888.45	38.67	13.49	52.16	74.00	21.84	Horizontal	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2273.84	32.44	1.88	34.32	54.00	19.68	Vertical	PASS
2	11467.78	34.14	4.98	39.12	54.00	14.88	Vertical	PASS
3	17885.38	31.19	13.53	44.72	54.00	9.28	Vertical	PASS
4	2197.39	41.03	1.32	42.35	68.20	25.85	Vertical	PASS
5	11453.98	41.49	5.05	46.54	74.00	27.46	Vertical	PASS
6	17840.14	38.60	13.57	52.17	74.00	21.83	Vertical	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2267.06	32.32	2.04	34.36	54.00	19.64	Horizontal	PASS
2	11412.20	34.23	5.31	39.54	54.00	14.46	Horizontal	PASS
3	17877.33	31.07	13.63	44.70	54.00	9.30	Horizontal	PASS
4	2236.81	40.27	1.99	42.26	74.00	31.74	Horizontal	PASS
5	11371.95	41.27	5.19	46.46	74.00	27.54	Horizontal	PASS
6	17966.65	38.55	13.31	51.86	74.00	22.14	Horizontal	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2244.69	32.37	2.13	34.50	54.00	19.50	Vertical	PASS
2	11209.02	35.72	4.65	40.37	54.00	13.63	Vertical	PASS
3	17848.19	30.92	13.92	44.84	54.00	9.16	Vertical	PASS
4	2235.71	39.73	1.96	41.69	74.00	32.31	Vertical	PASS
5	11230.87	43.74	4.77	48.51	74.00	25.49	Vertical	PASS
6	17989.27	38.88	13.64	52.52	74.00	21.48	Vertical	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2274.03	32.20	1.89	34.09	54.00	19.91	Horizontal	PASS
2	11541.77	34.37	4.87	39.24	54.00	14.76	Horizontal	PASS
3	17965.50	31.88	13.29	45.17	54.00	8.83	Horizontal	PASS
4	2266.14	40.21	1.88	42.09	74.00	31.91	Horizontal	PASS
5	11439.03	42.01	5.14	47.15	74.00	26.85	Horizontal	PASS
6	17941.73	39.56	13.12	52.68	74.00	21.32	Horizontal	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2266.33	32.50	1.88	34.38	54.00	19.62	Vertical	PASS
2	11550.59	35.63	4.90	40.53	54.00	13.47	Vertical	PASS
3	17868.13	31.47	13.76	45.23	54.00	8.77	Vertical	PASS
4	2240.11	40.34	1.82	42.16	74.00	31.84	Vertical	PASS
5	11570.90	42.33	5.25	47.58	74.00	26.42	Vertical	PASS
6	17998.85	38.48	13.78	52.26	74.00	21.74	Vertical	PASS

Project Information

Mode:	802.11be160	Band:	U-NII-3
Bandwidth	160MHz	Channel	50
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5173.72	35.25	13.90	49.15	-	-	Horizontal	NA
2	5404.00	34.47	14.65	49.12	54.00	4.88	Horizontal	PASS
3	11466.25	34.03	4.98	39.01	54.00	14.99	Horizontal	PASS
4	17980.07	31.29	13.50	44.79	54.00	9.21	Horizontal	PASS
5	5179.04	43.43	13.90	57.33	-	-	Horizontal	NA
6	5403.45	42.73	14.66	57.39	74.00	16.61	Horizontal	PASS
7	11403.00	41.07	5.37	46.44	74.00	27.56	Horizontal	PASS
8	17885.38	38.96	13.53	52.49	74.00	21.51	Horizontal	PASS

Project Information

Mode:	802.11be160	Band:	U-NII-3
Bandwidth	160MHz	Channel	50
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5392.81	34.41	14.65	49.06	54.00	4.94	Vertical	PASS
2	11361.21	33.82	5.11	38.93	54.00	15.07	Vertical	PASS
3	17977.77	31.72	13.47	45.19	54.00	8.81	Vertical	PASS
4	5408.03	42.47	14.65	57.12	74.00	16.88	Vertical	PASS
5	11421.40	42.15	5.25	47.40	74.00	26.60	Vertical	PASS
6	17852.41	38.15	13.95	52.10	74.00	21.90	Vertical	PASS

Project Information

Mode:	802.11be160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2226.72	32.24	1.81	34.05	54.00	19.95	Horizontal	PASS
2	5442.31	37.27	14.33	51.60	-	-	Horizontal	NA
3	11232.02	33.01	4.78	37.79	54.00	16.21	Horizontal	PASS
4	17835.93	30.93	13.39	44.32	54.00	9.68	Horizontal	PASS
5	2259.73	40.34	2.12	42.46	74.00	31.54	Horizontal	PASS
6	5442.31	43.46	14.33	57.79	-	-	Horizontal	NA
7	11361.21	41.84	5.11	46.95	74.00	27.05	Horizontal	PASS
8	17876.95	38.93	13.64	52.57	74.00	21.43	Horizontal	PASS

Project Information

Mode:	802.11be160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2232.59	32.30	1.92	34.22	54.00	19.78	Vertical	PASS
2	12075.00	34.09	5.31	39.40	54.00	14.60	Vertical	PASS
3	17991.95	30.74	13.68	44.42	54.00	9.58	Vertical	PASS
4	2226.54	40.21	1.81	42.02	74.00	31.98	Vertical	PASS
5	12068.10	42.78	5.35	48.13	74.00	25.87	Vertical	PASS
6	17886.53	39.25	13.51	52.76	74.00	21.24	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2285.39	32.43	1.82	34.25	54.00	19.75	Horizontal	PASS
2	11501.90	34.60	4.81	39.41	54.00	14.59	Horizontal	PASS
3	17884.23	31.53	13.55	45.08	54.00	8.92	Horizontal	PASS
4	2255.88	40.65	1.96	42.61	74.00	31.39	Horizontal	PASS
5	11463.18	42.31	5.00	47.31	74.00	26.69	Horizontal	PASS
6	17819.83	40.14	12.70	52.84	74.00	21.16	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2367.53	32.72	2.11	34.83	54.00	19.17	Vertical	PASS
2	11382.30	34.36	5.26	39.62	54.00	14.38	Vertical	PASS
3	17883.08	31.78	13.56	45.34	54.00	8.66	Vertical	PASS
4	2393.75	46.13	2.05	48.18	68.20	20.02	Vertical	PASS
5	10476.45	42.13	4.33	46.46	68.20	21.74	Vertical	PASS
6	17981.60	38.69	13.53	52.22	74.00	21.78	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2279.16	32.77	1.85	34.62	54.00	19.38	Horizontal	PASS
2	5267.59	36.21	14.27	50.48	-	-	Horizontal	NA
3	11365.43	34.59	5.14	39.73	54.00	14.27	Horizontal	PASS
4	17853.56	30.91	13.95	44.86	54.00	9.14	Horizontal	PASS
5	2249.09	39.81	1.97	41.78	74.00	32.22	Horizontal	PASS
6	5267.96	42.09	14.27	56.36	-	-	Horizontal	NA
7	10520.53	43.66	4.03	47.69	68.20	20.51	Horizontal	PASS
8	17992.33	38.62	13.68	52.30	74.00	21.70	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2306.48	32.55	1.80	34.35	-	-	Vertical	NA
2	5266.68	33.71	14.27	47.98	-	-	Vertical	NA
3	11364.66	33.56	5.14	38.70	54.00	15.30	Vertical	PASS
4	17850.88	31.21	13.98	45.19	54.00	8.81	Vertical	PASS
5	2255.88	40.31	1.96	42.27	74.00	31.73	Vertical	PASS
6	5268.33	40.83	14.27	55.10	-	-	Vertical	NA
7	11427.91	42.30	5.21	47.51	74.00	26.49	Vertical	PASS
8	17846.66	38.22	13.84	52.06	74.00	21.94	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2254.23	32.41	2.18	34.59	54.00	19.41	Horizontal	PASS
2	5597.24	37.27	14.73	52.00	-	-	Horizontal	NA
3	11200.97	39.41	4.60	44.01	54.00	9.99	Horizontal	PASS
4	17989.65	31.51	13.64	45.15	54.00	8.85	Horizontal	PASS
5	2210.41	40.79	1.52	42.31	74.00	31.69	Horizontal	PASS
6	5596.50	43.60	14.73	58.33	-	-	Horizontal	NA
7	11205.96	47.03	4.64	51.67	74.00	22.33	Horizontal	PASS
8	17850.11	38.37	13.99	52.36	74.00	21.64	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2239.37	33.19	2.04	35.23	54.00	18.77	Vertical	PASS
2	5595.77	34.16	14.73	48.89	-	-	Vertical	NA
3	11200.97	41.98	4.60	46.58	54.00	7.42	Vertical	PASS
4	17883.85	32.15	13.55	45.70	54.00	8.30	Vertical	PASS
5	2246.89	40.50	2.16	42.66	74.00	31.34	Vertical	PASS
6	5603.29	41.04	14.75	55.79	-	-	Vertical	NA
7	11200.59	48.50	4.60	53.10	74.00	20.90	Vertical	PASS
8	17861.61	38.73	13.84	52.57	74.00	21.43	Vertical	PASS