


Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2255.88	32.55	1.88	34.43	54.00	19.57	Horizontal	PASS
2	5821.64	35.79	15.65	51.44	-	-	Horizontal	NA
3	11654.86	37.59	4.20	41.79	54.00	12.21	Horizontal	PASS
4	17849.73	30.87	13.98	44.85	54.00	9.15	Horizontal	PASS
5	2288.88	40.18	1.90	42.08	74.00	31.92	Horizontal	PASS
6	5821.46	41.47	15.66	57.13	-	-	Horizontal	NA
7	11651.02	46.12	4.14	50.26	74.00	23.74	Horizontal	PASS
8	17873.11	39.76	13.69	53.45	74.00	20.55	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2263.94	32.60	1.89	34.49	54.00	19.51	Vertical	PASS
2	5818.16	34.18	15.67	49.85	-	-	Vertical	NA
3	11652.17	40.34	4.16	44.50	54.00	9.50	Vertical	PASS
4	17859.31	30.83	13.87	44.70	54.00	9.30	Vertical	PASS
5	2287.59	40.97	1.90	42.87	74.00	31.13	Vertical	PASS
6	5817.98	40.65	15.67	56.32	-	-	Vertical	NA
7	11650.64	47.68	4.13	51.81	74.00	22.19	Vertical	PASS
8	17994.25	38.83	13.71	52.54	74.00	21.46	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2294.38	33.57	1.78	35.35	54.00	18.65	Horizontal	PASS
2	5272.91	35.49	14.31	49.80	-	-	Horizontal	NA
3	11454.75	35.18	5.05	40.23	54.00	13.77	Horizontal	PASS
4	17893.81	32.07	13.42	45.49	54.00	8.51	Horizontal	PASS
5	2399.98	46.73	2.03	48.76	68.20	19.44	Horizontal	PASS
6	5279.33	41.29	14.35	55.64	-	-	Horizontal	NA
7	11420.25	41.53	5.26	46.79	74.00	27.21	Horizontal	PASS
8	17858.16	38.58	13.89	52.47	74.00	21.53	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2399.80	33.13	2.03	35.16	-	-	Vertical	NA
2	5271.99	34.85	14.30	49.15	-	-	Vertical	NA
3	11517.62	34.76	4.84	39.60	54.00	14.40	Vertical	PASS
4	17896.88	31.74	13.38	45.12	54.00	8.88	Vertical	PASS
5	2363.68	40.35	2.11	42.46	74.00	31.54	Vertical	PASS
6	5272.36	41.30	14.31	55.61	-	-	Vertical	NA
7	11398.40	41.36	5.38	46.74	74.00	27.26	Vertical	PASS
8	17850.50	39.44	13.98	53.42	74.00	20.58	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2208.76	32.78	1.44	34.22	54.00	19.78	Horizontal	PASS
2	11474.68	34.32	4.95	39.27	54.00	14.73	Horizontal	PASS
3	17972.78	32.10	13.40	45.50	54.00	8.50	Horizontal	PASS
4	2252.39	40.01	1.97	41.98	74.00	32.02	Horizontal	PASS
5	11587.39	41.99	5.53	47.52	74.00	26.48	Horizontal	PASS
6	17965.50	39.29	13.29	52.58	74.00	21.42	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2389.71	33.78	2.05	35.83	54.00	18.17	Vertical	PASS
2	11395.71	33.90	5.35	39.25	54.00	14.75	Vertical	PASS
3	17975.85	31.63	13.44	45.07	54.00	8.93	Vertical	PASS
4	2263.39	40.28	1.93	42.21	74.00	31.79	Vertical	PASS
5	11455.90	41.36	5.04	46.40	74.00	27.60	Vertical	PASS
6	17876.18	38.87	13.65	52.52	74.00	21.48	Vertical	PASS

Project Information

Mode:	802.11ac160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2384.76	33.24	2.09	35.33	54.00	18.67	Horizontal	PASS
2	5441.76	37.92	14.33	52.25	-	-	Horizontal	NA
3	11143.09	35.85	4.14	39.99	54.00	14.01	Horizontal	PASS
4	17885.38	31.81	13.53	45.34	54.00	8.66	Horizontal	PASS
5	2323.89	41.24	1.96	43.20	74.00	30.80	Horizontal	PASS
6	5441.76	44.51	14.33	58.84	-	-	Horizontal	NA
7	11215.92	43.07	4.69	47.76	74.00	26.24	Horizontal	PASS
8	17967.80	40.04	13.33	53.37	74.00	20.63	Horizontal	PASS

Project Information

Mode:	802.11ac160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2222.32	32.86	1.73	34.59	54.00	19.41	Vertical	PASS
2	5439.01	35.07	14.33	49.40	-	-	Vertical	NA
3	11161.49	39.27	4.24	43.51	54.00	10.49	Vertical	PASS
4	17964.35	32.53	13.28	45.81	54.00	8.19	Vertical	PASS
5	2402.91	42.39	2.02	44.41	68.20	23.79	Vertical	PASS
6	5439.01	43.62	14.33	57.95	-	-	Vertical	NA
7	11161.11	45.77	4.24	50.01	74.00	23.99	Vertical	PASS
8	17862.76	40.25	13.83	54.08	74.00	19.92	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5131.31	27.95	12.35	40.30	54.00	13.70	Horizontal	PASS
2	5141.39	28.28	12.42	40.70	54.00	13.30	Horizontal	PASS
3	5148.64	28.80	12.47	41.27	54.00	12.73	Horizontal	PASS
4	5130.89	39.89	12.34	52.23	74.00	21.77	Horizontal	PASS
5	5141.75	39.62	12.43	52.05	74.00	21.95	Horizontal	PASS
6	5148.61	39.76	12.47	52.23	74.00	21.77	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5135.89	27.89	12.38	40.27	54.00	13.73	Vertical	PASS
2	5139.24	27.65	12.41	40.06	54.00	13.94	Vertical	PASS
3	5149.84	27.78	12.48	40.26	54.00	13.74	Vertical	PASS
4	5135.11	39.51	12.38	51.89	74.00	22.11	Vertical	PASS
5	5138.88	39.85	12.41	52.26	74.00	21.74	Vertical	PASS
6	5148.28	40.04	12.46	52.50	74.00	21.50	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.84	28.86	12.69	41.55	54.00	12.45	Horizontal	PASS
2	5358.06	28.86	12.72	41.58	54.00	12.42	Horizontal	PASS
3	5366.06	28.52	12.78	41.30	54.00	12.70	Horizontal	PASS
4	5351.23	40.45	12.69	53.14	74.00	20.86	Horizontal	PASS
5	5358.16	41.43	12.72	54.15	74.00	19.85	Horizontal	PASS
6	5366.12	40.30	12.78	53.08	74.00	20.92	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.23	28.42	12.69	41.11	54.00	12.89	Vertical	PASS
2	5355.30	28.31	12.71	41.02	54.00	12.98	Vertical	PASS
3	5364.14	28.32	12.76	41.08	54.00	12.92	Vertical	PASS
4	5352.17	40.45	12.70	53.15	74.00	20.85	Vertical	PASS
5	5355.56	39.86	12.71	52.57	74.00	21.43	Vertical	PASS
6	5363.75	40.14	12.76	52.90	74.00	21.10	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.02	27.84	12.66	40.50	54.00	13.50	Horizontal	PASS
2	5455.31	27.96	12.72	40.68	54.00	13.32	Horizontal	PASS
3	5459.24	27.98	12.79	40.77	54.00	13.23	Horizontal	PASS
4	5452.58	39.86	12.69	52.55	74.00	21.45	Horizontal	PASS
5	5463.57	40.11	12.86	52.97	68.20	15.23	Horizontal	PASS
6	5469.87	39.68	12.96	52.64	68.20	15.56	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.87	27.79	12.70	40.49	54.00	13.51	Vertical	PASS
2	5456.72	27.91	12.75	40.66	54.00	13.34	Vertical	PASS
3	5459.54	27.98	12.80	40.78	54.00	13.22	Vertical	PASS
4	5453.15	39.88	12.69	52.57	74.00	21.43	Vertical	PASS
5	5459.48	40.01	12.80	52.81	74.00	21.19	Vertical	PASS
6	5468.79	39.50	12.94	52.44	68.20	15.76	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.05	39.41	13.35	52.76	68.20	15.44	Horizontal	PASS
2	5738.77	40.66	13.14	53.80	68.20	14.40	Horizontal	PASS
3	5743.40	40.02	13.07	53.09	68.20	15.11	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5729.83	40.30	13.29	53.59	68.20	14.61	Vertical	PASS
2	5731.75	40.38	13.26	53.64	68.20	14.56	Vertical	PASS
3	5744.21	40.15	13.06	53.21	68.20	14.99	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph


Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph



Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Project Information

Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5131.89	28.17	12.36	40.53	54.00	13.47	Horizontal	PASS
2	5142.01	28.74	12.43	41.17	54.00	12.83	Horizontal	PASS
3	5148.70	29.06	12.47	41.53	54.00	12.47	Horizontal	PASS
4	5129.32	40.11	12.34	52.45	74.00	21.55	Horizontal	PASS
5	5143.11	39.76	12.43	52.19	74.00	21.81	Horizontal	PASS
6	5149.29	40.56	12.48	53.04	74.00	20.96	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5131.41	27.79	12.35	40.14	54.00	13.86	Vertical	PASS
2	5143.50	28.16	12.43	40.59	54.00	13.41	Vertical	PASS
3	5147.76	28.23	12.46	40.69	54.00	13.31	Vertical	PASS
4	5130.98	39.34	12.34	51.68	74.00	22.32	Vertical	PASS
5	5141.78	39.66	12.43	52.09	74.00	21.91	Vertical	PASS
6	5148.12	40.17	12.46	52.63	74.00	21.37	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.42	28.95	12.68	41.63	54.00	12.37	Horizontal	PASS
2	5360.76	28.82	12.74	41.56	54.00	12.44	Horizontal	PASS
3	5367.33	28.62	12.79	41.41	54.00	12.59	Horizontal	PASS
4	5350.61	39.68	12.68	52.36	74.00	21.64	Horizontal	PASS
5	5360.47	40.46	12.74	53.20	74.00	20.80	Horizontal	PASS
6	5367.55	40.19	12.78	52.97	74.00	21.03	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.65	28.42	12.69	41.11	54.00	12.89	Vertical	PASS
2	5356.89	28.28	12.72	41.00	54.00	13.00	Vertical	PASS
3	5366.48	28.45	12.78	41.23	54.00	12.77	Vertical	PASS
4	5352.14	39.95	12.70	52.65	74.00	21.35	Vertical	PASS
5	5358.03	39.81	12.72	52.53	74.00	21.47	Vertical	PASS
6	5365.57	39.70	12.77	52.47	74.00	21.53	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.73	28.22	12.69	40.91	54.00	13.09	Horizontal	PASS
2	5456.21	28.08	12.74	40.82	54.00	13.18	Horizontal	PASS
3	5459.36	28.14	12.80	40.94	54.00	13.06	Horizontal	PASS
4	5454.08	40.12	12.70	52.82	74.00	21.18	Horizontal	PASS
5	5460.57	40.23	12.81	53.04	68.20	15.16	Horizontal	PASS
6	5468.82	40.06	12.94	53.00	68.20	15.20	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.53	28.05	12.67	40.72	54.00	13.28	Vertical	PASS
2	5454.17	27.93	12.71	40.64	54.00	13.36	Vertical	PASS
3	5459.15	27.88	12.78	40.66	54.00	13.34	Vertical	PASS
4	5452.55	39.69	12.69	52.38	74.00	21.62	Vertical	PASS
5	5463.15	40.45	12.85	53.30	68.20	14.90	Vertical	PASS
6	5467.92	40.03	12.93	52.96	68.20	15.24	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5730.19	40.10	13.28	53.38	68.20	14.82	Horizontal	PASS
2	5737.69	40.05	13.16	53.21	68.20	14.99	Horizontal	PASS
3	5743.85	40.20	13.06	53.26	68.20	14.94	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.50	39.92	13.35	53.27	68.20	14.93	Vertical	PASS
2	5740.70	40.07	13.11	53.18	68.20	15.02	Vertical	PASS
3	5747.45	39.97	13.00	52.97	68.20	15.23	Vertical	PASS


Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph

Project Information

Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5133.97	28.67	12.37	41.04	54.00	12.96	Horizontal	PASS
2	5142.09	28.83	12.43	41.26	54.00	12.74	Horizontal	PASS
3	5146.43	29.55	12.46	42.01	54.00	11.99	Horizontal	PASS
4	5134.10	40.55	12.37	52.92	74.00	21.08	Horizontal	PASS
5	5140.01	39.86	12.41	52.27	74.00	21.73	Horizontal	PASS
6	5148.51	40.67	12.47	53.14	74.00	20.86	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5128.74	27.95	12.33	40.28	54.00	13.72	Vertical	PASS
2	5137.93	28.37	12.39	40.76	54.00	13.24	Vertical	PASS
3	5147.20	28.54	12.46	41.00	54.00	13.00	Vertical	PASS
4	5129.72	40.02	12.34	52.36	74.00	21.64	Vertical	PASS
5	5135.12	39.31	12.38	51.69	74.00	22.31	Vertical	PASS
6	5149.75	40.66	12.48	53.14	74.00	20.86	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.42	30.90	12.68	43.58	54.00	10.42	Horizontal	PASS
2	5353.44	30.40	12.70	43.10	54.00	10.90	Horizontal	PASS
3	5359.10	29.18	12.73	41.91	54.00	12.09	Horizontal	PASS
4	5350.04	41.91	12.68	54.59	74.00	19.41	Horizontal	PASS
5	5352.51	42.29	12.69	54.98	74.00	19.02	Horizontal	PASS
6	5357.57	41.94	12.72	54.66	74.00	19.34	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.76	29.53	12.69	42.22	54.00	11.78	Vertical	PASS
2	5353.19	28.91	12.69	41.60	54.00	12.40	Vertical	PASS
3	5365.09	28.42	12.77	41.19	54.00	12.81	Vertical	PASS
4	5350.34	40.37	12.68	53.05	74.00	20.95	Vertical	PASS
5	5353.53	40.38	12.70	53.08	74.00	20.92	Vertical	PASS
6	5364.37	40.57	12.76	53.33	74.00	20.67	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.52	28.70	12.67	41.37	54.00	12.63	Horizontal	PASS
2	5453.92	28.79	12.70	41.49	54.00	12.51	Horizontal	PASS
3	5457.32	28.50	12.75	41.25	54.00	12.75	Horizontal	PASS
4	5451.08	39.96	12.66	52.62	74.00	21.38	Horizontal	PASS
5	5457.68	39.85	12.77	52.62	74.00	21.38	Horizontal	PASS
6	5467.81	41.33	12.93	54.26	68.20	13.94	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.92	28.14	12.67	40.81	54.00	13.19	Vertical	PASS
2	5455.28	27.96	12.72	40.68	54.00	13.32	Vertical	PASS
3	5459.04	28.07	12.78	40.85	54.00	13.15	Vertical	PASS
4	5454.32	40.61	12.71	53.32	74.00	20.68	Vertical	PASS
5	5460.13	40.61	12.80	53.41	68.20	14.79	Vertical	PASS
6	5465.61	40.12	12.89	53.01	68.20	15.19	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.59	40.15	13.33	53.48	68.20	14.72	Horizontal	PASS
2	5737.04	39.29	13.17	52.46	68.20	15.74	Horizontal	PASS
3	5741.95	39.63	13.09	52.72	68.20	15.48	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.99	38.93	13.30	52.23	68.20	15.97	Vertical	PASS
2	5738.59	39.51	13.15	52.66	68.20	15.54	Vertical	PASS
3	5745.05	39.28	13.04	52.32	68.20	15.88	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph

Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph

Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph

Project Information			
Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5130.13	28.06	12.34	40.40	54.00	13.60	Horizontal	PASS
2	5137.44	28.27	12.39	40.66	54.00	13.34	Horizontal	PASS
3	5146.07	28.71	12.45	41.16	54.00	12.84	Horizontal	PASS
4	5129.50	39.95	12.34	52.29	74.00	21.71	Horizontal	PASS
5	5137.01	39.51	12.39	51.90	74.00	22.10	Horizontal	PASS
6	5145.64	40.18	12.45	52.63	74.00	21.37	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5131.69	27.69	12.36	40.05	54.00	13.95	Vertical	PASS
2	5140.95	28.29	12.41	40.70	54.00	13.30	Vertical	PASS
3	5147.26	28.19	12.46	40.65	54.00	13.35	Vertical	PASS
4	5129.19	39.06	12.34	51.40	74.00	22.60	Vertical	PASS
5	5137.88	39.18	12.39	51.57	74.00	22.43	Vertical	PASS
6	5147.01	38.95	12.46	51.41	74.00	22.59	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.25	31.73	12.68	44.41	54.00	9.59	Horizontal	PASS
2	5369.31	30.52	12.79	43.31	54.00	10.69	Horizontal	PASS
3	5377.71	29.00	12.84	41.84	54.00	12.16	Horizontal	PASS
4	5350.18	42.55	12.68	55.23	74.00	18.77	Horizontal	PASS
5	5369.76	41.21	12.79	54.00	74.00	20.00	Horizontal	PASS
6	5381.77	40.10	12.87	52.97	74.00	21.03	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.15	29.79	12.69	42.48	54.00	11.52	Vertical	PASS
2	5372.01	28.47	12.81	41.28	54.00	12.72	Vertical	PASS
3	5395.50	28.37	12.94	41.31	54.00	12.69	Vertical	PASS
4	5351.38	42.85	12.69	55.54	74.00	18.46	Vertical	PASS
5	5374.64	40.16	12.82	52.98	74.00	21.02	Vertical	PASS
6	5395.12	39.64	12.94	52.58	74.00	21.42	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.38	29.72	12.66	42.38	54.00	11.62	Horizontal	PASS
2	5455.76	30.47	12.73	43.20	54.00	10.80	Horizontal	PASS
3	5459.90	30.57	12.80	43.37	54.00	10.63	Horizontal	PASS
4	5452.64	41.76	12.69	54.45	74.00	19.55	Horizontal	PASS
5	5458.28	42.86	12.77	55.63	74.00	18.37	Horizontal	PASS
6	5469.57	42.38	12.96	55.34	68.20	12.86	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.88	28.61	12.69	41.30	54.00	12.70	Vertical	PASS
2	5456.12	28.43	12.74	41.17	54.00	12.83	Vertical	PASS
3	5457.74	28.71	12.77	41.48	54.00	12.52	Vertical	PASS
4	5453.24	40.86	12.69	53.55	74.00	20.45	Vertical	PASS
5	5464.53	40.64	12.88	53.52	68.20	14.68	Vertical	PASS
6	5467.77	40.32	12.93	53.25	68.20	14.95	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.41	39.21	13.35	52.56	68.20	15.64	Horizontal	PASS
2	5737.39	40.04	13.17	53.21	68.20	14.99	Horizontal	PASS
3	5746.40	39.92	13.02	52.94	68.20	15.26	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5729.92	39.95	13.29	53.24	68.20	14.96	Vertical	PASS
2	5739.19	39.38	13.14	52.52	68.20	15.68	Vertical	PASS
3	5743.16	40.25	13.07	53.32	68.20	14.88	Vertical	PASS


Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph



Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Project Information

Mode:	802.11ac160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5087.22	29.86	12.11	41.97	54.00	12.03	Horizontal	PASS
2	5109.03	30.49	12.20	42.69	54.00	11.31	Horizontal	PASS
3	5148.25	31.64	12.46	44.10	54.00	9.90	Horizontal	PASS
4	5352.35	33.45	12.70	46.15	54.00	7.85	Horizontal	PASS
5	5369.36	33.32	12.79	46.11	54.00	7.89	Horizontal	PASS
6	5392.17	33.48	12.93	46.41	54.00	7.59	Horizontal	PASS
7	5087.42	41.75	12.11	53.86	74.00	20.14	Horizontal	PASS
8	5109.63	42.47	12.20	54.67	74.00	19.33	Horizontal	PASS
9	5146.25	42.07	12.45	54.52	74.00	19.48	Horizontal	PASS
10	5350.55	44.94	12.68	57.62	74.00	16.38	Horizontal	PASS
11	5370.16	46.41	12.80	59.21	74.00	14.79	Horizontal	PASS
12	5394.17	45.53	12.93	58.46	74.00	15.54	Horizontal	PASS

Project Information

Mode:	802.11ac160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5093.22	30.33	12.13	42.46	54.00	11.54	Vertical	PASS
2	5112.03	30.23	12.22	42.45	54.00	11.55	Vertical	PASS
3	5148.85	30.30	12.48	42.78	54.00	11.22	Vertical	PASS
4	5371.56	31.73	12.81	44.54	54.00	9.46	Vertical	PASS
5	5390.57	32.21	12.92	45.13	54.00	8.87	Vertical	PASS
6	5412.58	31.77	12.89	44.66	54.00	9.34	Vertical	PASS
7	5091.62	41.35	12.12	53.47	74.00	20.53	Vertical	PASS
8	5110.63	41.24	12.20	53.44	74.00	20.56	Vertical	PASS
9	5148.65	41.35	12.47	53.82	74.00	20.18	Vertical	PASS
10	5374.56	43.36	12.82	56.18	74.00	17.82	Vertical	PASS
11	5390.17	44.37	12.91	57.28	74.00	16.72	Vertical	PASS
12	5403.98	43.58	12.95	56.53	74.00	17.47	Vertical	PASS

Project Information

Mode:	802.11ac160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5420.14	32.91	12.84	45.75	54.00	8.25	Horizontal	PASS
2	5438.87	32.96	12.72	45.68	54.00	8.32	Horizontal	PASS
3	5455.85	32.18	12.74	44.92	54.00	9.08	Horizontal	PASS
4	5418.38	43.63	12.85	56.48	74.00	17.52	Horizontal	PASS
5	5432.39	44.27	12.75	57.02	74.00	16.98	Horizontal	PASS
6	5464.78	44.31	12.88	57.19	68.20	11.01	Horizontal	PASS
7	5727.76	44.16	13.32	57.48	68.20	10.72	Horizontal	PASS
8	5731.09	43.15	13.27	56.42	68.20	11.78	Horizontal	PASS
9	5738.97	43.39	13.14	56.53	68.20	11.67	Horizontal	PASS

Project Information

Mode:	802.11ac160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5415.76	29.97	12.86	42.83	54.00	11.17	Vertical	PASS
2	5433.62	30.17	12.75	42.92	54.00	11.08	Vertical	PASS
3	5457.43	29.83	12.76	42.59	54.00	11.41	Vertical	PASS
4	5415.58	41.38	12.87	54.25	74.00	19.75	Vertical	PASS
5	5435.72	41.43	12.73	54.16	74.00	19.84	Vertical	PASS
6	5461.81	41.44	12.83	54.27	68.20	13.93	Vertical	PASS
7	5728.81	39.86	13.31	53.17	68.20	15.03	Vertical	PASS
8	5743.35	40.02	13.07	53.09	68.20	15.11	Vertical	PASS
9	5748.95	40.59	12.98	53.57	68.20	14.63	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5130.01	28.14	12.34	40.48	54.00	13.52	Horizontal	PASS
2	5140.19	28.60	12.41	41.01	54.00	12.99	Horizontal	PASS
3	5148.12	28.74	12.46	41.20	54.00	12.80	Horizontal	PASS
4	5129.42	39.66	12.34	52.00	74.00	22.00	Horizontal	PASS
5	5140.80	39.50	12.41	51.91	74.00	22.09	Horizontal	PASS
6	5148.93	40.18	12.48	52.66	74.00	21.34	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5128.71	26.81	12.33	39.14	54.00	14.86	Vertical	PASS
2	5137.75	26.95	12.39	39.34	54.00	14.66	Vertical	PASS
3	5147.76	27.13	12.46	39.59	54.00	14.41	Vertical	PASS
4	5128.32	39.06	12.32	51.38	74.00	22.62	Vertical	PASS
5	5138.88	38.68	12.41	51.09	74.00	22.91	Vertical	PASS
6	5146.85	38.60	12.46	51.06	74.00	22.94	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.65	29.10	12.69	41.79	54.00	12.21	Horizontal	PASS
2	5358.90	28.86	12.73	41.59	54.00	12.41	Horizontal	PASS
3	5367.81	28.70	12.78	41.48	54.00	12.52	Horizontal	PASS
4	5350.06	40.92	12.68	53.60	74.00	20.40	Horizontal	PASS
5	5359.33	39.70	12.73	52.43	74.00	21.57	Horizontal	PASS
6	5368.50	39.76	12.78	52.54	74.00	21.46	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.23	27.89	12.69	40.58	54.00	13.42	Vertical	PASS
2	5363.78	27.54	12.76	40.30	54.00	13.70	Vertical	PASS
3	5372.14	27.36	12.81	40.17	54.00	13.83	Vertical	PASS
4	5351.43	39.20	12.69	51.89	74.00	22.11	Vertical	PASS
5	5363.98	39.19	12.76	51.95	74.00	22.05	Vertical	PASS
6	5372.07	38.75	12.81	51.56	74.00	22.44	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.49	27.55	12.68	40.23	54.00	13.77	Horizontal	PASS
2	5454.98	27.53	12.72	40.25	54.00	13.75	Horizontal	PASS
3	5459.03	27.80	12.78	40.58	54.00	13.42	Horizontal	PASS
4	5455.31	39.32	12.72	52.04	74.00	21.96	Horizontal	PASS
5	5463.06	40.33	12.85	53.18	68.20	15.02	Horizontal	PASS
6	5468.97	39.83	12.94	52.77	68.20	15.43	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.37	27.15	12.67	39.82	54.00	14.18	Vertical	PASS
2	5454.62	27.21	12.72	39.93	54.00	14.07	Vertical	PASS
3	5458.70	27.20	12.78	39.98	54.00	14.02	Vertical	PASS
4	5454.02	38.62	12.70	51.32	74.00	22.68	Vertical	PASS
5	5461.83	38.86	12.83	51.69	68.20	16.51	Vertical	PASS
6	5469.03	38.72	12.94	51.66	68.20	16.54	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	357125130005048	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.05	38.81	13.35	52.16	68.20	16.04	Horizontal	PASS
2	5736.97	38.63	13.17	51.80	68.20	16.40	Horizontal	PASS
3	5747.09	38.71	13.01	51.72	68.20	16.48	Horizontal	PASS