

Appendix B LTE Band 40

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B40_5MHz_EIRP

Band: 40 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2302.5	1	0	23.76	-2.70	21.06	/	Pass
			13	23.80	-2.70	21.10	/	Pass
			24	23.70	-2.70	21.00	/	Pass
		12	0	22.79	-2.70	20.09	/	Pass
			6	22.86	-2.70	20.16	/	Pass
			13	22.79	-2.70	20.09	/	Pass
		25	0	22.79	-2.70	20.09	/	Pass
	2350	1	0	24.41	-2.70	21.71	/	Pass
			13	24.44	-2.70	21.74	/	Pass
			24	24.31	-2.70	21.61	/	Pass
		12	0	23.40	-2.70	20.70	/	Pass
			6	23.43	-2.70	20.73	/	Pass
			13	23.35	-2.70	20.65	/	Pass
		25	0	23.37	-2.70	20.67	/	Pass
	2397.5	1	0	23.88	-2.70	21.18	/	Pass
			13	23.91	-2.70	21.21	/	Pass
			24	23.90	-2.70	21.20	/	Pass
		12	0	22.98	-2.70	20.28	/	Pass
			6	22.96	-2.70	20.26	/	Pass
			13	22.94	-2.70	20.24	/	Pass
		25	0	22.91	-2.70	20.21	/	Pass
16QAM	2302.5	1	0	22.76	-2.70	20.06	/	Pass
			13	22.76	-2.70	20.06	/	Pass
			24	22.78	-2.70	20.08	/	Pass
		12	0	21.84	-2.70	19.14	/	Pass
			6	21.83	-2.70	19.13	/	Pass
			13	21.79	-2.70	19.09	/	Pass
		25	0	21.80	-2.70	19.10	/	Pass
	2350	1	0	23.55	-2.70	20.85	/	Pass
			13	23.46	-2.70	20.76	/	Pass
			24	23.28	-2.70	20.58	/	Pass
		12	0	22.34	-2.70	19.64	/	Pass
			6	22.44	-2.70	19.74	/	Pass
			13	22.39	-2.70	19.69	/	Pass
		25	0	22.39	-2.70	19.69	/	Pass
	2397.5	1	0	23.01	-2.70	20.31	/	Pass
			13	22.89	-2.70	20.19	/	Pass
			24	22.91	-2.70	20.21	/	Pass
		12	0	22.00	-2.70	19.30	/	Pass
			6	22.00	-2.70	19.30	/	Pass
			13	21.98	-2.70	19.28	/	Pass
		25	0	21.92	-2.70	19.22	/	Pass
64QAM	2302.5	1	0	21.42	-2.70	18.72	/	Pass
			13	21.54	-2.70	18.84	/	Pass
			24	21.34	-2.70	18.64	/	Pass
		12	0	20.55	-2.70	17.85	/	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

			6	20.61	-2.70	17.91	/	Pass
			13	20.52	-2.70	17.82	/	Pass
		25	0	20.52	-2.70	17.82	/	Pass
	2350	1	0	22.15	-2.70	19.45	/	Pass
			13	22.18	-2.70	19.48	/	Pass
			24	21.96	-2.70	19.26	/	Pass
		12	0	21.11	-2.70	18.41	/	Pass
			6	21.11	-2.70	18.41	/	Pass
			13	21.05	-2.70	18.35	/	Pass
		25	0	21.06	-2.70	18.36	/	Pass
	2397.5	1	0	21.61	-2.70	18.91	/	Pass
			13	21.73	-2.70	19.03	/	Pass
			24	21.62	-2.70	18.92	/	Pass
		12	0	20.69	-2.70	17.99	/	Pass
			6	20.71	-2.70	18.01	/	Pass
			13	20.69	-2.70	17.99	/	Pass
		25	0	20.62	-2.70	17.92	/	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B40_10MHz_EIRP

Band: 40 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2305	1	0	23.76	-2.70	21.06	/	Pass
			25	23.82	-2.70	21.12	/	Pass
			49	23.77	-2.70	21.07	/	Pass
		25	0	22.76	-2.70	20.06	/	Pass
			13	22.88	-2.70	20.18	/	Pass
			25	22.88	-2.70	20.18	/	Pass
		50	0	22.84	-2.70	20.14	/	Pass
	2350	1	0	24.28	-2.70	21.58	/	Pass
			25	24.40	-2.70	21.70	/	Pass
			49	24.32	-2.70	21.62	/	Pass
		25	0	23.38	-2.70	20.68	/	Pass
			13	23.43	-2.70	20.73	/	Pass
			25	23.38	-2.70	20.68	/	Pass
		50	0	23.38	-2.70	20.68	/	Pass
	2395	1	0	23.88	-2.70	21.18	/	Pass
			25	23.89	-2.70	21.19	/	Pass
			49	23.87	-2.70	21.17	/	Pass
		25	0	22.91	-2.70	20.21	/	Pass
			13	22.94	-2.70	20.24	/	Pass
			25	22.91	-2.70	20.21	/	Pass
		50	0	22.91	-2.70	20.21	/	Pass
16QAM	2305	1	0	22.77	-2.70	20.07	/	Pass
			25	22.91	-2.70	20.21	/	Pass
			49	22.82	-2.70	20.12	/	Pass
		25	0	21.73	-2.70	19.03	/	Pass
			13	21.88	-2.70	19.18	/	Pass
			25	21.87	-2.70	19.17	/	Pass
		50	0	21.85	-2.70	19.15	/	Pass
	2350	1	0	23.31	-2.70	20.61	/	Pass
			25	23.41	-2.70	20.71	/	Pass
			49	23.26	-2.70	20.56	/	Pass
		25	0	22.41	-2.70	19.71	/	Pass
			13	22.42	-2.70	19.72	/	Pass
			25	22.34	-2.70	19.64	/	Pass
		50	0	22.40	-2.70	19.70	/	Pass
	2395	1	0	22.77	-2.70	20.07	/	Pass
			25	22.89	-2.70	20.19	/	Pass
			49	22.81	-2.70	20.11	/	Pass



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

64QAM	2305	25	0	21.92	-2.70	19.22	/	Pass
			13	21.95	-2.70	19.25	/	Pass
			25	21.91	-2.70	19.21	/	Pass
		50	0	21.91	-2.70	19.21	/	Pass
			0	21.54	-2.70	18.84	/	Pass
			25	21.66	-2.70	18.96	/	Pass
		1	49	21.64	-2.70	18.94	/	Pass
			0	20.52	-2.70	17.82	/	Pass
			13	20.62	-2.70	17.92	/	Pass
		25	25	20.68	-2.70	17.98	/	Pass
			0	20.62	-2.70	17.92	/	Pass
			0	21.99	-2.70	19.29	/	Pass
	2350	1	25	22.13	-2.70	19.43	/	Pass
			49	21.99	-2.70	19.29	/	Pass
			0	21.08	-2.70	18.38	/	Pass
		25	13	21.09	-2.70	18.39	/	Pass
			25	21.08	-2.70	18.38	/	Pass
			0	21.07	-2.70	18.37	/	Pass
		50	0	21.70	-2.70	19.00	/	Pass
			25	21.60	-2.70	18.90	/	Pass
			49	21.61	-2.70	18.91	/	Pass
	2395	1	0	20.67	-2.70	17.97	/	Pass
			13	20.68	-2.70	17.98	/	Pass
			25	20.66	-2.70	17.96	/	Pass
		25	0	20.64	-2.70	17.94	/	Pass
			0	20.64	-2.70	17.94	/	Pass
			0	20.64	-2.70	17.94	/	Pass
		50	0	20.64	-2.70	17.94	/	Pass
			0	20.64	-2.70	17.94	/	Pass
			0	20.64	-2.70	17.94	/	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B40_15MHz_EIRP

Band: 40 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2307.5	1	0	23.59	-2.70	20.89	/	Pass
			38	23.77	-2.70	21.07	/	Pass
			74	23.83	-2.70	21.13	/	Pass
		36	0	22.73	-2.70	20.03	/	Pass
			18	22.87	-2.70	20.17	/	Pass
			39	22.85	-2.70	20.15	/	Pass
		75	0	22.78	-2.70	20.08	/	Pass
			0	24.35	-2.70	21.65	/	Pass
			38	24.39	-2.70	21.69	/	Pass
	2350	1	74	24.30	-2.70	21.60	/	Pass
			0	23.39	-2.70	20.69	/	Pass
			18	23.36	-2.70	20.66	/	Pass
		36	39	23.33	-2.70	20.63	/	Pass
			0	23.30	-2.70	20.60	/	Pass
			0	23.85	-2.70	21.15	/	Pass
		1	38	23.84	-2.70	21.14	/	Pass
			74	23.80	-2.70	21.10	/	Pass
			0	22.89	-2.70	20.19	/	Pass
	2392.5	36	18	22.91	-2.70	20.21	/	Pass
			39	22.91	-2.70	20.21	/	Pass
			0	22.84	-2.70	20.14	/	Pass
	2307.5	1	0	22.65	-2.70	19.95	/	Pass
			38	22.81	-2.70	20.11	/	Pass
			74	22.86	-2.70	20.16	/	Pass
		36	0	21.70	-2.70	19.00	/	Pass
			18	21.89	-2.70	19.19	/	Pass
			39	21.87	-2.70	19.17	/	Pass
		75	0	21.86	-2.70	19.16	/	Pass
			0	23.39	-2.70	20.69	/	Pass
			38	23.40	-2.70	20.70	/	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


		36	74	23.34	-2.70	20.64	/	Pass	
			0	22.39	-2.70	19.69	/	Pass	
			18	22.38	-2.70	19.68	/	Pass	
			39	22.31	-2.70	19.61	/	Pass	
		75	0	22.31	-2.70	19.61	/	Pass	
	2392.5	1	0	22.77	-2.70	20.07	/	Pass	
			38	22.79	-2.70	20.09	/	Pass	
			74	22.76	-2.70	20.06	/	Pass	
		36	0	21.91	-2.70	19.21	/	Pass	
			18	21.92	-2.70	19.22	/	Pass	
			39	21.89	-2.70	19.19	/	Pass	
		75	0	21.88	-2.70	19.18	/	Pass	
		64QAM	2307.5	1	0	21.62	-2.70	18.92	/
	38				21.68	-2.70	18.98	/	Pass
	74				21.67	-2.70	18.97	/	Pass
	36			0	20.55	-2.70	17.85	/	Pass
18				20.67	-2.70	17.97	/	Pass	
39				20.69	-2.70	17.99	/	Pass	
75	0		20.64	-2.70	17.94	/	Pass		
2350	1		0	22.16	-2.70	19.46	/	Pass	
			38	22.23	-2.70	19.53	/	Pass	
			74	22.02	-2.70	19.32	/	Pass	
	36		0	21.11	-2.70	18.41	/	Pass	
			18	21.07	-2.70	18.37	/	Pass	
			39	21.02	-2.70	18.32	/	Pass	
75	0		21.03	-2.70	18.33	/	Pass		
2392.5	1		0	21.52	-2.70	18.82	/	Pass	
			38	21.52	-2.70	18.82	/	Pass	
		74	21.60	-2.70	18.90	/	Pass		
	36	0	20.64	-2.70	17.94	/	Pass		
		18	20.66	-2.70	17.96	/	Pass		
		39	20.66	-2.70	17.96	/	Pass		
75	0	20.65	-2.70	17.95	/	Pass			
Note1: EIRP=Conducted Power+Antenna Gain									

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B40_20MHz_EIRP

Band: 40 / Bandwidth: 20MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	2310	1	0	23.58	-2.70	20.88	/	Pass	
			50	23.86	-2.70	21.16	/	Pass	
			99	23.87	-2.70	21.17	/	Pass	
		50	0	23.78	-2.70	21.08	/	Pass	
			25	23.93	-2.70	21.23	/	Pass	
			50	23.95	-2.70	21.25	/	Pass	
		100	0	22.90	-2.70	20.20	/	Pass	
		2350	1	0	24.37	-2.70	21.67	/	Pass
				50	24.44	-2.70	21.74	/	Pass
	99			24.18	-2.70	21.48	/	Pass	
	50		0	24.39	-2.70	21.69	/	Pass	
			25	24.37	-2.70	21.67	/	Pass	
			50	24.32	-2.70	21.62	/	Pass	
	100	0	23.35	-2.70	20.65	/	Pass		
	2390	1	0	23.91	-2.70	21.21	/	Pass	
			50	23.82	-2.70	21.12	/	Pass	
			99	23.80	-2.70	21.10	/	Pass	
		50	0	23.90	-2.70	21.20	/	Pass	
			25	23.93	-2.70	21.23	/	Pass	
			50	23.87	-2.70	21.17	/	Pass	
		100	0	22.90	-2.70	20.20	/	Pass	
16QAM		2310	1	0	22.62	-2.70	19.92	/	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

64QAM	2350	50	50	22.91	-2.70	20.21	/	Pass
			99	23.05	-2.70	20.35	/	Pass
			0	21.76	-2.70	19.06	/	Pass
			25	21.93	-2.70	19.23	/	Pass
			50	21.92	-2.70	19.22	/	Pass
		100	0	21.91	-2.70	19.21	/	Pass
		1	0	23.44	-2.70	20.74	/	Pass
			50	23.57	-2.70	20.87	/	Pass
			99	23.37	-2.70	20.67	/	Pass
			0	22.40	-2.70	19.70	/	Pass
			25	22.37	-2.70	19.67	/	Pass
			50	22.30	-2.70	19.60	/	Pass
		100	0	22.35	-2.70	19.65	/	Pass
	2390	1	0	22.88	-2.70	20.18	/	Pass
			50	22.78	-2.70	20.08	/	Pass
			99	22.84	-2.70	20.14	/	Pass
		50	0	21.93	-2.70	19.23	/	Pass
			25	21.92	-2.70	19.22	/	Pass
			50	21.89	-2.70	19.19	/	Pass
		100	0	21.88	-2.70	19.18	/	Pass
			0	21.47	-2.70	18.77	/	Pass
			50	21.69	-2.70	18.99	/	Pass
			99	21.72	-2.70	19.02	/	Pass
64QAM	2310	1	0	20.58	-2.70	17.88	/	Pass
			25	20.71	-2.70	18.01	/	Pass
			50	20.74	-2.70	18.04	/	Pass
		50	0	20.67	-2.70	17.97	/	Pass
			0	22.18	-2.70	19.48	/	Pass
			50	22.21	-2.70	19.51	/	Pass
			99	21.83	-2.70	19.13	/	Pass
		50	0	21.11	-2.70	18.41	/	Pass
			25	21.09	-2.70	18.39	/	Pass
			50	20.97	-2.70	18.27	/	Pass
	2350	1	0	21.09	-2.70	18.39	/	Pass
			0	21.68	-2.70	18.98	/	Pass
			50	21.54	-2.70	18.84	/	Pass
			99	21.55	-2.70	18.85	/	Pass
		50	0	20.67	-2.70	17.97	/	Pass
			25	20.68	-2.70	17.98	/	Pass
			50	20.62	-2.70	17.92	/	Pass
		100	0	20.65	-2.70	17.95	/	Pass
			0	21.68	-2.70	18.98	/	Pass
			50	21.54	-2.70	18.84	/	Pass
			99	21.55	-2.70	18.85	/	Pass
	2390	1	0	20.67	-2.70	17.97	/	Pass
			25	20.68	-2.70	17.98	/	Pass
			50	20.62	-2.70	17.92	/	Pass
		50	0	20.67	-2.70	17.97	/	Pass
			25	20.68	-2.70	17.98	/	Pass
			50	20.62	-2.70	17.92	/	Pass
		100	0	20.65	-2.70	17.95	/	Pass
			0	21.68	-2.70	18.98	/	Pass
			50	21.54	-2.70	18.84	/	Pass
			99	21.55	-2.70	18.85	/	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B40_5MHz

Band: 40 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2302.5	25	0	20	3.27	-1.216	-0.0005	-2.5 to 2.5	Pass
					3.85	-1.016	-0.0004	-2.5 to 2.5	Pass
					4.43	-1.831	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	-0.730	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.715	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-1.416	-0.0006	-2.5 to 2.5	Pass
				0	3.85	-0.658	-0.0003	-2.5 to 2.5	Pass
				10	3.85	-0.744	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.472	-0.0002	-2.5 to 2.5	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

				40	3.85	-1.359	-0.0006	-2.5 to 2.5	Pass
				50	3.85	-0.672	-0.0003	-2.5 to 2.5	Pass
				20	3.27	0.944	0.0004	-2.5 to 2.5	Pass
					3.85	1.216	0.0005	-2.5 to 2.5	Pass
					4.43	0.944	0.0004	-2.5 to 2.5	Pass
				-30	3.85	-1.588	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	0.787	0.0003	-2.5 to 2.5	Pass
				-10	3.85	1.359	0.0006	-2.5 to 2.5	Pass
				0	3.85	-0.029	0.0000	-2.5 to 2.5	Pass
				10	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				30	3.85	0.758	0.0003	-2.5 to 2.5	Pass
				40	3.85	0.157	0.0001	-2.5 to 2.5	Pass
				50	3.85	1.273	0.0005	-2.5 to 2.5	Pass
				20	3.27	-2.804	-0.0012	-2.5 to 2.5	Pass
					3.85	-2.389	-0.0010	-2.5 to 2.5	Pass
					4.43	-2.847	-0.0012	-2.5 to 2.5	Pass
				-30	3.85	-1.473	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	-1.302	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-2.861	-0.0012	-2.5 to 2.5	Pass
				0	3.85	-1.044	-0.0004	-2.5 to 2.5	Pass
				10	3.85	-2.074	-0.0009	-2.5 to 2.5	Pass
				30	3.85	-2.661	-0.0011	-2.5 to 2.5	Pass
				40	3.85	-1.688	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-1.116	-0.0005	-2.5 to 2.5	Pass
16QAM	2302.5	25	0	20	3.27	-2.360	-0.0010	-2.5 to 2.5	Pass
					3.85	-2.017	-0.0009	-2.5 to 2.5	Pass
					4.43	-1.144	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	-1.388	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	-1.245	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-1.230	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-2.160	-0.0009	-2.5 to 2.5	Pass
				10	3.85	-0.987	-0.0004	-2.5 to 2.5	Pass
				30	3.85	-1.302	-0.0006	-2.5 to 2.5	Pass
				40	3.85	-2.246	-0.0010	-2.5 to 2.5	Pass
				50	3.85	-2.832	-0.0012	-2.5 to 2.5	Pass
	2350	25	0	20	3.27	2.446	0.0010	-2.5 to 2.5	Pass
					3.85	-0.215	-0.0001	-2.5 to 2.5	Pass
					4.43	1.445	0.0006	-2.5 to 2.5	Pass
				-30	3.85	1.087	0.0005	-2.5 to 2.5	Pass
				-20	3.85	1.187	0.0005	-2.5 to 2.5	Pass
				-10	3.85	0.272	0.0001	-2.5 to 2.5	Pass
				0	3.85	0.343	0.0001	-2.5 to 2.5	Pass
				10	3.85	1.130	0.0005	-2.5 to 2.5	Pass
				30	3.85	0.300	0.0001	-2.5 to 2.5	Pass
				40	3.85	1.087	0.0005	-2.5 to 2.5	Pass
				50	3.85	-0.458	-0.0002	-2.5 to 2.5	Pass
	2397.5	25	0	20	3.27	-2.804	-0.0012	-2.5 to 2.5	Pass
					3.85	-2.589	-0.0011	-2.5 to 2.5	Pass
					4.43	-3.390	-0.0014	-2.5 to 2.5	Pass
				-30	3.85	-3.147	-0.0013	-2.5 to 2.5	Pass
				-20	3.85	-3.519	-0.0015	-2.5 to 2.5	Pass
				-10	3.85	-2.918	-0.0012	-2.5 to 2.5	Pass
				0	3.85	-2.317	-0.0010	-2.5 to 2.5	Pass
				10	3.85	-3.448	-0.0014	-2.5 to 2.5	Pass
				30	3.85	-1.788	-0.0007	-2.5 to 2.5	Pass
				40	3.85	-2.632	-0.0011	-2.5 to 2.5	Pass
				50	3.85	-2.975	-0.0012	-2.5 to 2.5	Pass
64QAM	2302.5	25	0	20	3.27	-0.701	-0.0003	-2.5 to 2.5	Pass
					3.85	-0.758	-0.0003	-2.5 to 2.5	Pass
					4.43	-2.460	-0.0011	-2.5 to 2.5	Pass
				-30	3.85	-0.858	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-2.475	-0.0011	-2.5 to 2.5	Pass



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

				-10	3.85	-1.616	-0.0007	-2.5 to 2.5	Pass
				0	3.85	-0.687	-0.0003	-2.5 to 2.5	Pass
				10	3.85	-0.458	-0.0002	-2.5 to 2.5	Pass
				30	3.85	-1.903	-0.0008	-2.5 to 2.5	Pass
				40	3.85	-3.061	-0.0013	-2.5 to 2.5	Pass
				50	3.85	-0.315	-0.0001	-2.5 to 2.5	Pass
	2350	25	0	20	3.27	-0.057	0.0000	-2.5 to 2.5	Pass
					3.85	0.601	0.0003	-2.5 to 2.5	Pass
					4.43	0.157	0.0001	-2.5 to 2.5	Pass
				-30	3.85	0.215	0.0001	-2.5 to 2.5	Pass
				-20	3.85	0.215	0.0001	-2.5 to 2.5	Pass
				-10	3.85	1.001	0.0004	-2.5 to 2.5	Pass
				0	3.85	0.343	0.0001	-2.5 to 2.5	Pass
				10	3.85	1.087	0.0005	-2.5 to 2.5	Pass
				30	3.85	0.658	0.0003	-2.5 to 2.5	Pass
				40	3.85	0.558	0.0002	-2.5 to 2.5	Pass
				50	3.85	0.944	0.0004	-2.5 to 2.5	Pass
	2397.5	25	0	20	3.27	-4.578	-0.0019	-2.5 to 2.5	Pass
					3.85	-3.448	-0.0014	-2.5 to 2.5	Pass
					4.43	-4.091	-0.0017	-2.5 to 2.5	Pass
				-30	3.85	-2.704	-0.0011	-2.5 to 2.5	Pass
				-20	3.85	-4.692	-0.0020	-2.5 to 2.5	Pass
				-10	3.85	-3.405	-0.0014	-2.5 to 2.5	Pass
				0	3.85	-2.761	-0.0012	-2.5 to 2.5	Pass
				10	3.85	-2.890	-0.0012	-2.5 to 2.5	Pass
				30	3.85	-3.104	-0.0013	-2.5 to 2.5	Pass
				40	3.85	-3.276	-0.0014	-2.5 to 2.5	Pass
				50	3.85	-2.933	-0.0012	-2.5 to 2.5	Pass

2.1.2 B40_10MHz

Band: 40 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2305	50	0	20	3.27	0.544	0.0002	-2.5 to 2.5	Pass
					3.85	-0.873	-0.0004	-2.5 to 2.5	Pass
					4.43	-0.515	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	-0.215	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	-0.687	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-0.930	-0.0004	-2.5 to 2.5	Pass
				0	3.85	0.858	0.0004	-2.5 to 2.5	Pass
				10	3.85	-0.172	-0.0001	-2.5 to 2.5	Pass
				30	3.85	0.687	0.0003	-2.5 to 2.5	Pass
				40	3.85	0.587	0.0003	-2.5 to 2.5	Pass
				50	3.85	0.801	0.0003	-2.5 to 2.5	Pass
	2350	50	0	20	3.27	-1.974	-0.0008	-2.5 to 2.5	Pass
					3.85	-0.229	-0.0001	-2.5 to 2.5	Pass
					4.43	-0.072	0.0000	-2.5 to 2.5	Pass
				-30	3.85	-0.758	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.286	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.844	-0.0004	-2.5 to 2.5	Pass
				0	3.85	-0.386	-0.0002	-2.5 to 2.5	Pass
				10	3.85	0.086	0.0000	-2.5 to 2.5	Pass
				30	3.85	0.386	0.0002	-2.5 to 2.5	Pass
				40	3.85	-0.401	-0.0002	-2.5 to 2.5	Pass
				50	3.85	0.257	0.0001	-2.5 to 2.5	Pass
	2395	50	0	20	3.27	0.815	0.0003	-2.5 to 2.5	Pass
					3.85	0.658	0.0003	-2.5 to 2.5	Pass
					4.43	0.844	0.0004	-2.5 to 2.5	Pass
				-30	3.85	2.046	0.0009	-2.5 to 2.5	Pass
				-20	3.85	-0.143	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	0.930	0.0004	-2.5 to 2.5	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

16QAM	2305	50	0	0	3.85	-0.300	-0.0001	-2.5 to 2.5	Pass
				10	3.85	1.173	0.0005	-2.5 to 2.5	Pass
				30	3.85	1.717	0.0007	-2.5 to 2.5	Pass
				40	3.85	1.745	0.0007	-2.5 to 2.5	Pass
				50	3.85	-0.587	-0.0002	-2.5 to 2.5	Pass
	2350	50	0	20	3.27	-1.245	-0.0005	-2.5 to 2.5	Pass
					3.85	0.272	0.0001	-2.5 to 2.5	Pass
					4.43	-0.615	-0.0003	-2.5 to 2.5	Pass
				-30	3.85	1.931	0.0008	-2.5 to 2.5	Pass
				-20	3.85	1.116	0.0005	-2.5 to 2.5	Pass
				-10	3.85	-0.229	-0.0001	-2.5 to 2.5	Pass
				0	3.85	0.129	0.0001	-2.5 to 2.5	Pass
				10	3.85	0.429	0.0002	-2.5 to 2.5	Pass
				30	3.85	0.701	0.0003	-2.5 to 2.5	Pass
				40	3.85	0.415	0.0002	-2.5 to 2.5	Pass
				50	3.85	0.515	0.0002	-2.5 to 2.5	Pass
				20	3.27	-0.386	-0.0002	-2.5 to 2.5	Pass
					3.85	-1.602	-0.0007	-2.5 to 2.5	Pass
					4.43	-0.186	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	-0.372	-0.0002	-2.5 to 2.5	Pass
				-20	3.85	-1.259	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-1.688	-0.0007	-2.5 to 2.5	Pass
				0	3.85	0.072	0.0000	-2.5 to 2.5	Pass
				10	3.85	0.129	0.0001	-2.5 to 2.5	Pass
				30	3.85	-0.043	0.0000	-2.5 to 2.5	Pass
				40	3.85	-1.101	-0.0005	-2.5 to 2.5	Pass
				50	3.85	-0.272	-0.0001	-2.5 to 2.5	Pass
64QAM	2395	50	0	20	3.27	0.815	0.0003	-2.5 to 2.5	Pass
					3.85	0.315	0.0001	-2.5 to 2.5	Pass
					4.43	-0.043	0.0000	-2.5 to 2.5	Pass
				-30	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				-20	3.85	1.030	0.0004	-2.5 to 2.5	Pass
				-10	3.85	-0.215	-0.0001	-2.5 to 2.5	Pass
				0	3.85	0.544	0.0002	-2.5 to 2.5	Pass
				10	3.85	0.229	0.0001	-2.5 to 2.5	Pass
				30	3.85	1.931	0.0008	-2.5 to 2.5	Pass
				40	3.85	0.257	0.0001	-2.5 to 2.5	Pass
				50	3.85	0.157	0.0001	-2.5 to 2.5	Pass
	2305	50	0	20	3.27	-0.072	0.0000	-2.5 to 2.5	Pass
					3.85	-0.100	0.0000	-2.5 to 2.5	Pass
					4.43	1.602	0.0007	-2.5 to 2.5	Pass
				-30	3.85	0.844	0.0004	-2.5 to 2.5	Pass
				-20	3.85	-0.043	0.0000	-2.5 to 2.5	Pass
				-10	3.85	-0.501	-0.0002	-2.5 to 2.5	Pass
				0	3.85	-1.287	-0.0006	-2.5 to 2.5	Pass
				10	3.85	0.243	0.0001	-2.5 to 2.5	Pass
				30	3.85	0.057	0.0000	-2.5 to 2.5	Pass
				40	3.85	-0.515	-0.0002	-2.5 to 2.5	Pass
				50	3.85	0.272	0.0001	-2.5 to 2.5	Pass
	2350	50	0	20	3.27	0.215	0.0001	-2.5 to 2.5	Pass
					3.85	-2.332	-0.0010	-2.5 to 2.5	Pass
					4.43	-0.401	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	-1.359	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	-1.087	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-1.559	-0.0007	-2.5 to 2.5	Pass
				0	3.85	0.300	0.0001	-2.5 to 2.5	Pass
				10	3.85	-0.186	-0.0001	-2.5 to 2.5	Pass
				30	3.85	-0.415	-0.0002	-2.5 to 2.5	Pass
				40	3.85	-0.787	-0.0003	-2.5 to 2.5	Pass
				50	3.85	-1.531	-0.0007	-2.5 to 2.5	Pass
	2395	50	0	20	3.27	1.044	0.0004	-2.5 to 2.5	Pass
					3.85	-0.730	-0.0003	-2.5 to 2.5	Pass

					4.43	-1.130	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	0.086	0.0000	-2.5 to 2.5	Pass
				-20	3.85	0.100	0.0000	-2.5 to 2.5	Pass
				-10	3.85	1.459	0.0006	-2.5 to 2.5	Pass
				0	3.85	-0.815	-0.0003	-2.5 to 2.5	Pass
				10	3.85	-0.873	-0.0004	-2.5 to 2.5	Pass
				30	3.85	0.987	0.0004	-2.5 to 2.5	Pass
				40	3.85	-0.114	0.0000	-2.5 to 2.5	Pass
				50	3.85	0.429	0.0002	-2.5 to 2.5	Pass

2.1.3 B40_15MHz

Band: 40 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2307.5	75	0	20	3.27	-3.161	-0.0014	-2.5 to 2.5	Pass
					3.85	-3.777	-0.0016	-2.5 to 2.5	Pass
					4.43	-3.448	-0.0015	-2.5 to 2.5	Pass
				-30	3.85	-3.405	-0.0015	-2.5 to 2.5	Pass
				-20	3.85	-2.718	-0.0012	-2.5 to 2.5	Pass
				-10	3.85	-4.134	-0.0018	-2.5 to 2.5	Pass
				0	3.85	-3.448	-0.0015	-2.5 to 2.5	Pass
				10	3.85	-3.233	-0.0014	-2.5 to 2.5	Pass
				30	3.85	-3.619	-0.0016	-2.5 to 2.5	Pass
				40	3.85	-3.219	-0.0014	-2.5 to 2.5	Pass
				50	3.85	-2.017	-0.0009	-2.5 to 2.5	Pass
	2350	75	0	20	3.27	-0.014	0.0000	-2.5 to 2.5	Pass
					3.85	-1.731	-0.0007	-2.5 to 2.5	Pass
					4.43	0.057	0.0000	-2.5 to 2.5	Pass
				-30	3.85	-0.815	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	-1.645	-0.0007	-2.5 to 2.5	Pass
				-10	3.85	-0.186	-0.0001	-2.5 to 2.5	Pass
				0	3.85	-1.173	-0.0005	-2.5 to 2.5	Pass
				10	3.85	-1.631	-0.0007	-2.5 to 2.5	Pass
				30	3.85	-0.529	-0.0002	-2.5 to 2.5	Pass
				40	3.85	-0.587	-0.0002	-2.5 to 2.5	Pass
				50	3.85	-0.386	-0.0002	-2.5 to 2.5	Pass
	2392.5	75	0	20	3.27	-2.003	-0.0008	-2.5 to 2.5	Pass
					3.85	-2.875	-0.0012	-2.5 to 2.5	Pass
					4.43	-1.788	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	-1.287	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	-2.389	-0.0010	-2.5 to 2.5	Pass
				-10	3.85	-2.604	-0.0011	-2.5 to 2.5	Pass
				0	3.85	-1.059	-0.0004	-2.5 to 2.5	Pass
				10	3.85	-0.758	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-1.802	-0.0008	-2.5 to 2.5	Pass
				40	3.85	-1.659	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-1.330	-0.0006	-2.5 to 2.5	Pass
16QAM	2307.5	75	0	20	3.27	-3.433	-0.0015	-2.5 to 2.5	Pass
					3.85	-3.734	-0.0016	-2.5 to 2.5	Pass
					4.43	-2.975	-0.0013	-2.5 to 2.5	Pass
				-30	3.85	-4.692	-0.0020	-2.5 to 2.5	Pass
				-20	3.85	-2.303	-0.0010	-2.5 to 2.5	Pass
				-10	3.85	-3.133	-0.0014	-2.5 to 2.5	Pass
				0	3.85	-2.489	-0.0011	-2.5 to 2.5	Pass
				10	3.85	-2.246	-0.0010	-2.5 to 2.5	Pass
				30	3.85	-3.676	-0.0016	-2.5 to 2.5	Pass
				40	3.85	-2.460	-0.0011	-2.5 to 2.5	Pass
				50	3.85	-2.203	-0.0010	-2.5 to 2.5	Pass
	2350	75	0	20	3.27	-1.101	-0.0005	-2.5 to 2.5	Pass
					3.85	-2.074	-0.0009	-2.5 to 2.5	Pass
					4.43	-1.144	-0.0005	-2.5 to 2.5	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

				-30	3.85	0.257	0.0001	-2.5 to 2.5	Pass
				-20	3.85	-0.272	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-1.273	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-0.429	-0.0002	-2.5 to 2.5	Pass
				10	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				30	3.85	-1.302	-0.0006	-2.5 to 2.5	Pass
				40	3.85	-0.815	-0.0003	-2.5 to 2.5	Pass
				50	3.85	-1.130	-0.0005	-2.5 to 2.5	Pass
	2392.5	75	0	20	3.27	-1.988	-0.0008	-2.5 to 2.5	Pass
					3.85	-0.873	-0.0004	-2.5 to 2.5	Pass
					4.43	-1.373	-0.0006	-2.5 to 2.5	Pass
				-30	3.85	-0.958	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-0.772	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-2.117	-0.0009	-2.5 to 2.5	Pass
				0	3.85	-3.347	-0.0014	-2.5 to 2.5	Pass
				10	3.85	-1.302	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-1.602	-0.0007	-2.5 to 2.5	Pass
				40	3.85	-3.161	-0.0013	-2.5 to 2.5	Pass
				50	3.85	-1.173	-0.0005	-2.5 to 2.5	Pass
64QAM	2307.5	75	0	20	3.27	-4.463	-0.0019	-2.5 to 2.5	Pass
					3.85	-1.817	-0.0008	-2.5 to 2.5	Pass
					4.43	-1.745	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	-2.546	-0.0011	-2.5 to 2.5	Pass
				-20	3.85	-2.975	-0.0013	-2.5 to 2.5	Pass
				-10	3.85	-2.532	-0.0011	-2.5 to 2.5	Pass
				0	3.85	-2.346	-0.0010	-2.5 to 2.5	Pass
				10	3.85	-2.446	-0.0011	-2.5 to 2.5	Pass
				30	3.85	-2.618	-0.0011	-2.5 to 2.5	Pass
				40	3.85	-2.503	-0.0011	-2.5 to 2.5	Pass
				50	3.85	-4.635	-0.0020	-2.5 to 2.5	Pass
	2350	75	0	20	3.27	-1.273	-0.0005	-2.5 to 2.5	Pass
					3.85	-0.844	-0.0004	-2.5 to 2.5	Pass
					4.43	0.601	0.0003	-2.5 to 2.5	Pass
				-30	3.85	-0.186	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	-0.172	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.615	-0.0003	-2.5 to 2.5	Pass
				0	3.85	-0.029	0.0000	-2.5 to 2.5	Pass
				10	3.85	-0.200	-0.0001	-2.5 to 2.5	Pass
				30	3.85	-0.257	-0.0001	-2.5 to 2.5	Pass
				40	3.85	-1.302	-0.0006	-2.5 to 2.5	Pass
				50	3.85	-1.645	-0.0007	-2.5 to 2.5	Pass
	2392.5	75	0	20	3.27	-1.702	-0.0007	-2.5 to 2.5	Pass
					3.85	-1.903	-0.0008	-2.5 to 2.5	Pass
					4.43	-3.161	-0.0013	-2.5 to 2.5	Pass
				-30	3.85	-1.130	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	-1.559	-0.0007	-2.5 to 2.5	Pass
				-10	3.85	-2.160	-0.0009	-2.5 to 2.5	Pass
				0	3.85	-2.089	-0.0009	-2.5 to 2.5	Pass
				10	3.85	-1.445	-0.0006	-2.5 to 2.5	Pass
				30	3.85	-1.302	-0.0005	-2.5 to 2.5	Pass
				40	3.85	-2.460	-0.0010	-2.5 to 2.5	Pass
				50	3.85	-2.546	-0.0011	-2.5 to 2.5	Pass

2.1.4 B40_20MHz

Band: 40 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2310	100	0	20	3.27	-1.845	-0.0008	-2.5 to 2.5	Pass
					3.85	-1.187	-0.0005	-2.5 to 2.5	Pass
					4.43	-1.602	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	-1.159	-0.0005	-2.5 to 2.5	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

16QAM	2350	100	0	-20	3.85	-0.916	-0.0004	-2.5 to 2.5	Pass
				-10	3.85	-1.230	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-1.745	-0.0008	-2.5 to 2.5	Pass
				10	3.85	-2.561	-0.0011	-2.5 to 2.5	Pass
				30	3.85	-0.572	-0.0002	-2.5 to 2.5	Pass
				40	3.85	-0.229	-0.0001	-2.5 to 2.5	Pass
				50	3.85	-0.086	0.0000	-2.5 to 2.5	Pass
	2390	100	0	20	3.27	-0.100	0.0000	-2.5 to 2.5	Pass
					3.85	-1.545	-0.0007	-2.5 to 2.5	Pass
					4.43	0.172	0.0001	-2.5 to 2.5	Pass
				-30	3.85	0.072	0.0000	-2.5 to 2.5	Pass
				-20	3.85	-0.186	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.072	0.0000	-2.5 to 2.5	Pass
				0	3.85	-0.300	-0.0001	-2.5 to 2.5	Pass
				10	3.85	-0.973	-0.0004	-2.5 to 2.5	Pass
				30	3.85	-0.930	-0.0004	-2.5 to 2.5	Pass
				40	3.85	-1.202	-0.0005	-2.5 to 2.5	Pass
				50	3.85	-0.529	-0.0002	-2.5 to 2.5	Pass
				20	3.27	-3.390	-0.0014	-2.5 to 2.5	Pass
					3.85	-4.921	-0.0021	-2.5 to 2.5	Pass
					4.43	-2.489	-0.0010	-2.5 to 2.5	Pass
	2310	100	0	-30	3.85	-4.506	-0.0019	-2.5 to 2.5	Pass
				-20	3.85	-2.947	-0.0012	-2.5 to 2.5	Pass
				-10	3.85	-3.834	-0.0016	-2.5 to 2.5	Pass
				0	3.85	-3.662	-0.0015	-2.5 to 2.5	Pass
				10	3.85	-2.589	-0.0011	-2.5 to 2.5	Pass
				30	3.85	-3.705	-0.0016	-2.5 to 2.5	Pass
				40	3.85	-4.363	-0.0018	-2.5 to 2.5	Pass
				50	3.85	-4.234	-0.0018	-2.5 to 2.5	Pass
				20	3.27	-2.003	-0.0009	-2.5 to 2.5	Pass
					3.85	-1.988	-0.0009	-2.5 to 2.5	Pass
					4.43	-0.758	-0.0003	-2.5 to 2.5	Pass
				-30	3.85	-1.059	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	-0.486	-0.0002	-2.5 to 2.5	Pass
				-10	3.85	-0.257	-0.0001	-2.5 to 2.5	Pass
				0	3.85	-1.988	-0.0009	-2.5 to 2.5	Pass
	2350	100	0	10	3.85	-0.529	-0.0002	-2.5 to 2.5	Pass
				30	3.85	-0.629	-0.0003	-2.5 to 2.5	Pass
				40	3.85	-0.329	-0.0001	-2.5 to 2.5	Pass
				50	3.85	-0.944	-0.0004	-2.5 to 2.5	Pass
				20	3.27	-0.873	-0.0004	-2.5 to 2.5	Pass
					3.85	0.200	0.0001	-2.5 to 2.5	Pass
					4.43	0.014	0.0000	-2.5 to 2.5	Pass
				-30	3.85	-0.386	-0.0002	-2.5 to 2.5	Pass
				-20	3.85	-0.272	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.358	-0.0002	-2.5 to 2.5	Pass
				0	3.85	0.172	0.0001	-2.5 to 2.5	Pass
				10	3.85	-0.300	-0.0001	-2.5 to 2.5	Pass
				30	3.85	0.186	0.0001	-2.5 to 2.5	Pass
				40	3.85	-0.358	-0.0002	-2.5 to 2.5	Pass
				50	3.85	-0.429	-0.0002	-2.5 to 2.5	Pass
	2390	100	0	20	3.27	-2.933	-0.0012	-2.5 to 2.5	Pass
					3.85	-3.490	-0.0015	-2.5 to 2.5	Pass
					4.43	-4.663	-0.0020	-2.5 to 2.5	Pass
				-30	3.85	-3.347	-0.0014	-2.5 to 2.5	Pass
				-20	3.85	-4.005	-0.0017	-2.5 to 2.5	Pass
				-10	3.85	-3.562	-0.0015	-2.5 to 2.5	Pass
				0	3.85	-5.836	-0.0024	-2.5 to 2.5	Pass
				10	3.85	-5.293	-0.0022	-2.5 to 2.5	Pass
				30	3.85	-3.262	-0.0014	-2.5 to 2.5	Pass
				40	3.85	-3.490	-0.0015	-2.5 to 2.5	Pass
				50	3.85	-4.234	-0.0018	-2.5 to 2.5	Pass



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

64QAM	2310	100	0	20	3.27	-2.518	-0.0011	-2.5 to 2.5	Pass
					3.85	-0.916	-0.0004	-2.5 to 2.5	Pass
					4.43	-1.101	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	-0.572	-0.0002	-2.5 to 2.5	Pass
				-20	3.85	-1.688	-0.0007	-2.5 to 2.5	Pass
				-10	3.85	-0.844	-0.0004	-2.5 to 2.5	Pass
				0	3.85	-1.974	-0.0009	-2.5 to 2.5	Pass
				10	3.85	-1.531	-0.0007	-2.5 to 2.5	Pass
				30	3.85	-1.402	-0.0006	-2.5 to 2.5	Pass
				40	3.85	-1.373	-0.0006	-2.5 to 2.5	Pass
				50	3.85	-0.744	-0.0003	-2.5 to 2.5	Pass
	2350	100	0	20	3.27	-1.230	-0.0005	-2.5 to 2.5	Pass
					3.85	-0.243	-0.0001	-2.5 to 2.5	Pass
					4.43	-1.674	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	-0.601	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	-1.073	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-1.416	-0.0006	-2.5 to 2.5	Pass
				0	3.85	-0.300	-0.0001	-2.5 to 2.5	Pass
				10	3.85	-1.230	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-0.601	-0.0003	-2.5 to 2.5	Pass
				40	3.85	-0.129	-0.0001	-2.5 to 2.5	Pass
				50	3.85	-1.173	-0.0005	-2.5 to 2.5	Pass
	2390	100	0	20	3.27	-3.719	-0.0016	-2.5 to 2.5	Pass
					3.85	-3.619	-0.0015	-2.5 to 2.5	Pass
					4.43	-5.250	-0.0022	-2.5 to 2.5	Pass
				-30	3.85	-4.463	-0.0019	-2.5 to 2.5	Pass
				-20	3.85	-4.091	-0.0017	-2.5 to 2.5	Pass
				-10	3.85	-4.435	-0.0019	-2.5 to 2.5	Pass
				0	3.85	-4.077	-0.0017	-2.5 to 2.5	Pass
				10	3.85	-3.934	-0.0016	-2.5 to 2.5	Pass
				30	3.85	-3.920	-0.0016	-2.5 to 2.5	Pass
				40	3.85	-4.420	-0.0018	-2.5 to 2.5	Pass
				50	3.85	-3.190	-0.0013	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B40_5MHz

Band: 40 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2350	25	0	Refer To Test Graph		Pass
16QAM	2350	25	0	Refer To Test Graph		Pass
64QAM	2350	25	0	Refer To Test Graph		Pass

3.1.2 B40_10MHz

Band: 40 / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2350	50	0	Refer To Test Graph		Pass
16QAM	2350	50	0	Refer To Test Graph		Pass
64QAM	2350	50	0	Refer To Test Graph		Pass

3.1.3 B40_15MHz

Band: 40 / Bandwidth: 15MHz / NTN						
-----------------------------------	--	--	--	--	--	--

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2350	75	0	Refer To Test Graph		Pass
16QAM	2350	75	0	Refer To Test Graph		Pass
64QAM	2350	75	0	Refer To Test Graph		Pass

3.1.4 B40_20MHz

Band: 40 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2350	100	0	Refer To Test Graph		Pass
16QAM	2350	100	0	Refer To Test Graph		Pass
64QAM	2350	100	0	Refer To Test Graph		Pass




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


3.2 Test Graph

3.2.1 B40_5MHz



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

3.2.2 B40_10MHz




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

**Radiolink Testing (Shenzhen) Co., Ltd.**


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

3.2.3 B40_15MHz



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

3.2.4 B40_20MHz





Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band40_OBW

Band: 40 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2302.5	25	0	4.609	/	Pass
		2350	25	0	4.635	/	Pass
		2397.5	25	0	4.615	/	Pass
	16QAM	2302.5	25	0	4.607	/	Pass
		2350	25	0	4.612	/	Pass
		2397.5	25	0	4.619	/	Pass
	64QAM	2302.5	25	0	4.614	/	Pass
		2350	25	0	4.639	/	Pass
		2397.5	25	0	4.606	/	Pass
10	QPSK	2305	50	0	9.087	/	Pass
		2350	50	0	9.097	/	Pass
		2395	50	0	9.079	/	Pass
	16QAM	2305	50	0	9.058	/	Pass
		2350	50	0	9.093	/	Pass
		2395	50	0	9.072	/	Pass
	64QAM	2305	50	0	9.083	/	Pass
		2350	50	0	9.067	/	Pass
		2395	50	0	9.042	/	Pass
15	QPSK	2307.5	75	0	14.082	/	Pass
		2350	75	0	14.101	/	Pass
		2392.5	75	0	14.055	/	Pass
	16QAM	2307.5	75	0	14.115	/	Pass
		2350	75	0	14.059	/	Pass
		2392.5	75	0	14.044	/	Pass
	64QAM	2307.5	75	0	14.125	/	Pass
		2350	75	0	14.118	/	Pass
		2392.5	75	0	14.131	/	Pass
20	QPSK	2310	100	0	18.490	/	Pass
		2350	100	0	18.428	/	Pass
		2390	100	0	18.427	/	Pass
	16QAM	2310	100	0	18.490	/	Pass
		2350	100	0	18.433	/	Pass
		2390	100	0	18.405	/	Pass
	64QAM	2310	100	0	18.462	/	Pass
		2350	100	0	18.506	/	Pass
		2390	100	0	18.414	/	Pass

4.1.2 Band40_XDB

Band: 40 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2302.5	25	0	6.603	/	Pass
		2350	25	0	5.456	/	Pass
		2397.5	25	0	5.385	/	Pass
	16QAM	2302.5	25	0	5.465	/	Pass
		2350	25	0	5.467	/	Pass
		2397.5	25	0	5.449	/	Pass
	64QAM	2302.5	25	0	5.622	/	Pass
		2350	25	0	5.666	/	Pass
		2397.5	25	0	5.666	/	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

		2397.5	25	0	6.440	/	Pass
10	QPSK	2305	50	0	10.363	/	Pass
		2350	50	0	10.437	/	Pass
		2395	50	0	10.204	/	Pass
		2305	50	0	10.863	/	Pass
	16QAM	2350	50	0	10.368	/	Pass
		2395	50	0	10.221	/	Pass
		2305	50	0	11.260	/	Pass
	64QAM	2350	50	0	10.894	/	Pass
		2395	50	0	10.288	/	Pass
15	QPSK	2307.5	75	0	18.139	/	Pass
		2350	75	0	19.337	/	Pass
		2392.5	75	0	16.840	/	Pass
	16QAM	2307.5	75	0	18.019	/	Pass
		2350	75	0	17.363	/	Pass
		2392.5	75	0	15.822	/	Pass
	64QAM	2307.5	75	0	21.203	/	Pass
		2350	75	0	20.938	/	Pass
20	QPSK	2392.5	75	0	20.363	/	Pass
		2310	100	0	22.248	/	Pass
		2350	100	0	20.609	/	Pass
	16QAM	2390	100	0	23.391	/	Pass
		2310	100	0	23.422	/	Pass
		2350	100	0	22.243	/	Pass
	64QAM	2390	100	0	22.855	/	Pass
		2310	100	0	22.580	/	Pass
		2350	100	0	21.387	/	Pass
		2390	100	0	22.299	/	Pass




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

4.2 Test Graph


4.2.1 Band40_OBW




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_5MHz_QPSK_HCH_2397.5MHz_RB_25_0_NTNV




Band40_5MHz_16QAM_LCH_2302.5MHz_RB_25_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band40_5MHz_16QAM_MCH_2350MHz_RB_25_0_NTNV




Band40_5MHz_16QAM_HCH_2397.5MHz_RB_25_0_NTNV



Band40_5MHz_64QAM_LCH_2302.5MHz_RB_25_0_NTNV




Band40_5MHz_64QAM_MCH_2350MHz_RB_25_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_5MHz_64QAM_HCH_2397.5MHz_RB_25_0_NTNV




Band40_10MHz_QPSK_LCH_2305MHz_RB_50_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band40_10MHz_QPSK_MCH_2350MHz_RB_50_0_NTNV




Band40_10MHz_QPSK_HCH_2395MHz_RB_50_0_NTNV



Band40_10MHz_16QAM_LCH_2305MHz_RB_50_0_NTNV



Band40_10MHz_16QAM_MCH_2350MHz_RB_50_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

Band40_10MHz_16QAM_HCH_2395MHz_RB_50_0_NTNV



Band40_10MHz_64QAM_LCH_2305MHz_RB_50_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band40_10MHz_64QAM_MCH_2350MHz_RB_50_0_NTNV




Band40_10MHz_64QAM_HCH_2395MHz_RB_50_0_NTNV



Band40_15MHz_QPSK_LCH_2307.5MHz_RB_75_0_NTNV




Band40_15MHz_QPSK_MCH_2350MHz_RB_75_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_15MHz_QPSK_HCH_2392.5MHz_RB_75_0_NTNV




Band40_15MHz_16QAM_LCH_2307.5MHz_RB_75_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band40_15MHz_16QAM_MCH_2350MHz_RB_75_0_NTNV




Band40_15MHz_16QAM_HCH_2392.5MHz_RB_75_0_NTNV



Band40_15MHz_64QAM_LCH_2307.5MHz_RB_75_0_NTNV




Band40_15MHz_64QAM_MCH_2350MHz_RB_75_0_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_15MHz_64QAM_HCH_2392.5MHz_RB_75_0_NTNV




Band40_20MHz_QPSK_LCH_2310MHz_RB_100_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band40_20MHz_QPSK_MCH_2350MHz_RB_100_0_NTNV




Band40_20MHz_QPSK_HCH_2390MHz_RB_100_0_NTNV



Band40_20MHz_16QAM_LCH_2310MHz_RB_100_0_NTNV



Band40_20MHz_16QAM_MCH_2350MHz_RB_100_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

Band40_20MHz_16QAM_HCH_2390MHz_RB_100_0_NTNV




Band40_20MHz_64QAM_LCH_2310MHz_RB_100_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band40_20MHz_64QAM_MCH_2350MHz_RB_100_0_NTNV



Band40_20MHz_64QAM_HCH_2390MHz_RB_100_0_NTNV




4.2.2 Band40_XDB




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_5MHz_QPSK_HCH_2397.5MHz_RB_25_0_NTNV



Band40_5MHz_16QAM_LCH_2302.5MHz_RB_25_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band40_5MHz_16QAM_MCH_2350MHz_RB_25_0_NTNV




Band40_5MHz_16QAM_HCH_2397.5MHz_RB_25_0_NTNV



Band40_5MHz_64QAM_LCH_2302.5MHz_RB_25_0_NTNV




Band40_5MHz_64QAM_MCH_2350MHz_RB_25_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_5MHz_64QAM_HCH_2397.5MHz_RB_25_0_NTNV




Band40_10MHz_QPSK_LCH_2305MHz_RB_50_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band40_10MHz_QPSK_MCH_2350MHz_RB_50_0_NTNV




Band40_10MHz_QPSK_HCH_2395MHz_RB_50_0_NTNV



Band40_10MHz_16QAM_LCH_2305MHz_RB_50_0_NTNV




Band40_10MHz_16QAM_MCH_2350MHz_RB_50_0_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_10MHz_16QAM_HCH_2395MHz_RB_50_0_NTNV




Band40_10MHz_64QAM_LCH_2305MHz_RB_50_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band40_10MHz_64QAM_MCH_2350MHz_RB_50_0_NTNV




Band40_10MHz_64QAM_HCH_2395MHz_RB_50_0_NTNV



Band40_15MHz_QPSK_LCH_2307.5MHz_RB_75_0_NTNV




Band40_15MHz_QPSK_MCH_2350MHz_RB_75_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_15MHz_QPSK_HCH_2392.5MHz_RB_75_0_NTNV




Band40_15MHz_16QAM_LCH_2307.5MHz_RB_75_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band40_15MHz_16QAM_MCH_2350MHz_RB_75_0_NTNV




Band40_15MHz_16QAM_HCH_2392.5MHz_RB_75_0_NTNV



Band40_15MHz_64QAM_LCH_2307.5MHz_RB_75_0_NTNV




Band40_15MHz_64QAM_MCH_2350MHz_RB_75_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_15MHz_64QAM_HCH_2392.5MHz_RB_75_0_NTNV




Band40_20MHz_QPSK_LCH_2310MHz_RB_100_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band40_20MHz_QPSK_MCH_2350MHz_RB_100_0_NTNV




Band40_20MHz_QPSK_HCH_2390MHz_RB_100_0_NTNV



Band40_20MHz_16QAM_LCH_2310MHz_RB_100_0_NTNV



Band40_20MHz_16QAM_MCH_2350MHz_RB_100_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

Band40_20MHz_16QAM_HCH_2390MHz_RB_100_0_NTNV




Band40_20MHz_64QAM_LCH_2310MHz_RB_100_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_20MHz_64QAM_MCH_2350MHz_RB_100_0_NTNV



Band40_20MHz_64QAM_HCH_2390MHz_RB_100_0_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B40_5MHz

Band: 40 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2302.5	25	0	6.71	<=13	Pass
	2350	25	0	6.53	<=13	Pass
	2397.5	25	0	6.66	<=13	Pass
16QAM	2302.5	25	0	7.44	<=13	Pass
	2350	25	0	7.63	<=13	Pass
	2397.5	25	0	7.70	<=13	Pass
64QAM	2302.5	25	0	8.65	<=13	Pass
	2350	25	0	8.56	<=13	Pass
	2397.5	25	0	8.28	<=13	Pass

5.1.2 B40_10MHz

Band: 40 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2305	50	0	6.78	<=13	Pass
	2350	50	0	6.63	<=13	Pass
	2395	50	0	6.50	<=13	Pass
16QAM	2305	50	0	7.67	<=13	Pass
	2350	50	0	7.74	<=13	Pass
	2395	50	0	7.67	<=13	Pass
64QAM	2305	50	0	8.42	<=13	Pass
	2350	50	0	8.49	<=13	Pass
	2395	50	0	8.68	<=13	Pass

5.1.3 B40_15MHz

Band: 40 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2307.5	75	0	6.48	<=13	Pass
	2350	75	0	6.69	<=13	Pass
	2392.5	75	0	6.65	<=13	Pass
16QAM	2307.5	75	0	7.72	<=13	Pass
	2350	75	0	7.86	<=13	Pass
	2392.5	75	0	7.74	<=13	Pass
64QAM	2307.5	75	0	8.37	<=13	Pass
	2350	75	0	8.39	<=13	Pass
	2392.5	75	0	8.59	<=13	Pass

5.1.4 B40_20MHz

Band: 40 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2310	100	0	6.52	<=13	Pass
	2350	100	0	7.17	<=13	Pass
	2390	100	0	6.55	<=13	Pass
16QAM	2310	100	0	7.60	<=13	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

64QAM	2350	100	0	7.61	≤ 13	Pass
	2390	100	0	7.63	≤ 13	Pass
	2310	100	0	8.38	≤ 13	Pass
	2350	100	0	8.46	≤ 13	Pass
	2390	100	0	8.34	≤ 13	Pass




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

5.2 Test Graph

5.2.1 B40_5MHz




Band40_5MHz_QPSK_HCH_2397.5MHz_RB_25_0_NTNV



2026-03-27 04:02:29

Band40_5MHz_16QAM_LCH_2302.5MHz_RB_25_0_NTNV




2026-03-27 04:01:36



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
 Shenzhen, Guangdong Province, China
 Tel: +86 0755 23080694

Band40_5MHz_16QAM_MCH_2350MHz_RB_25_0_NTNV




Band40_5MHz_16QAM_HCH_2397.5MHz_RB_25_0_NTNV


Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

Band40_5MHz_64QAM_LCH_2302.5MHz_RB_25_0_NTNV



Band40_5MHz_64QAM_MCH_2350MHz_RB_25_0_NTNV






Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

5.2.2 B40_10MHz




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

Band40_10MHz_QPSK_HCH_2395MHz_RB_50_0_NTNV




2026-03-27 04:04:34

Band40_10MHz_16QAM_LCH_2305MHz_RB_50_0_NTNV




2026-03-27 04:03:20

Band40_10MHz_16QAM_MCH_2350MHz_RB_50_0_NTNV




Band40_10MHz_16QAM_HCH_2395MHz_RB_50_0_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_10MHz_64QAM_LCH_2305MHz_RB_50_0_NTNV



2026-03-27 04:03:35

Band40_10MHz_64QAM_MCH_2350MHz_RB_50_0_NTNV




2026-03-27 04:04:19

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


5.2.3 B40_15MHz



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_15MHz_QPSK_HCH_2392.5MHz_RB_75_0_NTNV



2026-03-27 04:08:58

Band40_15MHz_16QAM_LCH_2307.5MHz_RB_75_0_NTNV




2026-03-27 04:06:14

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

Band40_15MHz_16QAM_MCH_2350MHz_RB_75_0_NTNV




2026-03-27 04:07:52

Band40_15MHz_16QAM_HCH_2392.5MHz_RB_75_0_NTNV




2026-03-27 04:09:31

Band40_15MHz_64QAM_LCH_2307.5MHz_RB_75_0_NTNV



2026-03-27 04:06:46

Band40_15MHz_64QAM_MCH_2350MHz_RB_75_0_NTNV




2026-03-27 04:08:23


Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


5.2.4 B40_20MHz



Band40_20MHz_QPSK_HCH_2390MHz_RB_100_0_NTNV




Band40_20MHz_16QAM_LCH_2310MHz_RB_100_0_NTNV


Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
 Shenzhen, Guangdong Province, China
 Tel: +86 0755 23080694

Band40_20MHz_16QAM_MCH_2350MHz_RB_100_0_NTNV



2026-03-27 04:12:11

Band40_20MHz_16QAM_HCH_2390MHz_RB_100_0_NTNV




2026-03-27 04:13:16

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

Band40_20MHz_64QAM_LCH_2310MHz_RB_100_0_NTNV



Band40_20MHz_64QAM_MCH_2350MHz_RB_100_0_NTNV





Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

6. Spurious Emission

6.1 Test Result

6.1.1 B40_5MHz

Band: 40 / Bandwidth: 5MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	2302.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	2350	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
16QAM	2302.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	2350	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
64QAM	2302.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	2350	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.2 B40_10MHz

Band: 40 / Bandwidth: 10MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	2305	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	2350	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
16QAM	2305	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	2350	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
64QAM	2305	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	2350	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

6.1.3 B40_15MHz

Band: 40 / Bandwidth: 15MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	2307.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

	2350	1	0	Refer To Test Graph	Pass
	2392.5	1	0	Refer To Test Graph	Pass
		75	74	Refer To Test Graph	Pass
16QAM	2307.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	2350	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	2392.5	1	0	Refer To Test Graph	Pass
		75	74	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
64QAM	2307.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	2350	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	2392.5	1	0	Refer To Test Graph	Pass
		75	74	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass

6.1.4 B40_20MHz

Band: 40 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2310	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	2350	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	2390	1	99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	2310	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	2350	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	2390	1	99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
64QAM	2310	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	2350	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	2390	1	99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

6.2 Test Graph


6.2.1 B40_5MHz




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_5MHz_QPSK_LCH_2302.5MHz_RB_1_0_NTNV



Band40_5MHz_QPSK_LCH_2302.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2295	2299	1	CHP	1	2298.500	-27.26	-13	Pass
2299	2300	0.066	CHP	2	2299.990	-26.01	-13	Pass
2300	2305	0.066	CHP	/	/	/	/	/

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band40_5MHz_QPSK_MCH_2350MHz_RB_1_0_NTNV




Band40_5MHz_QPSK_MCH_2350MHz_RB_1_0_NTNV



Band40_5MHz_QPSK_HCH_2397.5MHz_RB_1_0_NTNV




Band40_5MHz_QPSK_HCH_2397.5MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40 5MHz QPSK HCH 2397.5MHz RB_1_24_NTNV



Band40 5MHz QPSK HCH 2397.5MHz RB_25_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band40 5MHz 16QAM LCH 2302.5MHz_RB_1_0_NTNV




Band40 5MHz 16QAM LCH 2302.5MHz_RB_1_0_NTNV



Band40 5MHz 16QAM LCH_2302.5MHz_RB_1_0_NTNV



Band40 5MHz 16QAM LCH_2302.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2295	2299	1	CHP	1	2298.500	-26.02	-13	Pass
2299	2300	0.055	CHP	2	2299.980	-27.48	-13	Pass
2300	2305	0.055	CHP	/	/	/	/	/


Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_5MHz_16QAM_MCH_2350MHz_RB_1_0_NTNV



Band40_5MHz_16QAM_MCH_2350MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band40_5MHz_16QAM_HCH_2397.5MHz_RB_1_0_NTNV




Band40_5MHz_16QAM_HCH_2397.5MHz_RB_1_0_NTNV



Band40_5MHz_16QAM_HCH_2397.5MHz_RB_1_24_NTNV



Band40_5MHz_16QAM_HCH_2397.5MHz_RB_25_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

Band40 5MHz 64QAM LCH 2302.5MHz_RB_1_0_NTNV




Band40 5MHz 64QAM LCH 2302.5MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_5MHz_64QAM_LCH_2302.5MHz_RB_1_0_NTNV




Band40_5MHz_64QAM_LCH_2302.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2295	2299	1	CHP	1	2298.500	-28.63	-13	Pass
2299	2300	0.056	CHP	2	2299.970	-28.49	-13	Pass
2300	2305	0.056	CHP	/	/	/	/	/

Band40_5MHz_64QAM_MCH_2350MHz_RB_1_0_NTNV




Band40_5MHz_64QAM_MCH_2350MHz_RB_1_0_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_5MHz_64QAM_HCH_2397.5MHz_RB_1_0_NTNV




Band40_5MHz_64QAM_HCH_2397.5MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band40_5MHz_64QAM_HCH_2397.5MHz_RB_1_24_NTNV



Band40_5MHz_64QAM_HCH_2397.5MHz_RB_25_0_NTNV




6.2.2 B40_10MHz




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_10MHz_QPSK_LCH_2305MHz_RB_1_0_NTNV



Band40_10MHz_QPSK_LCH_2305MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2290	2299	1	CHP	1	2298.500	-26.76	-13	Pass
2299	2300	0.104	CHP	2	2299.960	-29.65	-13	Pass
2300	2310	0.104	CHP	/	/	/	/	/

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band40_10MHz_QPSK_MCH_2350MHz_RB_1_0_NTNV




Band40_10MHz_QPSK_MCH_2350MHz_RB_1_0_NTNV



Band40_10MHz_QPSK_HCH_2395MHz_RB_1_0_NTNV




Band40_10MHz_QPSK_HCH_2395MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_10MHz_QPSK_HCH_2395MHz_RB_1_49_NTNV



Band40_10MHz_QPSK_HCH_2395MHz_RB_50_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band40_10MHz_16QAM_LCH_2305MHz_RB_1_0_NTNV




Band40_10MHz_16QAM_LCH_2305MHz_RB_1_0_NTNV



Band40_10MHz_16QAM_LCH_2305MHz_RB_1_0_NTNV



Band40_10MHz_16QAM_LCH_2305MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2290	2299	1	CHP	1	2298.500	-27.81	-13	Pass
2299	2300	0.109	CHP	2	2299.900	-33.24	-13	Pass
2300	2310	0.109	CHP	/	/	/	/	/

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

Band40_10MHz_16QAM_MCH_2350MHz_RB_1_0_NTNV




Band40_10MHz_16QAM_MCH_2350MHz_RB_1_0_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band40_10MHz_16QAM_HCH_2395MHz_RB_1_0_NTNV




Band40_10MHz_16QAM_HCH_2395MHz_RB_1_0_NTNV



Band40_10MHz_16QAM_HCH_2395MHz_RB_1_49_NTNV




Band40_10MHz_16QAM_HCH_2395MHz_RB_50_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_10MHz_64QAM_LCH_2305MHz_RB_1_0_NTNV



Band40_10MHz_64QAM_LCH_2305MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

Band40_10MHz_64QAM_LCH_2305MHz_RB_1_0_NTNV




Band40_10MHz_64QAM_LCH_2305MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2290	2299	1	CHP	1	2298.500	-33.58	-13	Pass
2299	2300	0.113	CHP	2	2299.840	-34.67	-13	Pass
2300	2310	0.113	CHP	/	/	/	/	/

Band40_10MHz_64QAM_MCH_2350MHz_RB_1_0_NTNV




Band40_10MHz_64QAM_MCH_2350MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_10MHz_64QAM_HCH_2395MHz_RB_1_0_NTNV




Band40_10MHz_64QAM_HCH_2395MHz_RB_1_0_NTNV


Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band40_10MHz_64QAM_HCH_2395MHz_RB_1_49_NTNV



Band40_10MHz_64QAM_HCH_2395MHz_RB_50_0_NTNV




6.2.3 B40_15MHz




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_15MHz_QPSK_LCH_2307.5MHz_RB_1_0_NTNV



Band40_15MHz_QPSK_LCH_2307.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2285	2299	1	CHP	1	2298.500	-24.75	-13	Pass
2299	2300	0.181	CHP	2	2299.130	-30.36	-13	Pass
2300	2315	0.181	CHP	/	/	/	/	/

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band40_15MHz_QPSK_MCH_2350MHz_RB_1_0_NTNV




Band40_15MHz_QPSK_MCH_2350MHz_RB_1_0_NTNV



Band40_15MHz_QPSK_HCH_2392.5MHz_RB_1_0_NTNV




Band40_15MHz_QPSK_HCH_2392.5MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_15MHz_QPSK_HCH_2392.5MHz_RB_1_74_NTNV



Band40_15MHz_QPSK_HCH_2392.5MHz_RB_75_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

Band40_15MHz_16QAM_LCH_2307.5MHz_RB_1_0_NTNV




Band40_15MHz_16QAM_LCH_2307.5MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_15MHz_16QAM_LCH_2307.5MHz_RB_1_0_NTNV



Band40_15MHz_16QAM_LCH_2307.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2285	2299	1	CHP	1	2297.750	-28.65	-13	Pass
2299	2300	0.18	CHP	2	2299.940	-32.43	-13	Pass
2300	2315	0.18	CHP	/	/	/	/	/

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

Band40_15MHz_16QAM_MCH_2350MHz_RB_1_0_NTNV




Band40_15MHz_16QAM_MCH_2350MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band40_15MHz_16QAM_HCH_2392.5MHz_RB_1_0_NTNV




Band40_15MHz_16QAM_HCH_2392.5MHz_RB_1_0_NTNV



Band40_15MHz_16QAM_HCH_2392.5MHz_RB_1_74_NTNV




Band40_15MHz_16QAM_HCH_2392.5MHz_RB_75_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_15MHz_64QAM_LCH_2307.5MHz_RB_1_0_NTNV



Band40_15MHz_64QAM_LCH_2307.5MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

Band40_15MHz_64QAM_LCH_2307.5MHz_RB_1_0_NTNV




Band40_15MHz_64QAM_LCH_2307.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2285	2299	1	CHP	1	2297.570	-31.04	-13	Pass
2299	2300	0.212	CHP	2	2299.970	-34.95	-13	Pass
2300	2315	0.212	CHP	/	/	/	/	/

Band40_15MHz_64QAM_MCH_2350MHz_RB_1_0_NTNV




Band40_15MHz_64QAM_MCH_2350MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_15MHz_64QAM_HCH_2392.5MHz_RB_1_0_NTNV




Band40_15MHz_64QAM_HCH_2392.5MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band40_15MHz_64QAM_HCH_2392.5MHz_RB_1_74_NTNV



Band40_15MHz_64QAM_HCH_2392.5MHz_RB_75_0_NTNV




6.2.4 B40_20MHz




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_20MHz_QPSK_LCH_2310MHz_RB_1_0_NTNV



Band40_20MHz_QPSK_LCH_2310MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2280	2299	1	CHP	1	2298.480	-27.46	-13	Pass
2299	2300	0.222	CHP	2	2299.920	-30.90	-13	Pass
2300	2320	0.222	CHP	/	/	/	/	/

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band40_20MHz_QPSK_MCH_2350MHz_RB_1_0_NTNV




Band40_20MHz_QPSK_MCH_2350MHz_RB_1_0_NTNV



Band40_20MHz_QPSK_HCH_2390MHz_RB_1_0_NTNV




Band40_20MHz_QPSK_HCH_2390MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_20MHz_QPSK_HCH_2390MHz_RB_1_99_NTNV



Band40_20MHz_QPSK_HCH_2390MHz_RB_100_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

Band40_20MHz_16QAM_LCH_2310MHz_RB_1_0_NTNV




Band40_20MHz_16QAM_LCH_2310MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_20MHz_16QAM_LCH_2310MHz_RB_1_0_NTNV



Band40_20MHz_16QAM_LCH_2310MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2280	2299	1	CHP	1	2298.240	-29.60	-13	Pass
2299	2300	0.234	CHP	2	2299.640	-35.41	-13	Pass
2300	2320	0.234	CHP	/	/	/	/	/


Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_20MHz_16QAM_MCH_2350MHz_RB_1_0_NTNV




Band40_20MHz_16QAM_MCH_2350MHz_RB_1_0_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band40_20MHz_16QAM_HCH_2390MHz_RB_1_0_NTNV




Band40_20MHz_16QAM_HCH_2390MHz_RB_1_0_NTNV



Band40_20MHz_16QAM_HCH_2390MHz_RB_1_99_NTNV




Band40_20MHz_16QAM_HCH_2390MHz_RB_100_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_20MHz_64QAM_LCH_2310MHz_RB_1_0_NTNV




Band40_20MHz_64QAM_LCH_2310MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_20MHz_64QAM_LCH_2310MHz_RB_1_0_NTNV




Band40_20MHz_64QAM_LCH_2310MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2280	2299	1	CHP	1	2297.000	-36.37	-13	Pass
2299	2300	0.226	CHP	2	2299.400	-36.67	-13	Pass
2300	2320	0.226	CHP	/	/	/	/	/

Band40_20MHz_64QAM_MCH_2350MHz_RB_1_0_NTNV




Band40_20MHz_64QAM_MCH_2350MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_20MHz_64QAM_HCH_2390MHz_RB_1_0_NTNV




Band40_20MHz_64QAM_HCH_2390MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band40_20MHz_64QAM_HCH_2390MHz_RB_1_99_NTNV



Band40_20MHz_64QAM_HCH_2390MHz_RB_100_0_NTNV



7. Frequency Stability (IC)

7.1 Test Result

7.1.1 B40_5MHz

Band: 40 / Bandwidth: 5MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	OBW (FL - FH) (MHz)		Limit	Verdict
		Size	Offset			FL	FH		
QPSK	2302.5	25	0	20	3.27	2300.204	2304.798	2300 to 2400	Pass
					3.85	2300.189	2304.822	2300 to 2400	Pass
					4.43	2300.202	2304.819	2300 to 2400	Pass
				-30	3.85	2300.203	2304.807	2300 to 2400	Pass
				-20	3.85	2300.198	2304.807	2300 to 2400	Pass
				-10	3.85	2300.214	2304.797	2300 to 2400	Pass
				0	3.85	2300.201	2304.812	2300 to 2400	Pass
				10	3.85	2300.205	2304.820	2300 to 2400	Pass
				30	3.85	2300.200	2304.810	2300 to 2400	Pass
				40	3.85	2300.207	2304.798	2300 to 2400	Pass
				50	3.85	2300.202	2304.827	2300 to 2400	Pass
	2350	25	0	20	3.27	2347.705	2352.298	2300 to 2400	Pass
					3.85	2347.697	2352.292	2300 to 2400	Pass
					4.43	2347.706	2352.297	2300 to 2400	Pass
				-30	3.85	2347.694	2352.295	2300 to 2400	Pass
				-20	3.85	2347.691	2352.306	2300 to 2400	Pass
				-10	3.85	2347.703	2352.294	2300 to 2400	Pass
				0	3.85	2347.698	2352.317	2300 to 2400	Pass
				10	3.85	2347.693	2352.306	2300 to 2400	Pass
				30	3.85	2347.695	2352.298	2300 to 2400	Pass
				40	3.85	2347.699	2352.306	2300 to 2400	Pass
				50	3.85	2347.701	2352.309	2300 to 2400	Pass
	2397.5	25	0	20	3.27	2395.193	2399.801	2300 to 2400	Pass
					3.85	2395.185	2399.808	2300 to 2400	Pass
					4.43	2395.192	2399.809	2300 to 2400	Pass
				-30	3.85	2395.202	2399.799	2300 to 2400	Pass
				-20	3.85	2395.187	2399.799	2300 to 2400	Pass
				-10	3.85	2395.196	2399.781	2300 to 2400	Pass
				0	3.85	2395.185	2399.794	2300 to 2400	Pass
				10	3.85	2395.191	2399.795	2300 to 2400	Pass
				30	3.85	2395.207	2399.798	2300 to 2400	Pass
				40	3.85	2395.183	2399.803	2300 to 2400	Pass
				50	3.85	2395.191	2399.799	2300 to 2400	Pass
16QAM	2302.5	25	0	20	3.27	2300.189	2304.819	2300 to 2400	Pass
					3.85	2300.192	2304.803	2300 to 2400	Pass
					4.43	2300.203	2304.805	2300 to 2400	Pass
				-30	3.85	2300.209	2304.807	2300 to 2400	Pass
				-20	3.85	2300.206	2304.798	2300 to 2400	Pass
				-10	3.85	2300.212	2304.811	2300 to 2400	Pass
				0	3.85	2300.201	2304.803	2300 to 2400	Pass
				10	3.85	2300.206	2304.820	2300 to 2400	Pass
				30	3.85	2300.204	2304.809	2300 to 2400	Pass
				40	3.85	2300.199	2304.799	2300 to 2400	Pass
				50	3.85	2300.205	2304.800	2300 to 2400	Pass
	2350	25	0	20	3.27	2347.700	2352.295	2300 to 2400	Pass
					3.85	2347.705	2352.307	2300 to 2400	Pass
					4.43	2347.699	2352.295	2300 to 2400	Pass
				-30	3.85	2347.704	2352.307	2300 to 2400	Pass
				-20	3.85	2347.690	2352.297	2300 to 2400	Pass
				-10	3.85	2347.686	2352.314	2300 to 2400	Pass
				0	3.85	2347.701	2352.318	2300 to 2400	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

64QAM	2397.5	25	0	10	3.85	2347.688	2352.303	2300 to 2400	Pass
				30	3.85	2347.693	2352.305	2300 to 2400	Pass
				40	3.85	2347.700	2352.306	2300 to 2400	Pass
				50	3.85	2347.703	2352.296	2300 to 2400	Pass
				20	3.27	2395.198	2399.793	2300 to 2400	Pass
					3.85	2395.191	2399.799	2300 to 2400	Pass
					4.43	2395.180	2399.803	2300 to 2400	Pass
				-30	3.85	2395.169	2399.796	2300 to 2400	Pass
				-20	3.85	2395.190	2399.803	2300 to 2400	Pass
				-10	3.85	2395.197	2399.786	2300 to 2400	Pass
				0	3.85	2395.188	2399.808	2300 to 2400	Pass
				10	3.85	2395.206	2399.800	2300 to 2400	Pass
				30	3.85	2395.191	2399.805	2300 to 2400	Pass
				40	3.85	2395.200	2399.806	2300 to 2400	Pass
				50	3.85	2395.200	2399.795	2300 to 2400	Pass
	2302.5	25	0	20	3.27	2300.196	2304.796	2300 to 2400	Pass
					3.85	2300.211	2304.807	2300 to 2400	Pass
					4.43	2300.205	2304.812	2300 to 2400	Pass
				-30	3.85	2300.202	2304.804	2300 to 2400	Pass
				-20	3.85	2300.200	2304.807	2300 to 2400	Pass
				-10	3.85	2300.199	2304.811	2300 to 2400	Pass
				0	3.85	2300.204	2304.806	2300 to 2400	Pass
				10	3.85	2300.221	2304.803	2300 to 2400	Pass
				30	3.85	2300.212	2304.811	2300 to 2400	Pass
				40	3.85	2300.206	2304.808	2300 to 2400	Pass
				50	3.85	2300.201	2304.803	2300 to 2400	Pass
				20	3.27	2347.706	2352.304	2300 to 2400	Pass
					3.85	2347.702	2352.310	2300 to 2400	Pass
					4.43	2347.704	2352.295	2300 to 2400	Pass
	2350	25	0	-30	3.85	2347.692	2352.298	2300 to 2400	Pass
				-20	3.85	2347.691	2352.317	2300 to 2400	Pass
				-10	3.85	2347.709	2352.308	2300 to 2400	Pass
				0	3.85	2347.700	2352.311	2300 to 2400	Pass
				10	3.85	2347.704	2352.302	2300 to 2400	Pass
				30	3.85	2347.691	2352.308	2300 to 2400	Pass
				40	3.85	2347.701	2352.295	2300 to 2400	Pass
				50	3.85	2347.712	2352.292	2300 to 2400	Pass
				20	3.27	2395.208	2399.793	2300 to 2400	Pass
					3.85	2395.205	2399.793	2300 to 2400	Pass
					4.43	2395.199	2399.806	2300 to 2400	Pass
				-30	3.85	2395.195	2399.792	2300 to 2400	Pass
				-20	3.85	2395.186	2399.804	2300 to 2400	Pass
				-10	3.85	2395.196	2399.806	2300 to 2400	Pass
				0	3.85	2395.193	2399.801	2300 to 2400	Pass
				10	3.85	2395.193	2399.803	2300 to 2400	Pass
				30	3.85	2395.195	2399.799	2300 to 2400	Pass
				40	3.85	2395.192	2399.798	2300 to 2400	Pass
				50	3.85	2395.192	2399.809	2300 to 2400	Pass

7.1.2 B40_10MHz

Band: 40 / Bandwidth: 10MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	OBW (FL - FH) (MHz)		Limit	Verdict
		Size	Offset			FL	FH		
QPSK	2305	50	0	20	3.27	2300.481	2309.532	2300 to 2400	Pass
					3.85	2300.444	2309.561	2300 to 2400	Pass
					4.43	2300.480	2309.536	2300 to 2400	Pass
				-30	3.85	2300.473	2309.547	2300 to 2400	Pass
				-20	3.85	2300.461	2309.548	2300 to 2400	Pass
				-10	3.85	2300.470	2309.550	2300 to 2400	Pass
				0	3.85	2300.458	2309.563	2300 to 2400	Pass
				10	3.85	2300.463	2309.555	2300 to 2400	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

				30	3.85	2300.469	2309.553	2300 to 2400	Pass
				40	3.85	2300.479	2309.562	2300 to 2400	Pass
				50	3.85	2300.480	2309.556	2300 to 2400	Pass
	2350	50	0	20	3.27	2345.458	2354.553	2300 to 2400	Pass
					3.85	2345.469	2354.547	2300 to 2400	Pass
					4.43	2345.471	2354.537	2300 to 2400	Pass
				-30	3.85	2345.475	2354.535	2300 to 2400	Pass
				-20	3.85	2345.466	2354.547	2300 to 2400	Pass
				-10	3.85	2345.469	2354.564	2300 to 2400	Pass
				0	3.85	2345.481	2354.528	2300 to 2400	Pass
				10	3.85	2345.479	2354.555	2300 to 2400	Pass
				30	3.85	2345.470	2354.545	2300 to 2400	Pass
				40	3.85	2345.469	2354.537	2300 to 2400	Pass
				50	3.85	2345.460	2354.533	2300 to 2400	Pass
	2395	50	0	20	3.27	2390.472	2399.529	2300 to 2400	Pass
					3.85	2390.462	2399.531	2300 to 2400	Pass
					4.43	2390.472	2399.548	2300 to 2400	Pass
				-30	3.85	2390.472	2399.528	2300 to 2400	Pass
				-20	3.85	2390.476	2399.526	2300 to 2400	Pass
				-10	3.85	2390.471	2399.522	2300 to 2400	Pass
				0	3.85	2390.469	2399.548	2300 to 2400	Pass
				10	3.85	2390.470	2399.537	2300 to 2400	Pass
				30	3.85	2390.473	2399.528	2300 to 2400	Pass
				40	3.85	2390.464	2399.533	2300 to 2400	Pass
				50	3.85	2390.459	2399.539	2300 to 2400	Pass
16QAM	2305	50	0	20	3.27	2300.478	2309.551	2300 to 2400	Pass
					3.85	2300.452	2309.579	2300 to 2400	Pass
					4.43	2300.478	2309.559	2300 to 2400	Pass
				-30	3.85	2300.472	2309.547	2300 to 2400	Pass
				-20	3.85	2300.477	2309.554	2300 to 2400	Pass
				-10	3.85	2300.485	2309.547	2300 to 2400	Pass
				0	3.85	2300.473	2309.565	2300 to 2400	Pass
				10	3.85	2300.471	2309.571	2300 to 2400	Pass
				30	3.85	2300.500	2309.549	2300 to 2400	Pass
				40	3.85	2300.486	2309.535	2300 to 2400	Pass
				50	3.85	2300.484	2309.540	2300 to 2400	Pass
	2350	50	0	20	3.27	2345.473	2354.567	2300 to 2400	Pass
					3.85	2345.474	2354.568	2300 to 2400	Pass
					4.43	2345.471	2354.536	2300 to 2400	Pass
				-30	3.85	2345.481	2354.528	2300 to 2400	Pass
				-20	3.85	2345.462	2354.546	2300 to 2400	Pass
				-10	3.85	2345.488	2354.554	2300 to 2400	Pass
				0	3.85	2345.490	2354.556	2300 to 2400	Pass
				10	3.85	2345.469	2354.584	2300 to 2400	Pass
				30	3.85	2345.486	2354.554	2300 to 2400	Pass
				40	3.85	2345.472	2354.554	2300 to 2400	Pass
				50	3.85	2345.474	2354.546	2300 to 2400	Pass
	2395	50	0	20	3.27	2390.467	2399.521	2300 to 2400	Pass
					3.85	2390.473	2399.533	2300 to 2400	Pass
					4.43	2390.460	2399.528	2300 to 2400	Pass
				-30	3.85	2390.471	2399.537	2300 to 2400	Pass
				-20	3.85	2390.461	2399.542	2300 to 2400	Pass
				-10	3.85	2390.468	2399.498	2300 to 2400	Pass
				0	3.85	2390.475	2399.524	2300 to 2400	Pass
				10	3.85	2390.483	2399.538	2300 to 2400	Pass
				30	3.85	2390.480	2399.534	2300 to 2400	Pass
				40	3.85	2390.433	2399.525	2300 to 2400	Pass
				50	3.85	2390.454	2399.532	2300 to 2400	Pass
64QAM	2305	50	0	20	3.27	2300.488	2309.560	2300 to 2400	Pass
					3.85	2300.480	2309.539	2300 to 2400	Pass
					4.43	2300.475	2309.555	2300 to 2400	Pass
				-30	3.85	2300.476	2309.555	2300 to 2400	Pass

				-20	3.85	2300.465	2309.553	2300 to 2400	Pass
				-10	3.85	2300.468	2309.555	2300 to 2400	Pass
				0	3.85	2300.472	2309.543	2300 to 2400	Pass
				10	3.85	2300.471	2309.558	2300 to 2400	Pass
				30	3.85	2300.464	2309.555	2300 to 2400	Pass
				40	3.85	2300.486	2309.554	2300 to 2400	Pass
				50	3.85	2300.495	2309.547	2300 to 2400	Pass
	2350	50	0	20	3.27	2345.482	2354.553	2300 to 2400	Pass
					3.85	2345.485	2354.566	2300 to 2400	Pass
					4.43	2345.479	2354.565	2300 to 2400	Pass
				-30	3.85	2345.483	2354.536	2300 to 2400	Pass
				-20	3.85	2345.472	2354.539	2300 to 2400	Pass
				-10	3.85	2345.487	2354.538	2300 to 2400	Pass
				0	3.85	2345.467	2354.534	2300 to 2400	Pass
				10	3.85	2345.484	2354.535	2300 to 2400	Pass
				30	3.85	2345.461	2354.557	2300 to 2400	Pass
				40	3.85	2345.476	2354.562	2300 to 2400	Pass
				50	3.85	2345.486	2354.555	2300 to 2400	Pass
	2395	50	0	20	3.27	2390.455	2399.538	2300 to 2400	Pass
					3.85	2390.471	2399.530	2300 to 2400	Pass
					4.43	2390.485	2399.522	2300 to 2400	Pass
				-30	3.85	2390.461	2399.533	2300 to 2400	Pass
				-20	3.85	2390.463	2399.526	2300 to 2400	Pass
				-10	3.85	2390.437	2399.518	2300 to 2400	Pass
				0	3.85	2390.475	2399.520	2300 to 2400	Pass
				10	3.85	2390.473	2399.551	2300 to 2400	Pass
				30	3.85	2390.463	2399.522	2300 to 2400	Pass
				40	3.85	2390.470	2399.526	2300 to 2400	Pass
				50	3.85	2390.443	2399.519	2300 to 2400	Pass

7.1.3 B40_15MHz

Band: 40 / Bandwidth: 15MHz / NTN									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	OBW (FL - FH) (MHz)		Limit	Verdict
		Size	Offset			FL	FH		
QPSK	2307.5	75	0	20	3.27	2300.485	2314.565	2300 to 2400	Pass
					3.85	2300.446	2314.598	2300 to 2400	Pass
					4.43	2300.476	2314.566	2300 to 2400	Pass
				-30	3.85	2300.498	2314.591	2300 to 2400	Pass
				-20	3.85	2300.477	2314.549	2300 to 2400	Pass
				-10	3.85	2300.469	2314.570	2300 to 2400	Pass
				0	3.85	2300.457	2314.566	2300 to 2400	Pass
				10	3.85	2300.499	2314.566	2300 to 2400	Pass
				30	3.85	2300.507	2314.608	2300 to 2400	Pass
				40	3.85	2300.459	2314.562	2300 to 2400	Pass
				50	3.85	2300.460	2314.579	2300 to 2400	Pass
	2350	75	0	20	3.27	2342.972	2357.050	2300 to 2400	Pass
					3.85	2342.940	2357.032	2300 to 2400	Pass
					4.43	2342.969	2357.025	2300 to 2400	Pass
				-30	3.85	2342.894	2357.052	2300 to 2400	Pass
				-20	3.85	2342.947	2357.025	2300 to 2400	Pass
				-10	3.85	2342.909	2357.048	2300 to 2400	Pass
				0	3.85	2342.943	2357.021	2300 to 2400	Pass
				10	3.85	2342.924	2357.032	2300 to 2400	Pass
				30	3.85	2342.914	2357.043	2300 to 2400	Pass
				40	3.85	2342.888	2357.054	2300 to 2400	Pass
				50	3.85	2342.919	2357.044	2300 to 2400	Pass
	2392.5	75	0	20	3.27	2385.421	2399.522	2300 to 2400	Pass
					3.85	2385.434	2399.498	2300 to 2400	Pass
					4.43	2385.406	2399.504	2300 to 2400	Pass
				-30	3.85	2385.425	2399.519	2300 to 2400	Pass
				-20	3.85	2385.418	2399.497	2300 to 2400	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

16QAM	2307.5	75	0	-10	3.85	2385.447	2399.486	2300 to 2400	Pass
				0	3.85	2385.431	2399.533	2300 to 2400	Pass
				10	3.85	2385.445	2399.505	2300 to 2400	Pass
				30	3.85	2385.443	2399.546	2300 to 2400	Pass
				40	3.85	2385.414	2399.507	2300 to 2400	Pass
				50	3.85	2385.454	2399.499	2300 to 2400	Pass
	2350	75	0	20	3.27	2300.463	2314.564	2300 to 2400	Pass
					3.85	2300.500	2314.577	2300 to 2400	Pass
					4.43	2300.463	2314.554	2300 to 2400	Pass
				-30	3.85	2300.483	2314.593	2300 to 2400	Pass
				-20	3.85	2300.480	2314.549	2300 to 2400	Pass
				-10	3.85	2300.475	2314.605	2300 to 2400	Pass
				0	3.85	2300.481	2314.590	2300 to 2400	Pass
				10	3.85	2300.463	2314.563	2300 to 2400	Pass
				30	3.85	2300.451	2314.565	2300 to 2400	Pass
				40	3.85	2300.449	2314.565	2300 to 2400	Pass
				50	3.85	2300.479	2314.567	2300 to 2400	Pass
				20	3.27	2342.931	2357.042	2300 to 2400	Pass
					3.85	2342.930	2357.024	2300 to 2400	Pass
					4.43	2342.948	2357.056	2300 to 2400	Pass
64QAM	2392.5	75	0	-30	3.85	2342.968	2357.036	2300 to 2400	Pass
				-20	3.85	2342.969	2357.058	2300 to 2400	Pass
				-10	3.85	2342.916	2357.025	2300 to 2400	Pass
				0	3.85	2342.944	2357.077	2300 to 2400	Pass
				10	3.85	2342.975	2357.013	2300 to 2400	Pass
				30	3.85	2342.958	2357.053	2300 to 2400	Pass
				40	3.85	2342.933	2357.012	2300 to 2400	Pass
				50	3.85	2342.952	2357.046	2300 to 2400	Pass
				20	3.27	2385.468	2399.516	2300 to 2400	Pass
					3.85	2385.442	2399.508	2300 to 2400	Pass
					4.43	2385.446	2399.519	2300 to 2400	Pass
				-30	3.85	2385.452	2399.509	2300 to 2400	Pass
	2307.5	75	0	-20	3.85	2300.441	2314.577	2300 to 2400	Pass
				-10	3.85	2300.391	2314.627	2300 to 2400	Pass
				0	3.85	2300.453	2314.602	2300 to 2400	Pass
				10	3.85	2300.471	2314.591	2300 to 2400	Pass
				30	3.85	2300.478	2314.619	2300 to 2400	Pass
				40	3.85	2300.465	2314.596	2300 to 2400	Pass
				50	3.85	2300.451	2314.591	2300 to 2400	Pass
				20	3.27	2342.898	2357.063	2300 to 2400	Pass
					3.85	2342.921	2357.030	2300 to 2400	Pass
					4.43	2342.931	2357.022	2300 to 2400	Pass
				-30	3.85	2342.940	2357.049	2300 to 2400	Pass
				-20	3.85	2342.923	2357.055	2300 to 2400	Pass
	2350	75	0	-10	3.85	2342.947	2357.066	2300 to 2400	Pass
				0	3.85	2342.958	2357.025	2300 to 2400	Pass
				10	3.85	2342.929	2357.092	2300 to 2400	Pass
				30	3.85	2342.899	2357.047	2300 to 2400	Pass
				40	3.85	2342.924	2357.044	2300 to 2400	Pass
				50	3.85	2342.942	2357.077	2300 to 2400	Pass
	2392.5	75	0	20	3.27	2385.440	2399.522	2300 to 2400	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

				3.85	2385.457	2399.554	2300 to 2400	Pass
				4.43	2385.393	2399.521	2300 to 2400	Pass
			-30	3.85	2385.400	2399.555	2300 to 2400	Pass
			-20	3.85	2385.442	2399.513	2300 to 2400	Pass
			-10	3.85	2385.437	2399.514	2300 to 2400	Pass
			0	3.85	2385.430	2399.511	2300 to 2400	Pass
			10	3.85	2385.421	2399.517	2300 to 2400	Pass
			30	3.85	2385.441	2399.530	2300 to 2400	Pass
			40	3.85	2385.415	2399.521	2300 to 2400	Pass
			50	3.85	2385.435	2399.539	2300 to 2400	Pass

7.1.4 B40_20MHz

Band: 40 / Bandwidth: 20MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	OBW (FL - FH) (MHz)		Limit	Verdict
		Size	Offset			FL	FH		
QPSK	2310	100	0	20	3.27	2300.827	2319.233	2300 to 2400	Pass
					3.85	2300.831	2319.230	2300 to 2400	Pass
					4.43	2300.820	2319.246	2300 to 2400	Pass
				-30	3.85	2300.818	2319.239	2300 to 2400	Pass
				-20	3.85	2300.787	2319.285	2300 to 2400	Pass
				-10	3.85	2300.773	2319.270	2300 to 2400	Pass
				0	3.85	2300.809	2319.274	2300 to 2400	Pass
				10	3.85	2300.739	2319.225	2300 to 2400	Pass
				30	3.85	2300.828	2319.245	2300 to 2400	Pass
				40	3.85	2300.843	2319.252	2300 to 2400	Pass
				50	3.85	2300.816	2319.314	2300 to 2400	Pass
	2350	100	0	20	3.27	2340.771	2359.239	2300 to 2400	Pass
					3.85	2340.780	2359.230	2300 to 2400	Pass
					4.43	2340.799	2359.231	2300 to 2400	Pass
				-30	3.85	2340.769	2359.223	2300 to 2400	Pass
				-20	3.85	2340.733	2359.229	2300 to 2400	Pass
				-10	3.85	2340.763	2359.182	2300 to 2400	Pass
				0	3.85	2340.769	2359.198	2300 to 2400	Pass
				10	3.85	2340.775	2359.186	2300 to 2400	Pass
				30	3.85	2340.795	2359.233	2300 to 2400	Pass
				40	3.85	2340.769	2359.204	2300 to 2400	Pass
				50	3.85	2340.770	2359.213	2300 to 2400	Pass
	2390	100	0	20	3.27	2380.756	2399.190	2300 to 2400	Pass
					3.85	2380.790	2399.251	2300 to 2400	Pass
					4.43	2380.809	2399.183	2300 to 2400	Pass
				-30	3.85	2380.791	2399.171	2300 to 2400	Pass
				-20	3.85	2380.749	2399.214	2300 to 2400	Pass
				-10	3.85	2380.796	2399.190	2300 to 2400	Pass
				0	3.85	2380.802	2399.221	2300 to 2400	Pass
				10	3.85	2380.801	2399.217	2300 to 2400	Pass
				30	3.85	2380.809	2399.256	2300 to 2400	Pass
				40	3.85	2380.783	2399.195	2300 to 2400	Pass
				50	3.85	2380.804	2399.182	2300 to 2400	Pass
16QAM	2310	100	0	20	3.27	2300.830	2319.281	2300 to 2400	Pass
					3.85	2300.818	2319.276	2300 to 2400	Pass
					4.43	2300.841	2319.291	2300 to 2400	Pass
				-30	3.85	2300.801	2319.267	2300 to 2400	Pass
				-20	3.85	2300.818	2319.270	2300 to 2400	Pass
				-10	3.85	2300.803	2319.290	2300 to 2400	Pass
				0	3.85	2300.796	2319.295	2300 to 2400	Pass
				10	3.85	2300.800	2319.313	2300 to 2400	Pass
				30	3.85	2300.775	2319.250	2300 to 2400	Pass
				40	3.85	2300.792	2319.280	2300 to 2400	Pass
				50	3.85	2300.836	2319.281	2300 to 2400	Pass
	2350	100	0	20	3.27	2340.791	2359.219	2300 to 2400	Pass
					3.85	2340.788	2359.211	2300 to 2400	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

					4.43	2340.753	2359.194	2300 to 2400	Pass
				-30	3.85	2340.823	2359.189	2300 to 2400	Pass
				-20	3.85	2340.801	2359.258	2300 to 2400	Pass
				-10	3.85	2340.775	2359.165	2300 to 2400	Pass
				0	3.85	2340.804	2359.219	2300 to 2400	Pass
				10	3.85	2340.800	2359.238	2300 to 2400	Pass
				30	3.85	2340.748	2359.217	2300 to 2400	Pass
				40	3.85	2340.768	2359.186	2300 to 2400	Pass
				50	3.85	2340.727	2359.211	2300 to 2400	Pass
	2390	100	0	20	3.27	2380.778	2399.151	2300 to 2400	Pass
					3.85	2380.772	2399.189	2300 to 2400	Pass
					4.43	2380.788	2399.169	2300 to 2400	Pass
				-30	3.85	2380.772	2399.174	2300 to 2400	Pass
				-20	3.85	2380.791	2399.185	2300 to 2400	Pass
				-10	3.85	2380.815	2399.156	2300 to 2400	Pass
				0	3.85	2380.787	2399.165	2300 to 2400	Pass
				10	3.85	2380.808	2399.213	2300 to 2400	Pass
				30	3.85	2380.810	2399.186	2300 to 2400	Pass
				40	3.85	2380.780	2399.182	2300 to 2400	Pass
				50	3.85	2380.799	2399.225	2300 to 2400	Pass
64QAM	2310	100	0	20	3.27	2300.804	2319.245	2300 to 2400	Pass
					3.85	2300.834	2319.276	2300 to 2400	Pass
					4.43	2300.839	2319.245	2300 to 2400	Pass
				-30	3.85	2300.761	2319.241	2300 to 2400	Pass
				-20	3.85	2300.803	2319.292	2300 to 2400	Pass
				-10	3.85	2300.805	2319.297	2300 to 2400	Pass
				0	3.85	2300.835	2319.258	2300 to 2400	Pass
				10	3.85	2300.845	2319.249	2300 to 2400	Pass
				30	3.85	2300.829	2319.276	2300 to 2400	Pass
				40	3.85	2300.834	2319.238	2300 to 2400	Pass
				50	3.85	2300.856	2319.250	2300 to 2400	Pass
	2350	100	0	20	3.27	2340.787	2359.232	2300 to 2400	Pass
					3.85	2340.790	2359.224	2300 to 2400	Pass
					4.43	2340.816	2359.238	2300 to 2400	Pass
				-30	3.85	2340.812	2359.219	2300 to 2400	Pass
				-20	3.85	2340.763	2359.230	2300 to 2400	Pass
				-10	3.85	2340.835	2359.214	2300 to 2400	Pass
				0	3.85	2340.805	2359.198	2300 to 2400	Pass
				10	3.85	2340.784	2359.220	2300 to 2400	Pass
				30	3.85	2340.782	2359.210	2300 to 2400	Pass
				40	3.85	2340.810	2359.201	2300 to 2400	Pass
				50	3.85	2340.787	2359.281	2300 to 2400	Pass
	2390	100	0	20	3.27	2380.806	2399.211	2300 to 2400	Pass
					3.85	2380.820	2399.180	2300 to 2400	Pass
					4.43	2380.807	2399.162	2300 to 2400	Pass
				-30	3.85	2380.839	2399.205	2300 to 2400	Pass
				-20	3.85	2380.786	2399.151	2300 to 2400	Pass
				-10	3.85	2380.787	2399.184	2300 to 2400	Pass
				0	3.85	2380.822	2399.215	2300 to 2400	Pass
				10	3.85	2380.797	2399.195	2300 to 2400	Pass
				30	3.85	2380.828	2399.179	2300 to 2400	Pass
				40	3.85	2380.807	2399.211	2300 to 2400	Pass
				50	3.85	2380.817	2399.208	2300 to 2400	Pass



8. Form731

8.1 Test Result

8.1.1 Form731_Power

Band	BW	Lower	High	MAX	Value	Hz/ppm	Emission	Rule	MAX
------	----	-------	------	-----	-------	--------	----------	------	-----

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

		Freq	Freq	Power (W)			Designator	Parts	Power (dBm)
40	5	2302.5	2397.5	0.2780	99.0000	ppm	4M63G7D	27D	24.44
40	5	2302.5	2397.5	0.2265	99.0000	ppm	4M64W7D	27D	23.55
40	10	2305	2395	0.2754	99.0000	ppm	9M10G7D	27D	24.40
40	10	2305	2395	0.2193	99.0000	ppm	9M09W7D	27D	23.41
40	15	2307.5	2392.5	0.2748	99.0000	ppm	14M1G7D	27D	24.39
40	15	2307.5	2392.5	0.2188	99.0000	ppm	14M1W7D	27D	23.40
40	20	2310	2390	0.2780	99.0000	ppm	18M5G7D	27D	24.44
40	20	2310	2390	0.2275	99.0000	ppm	18M5W7D	27D	23.57

8.1.2 Form731_EIRP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
40	5	2302.5	2397.5	0.1493	99.0000	ppm	4M63G7D	27D	21.74
40	5	2302.5	2397.5	0.1216	99.0000	ppm	4M64W7D	27D	20.85
40	10	2305	2395	0.1479	99.0000	ppm	9M10G7D	27D	21.70
40	10	2305	2395	0.1178	99.0000	ppm	9M09W7D	27D	20.71
40	15	2307.5	2392.5	0.1476	99.0000	ppm	14M1G7D	27D	21.69
40	15	2307.5	2392.5	0.1175	99.0000	ppm	14M1W7D	27D	20.70
40	20	2310	2390	0.1493	99.0000	ppm	18M5G7D	27D	21.74
40	20	2310	2390	0.1222	99.0000	ppm	18M5W7D	27D	20.87



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694