



Band42_15MHz_QPSK_LCH_3407.5MHz_RB_75_0_NTNV



Band42_15MHz_QPSK_MCH_3500MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band42_15MHz_QPSK_MCH_3500MHz_RB_1_74_NTNV



Band42_15MHz_QPSK_MCH_3500MHz_RB_75_0_NTNV




Band42_15MHz_QPSK_HCH_3592.5MHz_RB_1_0_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	20.07	/	/	/	/
Adjacent	-15	15.00	-24.57	-44.64	-30	14.64	Pass
Adjacent	15	15.00	-35.02	-55.09	-30	25.09	Pass

Band42_15MHz_QPSK_HCH_3592.5MHz_RB_1_74_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	18.95	/	/	/	/
Adjacent	-15	15.00	-35.24	-54.19	-30	24.19	Pass
Adjacent	15	15.00	-27.22	-46.17	-30	16.17	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band42_15MHz_QPSK_HCH_3592.5MHz_RB_75_0_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	18.14	/	/	/	/
Adjacent	-15	15.00	-21.21	-39.35	-30	9.35	Pass
Adjacent	15	15.00	-22.36	-40.50	-30	10.50	Pass

Band42_15MHz_16QAM_LCH_3407.5MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	19.57	/	/	/	/
Adjacent	-15	15.00	-28.16	-47.73	-30	17.73	Pass
Adjacent	15	15.00	-37.38	-56.95	-30	26.95	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band42_15MHz_16QAM_LCH_3407.5MHz_RB_1_74_NTNV




Band42_15MHz_16QAM_LCH_3407.5MHz_RB_75_0_NTNV



Band42_15MHz_16QAM_MCH_3500MHz_RB_1_0_NTNV




Band42_15MHz_16QAM_MCH_3500MHz_RB_1_74_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band42_15MHz_16QAM_MCH_3500MHz_RB_75_0_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	18.58	/	/	/	/
Adjacent	-15	15.00	-22.29	-40.87	-30	10.87	Pass
Adjacent	15	15.00	-22.90	-41.48	-30	11.48	Pass

Band42_15MHz_16QAM_HCH_3592.5MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	17.84	/	/	/	/
Adjacent	-15	15.00	-27.38	-45.22	-30	15.22	Pass
Adjacent	15	15.00	-35.21	-53.05	-30	23.05	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

Band42_15MHz_16QAM_HCH_3592.5MHz_RB_1_74_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	17.54	/	/	/	/
Adjacent	-15	15.00	-35.35	-52.89	-30	22.89	Pass
Adjacent	15	15.00	-27.81	-45.35	-30	15.35	Pass

Band42_15MHz_16QAM_HCH_3592.5MHz_RB_75_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	17.41	/	/	/	/
Adjacent	-15	15.00	-22.89	-40.30	-30	10.30	Pass
Adjacent	15	15.00	-23.95	-41.36	-30	11.36	Pass

Band42_15MHz_64QAM_LCH_3407.5MHz_RB_1_0_NTNV



Band42_15MHz_64QAM_LCH_3407.5MHz_RB_1_74_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

Band42_15MHz_64QAM_LCH_3407.5MHz_RB_75_0_NTNV



Band42_15MHz_64QAM_MCH_3500MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

Band42_15MHz_64QAM_MCH_3500MHz_RB_1_74_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	17.62	/	/	/	/
Adjacent	-15	15.00	-37.97	-55.59	-30	25.59	Pass
Adjacent	15	15.00	-29.30	-46.92	-30	16.92	Pass

Band42_15MHz_64QAM_MCH_3500MHz_RB_75_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	17.54	/	/	/	/
Adjacent	-15	15.00	-24.80	-42.34	-30	12.34	Pass
Adjacent	15	15.00	-25.68	-43.22	-30	13.22	Pass

Band42_15MHz_64QAM_HCH_3592.5MHz_RB_1_0_NTNV




Band42_15MHz_64QAM_HCH_3592.5MHz_RB_1_74_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band42_15MHz_64QAM_HCH_3592.5MHz_RB_75_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	16.30	/	/	/	/
Adjacent	-15	15.00	-25.90	-42.20	-30	12.20	Pass
Adjacent	15	15.00	-26.92	-43.22	-30	13.22	Pass




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


7.2.4 B42_20MHz



Band42 20MHz QPSK LCH 3410MHz RB 100 0 NTNv




Band42 20MHz QPSK MCH 3500MHz RB 1 0 NTNv



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band42_20MHz_QPSK_MCH_3500MHz_RB_1_99_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.42	/	/	/	/
Adjacent	-20	20.00	-36.91	-57.33	-30	27.33	Pass
Adjacent	20	20.00	-26.30	-46.72	-30	16.72	Pass

Band42_20MHz_QPSK_MCH_3500MHz_RB_100_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.27	/	/	/	/
Adjacent	-20	20.00	-22.25	-41.52	-30	11.52	Pass
Adjacent	20	20.00	-21.90	-41.17	-30	11.17	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band42_20MHz_QPSK_HCH_3590MHz_RB_1_0_NTNV



Band42_20MHz_QPSK_HCH_3590MHz_RB_1_99_NTNV




Band42_20MHz_QPSK_HCH_3590MHz_RB_100_0_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.42	/	/	/	/
Adjacent	-20	20.00	-22.69	-41.11	-30	11.11	Pass
Adjacent	20	20.00	-23.88	-42.30	-30	12.30	Pass

Band42_20MHz_16QAM_LCH_3410MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.28	/	/	/	/
Adjacent	-20	20.00	-27.22	-46.50	-30	16.50	Pass
Adjacent	20	20.00	-36.85	-56.13	-30	26.13	Pass


Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band42_20MHz_16QAM_LCH_3410MHz_RB_1_99_NTNV



Band42_20MHz_16QAM_LCH_3410MHz_RB_100_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band42_20MHz_16QAM_MCH_3500MHz_RB_1_0_NTNV




Band42_20MHz_16QAM_MCH_3500MHz_RB_1_99_NTNV



Band42_20MHz_16QAM_MCH_3500MHz_RB_100_0_NTNV



Band42_20MHz_16QAM_HCH_3590MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

Band42_20MHz_16QAM_HCH_3590MHz_RB_1_99_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.09	/	/	/	/
Adjacent	-20	20.00	-34.50	-52.59	-30	22.59	Pass
Adjacent	20	20.00	-27.91	-46.00	-30	16.00	Pass

Band42_20MHz_16QAM_HCH_3590MHz_RB_100_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.20	/	/	/	/
Adjacent	-20	20.00	-23.64	-40.84	-30	10.84	Pass
Adjacent	20	20.00	-24.39	-41.59	-30	11.59	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band42_20MHz_64QAM_LCH_3410MHz_RB_1_0_NTNV




Band42_20MHz_64QAM_LCH_3410MHz_RB_1_99_NTNV



Band42_20MHz_64QAM_LCH_3410MHz_RB_100_0_NTNV




Band42_20MHz_64QAM_MCH_3500MHz_RB_1_0_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band42_20MHz_64QAM_MCH_3500MHz_RB_1_99_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.89	/	/	/	/
Adjacent	-20	20.00	-37.15	-56.04	-30	26.04	Pass
Adjacent	20	20.00	-28.50	-47.39	-30	17.39	Pass

Band42_20MHz_64QAM_MCH_3500MHz_RB_100_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.32	/	/	/	/
Adjacent	-20	20.00	-26.40	-43.72	-30	13.72	Pass
Adjacent	20	20.00	-26.28	-43.60	-30	13.60	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

Band42_20MHz_64QAM_HCH_3590MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.09	/	/	/	/
Adjacent	-20	20.00	-28.11	-46.20	-30	16.20	Pass
Adjacent	20	20.00	-34.34	-52.43	-30	22.43	Pass

Band42_20MHz_64QAM_HCH_3590MHz_RB_1_99_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.33	/	/	/	/
Adjacent	-20	20.00	-34.57	-51.90	-30	21.90	Pass
Adjacent	20	20.00	-29.00	-46.33	-30	16.33	Pass

Band42_20MHz_64QAM_HCH_3590MHz_RB_100_0_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	16.31	/	/	/	/
Adjacent	-20	20.00	-27.43	-43.74	-30	13.74	Pass
Adjacent	20	20.00	-27.87	-44.18	-30	14.18	Pass



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

8. Frequency Stability (IC)

8.1 Test Result

8.1.1 B42_5MHz

Band: 42 / Bandwidth: 5MHz / NTV									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	OBW (FL - FH) (MHz)		Limit	Verdict
		Size	Offset			FL	FH		
QPSK	3402.5	25	0	20	3.27	3400.204	3404.796	3400 to 3600	Pass
					3.85	3400.208	3404.810	3400 to 3600	Pass
					4.43	3400.217	3404.813	3400 to 3600	Pass
				-30	3.85	3400.214	3404.805	3400 to 3600	Pass
				-20	3.85	3400.209	3404.796	3400 to 3600	Pass
				-10	3.85	3400.204	3404.807	3400 to 3600	Pass
				0	3.85	3400.211	3404.799	3400 to 3600	Pass
				10	3.85	3400.191	3404.825	3400 to 3600	Pass
				30	3.85	3400.208	3404.805	3400 to 3600	Pass
				40	3.85	3400.195	3404.814	3400 to 3600	Pass
				50	3.85	3400.201	3404.803	3400 to 3600	Pass
	3500	25	0	20	3.27	3497.696	3502.306	3400 to 3600	Pass
					3.85	3497.696	3502.306	3400 to 3600	Pass
					4.43	3497.697	3502.298	3400 to 3600	Pass
				-30	3.85	3497.709	3502.299	3400 to 3600	Pass
				-20	3.85	3497.705	3502.294	3400 to 3600	Pass
				-10	3.85	3497.700	3502.308	3400 to 3600	Pass
				0	3.85	3497.695	3502.312	3400 to 3600	Pass
				10	3.85	3497.682	3502.318	3400 to 3600	Pass
				30	3.85	3497.709	3502.307	3400 to 3600	Pass
				40	3.85	3497.679	3502.295	3400 to 3600	Pass
				50	3.85	3497.713	3502.306	3400 to 3600	Pass
	3597.5	25	0	20	3.27	3595.219	3599.784	3400 to 3600	Pass
					3.85	3595.204	3599.803	3400 to 3600	Pass
					4.43	3595.206	3599.805	3400 to 3600	Pass
				-30	3.85	3595.213	3599.769	3400 to 3600	Pass
				-20	3.85	3595.223	3599.803	3400 to 3600	Pass
				-10	3.85	3595.194	3599.797	3400 to 3600	Pass
				0	3.85	3595.243	3599.771	3400 to 3600	Pass
				10	3.85	3595.208	3599.790	3400 to 3600	Pass
				30	3.85	3595.239	3599.806	3400 to 3600	Pass
				40	3.85	3595.201	3599.786	3400 to 3600	Pass
				50	3.85	3595.211	3599.799	3400 to 3600	Pass
16QAM	3402.5	25	0	20	3.27	3400.216	3404.803	3400 to 3600	Pass
					3.85	3400.206	3404.797	3400 to 3600	Pass
					4.43	3400.211	3404.798	3400 to 3600	Pass
				-30	3.85	3400.214	3404.801	3400 to 3600	Pass
				-20	3.85	3400.194	3404.811	3400 to 3600	Pass
				-10	3.85	3400.214	3404.808	3400 to 3600	Pass
				0	3.85	3400.211	3404.800	3400 to 3600	Pass
				10	3.85	3400.206	3404.804	3400 to 3600	Pass
				30	3.85	3400.190	3404.805	3400 to 3600	Pass
				40	3.85	3400.206	3404.806	3400 to 3600	Pass
				50	3.85	3400.207	3404.807	3400 to 3600	Pass
	3500	25	0	20	3.27	3497.698	3502.301	3400 to 3600	Pass
					3.85	3497.701	3502.308	3400 to 3600	Pass
					4.43	3497.686	3502.308	3400 to 3600	Pass
				-30	3.85	3497.699	3502.303	3400 to 3600	Pass
				-20	3.85	3497.697	3502.303	3400 to 3600	Pass
				-10	3.85	3497.711	3502.307	3400 to 3600	Pass
				0	3.85	3497.701	3502.300	3400 to 3600	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

64QAM	3597.5	25	0	10	3.85	3497.693	3502.298	3400 to 3600	Pass
				30	3.85	3497.695	3502.303	3400 to 3600	Pass
				40	3.85	3497.714	3502.299	3400 to 3600	Pass
				50	3.85	3497.701	3502.305	3400 to 3600	Pass
				20	3.27	3595.211	3599.769	3400 to 3600	Pass
					3.85	3595.226	3599.793	3400 to 3600	Pass
					4.43	3595.245	3599.820	3400 to 3600	Pass
				-30	3.85	3595.198	3599.800	3400 to 3600	Pass
				-20	3.85	3595.206	3599.794	3400 to 3600	Pass
				-10	3.85	3595.246	3599.791	3400 to 3600	Pass
				0	3.85	3595.204	3599.794	3400 to 3600	Pass
				10	3.85	3595.242	3599.764	3400 to 3600	Pass
				30	3.85	3595.222	3599.812	3400 to 3600	Pass
				40	3.85	3595.203	3599.804	3400 to 3600	Pass
				50	3.85	3595.197	3599.813	3400 to 3600	Pass
	3402.5	25	0	20	3.27	3400.188	3404.806	3400 to 3600	Pass
					3.85	3400.204	3404.796	3400 to 3600	Pass
					4.43	3400.188	3404.808	3400 to 3600	Pass
				-30	3.85	3400.207	3404.800	3400 to 3600	Pass
				-20	3.85	3400.207	3404.812	3400 to 3600	Pass
				-10	3.85	3400.198	3404.804	3400 to 3600	Pass
				0	3.85	3400.220	3404.797	3400 to 3600	Pass
				10	3.85	3400.192	3404.808	3400 to 3600	Pass
				30	3.85	3400.199	3404.796	3400 to 3600	Pass
				40	3.85	3400.215	3404.803	3400 to 3600	Pass
				50	3.85	3400.209	3404.804	3400 to 3600	Pass
	3597.5	25	0	20	3.27	3497.717	3502.298	3400 to 3600	Pass
					3.85	3497.698	3502.298	3400 to 3600	Pass
					4.43	3497.679	3502.313	3400 to 3600	Pass
				-30	3.85	3497.694	3502.318	3400 to 3600	Pass
				-20	3.85	3497.695	3502.312	3400 to 3600	Pass
				-10	3.85	3497.712	3502.294	3400 to 3600	Pass
				0	3.85	3497.699	3502.297	3400 to 3600	Pass
				10	3.85	3497.706	3502.310	3400 to 3600	Pass
				30	3.85	3497.708	3502.300	3400 to 3600	Pass
				40	3.85	3497.708	3502.293	3400 to 3600	Pass
				50	3.85	3497.714	3502.303	3400 to 3600	Pass
				20	3.27	3595.211	3599.803	3400 to 3600	Pass
					3.85	3595.203	3599.813	3400 to 3600	Pass
					4.43	3595.211	3599.789	3400 to 3600	Pass
				-30	3.85	3595.227	3599.788	3400 to 3600	Pass
				-20	3.85	3595.198	3599.806	3400 to 3600	Pass
				-10	3.85	3595.224	3599.793	3400 to 3600	Pass
				0	3.85	3595.195	3599.794	3400 to 3600	Pass
				10	3.85	3595.214	3599.788	3400 to 3600	Pass
				30	3.85	3595.206	3599.824	3400 to 3600	Pass
				40	3.85	3595.201	3599.789	3400 to 3600	Pass
				50	3.85	3595.205	3599.803	3400 to 3600	Pass



8.1.2 B42_10MHz

Band: 42 / Bandwidth: 10MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	OBW (FL - FH) (MHz)		Limit	Verdict
		Size	Offset			FL	FH		
QPSK	3405	50	0	20	3.27	3400.488	3409.530	3400 to 3600	Pass
					3.85	3400.456	3409.555	3400 to 3600	Pass
					4.43	3400.494	3409.535	3400 to 3600	Pass
				-30	3.85	3400.488	3409.536	3400 to 3600	Pass
				-20	3.85	3400.488	3409.526	3400 to 3600	Pass
				-10	3.85	3400.446	3409.533	3400 to 3600	Pass
				0	3.85	3400.485	3409.548	3400 to 3600	Pass
				10	3.85	3400.490	3409.550	3400 to 3600	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

	3500	50	0	30	3.85	3400.470	3409.550	3400 to 3600	Pass
				40	3.85	3400.472	3409.550	3400 to 3600	Pass
				50	3.85	3400.499	3409.533	3400 to 3600	Pass
				20	3.27	3495.453	3504.533	3400 to 3600	Pass
					3.85	3495.466	3504.534	3400 to 3600	Pass
					4.43	3495.465	3504.533	3400 to 3600	Pass
				-30	3.85	3495.462	3504.526	3400 to 3600	Pass
				-20	3.85	3495.475	3504.528	3400 to 3600	Pass
				-10	3.85	3495.471	3504.537	3400 to 3600	Pass
				0	3.85	3495.476	3504.549	3400 to 3600	Pass
				10	3.85	3495.467	3504.572	3400 to 3600	Pass
				30	3.85	3495.474	3504.539	3400 to 3600	Pass
				40	3.85	3495.485	3504.547	3400 to 3600	Pass
				50	3.85	3495.485	3504.553	3400 to 3600	Pass
	3595	50	0	20	3.27	3590.421	3599.501	3400 to 3600	Pass
					3.85	3590.472	3599.505	3400 to 3600	Pass
					4.43	3590.465	3599.496	3400 to 3600	Pass
				-30	3.85	3590.478	3599.552	3400 to 3600	Pass
				-20	3.85	3590.470	3599.591	3400 to 3600	Pass
				-10	3.85	3590.498	3599.525	3400 to 3600	Pass
				0	3.85	3590.493	3599.554	3400 to 3600	Pass
				10	3.85	3590.470	3599.532	3400 to 3600	Pass
				30	3.85	3590.479	3599.529	3400 to 3600	Pass
				40	3.85	3590.522	3599.517	3400 to 3600	Pass
				50	3.85	3590.499	3599.521	3400 to 3600	Pass
16QAM	3405	50	0	20	3.27	3400.483	3409.535	3400 to 3600	Pass
					3.85	3400.476	3409.540	3400 to 3600	Pass
					4.43	3400.491	3409.559	3400 to 3600	Pass
				-30	3.85	3400.484	3409.553	3400 to 3600	Pass
				-20	3.85	3400.472	3409.532	3400 to 3600	Pass
				-10	3.85	3400.475	3409.537	3400 to 3600	Pass
				0	3.85	3400.493	3409.551	3400 to 3600	Pass
				10	3.85	3400.463	3409.547	3400 to 3600	Pass
				30	3.85	3400.471	3409.535	3400 to 3600	Pass
				40	3.85	3400.469	3409.553	3400 to 3600	Pass
				50	3.85	3400.467	3409.561	3400 to 3600	Pass
	3500	50	0	20	3.27	3495.467	3504.534	3400 to 3600	Pass
					3.85	3495.440	3504.564	3400 to 3600	Pass
					4.43	3495.482	3504.533	3400 to 3600	Pass
				-30	3.85	3495.460	3504.542	3400 to 3600	Pass
				-20	3.85	3495.454	3504.550	3400 to 3600	Pass
				-10	3.85	3495.467	3504.555	3400 to 3600	Pass
				0	3.85	3495.471	3504.541	3400 to 3600	Pass
				10	3.85	3495.476	3504.529	3400 to 3600	Pass
				30	3.85	3495.484	3504.541	3400 to 3600	Pass
				40	3.85	3495.465	3504.534	3400 to 3600	Pass
				50	3.85	3495.469	3504.546	3400 to 3600	Pass
	3595	50	0	20	3.27	3590.493	3599.501	3400 to 3600	Pass
					3.85	3590.469	3599.514	3400 to 3600	Pass
					4.43	3590.527	3599.530	3400 to 3600	Pass
				-30	3.85	3590.473	3599.529	3400 to 3600	Pass
				-20	3.85	3590.511	3599.547	3400 to 3600	Pass
				-10	3.85	3590.481	3599.526	3400 to 3600	Pass
				0	3.85	3590.510	3599.551	3400 to 3600	Pass
				10	3.85	3590.455	3599.525	3400 to 3600	Pass
				30	3.85	3590.503	3599.535	3400 to 3600	Pass
				40	3.85	3590.491	3599.563	3400 to 3600	Pass
				50	3.85	3590.478	3599.493	3400 to 3600	Pass
64QAM	3405	50	0	20	3.27	3400.478	3409.559	3400 to 3600	Pass
					3.85	3400.489	3409.548	3400 to 3600	Pass
					4.43	3400.471	3409.555	3400 to 3600	Pass
				-30	3.85	3400.494	3409.563	3400 to 3600	Pass



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

				-20	3.85	3400.460	3409.537	3400 to 3600	Pass
				-10	3.85	3400.481	3409.536	3400 to 3600	Pass
				0	3.85	3400.449	3409.553	3400 to 3600	Pass
				10	3.85	3400.489	3409.565	3400 to 3600	Pass
				30	3.85	3400.488	3409.551	3400 to 3600	Pass
				40	3.85	3400.482	3409.543	3400 to 3600	Pass
				50	3.85	3400.489	3409.549	3400 to 3600	Pass
	3500	50	0	20	3.27	3495.461	3504.532	3400 to 3600	Pass
					3.85	3495.464	3504.538	3400 to 3600	Pass
					4.43	3495.483	3504.533	3400 to 3600	Pass
				-30	3.85	3495.488	3504.529	3400 to 3600	Pass
				-20	3.85	3495.468	3504.527	3400 to 3600	Pass
				-10	3.85	3495.489	3504.549	3400 to 3600	Pass
				0	3.85	3495.484	3504.556	3400 to 3600	Pass
				10	3.85	3495.486	3504.532	3400 to 3600	Pass
				30	3.85	3495.484	3504.549	3400 to 3600	Pass
				40	3.85	3495.485	3504.539	3400 to 3600	Pass
				50	3.85	3495.462	3504.541	3400 to 3600	Pass
	3595	50	0	20	3.27	3590.484	3599.479	3400 to 3600	Pass
					3.85	3590.481	3599.552	3400 to 3600	Pass
					4.43	3590.438	3599.551	3400 to 3600	Pass
				-30	3.85	3590.498	3599.490	3400 to 3600	Pass
				-20	3.85	3590.445	3599.518	3400 to 3600	Pass
				-10	3.85	3590.516	3599.546	3400 to 3600	Pass
				0	3.85	3590.505	3599.532	3400 to 3600	Pass
				10	3.85	3590.505	3599.514	3400 to 3600	Pass
				30	3.85	3590.496	3599.511	3400 to 3600	Pass
				40	3.85	3590.460	3599.576	3400 to 3600	Pass
				50	3.85	3590.459	3599.474	3400 to 3600	Pass

8.1.3 B42_15MHz

Band: 42 / Bandwidth: 15MHz / NTN									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	OBW (FL - FH) (MHz)		Limit	Verdict
		Size	Offset			FL	FH		
QPSK	3407.5	75	0	20	3.27	3400.462	3414.601	3400 to 3600	Pass
					3.85	3400.435	3414.579	3400 to 3600	Pass
					4.43	3400.459	3414.568	3400 to 3600	Pass
				-30	3.85	3400.478	3414.544	3400 to 3600	Pass
				-20	3.85	3400.470	3414.535	3400 to 3600	Pass
				-10	3.85	3400.440	3414.559	3400 to 3600	Pass
				0	3.85	3400.484	3414.551	3400 to 3600	Pass
				10	3.85	3400.431	3414.550	3400 to 3600	Pass
				30	3.85	3400.461	3414.542	3400 to 3600	Pass
				40	3.85	3400.412	3414.553	3400 to 3600	Pass
				50	3.85	3400.476	3414.551	3400 to 3600	Pass
	3500	75	0	20	3.27	3492.931	3507.022	3400 to 3600	Pass
					3.85	3492.930	3507.050	3400 to 3600	Pass
					4.43	3492.957	3507.044	3400 to 3600	Pass
				-30	3.85	3492.951	3507.027	3400 to 3600	Pass
				-20	3.85	3492.965	3507.048	3400 to 3600	Pass
				-10	3.85	3492.949	3507.068	3400 to 3600	Pass
				0	3.85	3492.932	3507.102	3400 to 3600	Pass
				10	3.85	3492.961	3507.056	3400 to 3600	Pass
				30	3.85	3492.986	3507.030	3400 to 3600	Pass
				40	3.85	3492.944	3507.038	3400 to 3600	Pass
				50	3.85	3492.905	3507.048	3400 to 3600	Pass
	3592.5	75	0	20	3.27	3585.482	3599.478	3400 to 3600	Pass
					3.85	3585.456	3599.438	3400 to 3600	Pass
					4.43	3585.463	3599.543	3400 to 3600	Pass
				-30	3.85	3585.462	3599.552	3400 to 3600	Pass
				-20	3.85	3585.491	3599.469	3400 to 3600	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

16QAM	3407.5	75	0	-10	3.85	3585.465	3599.528	3400 to 3600	Pass
				0	3.85	3585.405	3599.480	3400 to 3600	Pass
				10	3.85	3585.505	3599.483	3400 to 3600	Pass
				30	3.85	3585.463	3599.384	3400 to 3600	Pass
				40	3.85	3585.440	3599.513	3400 to 3600	Pass
				50	3.85	3585.512	3599.508	3400 to 3600	Pass
	3500	75	0	20	3.27	3400.483	3414.516	3400 to 3600	Pass
					3.85	3400.451	3414.528	3400 to 3600	Pass
					4.43	3400.462	3414.540	3400 to 3600	Pass
				-30	3.85	3400.479	3414.556	3400 to 3600	Pass
				-20	3.85	3400.481	3414.568	3400 to 3600	Pass
				-10	3.85	3400.443	3414.536	3400 to 3600	Pass
				0	3.85	3400.465	3414.588	3400 to 3600	Pass
				10	3.85	3400.474	3414.580	3400 to 3600	Pass
				30	3.85	3400.496	3414.559	3400 to 3600	Pass
				40	3.85	3400.495	3414.524	3400 to 3600	Pass
				50	3.85	3400.465	3414.526	3400 to 3600	Pass
				20	3.27	3492.972	3507.007	3400 to 3600	Pass
					3.85	3492.959	3507.017	3400 to 3600	Pass
					4.43	3492.951	3507.059	3400 to 3600	Pass
64QAM	3592.5	75	0	-30	3.85	3492.950	3507.045	3400 to 3600	Pass
				-20	3.85	3492.941	3507.044	3400 to 3600	Pass
				-10	3.85	3492.935	3507.041	3400 to 3600	Pass
				0	3.85	3492.944	3507.032	3400 to 3600	Pass
				10	3.85	3492.949	3507.029	3400 to 3600	Pass
				30	3.85	3492.982	3507.028	3400 to 3600	Pass
				40	3.85	3492.949	3507.023	3400 to 3600	Pass
				50	3.85	3492.924	3507.043	3400 to 3600	Pass
				20	3.27	3585.477	3599.463	3400 to 3600	Pass
					3.85	3585.485	3599.476	3400 to 3600	Pass
					4.43	3585.454	3599.530	3400 to 3600	Pass
				-30	3.85	3585.461	3599.458	3400 to 3600	Pass
	3407.5	75	0	-20	3.85	3585.538	3599.578	3400 to 3600	Pass
				-10	3.85	3585.508	3599.519	3400 to 3600	Pass
				0	3.85	3585.457	3599.569	3400 to 3600	Pass
				10	3.85	3585.515	3599.500	3400 to 3600	Pass
				30	3.85	3585.467	3599.499	3400 to 3600	Pass
				40	3.85	3585.484	3599.535	3400 to 3600	Pass
				50	3.85	3585.509	3599.499	3400 to 3600	Pass
				20	3.27	3400.428	3414.546	3400 to 3600	Pass
					3.85	3400.457	3414.594	3400 to 3600	Pass
					4.43	3400.444	3414.592	3400 to 3600	Pass
				-30	3.85	3400.437	3414.563	3400 to 3600	Pass
				-20	3.85	3400.413	3414.596	3400 to 3600	Pass
				-10	3.85	3400.428	3414.570	3400 to 3600	Pass
	3500	75	0	0	3.85	3400.432	3414.600	3400 to 3600	Pass
				10	3.85	3400.448	3414.596	3400 to 3600	Pass
				30	3.85	3400.455	3414.589	3400 to 3600	Pass
				40	3.85	3400.450	3414.587	3400 to 3600	Pass
				50	3.85	3400.414	3414.600	3400 to 3600	Pass
				20	3.27	3492.967	3507.046	3400 to 3600	Pass
					3.85	3492.936	3507.108	3400 to 3600	Pass
					4.43	3492.932	3507.066	3400 to 3600	Pass
				-30	3.85	3492.940	3507.073	3400 to 3600	Pass
				-20	3.85	3492.916	3507.079	3400 to 3600	Pass
				-10	3.85	3492.935	3507.032	3400 to 3600	Pass
				0	3.85	3492.942	3507.034	3400 to 3600	Pass
	3592.5	75	0	10	3.85	3492.921	3507.075	3400 to 3600	Pass
				30	3.85	3492.954	3507.043	3400 to 3600	Pass
				40	3.85	3492.959	3507.065	3400 to 3600	Pass
				50	3.85	3492.896	3507.056	3400 to 3600	Pass
				20	3.27	3585.480	3599.507	3400 to 3600	Pass



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

				3.85	3585.451	3599.435	3400 to 3600	Pass
				4.43	3585.458	3599.514	3400 to 3600	Pass
			-30	3.85	3585.440	3599.557	3400 to 3600	Pass
			-20	3.85	3585.478	3599.481	3400 to 3600	Pass
			-10	3.85	3585.425	3599.482	3400 to 3600	Pass
			0	3.85	3585.480	3599.529	3400 to 3600	Pass
			10	3.85	3585.440	3599.457	3400 to 3600	Pass
			30	3.85	3585.454	3599.476	3400 to 3600	Pass
			40	3.85	3585.465	3599.526	3400 to 3600	Pass
			50	3.85	3585.481	3599.519	3400 to 3600	Pass

8.1.4 B42_20MHz

Band: 42 / Bandwidth: 20MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	OBW (FL - FH) (MHz)		Limit	Verdict
		Size	Offset			FL	FH		
QPSK	3410	100	0	20	3.27	3400.746	3419.224	3400 to 3600	Pass
					3.85	3400.819	3419.236	3400 to 3600	Pass
					4.43	3400.812	3419.214	3400 to 3600	Pass
				-30	3.85	3400.811	3419.248	3400 to 3600	Pass
				-20	3.85	3400.768	3419.239	3400 to 3600	Pass
				-10	3.85	3400.802	3419.215	3400 to 3600	Pass
				0	3.85	3400.807	3419.233	3400 to 3600	Pass
				10	3.85	3400.829	3419.234	3400 to 3600	Pass
				30	3.85	3400.794	3419.192	3400 to 3600	Pass
				40	3.85	3400.793	3419.240	3400 to 3600	Pass
				50	3.85	3400.827	3419.245	3400 to 3600	Pass
	3500	100	0	20	3.27	3490.766	3509.227	3400 to 3600	Pass
					3.85	3490.764	3509.190	3400 to 3600	Pass
					4.43	3490.744	3509.178	3400 to 3600	Pass
				-30	3.85	3490.756	3509.249	3400 to 3600	Pass
				-20	3.85	3490.744	3509.187	3400 to 3600	Pass
				-10	3.85	3490.780	3509.185	3400 to 3600	Pass
				0	3.85	3490.786	3509.216	3400 to 3600	Pass
				10	3.85	3490.768	3509.215	3400 to 3600	Pass
				30	3.85	3490.756	3509.211	3400 to 3600	Pass
				40	3.85	3490.789	3509.196	3400 to 3600	Pass
				50	3.85	3490.804	3509.181	3400 to 3600	Pass
	3590	100	0	20	3.27	3580.821	3599.267	3400 to 3600	Pass
					3.85	3580.790	3599.160	3400 to 3600	Pass
					4.43	3580.834	3599.122	3400 to 3600	Pass
				-30	3.85	3580.765	3599.160	3400 to 3600	Pass
				-20	3.85	3580.828	3599.201	3400 to 3600	Pass
				-10	3.85	3580.775	3599.238	3400 to 3600	Pass
				0	3.85	3580.808	3599.200	3400 to 3600	Pass
				10	3.85	3580.702	3599.246	3400 to 3600	Pass
				30	3.85	3580.758	3599.160	3400 to 3600	Pass
				40	3.85	3580.873	3599.120	3400 to 3600	Pass
				50	3.85	3580.748	3599.125	3400 to 3600	Pass
16QAM	3410	100	0	20	3.27	3400.807	3419.251	3400 to 3600	Pass
					3.85	3400.803	3419.226	3400 to 3600	Pass
					4.43	3400.784	3419.240	3400 to 3600	Pass
				-30	3.85	3400.782	3419.226	3400 to 3600	Pass
				-20	3.85	3400.821	3419.202	3400 to 3600	Pass
				-10	3.85	3400.739	3419.228	3400 to 3600	Pass
				0	3.85	3400.794	3419.242	3400 to 3600	Pass
				10	3.85	3400.791	3419.225	3400 to 3600	Pass
				30	3.85	3400.794	3419.219	3400 to 3600	Pass
				40	3.85	3400.809	3419.232	3400 to 3600	Pass
				50	3.85	3400.809	3419.237	3400 to 3600	Pass
	3500	100	0	20	3.27	3490.809	3509.245	3400 to 3600	Pass
					3.85	3490.748	3509.241	3400 to 3600	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

					4.43	3490.737	3509.215	3400 to 3600	Pass
				-30	3.85	3490.769	3509.163	3400 to 3600	Pass
				-20	3.85	3490.795	3509.217	3400 to 3600	Pass
				-10	3.85	3490.768	3509.199	3400 to 3600	Pass
				0	3.85	3490.741	3509.161	3400 to 3600	Pass
				10	3.85	3490.797	3509.193	3400 to 3600	Pass
				30	3.85	3490.788	3509.195	3400 to 3600	Pass
				40	3.85	3490.740	3509.257	3400 to 3600	Pass
				50	3.85	3490.746	3509.174	3400 to 3600	Pass
	3590	100	0	20	3.27	3580.769	3599.222	3400 to 3600	Pass
					3.85	3580.801	3599.248	3400 to 3600	Pass
					4.43	3580.787	3599.051	3400 to 3600	Pass
				-30	3.85	3580.763	3599.130	3400 to 3600	Pass
				-20	3.85	3580.800	3599.158	3400 to 3600	Pass
				-10	3.85	3580.771	3599.193	3400 to 3600	Pass
				0	3.85	3580.783	3599.148	3400 to 3600	Pass
				10	3.85	3580.820	3599.105	3400 to 3600	Pass
				30	3.85	3580.861	3599.215	3400 to 3600	Pass
				40	3.85	3580.872	3599.100	3400 to 3600	Pass
				50	3.85	3580.809	3599.154	3400 to 3600	Pass
64QAM	3410	100	0	20	3.27	3400.766	3419.251	3400 to 3600	Pass
					3.85	3400.815	3419.235	3400 to 3600	Pass
					4.43	3400.812	3419.237	3400 to 3600	Pass
				-30	3.85	3400.792	3419.234	3400 to 3600	Pass
				-20	3.85	3400.804	3419.189	3400 to 3600	Pass
				-10	3.85	3400.783	3419.231	3400 to 3600	Pass
				0	3.85	3400.817	3419.262	3400 to 3600	Pass
				10	3.85	3400.806	3419.196	3400 to 3600	Pass
				30	3.85	3400.819	3419.260	3400 to 3600	Pass
				40	3.85	3400.779	3419.257	3400 to 3600	Pass
				50	3.85	3400.786	3419.217	3400 to 3600	Pass
	3500	100	0	20	3.27	3490.816	3509.190	3400 to 3600	Pass
					3.85	3490.795	3509.237	3400 to 3600	Pass
					4.43	3490.753	3509.230	3400 to 3600	Pass
				-30	3.85	3490.750	3509.167	3400 to 3600	Pass
				-20	3.85	3490.731	3509.237	3400 to 3600	Pass
				-10	3.85	3490.823	3509.212	3400 to 3600	Pass
				0	3.85	3490.795	3509.212	3400 to 3600	Pass
				10	3.85	3490.804	3509.241	3400 to 3600	Pass
				30	3.85	3490.804	3509.214	3400 to 3600	Pass
				40	3.85	3490.796	3509.230	3400 to 3600	Pass
				50	3.85	3490.774	3509.207	3400 to 3600	Pass
	3590	100	0	20	3.27	3580.845	3599.231	3400 to 3600	Pass
					3.85	3580.781	3599.118	3400 to 3600	Pass
					4.43	3580.807	3599.174	3400 to 3600	Pass
				-30	3.85	3580.855	3599.249	3400 to 3600	Pass
				-20	3.85	3580.801	3599.179	3400 to 3600	Pass
				-10	3.85	3580.844	3599.177	3400 to 3600	Pass
				0	3.85	3580.840	3599.160	3400 to 3600	Pass
				10	3.85	3580.831	3599.242	3400 to 3600	Pass
				30	3.85	3580.778	3599.223	3400 to 3600	Pass
				40	3.85	3580.871	3599.151	3400 to 3600	Pass
				50	3.85	3580.845	3599.231	3400 to 3600	Pass

9. Form731

9.1 Test Result

9.1.1 Form731_Power

Band	BW	Lower	High	MAX	Value	Hz/ppm	Emission	Rule	MAX
------	----	-------	------	-----	-------	--------	----------	------	-----

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

		Freq	Freq	Power (W)			Designator	Parts	Power (dBm)
42	5	3402.5	3597.5	0.2183	99.0000	ppm	4M52G7D	/	23.39
42	5	3402.5	3597.5	0.1791	99.0000	ppm	4M53W7D	/	22.53
42	10	3405	3595	0.2143	99.0000	ppm	8M96G7D	/	23.31
42	10	3405	3595	0.1754	99.0000	ppm	8M96W7D	/	22.44
42	15	3407.5	3592.5	0.2099	99.0000	ppm	13M5G7D	/	23.22
42	15	3407.5	3592.5	0.1710	99.0000	ppm	13M5W7D	/	22.33
42	20	3410	3590	0.2128	99.0000	ppm	17M9G7D	/	23.28
42	20	3410	3590	0.1694	99.0000	ppm	17M9W7D	/	22.29

9.1.2 Form731_EIRP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
42	5	3402.5	3597.5	0.1901	99.0000	ppm	4M52G7D	/	22.79
42	5	3402.5	3597.5	0.1560	99.0000	ppm	4M53W7D	/	21.93
42	10	3405	3595	0.1866	99.0000	ppm	8M96G7D	/	22.71
42	10	3405	3595	0.1528	99.0000	ppm	8M96W7D	/	21.84
42	15	3407.5	3592.5	0.1828	99.0000	ppm	13M5G7D	/	22.62
42	15	3407.5	3592.5	0.1489	99.0000	ppm	13M5W7D	/	21.73
42	20	3410	3590	0.1854	99.0000	ppm	17M9G7D	/	22.68
42	20	3410	3590	0.1476	99.0000	ppm	17M9W7D	/	21.69



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694