



n38 30kHz SISO NTN 30MHz CP-OFDM 256 QAM 2605MHz Outer Full Ant1


**Radiolink Testing (Shenzhen) Co., Ltd.**

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

### 3.2.4 30\_S\_40M\_NTNV




**Radiolink Testing (Shenzhen) Co., Ltd.**


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n38\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_PI/2\_BPSK\_2600MHz\_Outer\_Full\_Ant1




n38\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_QPSK\_2590MHz\_Outer\_Full\_Ant1



n38\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK 2595MHz\_Outer\_Full\_Ant1




n38\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK 2600MHz\_Outer\_Full\_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

n38\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_16\_QAM\_2590MHz\_Outer\_Full\_Ant1




n38\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_16\_QAM\_2595MHz\_Outer\_Full\_Ant1




**Radiolink Testing (Shenzhen) Co., Ltd.**

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694


n38\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_16\_QAM\_2600MHz\_Outer\_Full\_Ant1




n38\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_64\_QAM\_2590MHz\_Outer\_Full\_Ant1



n38\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_64\_QAM\_2595MHz\_Outer\_Full\_Ant1




n38\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_64\_QAM\_2600MHz\_Outer\_Full\_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

n38\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_256\_QAM\_2590MHz\_Outer\_Full\_Ant1



n38\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_256\_QAM\_2595MHz\_Outer\_Full\_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n38\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_256 QAM\_2600MHz\_Outer\_Full\_Ant1




n38\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_2590MHz\_Outer\_Full\_Ant1



n38\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_2595MHz\_Outer\_Full\_Ant1




n38\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_2600MHz\_Outer\_Full\_Ant1


**Radiolink Testing (Shenzhen) Co., Ltd.**


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

n38\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM\_16\_QAM\_2590MHz\_Outer\_Full\_Ant1




n38\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM\_16\_QAM\_2595MHz\_Outer\_Full\_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694


n38\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM\_16\_QAM\_2600MHz\_Outer\_Full\_Ant1




n38\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM\_64\_QAM\_2590MHz\_Outer\_Full\_Ant1



n38\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM\_64\_QAM\_2595MHz\_Outer\_Full\_Ant1




n38\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM\_64\_QAM\_2600MHz\_Outer\_Full\_Ant1


**Radiolink Testing (Shenzhen) Co., Ltd.**


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

n38\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM\_256\_QAM\_2590MHz\_Outer\_Full\_Ant1




n38\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM\_256\_QAM\_2595MHz\_Outer\_Full\_Ant1


**Radiolink Testing (Shenzhen) Co., Ltd.**

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

n38 30kHz SISO NTN 40MHz CP-OFDM 256 QAM 2600MHz Outer Full Ant1



## 4. Peak-Average Ratio

### 4.1 Test Result

#### 4.1.1 30\_S\_10M\_NTNV

| 5G NR n38 SCS=30kHz SISO 10MHz NTN |                 |               |                         |      |     |       |         |
|------------------------------------|-----------------|---------------|-------------------------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | Peak-Average Ratio (dB) |      |     |       | Verdict |
|                                    |                 |               | Ant1                    | Ant2 | Sum | Limit |         |
| DFT-s-OFDM PI/2 BPSK               | 2575            | Outer_Full    | 11.36                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 11.05                   | /    | /   | <=13  | Pass    |
|                                    | 2615            | Outer_Full    | 10.36                   | /    | /   | <=13  | Pass    |
| DFT-s-OFDM QPSK                    | 2575            | Outer_Full    | 11.70                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 11.10                   | /    | /   | <=13  | Pass    |
|                                    | 2615            | Outer_Full    | 11.86                   | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 16 QAM                  | 2575            | Outer_Full    | 12.17                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 11.73                   | /    | /   | <=13  | Pass    |
|                                    | 2615            | Outer_Full    | 11.87                   | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 64 QAM                  | 2575            | Outer_Full    | 12.35                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 12.48                   | /    | /   | <=13  | Pass    |
|                                    | 2615            | Outer_Full    | 12.72                   | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 256 QAM                 | 2575            | Outer_Full    | 12.66                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 12.53                   | /    | /   | <=13  | Pass    |
|                                    | 2615            | Outer_Full    | 12.53                   | /    | /   | <=13  | Pass    |
| CP-OFDM QPSK                       | 2575            | Outer_Full    | 12.13                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 12.88                   | /    | /   | <=13  | Pass    |
|                                    | 2615            | Outer_Full    | 12.36                   | /    | /   | <=13  | Pass    |
| CP-OFDM 16 QAM                     | 2575            | Outer_Full    | 12.60                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 11.63                   | /    | /   | <=13  | Pass    |
|                                    | 2615            | Outer_Full    | 12.89                   | /    | /   | <=13  | Pass    |
| CP-OFDM 64 QAM                     | 2575            | Outer_Full    | 12.43                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 12.07                   | /    | /   | <=13  | Pass    |
|                                    | 2615            | Outer_Full    | 12.86                   | /    | /   | <=13  | Pass    |
| CP-OFDM 256 QAM                    | 2575            | Outer_Full    | 12.88                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 12.83                   | /    | /   | <=13  | Pass    |
|                                    | 2615            | Outer_Full    | 12.97                   | /    | /   | <=13  | Pass    |

#### 4.1.2 30\_S\_20M\_NTNV

| 5G NR n38 SCS=30kHz SISO 20MHz NTN |                 |               |                         |      |     |       |         |
|------------------------------------|-----------------|---------------|-------------------------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | Peak-Average Ratio (dB) |      |     |       | Verdict |
|                                    |                 |               | Ant1                    | Ant2 | Sum | Limit |         |
| DFT-s-OFDM PI/2 BPSK               | 2580            | Outer_Full    | 10.67                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 10.76                   | /    | /   | <=13  | Pass    |
|                                    | 2610            | Outer_Full    | 10.49                   | /    | /   | <=13  | Pass    |
| DFT-s-OFDM QPSK                    | 2580            | Outer_Full    | 11.49                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 11.23                   | /    | /   | <=13  | Pass    |
|                                    | 2610            | Outer_Full    | 10.54                   | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 16 QAM                  | 2580            | Outer_Full    | 11.97                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 11.61                   | /    | /   | <=13  | Pass    |
|                                    | 2610            | Outer_Full    | 11.97                   | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 64 QAM                  | 2580            | Outer_Full    | 12.00                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 12.00                   | /    | /   | <=13  | Pass    |
|                                    | 2610            | Outer_Full    | 12.30                   | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 256 QAM                 | 2580            | Outer_Full    | 12.41                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 12.86                   | /    | /   | <=13  | Pass    |
|                                    | 2610            | Outer_Full    | 12.64                   | /    | /   | <=13  | Pass    |
| CP-OFDM QPSK                       | 2580            | Outer_Full    | 11.34                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 12.85                   | /    | /   | <=13  | Pass    |

**Radiolink Testing (Shenzhen) Co., Ltd.**

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

|                 |      |            |       |   |   |      |      |
|-----------------|------|------------|-------|---|---|------|------|
|                 | 2610 | Outer_Full | 12.50 | / | / | <=13 | Pass |
| CP-OFDM 16 QAM  | 2580 | Outer_Full | 12.89 | / | / | <=13 | Pass |
|                 | 2595 | Outer_Full | 11.70 | / | / | <=13 | Pass |
|                 | 2610 | Outer_Full | 12.80 | / | / | <=13 | Pass |
| CP-OFDM 64 QAM  | 2580 | Outer_Full | 12.98 | / | / | <=13 | Pass |
|                 | 2595 | Outer_Full | 12.89 | / | / | <=13 | Pass |
|                 | 2610 | Outer_Full | 12.83 | / | / | <=13 | Pass |
| CP-OFDM 256 QAM | 2580 | Outer_Full | 12.60 | / | / | <=13 | Pass |
|                 | 2595 | Outer_Full | 12.77 | / | / | <=13 | Pass |
|                 | 2610 | Outer_Full | 12.87 | / | / | <=13 | Pass |

#### 4.1.3 30\_S\_30M\_NTNV

| 5G NR n38 SCS=30kHz SISO 30MHz NTN |                 |               |                         |      |     |       |         |
|------------------------------------|-----------------|---------------|-------------------------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | Peak-Average Ratio (dB) |      |     |       | Verdict |
|                                    |                 |               | Ant1                    | Ant2 | Sum | Limit |         |
| DFT-s-OFDM PI/2 BPSK               | 2585            | Outer_Full    | 10.60                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 11.02                   | /    | /   | <=13  | Pass    |
|                                    | 2605            | Outer_Full    | 11.04                   | /    | /   | <=13  | Pass    |
| DFT-s-OFDM QPSK                    | 2585            | Outer_Full    | 11.04                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 11.56                   | /    | /   | <=13  | Pass    |
|                                    | 2605            | Outer_Full    | 11.46                   | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 16 QAM                  | 2585            | Outer_Full    | 11.48                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 12.43                   | /    | /   | <=13  | Pass    |
|                                    | 2605            | Outer_Full    | 12.20                   | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 64 QAM                  | 2585            | Outer_Full    | 12.27                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 12.45                   | /    | /   | <=13  | Pass    |
|                                    | 2605            | Outer_Full    | 12.60                   | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 256 QAM                 | 2585            | Outer_Full    | 12.96                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 12.74                   | /    | /   | <=13  | Pass    |
|                                    | 2605            | Outer_Full    | 12.58                   | /    | /   | <=13  | Pass    |
| CP-OFDM QPSK                       | 2585            | Outer_Full    | 12.59                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 12.61                   | /    | /   | <=13  | Pass    |
|                                    | 2605            | Outer_Full    | 12.39                   | /    | /   | <=13  | Pass    |
| CP-OFDM 16 QAM                     | 2585            | Outer_Full    | 12.57                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 11.87                   | /    | /   | <=13  | Pass    |
|                                    | 2605            | Outer_Full    | 12.62                   | /    | /   | <=13  | Pass    |
| CP-OFDM 64 QAM                     | 2585            | Outer_Full    | 12.63                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 12.47                   | /    | /   | <=13  | Pass    |
|                                    | 2605            | Outer_Full    | 12.99                   | /    | /   | <=13  | Pass    |
| CP-OFDM 256 QAM                    | 2585            | Outer_Full    | 11.71                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 12.71                   | /    | /   | <=13  | Pass    |
|                                    | 2605            | Outer_Full    | 12.69                   | /    | /   | <=13  | Pass    |

#### 4.1.4 30\_S\_40M\_NTNV

| 5G NR n38 SCS=30kHz SISO 40MHz NTN |                 |               |                         |      |     |       |         |
|------------------------------------|-----------------|---------------|-------------------------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | Peak-Average Ratio (dB) |      |     |       | Verdict |
|                                    |                 |               | Ant1                    | Ant2 | Sum | Limit |         |
| DFT-s-OFDM PI/2 BPSK               | 2590            | Outer_Full    | 11.15                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 11.18                   | /    | /   | <=13  | Pass    |
|                                    | 2600            | Outer_Full    | 11.76                   | /    | /   | <=13  | Pass    |
| DFT-s-OFDM QPSK                    | 2590            | Outer_Full    | 11.26                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 11.93                   | /    | /   | <=13  | Pass    |
|                                    | 2600            | Outer_Full    | 12.78                   | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 16 QAM                  | 2590            | Outer_Full    | 12.54                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 12.75                   | /    | /   | <=13  | Pass    |
|                                    | 2600            | Outer_Full    | 12.83                   | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 64 QAM                  | 2590            | Outer_Full    | 12.88                   | /    | /   | <=13  | Pass    |
|                                    | 2595            | Outer_Full    | 12.59                   | /    | /   | <=13  | Pass    |
|                                    | 2600            | Outer_Full    | 12.97                   | /    | /   | <=13  | Pass    |

**Radiolink Testing (Shenzhen) Co., Ltd.**

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

|                    |      |            |       |   |   |      |      |
|--------------------|------|------------|-------|---|---|------|------|
| DFT-s-OFDM 256 QAM | 2590 | Outer_Full | 12.96 | / | / | <=13 | Pass |
|                    | 2595 | Outer_Full | 12.96 | / | / | <=13 | Pass |
|                    | 2600 | Outer_Full | 12.30 | / | / | <=13 | Pass |
| CP-OFDM QPSK       | 2590 | Outer_Full | 12.81 | / | / | <=13 | Pass |
|                    | 2595 | Outer_Full | 12.50 | / | / | <=13 | Pass |
|                    | 2600 | Outer_Full | 12.53 | / | / | <=13 | Pass |
| CP-OFDM 16 QAM     | 2590 | Outer_Full | 12.41 | / | / | <=13 | Pass |
|                    | 2595 | Outer_Full | 12.54 | / | / | <=13 | Pass |
|                    | 2600 | Outer_Full | 12.92 | / | / | <=13 | Pass |
| CP-OFDM 64 QAM     | 2590 | Outer_Full | 12.65 | / | / | <=13 | Pass |
|                    | 2595 | Outer_Full | 12.78 | / | / | <=13 | Pass |
|                    | 2600 | Outer_Full | 12.91 | / | / | <=13 | Pass |
| CP-OFDM 256 QAM    | 2590 | Outer_Full | 12.73 | / | / | <=13 | Pass |
|                    | 2595 | Outer_Full | 12.68 | / | / | <=13 | Pass |
|                    | 2600 | Outer_Full | 12.94 | / | / | <=13 | Pass |




**Radiolink Testing (Shenzhen) Co., Ltd.**

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

## 4.2 Test Graph

### 4.2.1 30\_S\_10M\_NTNV




**Radiolink Testing (Shenzhen) Co., Ltd.**


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

n38\_30kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM\_PI/2\_BPSK\_2615MHz\_Outer\_Full\_Ant1




n38\_30kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM\_QPSK\_2575MHz\_Outer\_Full\_Ant1


**Radiolink Testing (Shenzhen) Co., Ltd.**


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n38\_30kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM\_QPSK\_2595MHz\_Outer\_Full\_Ant1




n38\_30kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM\_QPSK\_2615MHz\_Outer\_Full\_Ant1



n38\_30kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM\_16\_QAM\_2575MHz\_Outer\_Full\_Ant1




n38\_30kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM\_16\_QAM\_2595MHz\_Outer\_Full\_Ant1



**Radiolink Testing (Shenzhen) Co., Ltd.**

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
 Shenzhen, Guangdong Province, China  
 Tel: +86 0755 23080694

n38\_30kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM\_16\_QAM\_2615MHz\_Outer\_Full\_Ant1



n38\_30kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM\_64\_QAM\_2575MHz\_Outer\_Full\_Ant1




**Radiolink Testing (Shenzhen) Co., Ltd.**


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n38\_30kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM\_64\_QAM\_2595MHz\_Outer\_Full\_Ant1




n38\_30kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM\_64\_QAM\_2615MHz\_Outer\_Full\_Ant1



n38\_30kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM\_256\_QAM\_2575MHz\_Outer\_Full\_Ant1




n38\_30kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM\_256\_QAM\_2595MHz\_Outer\_Full\_Ant1


**Radiolink Testing (Shenzhen) Co., Ltd.**


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

n38\_30kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM\_256\_QAM\_2615MHz\_Outer\_Full\_Ant1




n38\_30kHz\_SISO\_NTNV\_10MHz\_CP-OFDM\_QPSK\_2575MHz\_Outer\_Full\_Ant1


**Radiolink Testing (Shenzhen) Co., Ltd.**


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n38\_30kHz\_SISO\_NTNV\_10MHz\_CP-OFDM QPSK\_2595MHz\_Outer\_Full\_Ant1




n38\_30kHz\_SISO\_NTNV\_10MHz\_CP-OFDM QPSK\_2615MHz\_Outer\_Full\_Ant1



n38\_30kHz\_SISO\_NTNV\_10MHz\_CP-OFDM\_16\_QAM\_2575MHz\_Outer\_Full\_Ant1




n38\_30kHz\_SISO\_NTNV\_10MHz\_CP-OFDM\_16\_QAM\_2595MHz\_Outer\_Full\_Ant1



**Radiolink Testing (Shenzhen) Co., Ltd.**

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
 Shenzhen, Guangdong Province, China  
 Tel: +86 0755 23080694

n38\_30kHz\_SISO\_NTNV\_10MHz\_CP-OFDM\_16\_QAM\_2615MHz\_Outer\_Full\_Ant1



n38\_30kHz\_SISO\_NTNV\_10MHz\_CP-OFDM\_64\_QAM\_2575MHz\_Outer\_Full\_Ant1




**Radiolink Testing (Shenzhen) Co., Ltd.**


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n38\_30kHz\_SISO\_NTNV\_10MHz\_CP-OFDM\_64\_QAM\_2595MHz\_Outer\_Full\_Ant1




n38\_30kHz\_SISO\_NTNV\_10MHz\_CP-OFDM\_64\_QAM\_2615MHz\_Outer\_Full\_Ant1



n38\_30kHz\_SISO\_NTNV\_10MHz\_CP-OFDM\_256\_QAM\_2575MHz\_Outer\_Full\_Ant1



n38\_30kHz\_SISO\_NTNV\_10MHz\_CP-OFDM\_256\_QAM\_2595MHz\_Outer\_Full\_Ant1


**Radiolink Testing (Shenzhen) Co., Ltd.**

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
 Shenzhen, Guangdong Province, China  
 Tel: +86 0755 23080694