



5.2.3 30_S_30M_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_2511MHz_Edge_1RB_Left_Ant1



n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_2511MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_2511MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.465	-43.21	-25	Pass
2490.5	2495	1	CHP	2	2494.486	-40.63	-13	Pass
2495	2496	0.005	CHP	3	2495.983	-42.22	-13	Pass
2496	2541	0.005	CHP	/	/	/	/	/

n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_2592.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	915.300	-45.31	-25	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_2592.99MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2490.050	-41.41	-25	Pass
2490.5	2495	1	/	2	2490.900	-42.07	-13	Pass
2495	2695	1	/	/	/	/	/	/
2695	2720	1	/	3	2715.300	-41.63	-13	Pass
2720	26900	1	/	4	26262.000	-35.01	-25	Pass

n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_2674.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2644.98	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.005	-37.96	-10	Pass
2691	2695	1	CHP	2	2691.500	-41.64	-10	Pass
2695	2720	1	CHP	3	2696.850	-42.27	-13	Pass
2720	2750	1	CHP	4	2724.785	-44.35	-25	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM PI/2 BPSK 2674.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	891.650	-45.26	-25	Pass

n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM PI/2 BPSK 2674.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2475.600	-41.80	-25	Pass
2490.5	2495	1	/	2	2490.900	-42.63	-13	Pass
2495	2695	1	/	/	/	/	/	/
2695	2720	1	/	3	2707.650	-41.53	-13	Pass
2720	26900	1	/	4	26171.900	-34.92	-25	Pass

n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_2674.98MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2644.98	2690	0.575	CHP	/	/	/	/	/
2690	2691	0.575	CHP	1	2690.034	-39.53	-10	Pass
2691	2695	1	CHP	2	2692.344	-39.24	-10	Pass
2695	2720	1	CHP	3	2700.956	-35.45	-13	Pass
2720	2750	1	CHP	4	2721.330	-42.08	-25	Pass

n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_2674.98MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2644.98	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.025	-38.10	-10	Pass
2691	2695	1	CHP	2	2691.500	-40.92	-10	Pass
2695	2720	1	CHP	3	2696.580	-41.96	-13	Pass
2720	2750	1	CHP	4	2731.765	-44.30	-25	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_2511MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.222	-43.25	-25	Pass
2490.5	2495	1	CHP	2	2494.499	-40.41	-13	Pass
2495	2496	0.005	CHP	3	2495.993	-41.50	-13	Pass
2496	2541	0.005	CHP	/	/	/	/	/

n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_2511MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	891.650	-45.23	-25	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_2511MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2489.200	-41.57	-25	Pass
2490.5	2495	1	/	2	2490.900	-42.42	-13	Pass
2495	2695	1	/	/	/	/	/	/
2695	2720	1	/	3	2710.200	-41.44	-13	Pass
2720	26900	1	/	4	26245.850	-34.98	-25	Pass

n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_2511MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2488.600	-40.87	-25	Pass
2490.5	2495	1	CHP	2	2490.550	-41.58	-13	Pass
2495	2496	0.285	CHP	3	2495.800	-38.62	-13	Pass
2496	2541	0.285	CHP	/	/	/	/	/

n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_2511MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.553	-43.24	-25	Pass
2490.5	2495	1	CHP	2	2494.499	-40.58	-13	Pass
2495	2496	0.005	CHP	3	2495.967	-42.72	-13	Pass
2496	2541	0.005	CHP	/	/	/	/	/

n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_2592.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	869.200	-45.23	-25	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_2592.99MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2486.650	-41.58	-25	Pass
2490.5	2495	1	/	2	2490.900	-43.39	-13	Pass
2495	2695	1	/	/	/	/	/	/
2695	2720	1	/	3	2711.900	-41.18	-13	Pass
2720	26900	1	/	4	26156.600	-34.76	-25	Pass

n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_2674.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2644.98	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.015	-37.64	-10	Pass
2691	2695	1	CHP	2	2691.500	-41.09	-10	Pass
2695	2720	1	CHP	3	2696.800	-42.95	-13	Pass
2720	2750	1	CHP	4	2721.725	-44.26	-25	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_2674.98MHz_Edge_1RB_Right_Ant1



n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_2674.98MHz_Edge_1RB_Right_Ant1




n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_2674.98MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2644.98	2690	0.573	CHP	/	/	/	/	/
2690	2691	0.573	CHP	1	2690.349	-42.75	-10	Pass
2691	2695	1	CHP	2	2693.604	-41.81	-10	Pass
2695	2720	1	CHP	3	2704.316	-41.10	-13	Pass
2720	2750	1	CHP	4	2721.119	-42.58	-25	Pass

n41_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_2674.98MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2644.98	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.215	-40.16	-10	Pass
2691	2695	1	CHP	2	2691.500	-39.65	-10	Pass
2695	2720	1	CHP	3	2696.370	-42.79	-13	Pass
2720	2750	1	CHP	4	2723.785	-44.29	-25	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_2511MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.150	-43.53	-25	Pass
2490.5	2495	1	CHP	2	2494.499	-40.69	-13	Pass
2495	2496	0.005	CHP	3	2495.939	-39.91	-13	Pass
2496	2541	0.005	CHP	/	/	/	/	/

n41_30kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_2511MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	874.450	-45.21	-25	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_2511MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2479.000	-41.54	-25	Pass
2490.5	2495	1	/	2	2490.900	-42.68	-13	Pass
2495	2695	1	/	/	/	/	/	/
2695	2720	1	/	3	2710.200	-41.67	-13	Pass
2720	26900	1	/	4	26256.050	-34.91	-25	Pass

n41_30kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_2511MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.500	-40.08	-25	Pass
2490.5	2495	1	CHP	2	2494.500	-30.35	-13	Pass
2495	2496	0.296	CHP	3	2495.900	-31.73	-13	Pass
2496	2541	0.296	CHP	/	/	/	/	/

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_2511MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.323	-43.28	-25	Pass
2490.5	2495	1	CHP	2	2494.499	-38.79	-13	Pass
2495	2496	0.005	CHP	3	2495.991	-42.50	-13	Pass
2496	2541	0.005	CHP	/	/	/	/	/

n41_30kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_2592.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	895.850	-45.23	-25	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_2592.99MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2472.200	-41.92	-25	Pass
2490.5	2495	1	/	2	2490.900	-42.21	-13	Pass
2495	2695	1	/	/	/	/	/	/
2695	2720	1	/	3	2702.550	-41.71	-13	Pass
2720	26900	1	/	4	26233.950	-35.10	-25	Pass

n41_30kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_2674.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2644.98	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.005	-36.05	-10	Pass
2691	2695	1	CHP	2	2691.500	-40.69	-10	Pass
2695	2720	1	CHP	3	2696.810	-43.08	-13	Pass
2720	2750	1	CHP	4	2738.010	-44.31	-25	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_2674.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	883.450	-45.28	-25	Pass

n41_30kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_2674.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2340.450	-41.90	-25	Pass
2490.5	2495	1	/	2	2490.900	-42.48	-13	Pass
2495	2695	1	/	/	/	/	/	/
2695	2720	1	/	3	2717.000	-41.79	-13	Pass
2720	26900	1	/	4	26202.500	-34.90	-25	Pass

n41_30kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_2674.98MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2644.98	2690	0.593	CHP	/	/	/	/	/
2690	2691	0.593	CHP	1	2690.139	-28.96	-10	Pass
2691	2695	1	CHP	2	2691.714	-30.79	-10	Pass
2695	2720	1	CHP	3	2695.075	-40.45	-13	Pass
2720	2750	1	CHP	4	2723.115	-43.37	-25	Pass

n41_30kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_2674.98MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2644.98	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.115	-36.60	-10	Pass
2691	2695	1	CHP	2	2691.500	-39.40	-10	Pass
2695	2720	1	CHP	3	2696.575	-42.88	-13	Pass
2720	2750	1	CHP	4	2720.985	-44.32	-25	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


5.2.4 30_S_40M_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_2516.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2488.350	-41.36	-25	Pass
2490.5	2495	1	/	2	2490.900	-41.82	-13	Pass
2495	2695	1	/	/	/	/	/	/
2695	2730	1	/	3	2712.750	-41.75	-13	Pass
2730	26900	1	/	4	26215.250	-34.58	-25	Pass

n41_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_2516.01MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.468	-37.09	-25	Pass
2490.5	2495	1	CHP	2	2494.160	-36.09	-13	Pass
2495	2496	0.387	CHP	3	2495.936	-31.00	-13	Pass
2496	2556.01	0.387	CHP	/	/	/	/	/

n41_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_2516.01MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.516	-42.61	-25	Pass
2490.5	2495	1	CHP	2	2494.485	-41.17	-13	Pass
2495	2496	0.005	CHP	3	2495.933	-42.58	-13	Pass
2496	2556.01	0.005	CHP	/	/	/	/	/

n41_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_2592.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	904.000	-45.33	-25	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_2592.99MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2478.150	-41.75	-25	Pass
2490.5	2495	1	/	2	2490.900	-42.86	-13	Pass
2495	2695	1	/	/	/	/	/	/
2695	2730	1	/	3	2702.550	-42.19	-13	Pass
2730	26900	1	/	4	26260.300	-34.98	-25	Pass

n41_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_2670MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2630	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.005	-35.76	-10	Pass
2691	2695	1	CHP	2	2691.555	-41.62	-10	Pass
2695	2730	1	CHP	3	2696.980	-42.39	-13	Pass
2730	2750	1	CHP	4	2736.540	-44.28	-25	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n41_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_2670MHz_Edge_1RB_Right_Ant1



n41_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_2670MHz_Edge_1RB_Right_Ant1




n41_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_2670MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2630	2690	0.77	CHP	/	/	/	/	/
2690	2691	0.77	CHP	1	2690.120	-41.85	-10	Pass
2691	2695	1	CHP	2	2691.560	-41.83	-10	Pass
2695	2730	1	CHP	3	2703.800	-38.07	-13	Pass
2730	2750	1	CHP	4	2730.560	-44.16	-25	Pass

n41_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_2670MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2630	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.090	-39.01	-10	Pass
2691	2695	1	CHP	2	2691.500	-39.15	-10	Pass
2695	2730	1	CHP	3	2696.425	-42.50	-13	Pass
2730	2750	1	CHP	4	2740.585	-44.32	-25	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_2516.01MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.280	-43.38	-25	Pass
2490.5	2495	1	CHP	2	2494.499	-40.61	-13	Pass
2495	2496	0.005	CHP	3	2495.985	-42.11	-13	Pass
2496	2556.01	0.005	CHP	/	/	/	/	/

n41_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_2516.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	876.600	-45.12	-25	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_2516.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2489.200	-41.46	-25	Pass
2490.5	2495	1	/	2	2490.900	-42.81	-13	Pass
2495	2695	1	/	/	/	/	/	/
2695	2730	1	/	3	2711.050	-42.02	-13	Pass
2730	26900	1	/	4	26311.300	-35.10	-25	Pass

n41_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_2516.01MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2488.764	-38.44	-25	Pass
2490.5	2495	1	CHP	2	2490.681	-39.41	-13	Pass
2495	2496	0.384	CHP	3	2495.936	-38.50	-13	Pass
2496	2556.01	0.384	CHP	/	/	/	/	/

n41_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_2516.01MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.405	-43.48	-25	Pass
2490.5	2495	1	CHP	2	2494.489	-39.77	-13	Pass
2495	2496	0.005	CHP	3	2495.990	-42.04	-13	Pass
2496	2556.01	0.005	CHP	/	/	/	/	/

n41_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_2592.99MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	910.300	-45.14	-25	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694