



n41_30kHz_SISO_NTNV_100MHz_CP-OFDM_256_QAM_2546.01MHz_Outer_Full_Ant1




n41_30kHz_SISO_NTNV_100MHz_CP-OFDM_256_QAM_2592.99MHz_Outer_Full_Ant1



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694



4. Peak-Average Ratio

4.1 Test Result

4.1.1 30_S_10M_NTNV

5G NR n41 SCS=30kHz SISO 10MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2501.01	Outer_Full	10.72	/	/	<=13	Pass
	2592.99	Outer_Full	10.82	/	/	<=13	Pass
	2685	Outer_Full	11.56	/	/	<=13	Pass
DFT-s-OFDM QPSK	2501.01	Outer_Full	11.13	/	/	<=13	Pass
	2592.99	Outer_Full	11.29	/	/	<=13	Pass
	2685	Outer_Full	11.40	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	2501.01	Outer_Full	12.32	/	/	<=13	Pass
	2592.99	Outer_Full	12.50	/	/	<=13	Pass
	2685	Outer_Full	11.93	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	2501.01	Outer_Full	12.22	/	/	<=13	Pass
	2592.99	Outer_Full	12.61	/	/	<=13	Pass
	2685	Outer_Full	12.86	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	2501.01	Outer_Full	12.87	/	/	<=13	Pass
	2592.99	Outer_Full	12.41	/	/	<=13	Pass
	2685	Outer_Full	12.56	/	/	<=13	Pass
CP-OFDM QPSK	2501.01	Outer_Full	6.62	/	/	<=13	Pass
	2592.99	Outer_Full	6.64	/	/	<=13	Pass
	2685	Outer_Full	6.65	/	/	<=13	Pass
CP-OFDM 16 QAM	2501.01	Outer_Full	6.63	/	/	<=13	Pass
	2592.99	Outer_Full	6.64	/	/	<=13	Pass
	2685	Outer_Full	6.67	/	/	<=13	Pass
CP-OFDM 64 QAM	2501.01	Outer_Full	7.04	/	/	<=13	Pass
	2592.99	Outer_Full	7.06	/	/	<=13	Pass
	2685	Outer_Full	7.09	/	/	<=13	Pass
CP-OFDM 256 QAM	2501.01	Outer_Full	8.55	/	/	<=13	Pass
	2592.99	Outer_Full	8.73	/	/	<=13	Pass
	2685	Outer_Full	8.33	/	/	<=13	Pass

4.1.2 30_S_20M_NTNV

5G NR n41 SCS=30kHz SISO 20MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2506.02	Outer_Full	10.20	/	/	<=13	Pass
	2592.99	Outer_Full	11.08	/	/	<=13	Pass
	2679.99	Outer_Full	10.58	/	/	<=13	Pass
DFT-s-OFDM QPSK	2506.02	Outer_Full	11.57	/	/	<=13	Pass
	2592.99	Outer_Full	10.89	/	/	<=13	Pass
	2679.99	Outer_Full	10.84	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	2506.02	Outer_Full	12.39	/	/	<=13	Pass
	2592.99	Outer_Full	12.47	/	/	<=13	Pass
	2679.99	Outer_Full	11.69	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	2506.02	Outer_Full	12.88	/	/	<=13	Pass
	2592.99	Outer_Full	11.94	/	/	<=13	Pass
	2679.99	Outer_Full	11.80	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	2506.02	Outer_Full	12.14	/	/	<=13	Pass
	2592.99	Outer_Full	8.50	/	/	<=13	Pass
	2679.99	Outer_Full	12.46	/	/	<=13	Pass
CP-OFDM QPSK	2506.02	Outer_Full	6.47	/	/	<=13	Pass
	2592.99	Outer_Full	6.48	/	/	<=13	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

	2679.99	Outer_Full	12.60	/	/	<=13	Pass
CP-OFDM 16 QAM	2506.02	Outer_Full	6.47	/	/	<=13	Pass
	2592.99	Outer_Full	6.51	/	/	<=13	Pass
	2679.99	Outer_Full	6.53	/	/	<=13	Pass
CP-OFDM 64 QAM	2506.02	Outer_Full	7.05	/	/	<=13	Pass
	2592.99	Outer_Full	7.07	/	/	<=13	Pass
	2679.99	Outer_Full	7.09	/	/	<=13	Pass
CP-OFDM 256 QAM	2506.02	Outer_Full	8.45	/	/	<=13	Pass
	2592.99	Outer_Full	8.61	/	/	<=13	Pass
	2679.99	Outer_Full	8.55	/	/	<=13	Pass

4.1.3 30_S_30M_NTNV

5G NR n41 SCS=30kHz SISO 30MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2511	Outer_Full	10.57	/	/	<=13	Pass
	2592.99	Outer_Full	10.43	/	/	<=13	Pass
	2674.98	Outer_Full	10.97	/	/	<=13	Pass
DFT-s-OFDM QPSK	2511	Outer_Full	12.15	/	/	<=13	Pass
	2592.99	Outer_Full	10.84	/	/	<=13	Pass
	2674.98	Outer_Full	11.10	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	2511	Outer_Full	11.94	/	/	<=13	Pass
	2592.99	Outer_Full	12.02	/	/	<=13	Pass
	2674.98	Outer_Full	11.52	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	2511	Outer_Full	12.38	/	/	<=13	Pass
	2592.99	Outer_Full	12.87	/	/	<=13	Pass
	2674.98	Outer_Full	12.69	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	2511	Outer_Full	12.31	/	/	<=13	Pass
	2592.99	Outer_Full	12.62	/	/	<=13	Pass
	2674.98	Outer_Full	12.70	/	/	<=13	Pass
CP-OFDM QPSK	2511	Outer_Full	7.11	/	/	<=13	Pass
	2592.99	Outer_Full	12.70	/	/	<=13	Pass
	2674.98	Outer_Full	7.13	/	/	<=13	Pass
CP-OFDM 16 QAM	2511	Outer_Full	7.24	/	/	<=13	Pass
	2592.99	Outer_Full	7.25	/	/	<=13	Pass
	2674.98	Outer_Full	7.26	/	/	<=13	Pass
CP-OFDM 64 QAM	2511	Outer_Full	7.48	/	/	<=13	Pass
	2592.99	Outer_Full	7.54	/	/	<=13	Pass
	2674.98	Outer_Full	7.52	/	/	<=13	Pass
CP-OFDM 256 QAM	2511	Outer_Full	8.38	/	/	<=13	Pass
	2592.99	Outer_Full	8.49	/	/	<=13	Pass
	2674.98	Outer_Full	8.42	/	/	<=13	Pass

4.1.4 30_S_40M_NTNV

5G NR n41 SCS=30kHz SISO 40MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2516.01	Outer_Full	11.04	/	/	<=13	Pass
	2592.99	Outer_Full	12.59	/	/	<=13	Pass
	2670	Outer_Full	11.44	/	/	<=13	Pass
DFT-s-OFDM QPSK	2516.01	Outer_Full	12.65	/	/	<=13	Pass
	2592.99	Outer_Full	12.11	/	/	<=13	Pass
	2670	Outer_Full	11.75	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	2516.01	Outer_Full	7.92	/	/	<=13	Pass
	2592.99	Outer_Full	12.83	/	/	<=13	Pass
	2670	Outer_Full	7.89	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	2516.01	Outer_Full	8.07	/	/	<=13	Pass
	2592.99	Outer_Full	8.08	/	/	<=13	Pass
	2670	Outer_Full	12.87	/	/	<=13	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

DFT-s-OFDM 256 QAM	2516.01	Outer_Full	7.03	/	/	<=13	Pass
	2592.99	Outer_Full	12.75	/	/	<=13	Pass
	2670	Outer_Full	12.67	/	/	<=13	Pass
CP-OFDM QPSK	2516.01	Outer_Full	7.92	/	/	<=13	Pass
	2592.99	Outer_Full	7.91	/	/	<=13	Pass
	2670	Outer_Full	7.88	/	/	<=13	Pass
CP-OFDM 16 QAM	2516.01	Outer_Full	8.02	/	/	<=13	Pass
	2592.99	Outer_Full	7.97	/	/	<=13	Pass
	2670	Outer_Full	7.92	/	/	<=13	Pass
CP-OFDM 64 QAM	2516.01	Outer_Full	8.14	/	/	<=13	Pass
	2592.99	Outer_Full	8.11	/	/	<=13	Pass
	2670	Outer_Full	8.08	/	/	<=13	Pass
CP-OFDM 256 QAM	2516.01	Outer_Full	8.57	/	/	<=13	Pass
	2592.99	Outer_Full	8.59	/	/	<=13	Pass
	2670	Outer_Full	8.57	/	/	<=13	Pass

4.1.5 30_S_50M_NTNV

5G NR n41 SCS=30kHz SISO 50MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2521.02	Outer_Full	12.16	/	/	<=13	Pass
	2592.99	Outer_Full	11.92	/	/	<=13	Pass
	2664.99	Outer_Full	12.18	/	/	<=13	Pass
DFT-s-OFDM QPSK	2521.02	Outer_Full	8.04	/	/	<=13	Pass
	2592.99	Outer_Full	12.36	/	/	<=13	Pass
	2664.99	Outer_Full	8.45	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	2521.02	Outer_Full	8.07	/	/	<=13	Pass
	2592.99	Outer_Full	7.13	/	/	<=13	Pass
	2664.99	Outer_Full	7.04	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	2521.02	Outer_Full	12.71	/	/	<=13	Pass
	2592.99	Outer_Full	7.26	/	/	<=13	Pass
	2664.99	Outer_Full	7.18	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	2521.02	Outer_Full	7.24	/	/	<=13	Pass
	2592.99	Outer_Full	7.25	/	/	<=13	Pass
	2664.99	Outer_Full	8.46	/	/	<=13	Pass
CP-OFDM QPSK	2521.02	Outer_Full	8.06	/	/	<=13	Pass
	2592.99	Outer_Full	8.46	/	/	<=13	Pass
	2664.99	Outer_Full	8.45	/	/	<=13	Pass
CP-OFDM 16 QAM	2521.02	Outer_Full	8.00	/	/	<=13	Pass
	2592.99	Outer_Full	8.46	/	/	<=13	Pass
	2664.99	Outer_Full	8.02	/	/	<=13	Pass
CP-OFDM 64 QAM	2521.02	Outer_Full	8.29	/	/	<=13	Pass
	2592.99	Outer_Full	8.45	/	/	<=13	Pass
	2664.99	Outer_Full	8.14	/	/	<=13	Pass
CP-OFDM 256 QAM	2521.02	Outer_Full	8.46	/	/	<=13	Pass
	2592.99	Outer_Full	8.45	/	/	<=13	Pass
	2664.99	Outer_Full	8.46	/	/	<=13	Pass

4.1.6 30_S_60M_NTNV

5G NR n41 SCS=30kHz SISO 60MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2526	Outer_Full	8.25	/	/	<=13	Pass
	2592.99	Outer_Full	12.88	/	/	<=13	Pass
	2659.98	Outer_Full	12.74	/	/	<=13	Pass
DFT-s-OFDM QPSK	2526	Outer_Full	8.45	/	/	<=13	Pass
	2592.99	Outer_Full	8.45	/	/	<=13	Pass
	2659.98	Outer_Full	8.46	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	2526	Outer_Full	8.46	/	/	<=13	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

DFT-s-OFDM 64 QAM	2592.99	Outer_Full	8.45	/	/	<=13	Pass
	2659.98	Outer_Full	8.46	/	/	<=13	Pass
	2526	Outer_Full	8.46	/	/	<=13	Pass
	2592.99	Outer_Full	8.45	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	2659.98	Outer_Full	8.46	/	/	<=13	Pass
	2526	Outer_Full	7.46	/	/	<=13	Pass
	2592.99	Outer_Full	8.46	/	/	<=13	Pass
	2659.98	Outer_Full	8.47	/	/	<=13	Pass
CP-OFDM QPSK	2526	Outer_Full	8.25	/	/	<=13	Pass
	2592.99	Outer_Full	8.28	/	/	<=13	Pass
	2659.98	Outer_Full	8.31	/	/	<=13	Pass
	2526	Outer_Full	8.46	/	/	<=13	Pass
CP-OFDM 16 QAM	2592.99	Outer_Full	8.47	/	/	<=13	Pass
	2659.98	Outer_Full	8.47	/	/	<=13	Pass
	2526	Outer_Full	8.47	/	/	<=13	Pass
	2592.99	Outer_Full	8.46	/	/	<=13	Pass
CP-OFDM 64 QAM	2659.98	Outer_Full	8.38	/	/	<=13	Pass
	2526	Outer_Full	8.43	/	/	<=13	Pass
	2592.99	Outer_Full	8.47	/	/	<=13	Pass
	2659.98	Outer_Full	8.47	/	/	<=13	Pass

4.1.7 30_S_70M_NTNV

5G NR n41 SCS=30kHz SISO 70MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2531.01	Outer_Full	12.39	/	/	<=13	Pass
	2592.99	Outer_Full	12.43	/	/	<=13	Pass
	2655	Outer_Full	12.68	/	/	<=13	Pass
DFT-s-OFDM QPSK	2531.01	Outer_Full	12.92	/	/	<=13	Pass
	2592.99	Outer_Full	12.87	/	/	<=13	Pass
	2655	Outer_Full	8.28	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	2531.01	Outer_Full	8.29	/	/	<=13	Pass
	2592.99	Outer_Full	8.25	/	/	<=13	Pass
	2655	Outer_Full	12.83	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	2531.01	Outer_Full	12.94	/	/	<=13	Pass
	2592.99	Outer_Full	8.33	/	/	<=13	Pass
	2655	Outer_Full	8.36	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	2531.01	Outer_Full	7.53	/	/	<=13	Pass
	2592.99	Outer_Full	7.53	/	/	<=13	Pass
	2655	Outer_Full	7.54	/	/	<=13	Pass
CP-OFDM QPSK	2531.01	Outer_Full	8.27	/	/	<=13	Pass
	2592.99	Outer_Full	8.25	/	/	<=13	Pass
	2655	Outer_Full	8.28	/	/	<=13	Pass
CP-OFDM 16 QAM	2531.01	Outer_Full	8.29	/	/	<=13	Pass
	2592.99	Outer_Full	8.23	/	/	<=13	Pass
	2655	Outer_Full	8.26	/	/	<=13	Pass
CP-OFDM 64 QAM	2531.01	Outer_Full	8.48	/	/	<=13	Pass
	2592.99	Outer_Full	8.47	/	/	<=13	Pass
	2655	Outer_Full	8.48	/	/	<=13	Pass
CP-OFDM 256 QAM	2531.01	Outer_Full	8.35	/	/	<=13	Pass
	2592.99	Outer_Full	8.34	/	/	<=13	Pass
	2655	Outer_Full	8.37	/	/	<=13	Pass

4.1.8 30_S_80M_NTNV

5G NR n41 SCS=30kHz SISO 80MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2536.02	Outer_Full	8.29	/	/	<=13	Pass
	2592.99	Outer_Full	12.50	/	/	<=13	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

	2649.99	Outer_Full	12.45	/	/	<=13	Pass
DFT-s-OFDM QPSK	2536.02	Outer_Full	7.19	/	/	<=13	Pass
	2592.99	Outer_Full	8.29	/	/	<=13	Pass
	2649.99	Outer_Full	12.95	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	2536.02	Outer_Full	7.59	/	/	<=13	Pass
	2592.99	Outer_Full	8.30	/	/	<=13	Pass
	2649.99	Outer_Full	8.32	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	2536.02	Outer_Full	7.65	/	/	<=13	Pass
	2592.99	Outer_Full	8.31	/	/	<=13	Pass
	2649.99	Outer_Full	8.36	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	2536.02	Outer_Full	7.57	/	/	<=13	Pass
	2592.99	Outer_Full	7.65	/	/	<=13	Pass
	2649.99	Outer_Full	7.64	/	/	<=13	Pass
CP-OFDM QPSK	2536.02	Outer_Full	8.15	/	/	<=13	Pass
	2592.99	Outer_Full	8.18	/	/	<=13	Pass
	2649.99	Outer_Full	8.28	/	/	<=13	Pass
CP-OFDM 16 QAM	2536.02	Outer_Full	8.42	/	/	<=13	Pass
	2592.99	Outer_Full	8.38	/	/	<=13	Pass
	2649.99	Outer_Full	8.44	/	/	<=13	Pass
CP-OFDM 64 QAM	2536.02	Outer_Full	8.35	/	/	<=13	Pass
	2592.99	Outer_Full	8.36	/	/	<=13	Pass
	2649.99	Outer_Full	8.37	/	/	<=13	Pass
CP-OFDM 256 QAM	2536.02	Outer_Full	8.35	/	/	<=13	Pass
	2592.99	Outer_Full	8.37	/	/	<=13	Pass
	2649.99	Outer_Full	8.38	/	/	<=13	Pass

4.1.9 30_S_90M_NTNV

5G NR n41 SCS=30kHz SISO 90MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2541	Outer_Full	12.10	/	/	<=13	Pass
	2592.99	Outer_Full	12.03	/	/	<=13	Pass
	2644.98	Outer_Full	12.69	/	/	<=13	Pass
DFT-s-OFDM QPSK	2541	Outer_Full	8.33	/	/	<=13	Pass
	2592.99	Outer_Full	12.71	/	/	<=13	Pass
	2644.98	Outer_Full	8.34	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	2541	Outer_Full	8.32	/	/	<=13	Pass
	2592.99	Outer_Full	8.30	/	/	<=13	Pass
	2644.98	Outer_Full	8.33	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	2541	Outer_Full	8.38	/	/	<=13	Pass
	2592.99	Outer_Full	8.35	/	/	<=13	Pass
	2644.98	Outer_Full	8.41	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	2541	Outer_Full	7.70	/	/	<=13	Pass
	2592.99	Outer_Full	7.70	/	/	<=13	Pass
	2644.98	Outer_Full	7.72	/	/	<=13	Pass
CP-OFDM QPSK	2541	Outer_Full	8.19	/	/	<=13	Pass
	2592.99	Outer_Full	8.28	/	/	<=13	Pass
	2644.98	Outer_Full	8.19	/	/	<=13	Pass
CP-OFDM 16 QAM	2541	Outer_Full	8.45	/	/	<=13	Pass
	2592.99	Outer_Full	8.41	/	/	<=13	Pass
	2644.98	Outer_Full	8.46	/	/	<=13	Pass
CP-OFDM 64 QAM	2541	Outer_Full	8.32	/	/	<=13	Pass
	2592.99	Outer_Full	8.32	/	/	<=13	Pass
	2644.98	Outer_Full	8.36	/	/	<=13	Pass
CP-OFDM 256 QAM	2541	Outer_Full	8.39	/	/	<=13	Pass
	2592.99	Outer_Full	8.38	/	/	<=13	Pass
	2644.98	Outer_Full	8.41	/	/	<=13	Pass

4.1.10 30_S_100M_NTNV


Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

5G NR n41 SCS=30kHz SISO 100MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2546.01	Outer_Full	12.76	/	/	<=13	Pass
	2592.99	Outer_Full	12.37	/	/	<=13	Pass
	2640	Outer_Full	12.75	/	/	<=13	Pass
DFT-s-OFDM QPSK	2546.01	Outer_Full	8.36	/	/	<=13	Pass
	2592.99	Outer_Full	8.40	/	/	<=13	Pass
	2640	Outer_Full	8.39	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	2546.01	Outer_Full	8.35	/	/	<=13	Pass
	2592.99	Outer_Full	8.35	/	/	<=13	Pass
	2640	Outer_Full	8.39	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	2546.01	Outer_Full	8.37	/	/	<=13	Pass
	2592.99	Outer_Full	8.40	/	/	<=13	Pass
	2640	Outer_Full	8.41	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	2546.01	Outer_Full	7.77	/	/	<=13	Pass
	2592.99	Outer_Full	7.76	/	/	<=13	Pass
	2640	Outer_Full	7.78	/	/	<=13	Pass
CP-OFDM QPSK	2546.01	Outer_Full	8.31	/	/	<=13	Pass
	2592.99	Outer_Full	8.28	/	/	<=13	Pass
	2640	Outer_Full	8.33	/	/	<=13	Pass
CP-OFDM 16 QAM	2546.01	Outer_Full	8.48	/	/	<=13	Pass
	2592.99	Outer_Full	8.47	/	/	<=13	Pass
	2640	Outer_Full	8.46	/	/	<=13	Pass
CP-OFDM 64 QAM	2546.01	Outer_Full	8.30	/	/	<=13	Pass
	2592.99	Outer_Full	8.26	/	/	<=13	Pass
	2640	Outer_Full	8.32	/	/	<=13	Pass
CP-OFDM 256 QAM	2546.01	Outer_Full	8.64	/	/	<=13	Pass
	2592.99	Outer_Full	8.62	/	/	<=13	Pass
	2640	Outer_Full	8.64	/	/	<=13	Pass

4.2 Test Graph

4.2.1 30_S_10M_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_2685MHz_Outer_Full_Ant1



n41_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_2501.01MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_2592.99MHz_Outer_Full_Ant1




n41_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_2685MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_16_QAM_2501.01MHz_Outer_Full_Ant1




n41_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_16_QAM_2592.99MHz_Outer_Full_Ant1



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
 Shenzhen, Guangdong Province, China
 Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_16_QAM_2685MHz_Outer_Full_Ant1



n41_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_64_QAM_2501.01MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n41_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_64_QAM_2592.99MHz_Outer_Full_Ant1




n41_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_64_QAM_2685MHz_Outer_Full_Ant1



n41_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_2501.01MHz_Outer_Full_Ant1




n41_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_2592.99MHz_Outer_Full_Ant1



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
 Shenzhen, Guangdong Province, China
 Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_2685MHz_Outer_Full_Ant1




n41_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_2501.01MHz_Outer_Full_Ant1


Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n41_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_2592.99MHz_Outer_Full_Ant1




n41_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_2685MHz_Outer_Full_Ant1



n41_30kHz_SISO_NTNV_10MHz_CP-OFDM_16_QAM_2501.01MHz_Outer_Full_Ant1




n41_30kHz_SISO_NTNV_10MHz_CP-OFDM_16_QAM_2592.99MHz_Outer_Full_Ant1


Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_10MHz_CP-OFDM_16_QAM_2685MHz_Outer_Full_Ant1



n41_30kHz_SISO_NTNV_10MHz_CP-OFDM_64_QAM_2501.01MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n41_30kHz_SISO_NTNV_10MHz_CP-OFDM_64_QAM_2592.99MHz_Outer_Full_Ant1




n41_30kHz_SISO_NTNV_10MHz_CP-OFDM_64_QAM_2685MHz_Outer_Full_Ant1



n41_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM 2501.01MHz_Outer_Full_Ant1




n41_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM 2592.99MHz_Outer_Full_Ant1



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


4.2.2 30_S_20M_NTNV



n41_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_2679.99MHz_Outer_Full_Ant1




n41_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_2506.02MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n41_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_2592.99MHz_Outer_Full_Ant1



n41_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_2679.99MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n41_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_2506.02MHz_Outer_Full_Ant1




n41_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_2592.99MHz_Outer_Full_Ant1



n41_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_2679.99MHz_Outer_Full_Ant1



n41_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_2506.02MHz_Outer_Full_Ant1



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694