



n77g_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_3470.01MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3395	3405	1	CHP	1	3401.900	-39.95	-30	Pass
3405	3410	1	CHP	2	3407.300	-39.81	-25	Pass
3410	3445	1	CHP	3	3416.450	-39.50	-13	Pass
3445	3449	1	CHP	4	3447.500	-35.65	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-35.67	-13	Pass
3450	3490	0.4	CHP	/	/	/	/	/
3490	3491	0.4	CHP	6	3490.100	-32.80	-13	Pass
3491	3495	1	CHP	7	3491.600	-35.10	-10	Pass
3495	3530	1	CHP	8	3495.050	-39.42	-13	Pass
3530	3535	1	CHP	9	3534.200	-41.41	-25	Pass
3535	3545	1	CHP	10	3536.000	-41.39	-30	Pass

n77g_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_3470.01MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3395	3405	1	CHP	1	3401.750	-44.25	-30	Pass
3405	3410	1	CHP	2	3409.250	-43.88	-25	Pass
3410	3445	1	CHP	3	3414.200	-42.15	-13	Pass
3445	3449	1	CHP	4	3447.050	-37.01	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-20.81	-13	Pass
3450	3490	0.4	CHP	/	/	/	/	/
3490	3491	0.4	CHP	6	3490.700	-48.71	-13	Pass
3491	3495	1	CHP	7	3491.600	-44.58	-10	Pass
3495	3530	1	CHP	8	3529.400	-44.23	-13	Pass
3530	3535	1	CHP	9	3531.950	-44.22	-25	Pass
3535	3545	1	CHP	10	3542.150	-44.03	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK 3470.01MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3395	3405	1	CHP	1	3401.900	-43.94	-30	Pass
3405	3410	1	CHP	2	3409.400	-44.08	-25	Pass
3410	3445	1	CHP	3	3421.100	-44.16	-13	Pass
3445	3449	1	CHP	4	3445.550	-44.03	-10	Pass
3449	3450	0.4	CHP	5	3449.450	-48.53	-13	Pass
3450	3490	0.4	CHP	/	/	/	/	/
3490	3491	0.4	CHP	6	3490.100	-34.99	-13	Pass
3491	3495	1	CHP	7	3493.850	-39.28	-10	Pass
3495	3530	1	CHP	8	3496.550	-42.80	-13	Pass
3530	3535	1	CHP	9	3534.800	-44.27	-25	Pass
3535	3545	1	CHP	10	3541.100	-44.09	-30	Pass

n77g_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK 3675MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	848.500	-44.78	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_3675MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3595	1	/	1	3283.950	-40.58	-30	Pass
3595	3600	1	/	2	3599.300	-41.37	-25	Pass
3600	3645	1	/	3	3641.800	-40.14	-13	Pass
3645	3705	1	/	/	/	/	/	/
3705	3750	1	/	4	3730.200	-39.06	-13	Pass
3750	3755	1	/	5	3754.850	-39.71	-25	Pass
3755	26500	1	/	6	26243.300	-34.60	-30	Pass

n77g_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_3879.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3805	3815	1	CHP	1	3811.600	-39.97	-30	Pass
3815	3820	1	CHP	2	3816.250	-39.98	-25	Pass
3820	3855	1	CHP	3	3823.900	-39.58	-13	Pass
3855	3859	1	CHP	4	3858.400	-38.47	-10	Pass
3859	3860	0.4	CHP	5	3859.450	-38.07	-13	Pass
3860	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.550	-45.19	-13	Pass
3901	3905	1	CHP	7	3903.700	-40.70	-10	Pass
3905	3940	1	CHP	8	3927.400	-40.83	-13	Pass
3940	3945	1	CHP	9	3942.100	-41.26	-25	Pass
3945	3955	1	CHP	10	3945.850	-41.37	-30	Pass

n77g_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_3879.99MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3805	3815	1	CHP	1	3808.750	-39.65	-30	Pass
3815	3820	1	CHP	2	3815.950	-39.84	-25	Pass
3820	3855	1	CHP	3	3823.600	-39.91	-13	Pass
3855	3859	1	CHP	4	3855.400	-40.17	-10	Pass
3859	3860	0.4	CHP	5	3859.600	-44.01	-13	Pass
3860	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.100	-34.42	-13	Pass
3901	3905	1	CHP	7	3901.600	-39.46	-10	Pass
3905	3940	1	CHP	8	3906.850	-40.50	-13	Pass
3940	3945	1	CHP	9	3943.150	-41.39	-25	Pass
3945	3955	1	CHP	10	3951.700	-41.27	-30	Pass

n77g_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_3879.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	861.000	-44.98	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK 3879.99MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3815	1	/	1	3804.150	-38.60	-30	Pass
3815	3820	1	/	2	3818.600	-39.22	-25	Pass
3820	3855	1	/	3	3831.350	-39.13	-13	Pass
3855	3905	1	/	/	/	/	/	/
3905	3940	1	/	4	3921.450	-39.76	-13	Pass
3940	3945	1	/	5	3944.400	-40.40	-25	Pass
3945	26500	1	/	6	26224.600	-34.69	-30	Pass

n77g_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK 3879.99MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3805	3815	1	CHP	1	3812.350	-38.68	-30	Pass
3815	3820	1	CHP	2	3817.150	-38.81	-25	Pass
3820	3855	1	CHP	3	3854.050	-38.18	-13	Pass
3855	3859	1	CHP	4	3858.400	-33.29	-10	Pass
3859	3860	0.4	CHP	5	3859.450	-35.75	-13	Pass
3860	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.100	-34.74	-13	Pass
3901	3905	1	CHP	7	3901.600	-33.43	-10	Pass
3905	3940	1	CHP	8	3905.050	-38.36	-13	Pass
3940	3945	1	CHP	9	3941.800	-40.58	-25	Pass
3945	3955	1	CHP	10	3946.900	-40.78	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_3879.99MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3805	3815	1	CHP	1	3807.100	-40.00	-30	Pass
3815	3820	1	CHP	2	3817.000	-39.77	-25	Pass
3820	3855	1	CHP	3	3853.450	-39.32	-13	Pass
3855	3859	1	CHP	4	3858.400	-37.73	-10	Pass
3859	3860	0.4	CHP	5	3859.750	-27.50	-13	Pass
3860	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.100	-45.75	-13	Pass
3901	3905	1	CHP	7	3904.450	-40.84	-10	Pass
3905	3940	1	CHP	8	3907.300	-40.51	-13	Pass
3940	3945	1	CHP	9	3942.550	-41.45	-25	Pass
3945	3955	1	CHP	10	3952.450	-41.47	-30	Pass

n77g_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_3879.99MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3805	3815	1	CHP	1	3811.900	-40.06	-30	Pass
3815	3820	1	CHP	2	3818.800	-40.04	-25	Pass
3820	3855	1	CHP	3	3836.800	-39.74	-13	Pass
3855	3859	1	CHP	4	3855.700	-40.25	-10	Pass
3859	3860	0.4	CHP	5	3859.900	-45.07	-13	Pass
3860	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.100	-38.29	-13	Pass
3901	3905	1	CHP	7	3901.600	-37.53	-10	Pass
3905	3940	1	CHP	8	3905.950	-39.56	-13	Pass
3940	3945	1	CHP	9	3943.450	-41.42	-25	Pass
3945	3955	1	CHP	10	3948.250	-41.25	-30	Pass


Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694




5.2.5 30_S_50M_NTNV

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM PI/2 BPSK_3475.02MHz_Edge_1RB_Left_Ant1




n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM PI/2 BPSK_3475.02MHz_Edge_1RB_Left_Ant1



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_PI/2_BPSK_3475.02MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3395	1	/	1	3279.700	-40.39	-30	Pass
3395	3400	1	/	2	3397.000	-42.29	-25	Pass
3400	3445	1	/	3	3433.550	-41.03	-13	Pass
3445	3505	1	/	/	/	/	/	/
3505	3550	1	/	4	3538.100	-41.82	-13	Pass
3550	3555	1	/	5	3552.550	-42.52	-25	Pass
3555	26500	1	/	6	26282.400	-34.81	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_PI/2_BPSK_3475.02MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3385	3395	1	CHP	1	3386.950	-44.16	-30	Pass
3395	3400	1	CHP	2	3400.000	-43.99	-25	Pass
3400	3445	1	CHP	3	3416.500	-43.87	-13	Pass
3445	3449	1	CHP	4	3445.900	-44.81	-10	Pass
3449	3450	0.4	CHP	5	3449.800	-48.12	-13	Pass
3450	3500	0.4	CHP	/	/	/	/	/
3500	3501	0.4	CHP	6	3500.200	-34.73	-13	Pass
3501	3505	1	CHP	7	3501.550	-42.48	-10	Pass
3505	3550	1	CHP	8	3506.950	-42.51	-13	Pass
3550	3555	1	CHP	9	3553.600	-44.08	-25	Pass
3555	3565	1	CHP	10	3559.450	-44.20	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM PI/2 BPSK_3475.02MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3385	3395	1	CHP	1	3394.900	-41.43	-30	Pass
3395	3400	1	CHP	2	3396.550	-38.07	-25	Pass
3400	3445	1	CHP	3	3437.050	-35.81	-13	Pass
3445	3449	1	CHP	4	3448.300	-35.49	-10	Pass
3449	3450	0.4	CHP	5	3449.800	-39.19	-13	Pass
3450	3500	0.4	CHP	/	/	/	/	/
3500	3501	0.4	CHP	6	3500.500	-40.70	-13	Pass
3501	3505	1	CHP	7	3503.050	-37.72	-10	Pass
3505	3550	1	CHP	8	3506.350	-37.81	-13	Pass
3550	3555	1	CHP	9	3552.700	-41.89	-25	Pass
3555	3565	1	CHP	10	3562.450	-43.05	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM PI/2 BPSK_3475.02MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3385	3395	1	CHP	1	3386.650	-43.96	-30	Pass
3395	3400	1	CHP	2	3396.550	-43.78	-25	Pass
3400	3445	1	CHP	3	3443.200	-41.19	-13	Pass
3445	3449	1	CHP	4	3448.450	-39.00	-10	Pass
3449	3450	0.4	CHP	5	3449.950	-22.72	-13	Pass
3450	3500	0.4	CHP	/	/	/	/	/
3500	3501	0.4	CHP	6	3500.650	-48.43	-13	Pass
3501	3505	1	CHP	7	3502.150	-44.47	-10	Pass
3505	3550	1	CHP	8	3536.950	-43.85	-13	Pass
3550	3555	1	CHP	9	3553.900	-43.93	-25	Pass
3555	3565	1	CHP	10	3558.550	-43.80	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_PI/2_BPSK_3475.02MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3385	3395	1	CHP	1	3394.450	-44.15	-30	Pass
3395	3400	1	CHP	2	3398.200	-44.19	-25	Pass
3400	3445	1	CHP	3	3405.250	-43.96	-13	Pass
3445	3449	1	CHP	4	3448.450	-44.51	-10	Pass
3449	3450	0.4	CHP	5	3449.950	-48.17	-13	Pass
3450	3500	0.4	CHP	/	/	/	/	/
3500	3501	0.4	CHP	6	3500.050	-33.31	-13	Pass
3501	3505	1	CHP	7	3501.550	-43.63	-10	Pass
3505	3550	1	CHP	8	3506.650	-43.66	-13	Pass
3550	3555	1	CHP	9	3554.800	-43.97	-25	Pass
3555	3565	1	CHP	10	3555.550	-43.88	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_PI/2_BPSK_3675MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	880.450	-44.84	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM PI/2 BPSK 3675MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3595	1	/	1	3288.200	-40.08	-30	Pass
3595	3600	1	/	2	3599.300	-41.38	-25	Pass
3600	3645	1	/	3	3634.150	-40.37	-13	Pass
3645	3705	1	/	/	/	/	/	/
3705	3750	1	/	4	3743.800	-39.19	-13	Pass
3750	3755	1	/	5	3753.150	-39.28	-25	Pass
3755	26500	1	/	6	26219.500	-34.67	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM PI/2 BPSK 3874.98MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3785	3795	1	CHP	1	3787.700	-39.81	-30	Pass
3795	3800	1	CHP	2	3800.000	-39.88	-25	Pass
3800	3845	1	CHP	3	3804.050	-39.41	-13	Pass
3845	3849	1	CHP	4	3848.450	-39.13	-10	Pass
3849	3850	0.4	CHP	5	3849.650	-37.64	-13	Pass
3850	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.650	-44.56	-13	Pass
3901	3905	1	CHP	7	3901.550	-40.47	-10	Pass
3905	3950	1	CHP	8	3907.700	-40.61	-13	Pass
3950	3955	1	CHP	9	3950.450	-41.32	-25	Pass
3955	3965	1	CHP	10	3956.600	-41.35	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_PI/2_BPSK_3874.98MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3785	3795	1	CHP	1	3786.800	-39.79	-30	Pass
3795	3800	1	CHP	2	3798.200	-39.87	-25	Pass
3800	3845	1	CHP	3	3803.450	-39.66	-13	Pass
3845	3849	1	CHP	4	3848.450	-40.29	-10	Pass
3849	3850	0.4	CHP	5	3849.950	-44.28	-13	Pass
3850	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.050	-40.80	-13	Pass
3901	3905	1	CHP	7	3901.550	-39.79	-10	Pass
3905	3950	1	CHP	8	3906.800	-40.68	-13	Pass
3950	3955	1	CHP	9	3950.150	-41.24	-25	Pass
3955	3965	1	CHP	10	3958.400	-41.57	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_PI/2_BPSK_3874.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	919.350	-44.99	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694




n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_PI/2_BPSK_3874.98MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3795	1	/	1	3775.250	-38.84	-30	Pass
3795	3800	1	/	2	3796.500	-39.05	-25	Pass
3800	3845	1	/	3	3815.200	-38.72	-13	Pass
3845	3905	1	/	/	/	/	/	/
3905	3950	1	/	4	3906.150	-39.78	-13	Pass
3950	3955	1	/	5	3950.350	-40.25	-25	Pass
3955	26500	1	/	6	26213.550	-34.77	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_PI/2_BPSK_3874.98MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3785	3795	1	CHP	1	3794.150	-37.95	-30	Pass
3795	3800	1	CHP	2	3796.850	-38.50	-25	Pass
3800	3845	1	CHP	3	3843.950	-35.74	-13	Pass
3845	3849	1	CHP	4	3845.150	-37.59	-10	Pass
3849	3850	0.4	CHP	5	3849.950	-41.86	-13	Pass
3850	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.200	-40.94	-13	Pass
3901	3905	1	CHP	7	3902.300	-38.04	-10	Pass
3905	3950	1	CHP	8	3919.250	-36.42	-13	Pass
3950	3955	1	CHP	9	3951.800	-41.09	-25	Pass
3955	3965	1	CHP	10	3962.000	-41.04	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_PI/2_BPSK_3874.98MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3785	3795	1	CHP	1	3792.800	-39.87	-30	Pass
3795	3800	1	CHP	2	3796.850	-39.62	-25	Pass
3800	3845	1	CHP	3	3843.050	-38.95	-13	Pass
3845	3849	1	CHP	4	3847.550	-39.41	-10	Pass
3849	3850	0.4	CHP	5	3849.500	-38.96	-13	Pass
3850	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.200	-44.97	-13	Pass
3901	3905	1	CHP	7	3903.500	-40.91	-10	Pass
3905	3950	1	CHP	8	3916.250	-40.59	-13	Pass
3950	3955	1	CHP	9	3950.150	-41.20	-25	Pass
3955	3965	1	CHP	10	3957.050	-41.27	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_PI/2_BPSK_3874.98MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3785	3795	1	CHP	1	3792.650	-39.63	-30	Pass
3795	3800	1	CHP	2	3797.450	-40.00	-25	Pass
3800	3845	1	CHP	3	3842.000	-39.71	-13	Pass
3845	3849	1	CHP	4	3846.350	-40.55	-10	Pass
3849	3850	0.4	CHP	5	3849.800	-44.89	-13	Pass
3850	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.200	-36.16	-13	Pass
3901	3905	1	CHP	7	3901.550	-39.16	-10	Pass
3905	3950	1	CHP	8	3906.200	-39.88	-13	Pass
3950	3955	1	CHP	9	3952.850	-41.70	-25	Pass
3955	3965	1	CHP	10	3956.600	-41.18	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3475.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3385	3395	1	CHP	1	3390.700	-43.64	-30	Pass
3395	3400	1	CHP	2	3399.250	-43.99	-25	Pass
3400	3445	1	CHP	3	3443.200	-43.39	-13	Pass
3445	3449	1	CHP	4	3448.450	-42.22	-10	Pass
3449	3450	0.4	CHP	5	3449.950	-27.98	-13	Pass
3450	3500	0.4	CHP	/	/	/	/	/
3500	3501	0.4	CHP	6	3500.650	-49.04	-13	Pass
3501	3505	1	CHP	7	3504.250	-44.53	-10	Pass
3505	3550	1	CHP	8	3549.400	-44.10	-13	Pass
3550	3555	1	CHP	9	3552.850	-44.04	-25	Pass
3555	3565	1	CHP	10	3561.850	-44.08	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3475.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	884.900	-45.04	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3475.02MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3395	1	/	1	3161.550	-40.60	-30	Pass
3395	3400	1	/	2	3399.550	-42.14	-25	Pass
3400	3445	1	/	3	3442.050	-41.44	-13	Pass
3445	3505	1	/	/	/	/	/	/
3505	3550	1	/	4	3536.400	-41.60	-13	Pass
3550	3555	1	/	5	3554.250	-42.65	-25	Pass
3555	26500	1	/	6	26240.750	-35.10	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3475.02MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3385	3395	1	CHP	1	3386.050	-44.10	-30	Pass
3395	3400	1	CHP	2	3397.450	-44.21	-25	Pass
3400	3445	1	CHP	3	3400.750	-43.97	-13	Pass
3445	3449	1	CHP	4	3446.950	-44.56	-10	Pass
3449	3450	0.4	CHP	5	3449.350	-48.40	-13	Pass
3450	3500	0.4	CHP	/	/	/	/	/
3500	3501	0.4	CHP	6	3500.050	-33.98	-13	Pass
3501	3505	1	CHP	7	3501.550	-41.36	-10	Pass
3505	3550	1	CHP	8	3507.100	-43.43	-13	Pass
3550	3555	1	CHP	9	3550.450	-44.22	-25	Pass
3555	3565	1	CHP	10	3560.350	-43.65	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3475.02MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3385	3395	1	CHP	1	3394.000	-39.99	-30	Pass
3395	3400	1	CHP	2	3397.450	-37.99	-25	Pass
3400	3445	1	CHP	3	3410.950	-37.19	-13	Pass
3445	3449	1	CHP	4	3447.700	-37.27	-10	Pass
3449	3450	0.4	CHP	5	3449.950	-36.24	-13	Pass
3450	3500	0.4	CHP	/	/	/	/	/
3500	3501	0.4	CHP	6	3500.050	-41.75	-13	Pass
3501	3505	1	CHP	7	3501.550	-38.47	-10	Pass
3505	3550	1	CHP	8	3506.350	-37.93	-13	Pass
3550	3555	1	CHP	9	3551.950	-40.64	-25	Pass
3555	3565	1	CHP	10	3558.100	-41.46	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3475.02MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3385	3395	1	CHP	1	3387.250	-43.90	-30	Pass
3395	3400	1	CHP	2	3399.250	-44.27	-25	Pass
3400	3445	1	CHP	3	3443.050	-43.34	-13	Pass
3445	3449	1	CHP	4	3448.450	-42.47	-10	Pass
3449	3450	0.4	CHP	5	3449.950	-21.91	-13	Pass
3450	3500	0.4	CHP	/	/	/	/	/
3500	3501	0.4	CHP	6	3500.650	-49.00	-13	Pass
3501	3505	1	CHP	7	3505.000	-44.40	-10	Pass
3505	3550	1	CHP	8	3536.350	-43.90	-13	Pass
3550	3555	1	CHP	9	3550.900	-44.17	-25	Pass
3555	3565	1	CHP	10	3562.900	-43.94	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3475.02MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3385	3395	1	CHP	1	3386.650	-43.86	-30	Pass
3395	3400	1	CHP	2	3398.800	-44.22	-25	Pass
3400	3445	1	CHP	3	3403.900	-44.04	-13	Pass
3445	3449	1	CHP	4	3447.100	-44.40	-10	Pass
3449	3450	0.4	CHP	5	3449.650	-48.51	-13	Pass
3450	3500	0.4	CHP	/	/	/	/	/
3500	3501	0.4	CHP	6	3500.050	-26.67	-13	Pass
3501	3505	1	CHP	7	3501.550	-39.41	-10	Pass
3505	3550	1	CHP	8	3506.500	-41.56	-13	Pass
3550	3555	1	CHP	9	3552.850	-44.19	-25	Pass
3555	3565	1	CHP	10	3557.800	-43.96	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3675MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	897.950	-44.86	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3675MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3595	1	/	1	3291.600	-40.38	-30	Pass
3595	3600	1	/	2	3596.750	-42.01	-25	Pass
3600	3645	1	/	3	3603.550	-40.02	-13	Pass
3645	3705	1	/	/	/	/	/	/
3705	3750	1	/	4	3742.950	-39.25	-13	Pass
3750	3755	1	/	5	3754.850	-39.43	-25	Pass
3755	26500	1	/	6	26258.600	-34.55	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3874.98MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3785	3795	1	CHP	1	3785.600	-39.94	-30	Pass
3795	3800	1	CHP	2	3797.450	-39.96	-25	Pass
3800	3845	1	CHP	3	3843.200	-39.40	-13	Pass
3845	3849	1	CHP	4	3848.450	-38.84	-10	Pass
3849	3850	0.4	CHP	5	3849.950	-20.83	-13	Pass
3850	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.500	-45.02	-13	Pass
3901	3905	1	CHP	7	3901.700	-40.59	-10	Pass
3905	3950	1	CHP	8	3905.450	-40.76	-13	Pass
3950	3955	1	CHP	9	3950.300	-41.27	-25	Pass
3955	3965	1	CHP	10	3958.250	-41.37	-30	Pass


Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694




n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3874.98MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3785	3795	1	CHP	1	3791.450	-39.92	-30	Pass
3795	3800	1	CHP	2	3795.050	-40.32	-25	Pass
3800	3845	1	CHP	3	3806.750	-39.76	-13	Pass
3845	3849	1	CHP	4	3847.100	-39.74	-10	Pass
3849	3850	0.4	CHP	5	3849.200	-44.70	-13	Pass
3850	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.050	-27.07	-13	Pass
3901	3905	1	CHP	7	3901.700	-39.85	-10	Pass
3905	3950	1	CHP	8	3906.800	-40.14	-13	Pass
3950	3955	1	CHP	9	3953.600	-41.52	-25	Pass
3955	3965	1	CHP	10	3963.650	-41.36	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3874.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	869.400	-44.60	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3874.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3795	1	/	1	3791.400	-38.80	-30	Pass
3795	3800	1	/	2	3796.500	-39.04	-25	Pass
3800	3845	1	/	3	3816.050	-38.39	-13	Pass
3845	3905	1	/	/	/	/	/	/
3905	3950	1	/	4	3906.150	-39.59	-13	Pass
3950	3955	1	/	5	3951.200	-40.91	-25	Pass
3955	26500	1	/	6	26233.950	-34.60	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3874.98MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3785	3795	1	CHP	1	3786.800	-38.77	-30	Pass
3795	3800	1	CHP	2	3797.600	-37.73	-25	Pass
3800	3845	1	CHP	3	3831.200	-38.74	-13	Pass
3845	3849	1	CHP	4	3847.700	-38.47	-10	Pass
3849	3850	0.4	CHP	5	3849.500	-41.91	-13	Pass
3850	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.200	-40.90	-13	Pass
3901	3905	1	CHP	7	3902.450	-36.81	-10	Pass
3905	3950	1	CHP	8	3908.600	-38.27	-13	Pass
3950	3955	1	CHP	9	3954.500	-40.62	-25	Pass
3955	3965	1	CHP	10	3961.700	-40.87	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3874.98MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3785	3795	1	CHP	1	3788.000	-39.80	-30	Pass
3795	3800	1	CHP	2	3795.950	-39.75	-25	Pass
3800	3845	1	CHP	3	3809.000	-39.42	-13	Pass
3845	3849	1	CHP	4	3848.450	-40.27	-10	Pass
3849	3850	0.4	CHP	5	3849.500	-38.22	-13	Pass
3850	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.350	-44.93	-13	Pass
3901	3905	1	CHP	7	3904.400	-41.06	-10	Pass
3905	3950	1	CHP	8	3918.350	-40.56	-13	Pass
3950	3955	1	CHP	9	3952.250	-41.08	-25	Pass
3955	3965	1	CHP	10	3963.950	-41.68	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3874.98MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3785	3795	1	CHP	1	3788.000	-39.58	-30	Pass
3795	3800	1	CHP	2	3795.050	-39.70	-25	Pass
3800	3845	1	CHP	3	3824.300	-39.62	-13	Pass
3845	3849	1	CHP	4	3846.200	-40.00	-10	Pass
3849	3850	0.4	CHP	5	3849.050	-44.57	-13	Pass
3850	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.050	-29.11	-13	Pass
3901	3905	1	CHP	7	3901.550	-40.31	-10	Pass
3905	3950	1	CHP	8	3906.950	-40.54	-13	Pass
3950	3955	1	CHP	9	3950.600	-41.46	-25	Pass
3955	3965	1	CHP	10	3964.100	-41.31	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3475.02MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3385	3395	1	CHP	1	3394.900	-43.85	-30	Pass
3395	3400	1	CHP	2	3395.200	-43.72	-25	Pass
3400	3445	1	CHP	3	3403.300	-43.13	-13	Pass
3445	3449	1	CHP	4	3447.850	-43.41	-10	Pass
3449	3450	0.4	CHP	5	3449.650	-40.02	-13	Pass
3450	3500	0.4	CHP	/	/	/	/	/
3500	3501	0.4	CHP	6	3500.050	-48.86	-13	Pass
3501	3505	1	CHP	7	3504.400	-44.52	-10	Pass
3505	3550	1	CHP	8	3547.000	-43.96	-13	Pass
3550	3555	1	CHP	9	3551.350	-44.14	-25	Pass
3555	3565	1	CHP	10	3556.150	-44.18	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3475.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	896.000	-45.00	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3475.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3395	1	/	1	3088.450	-40.36	-30	Pass
3395	3400	1	/	2	3397.850	-41.99	-25	Pass
3400	3445	1	/	3	3429.300	-41.81	-13	Pass
3445	3505	1	/	/	/	/	/	/
3505	3550	1	/	4	3527.050	-41.56	-13	Pass
3550	3555	1	/	5	3554.250	-41.49	-25	Pass
3555	26500	1	/	6	26196.550	-34.86	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3475.02MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3385	3395	1	CHP	1	3385.600	-44.26	-30	Pass
3395	3400	1	CHP	2	3399.850	-44.03	-25	Pass
3400	3445	1	CHP	3	3403.150	-43.89	-13	Pass
3445	3449	1	CHP	4	3446.350	-44.15	-10	Pass
3449	3450	0.4	CHP	5	3449.950	-48.22	-13	Pass
3450	3500	0.4	CHP	/	/	/	/	/
3500	3501	0.4	CHP	6	3500.050	-26.35	-13	Pass
3501	3505	1	CHP	7	3501.550	-42.26	-10	Pass
3505	3550	1	CHP	8	3506.800	-43.26	-13	Pass
3550	3555	1	CHP	9	3553.900	-43.96	-25	Pass
3555	3565	1	CHP	10	3561.400	-44.11	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3475.02MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3385	3395	1	CHP	1	3388.300	-40.36	-30	Pass
3395	3400	1	CHP	2	3398.800	-41.23	-25	Pass
3400	3445	1	CHP	3	3445.000	-39.08	-13	Pass
3445	3449	1	CHP	4	3448.450	-34.59	-10	Pass
3449	3450	0.4	CHP	5	3449.800	-35.91	-13	Pass
3450	3500	0.4	CHP	/	/	/	/	/
3500	3501	0.4	CHP	6	3500.050	-37.23	-13	Pass
3501	3505	1	CHP	7	3501.550	-36.25	-10	Pass
3505	3550	1	CHP	8	3508.300	-39.90	-13	Pass
3550	3555	1	CHP	9	3554.200	-41.40	-25	Pass
3555	3565	1	CHP	10	3559.300	-41.97	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3475.02MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3385	3395	1	CHP	1	3385.900	-43.96	-30	Pass
3395	3400	1	CHP	2	3398.350	-44.23	-25	Pass
3400	3445	1	CHP	3	3428.500	-42.01	-13	Pass
3445	3449	1	CHP	4	3448.450	-42.87	-10	Pass
3449	3450	0.4	CHP	5	3449.950	-20.11	-13	Pass
3450	3500	0.4	CHP	/	/	/	/	/
3500	3501	0.4	CHP	6	3500.350	-48.70	-13	Pass
3501	3505	1	CHP	7	3502.450	-44.63	-10	Pass
3505	3550	1	CHP	8	3527.350	-43.94	-13	Pass
3550	3555	1	CHP	9	3551.350	-44.11	-25	Pass
3555	3565	1	CHP	10	3560.050	-43.85	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_50MHz_CP-OFDM QPSK 3475.02MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3385	3395	1	CHP	1	3387.250	-43.85	-30	Pass
3395	3400	1	CHP	2	3397.600	-43.77	-25	Pass
3400	3445	1	CHP	3	3400.750	-43.61	-13	Pass
3445	3449	1	CHP	4	3446.650	-44.67	-10	Pass
3449	3450	0.4	CHP	5	3449.200	-47.41	-13	Pass
3450	3500	0.4	CHP	/	/	/	/	/
3500	3501	0.4	CHP	6	3500.350	-37.10	-13	Pass
3501	3505	1	CHP	7	3501.550	-38.12	-10	Pass
3505	3550	1	CHP	8	3506.350	-41.27	-13	Pass
3550	3555	1	CHP	9	3553.450	-44.27	-25	Pass
3555	3565	1	CHP	10	3563.050	-43.99	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_CP-OFDM QPSK 3675MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	898.300	-44.92	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3675MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3595	1	/	1	3135.200	-40.53	-30	Pass
3595	3600	1	/	2	3598.450	-41.37	-25	Pass
3600	3645	1	/	3	3615.450	-40.11	-13	Pass
3645	3705	1	/	/	/	/	/	/
3705	3750	1	/	4	3748.900	-39.25	-13	Pass
3750	3755	1	/	5	3750.600	-39.43	-25	Pass
3755	26500	1	/	6	26210.150	-34.51	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3874.98MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3785	3795	1	CHP	1	3790.700	-39.96	-30	Pass
3795	3800	1	CHP	2	3797.750	-40.01	-25	Pass
3800	3845	1	CHP	3	3842.750	-39.45	-13	Pass
3845	3849	1	CHP	4	3848.450	-38.93	-10	Pass
3849	3850	0.4	CHP	5	3849.950	-22.08	-13	Pass
3850	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.800	-45.21	-13	Pass
3901	3905	1	CHP	7	3904.400	-40.95	-10	Pass
3905	3950	1	CHP	8	3908.000	-40.65	-13	Pass
3950	3955	1	CHP	9	3950.450	-41.62	-25	Pass
3955	3965	1	CHP	10	3959.750	-41.35	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3874.98MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3785	3795	1	CHP	1	3787.850	-39.74	-30	Pass
3795	3800	1	CHP	2	3797.600	-40.07	-25	Pass
3800	3845	1	CHP	3	3825.800	-39.39	-13	Pass
3845	3849	1	CHP	4	3846.950	-39.92	-10	Pass
3849	3850	0.4	CHP	5	3849.650	-44.16	-13	Pass
3850	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.050	-25.38	-13	Pass
3901	3905	1	CHP	7	3901.550	-39.31	-10	Pass
3905	3950	1	CHP	8	3906.650	-40.11	-13	Pass
3950	3955	1	CHP	9	3950.150	-41.72	-25	Pass
3955	3965	1	CHP	10	3956.600	-41.49	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3874.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	894.500	-44.88	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_50MHz_CP-OFDM QPSK 3874.98MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3795	1	/	1	3776.950	-38.40	-30	Pass
3795	3800	1	/	2	3798.200	-38.91	-25	Pass
3800	3845	1	/	3	3810.100	-38.94	-13	Pass
3845	3905	1	/	/	/	/	/	/
3905	3950	1	/	4	3906.150	-39.41	-13	Pass
3950	3955	1	/	5	3952.050	-40.84	-25	Pass
3955	26500	1	/	6	26244.150	-34.56	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_CP-OFDM QPSK 3874.98MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3785	3795	1	CHP	1	3792.350	-38.65	-30	Pass
3795	3800	1	CHP	2	3795.650	-38.98	-25	Pass
3800	3845	1	CHP	3	3840.050	-37.99	-13	Pass
3845	3849	1	CHP	4	3848.450	-34.66	-10	Pass
3849	3850	0.4	CHP	5	3849.350	-36.32	-13	Pass
3850	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.050	-34.97	-13	Pass
3901	3905	1	CHP	7	3901.550	-35.31	-10	Pass
3905	3950	1	CHP	8	3910.550	-38.00	-13	Pass
3950	3955	1	CHP	9	3953.750	-40.88	-25	Pass
3955	3965	1	CHP	10	3955.550	-40.86	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3874.98MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3785	3795	1	CHP	1	3786.800	-39.64	-30	Pass
3795	3800	1	CHP	2	3800.000	-40.22	-25	Pass
3800	3845	1	CHP	3	3822.050	-39.54	-13	Pass
3845	3849	1	CHP	4	3846.350	-40.10	-10	Pass
3849	3850	0.4	CHP	5	3849.350	-43.40	-13	Pass
3850	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.500	-45.04	-13	Pass
3901	3905	1	CHP	7	3901.850	-41.08	-10	Pass
3905	3950	1	CHP	8	3928.400	-40.74	-13	Pass
3950	3955	1	CHP	9	3951.800	-41.15	-25	Pass
3955	3965	1	CHP	10	3956.450	-41.52	-30	Pass

n77g_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3874.98MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3785	3795	1	CHP	1	3789.050	-39.93	-30	Pass
3795	3800	1	CHP	2	3797.750	-40.16	-25	Pass
3800	3845	1	CHP	3	3830.000	-39.81	-13	Pass
3845	3849	1	CHP	4	3845.750	-40.20	-10	Pass
3849	3850	0.4	CHP	5	3849.050	-44.09	-13	Pass
3850	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.050	-24.33	-13	Pass
3901	3905	1	CHP	7	3902.900	-39.63	-10	Pass
3905	3950	1	CHP	8	3906.500	-39.98	-13	Pass
3950	3955	1	CHP	9	3950.150	-41.26	-25	Pass
3955	3965	1	CHP	10	3958.250	-41.67	-30	Pass


5.2.6 30_S_60M_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3480MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3385	1	/	1	3116.500	-40.50	-30	Pass
3385	3390	1	/	2	3385.950	-42.05	-25	Pass
3390	3445	1	/	3	3442.050	-40.40	-13	Pass
3445	3515	1	/	/	/	/	/	/
3515	3570	1	/	4	3540.650	-41.68	-13	Pass
3570	3575	1	/	5	3574.650	-41.17	-25	Pass
3575	26500	1	/	6	26187.200	-34.55	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3480MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3378.000	-43.92	-30	Pass
3385	3390	1	CHP	2	3386.550	-44.15	-25	Pass
3390	3445	1	CHP	3	3409.050	-43.85	-13	Pass
3445	3449	1	CHP	4	3445.500	-44.35	-10	Pass
3449	3450	0.4	CHP	5	3449.250	-49.17	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.150	-21.38	-13	Pass
3511	3515	1	CHP	7	3511.500	-39.83	-10	Pass
3515	3570	1	CHP	8	3517.200	-42.74	-13	Pass
3570	3575	1	CHP	9	3570.750	-44.18	-25	Pass
3575	3585	1	CHP	10	3583.800	-43.57	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM PI/2 BPSK_3480MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3375.750	-41.45	-30	Pass
3385	3390	1	CHP	2	3388.500	-39.92	-25	Pass
3390	3445	1	CHP	3	3401.100	-37.27	-13	Pass
3445	3449	1	CHP	4	3448.350	-38.02	-10	Pass
3449	3450	0.4	CHP	5	3449.850	-35.96	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.150	-35.42	-13	Pass
3511	3515	1	CHP	7	3511.500	-40.11	-10	Pass
3515	3570	1	CHP	8	3553.050	-40.24	-13	Pass
3570	3575	1	CHP	9	3574.950	-43.22	-25	Pass
3575	3585	1	CHP	10	3583.200	-42.23	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM PI/2 BPSK_3480MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3375.600	-44.25	-30	Pass
3385	3390	1	CHP	2	3386.550	-44.17	-25	Pass
3390	3445	1	CHP	3	3443.250	-41.89	-13	Pass
3445	3449	1	CHP	4	3448.500	-41.62	-10	Pass
3449	3450	0.4	CHP	5	3449.850	-35.52	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.450	-48.44	-13	Pass
3511	3515	1	CHP	7	3512.550	-44.64	-10	Pass
3515	3570	1	CHP	8	3564.600	-43.70	-13	Pass
3570	3575	1	CHP	9	3574.650	-43.92	-25	Pass
3575	3585	1	CHP	10	3578.850	-43.94	-30	Pass


Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694




n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3480MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3377.700	-43.87	-30	Pass
3385	3390	1	CHP	2	3388.500	-44.12	-25	Pass
3390	3445	1	CHP	3	3402.900	-43.82	-13	Pass
3445	3449	1	CHP	4	3447.150	-44.59	-10	Pass
3449	3450	0.4	CHP	5	3449.550	-48.96	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.150	-24.19	-13	Pass
3511	3515	1	CHP	7	3511.500	-42.60	-10	Pass
3515	3570	1	CHP	8	3516.900	-43.14	-13	Pass
3570	3575	1	CHP	9	3573.000	-43.97	-25	Pass
3575	3585	1	CHP	10	3576.900	-43.77	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3675MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	874.400	-44.91	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3675MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3565	1	/	1	2997.500	-40.67	-30	Pass
3565	3570	1	/	2	3567.850	-41.87	-25	Pass
3570	3635	1	/	3	3632.450	-40.13	-13	Pass
3635	3715	1	/	/	/	/	/	/
3715	3780	1	/	4	3774.400	-38.99	-13	Pass
3780	3785	1	/	5	3782.050	-39.75	-25	Pass
3785	26500	1	/	6	26166.800	-34.52	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3870MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3765	3775	1	CHP	1	3766.650	-39.70	-30	Pass
3775	3780	1	CHP	2	3776.550	-39.96	-25	Pass
3780	3835	1	CHP	3	3832.650	-39.52	-13	Pass
3835	3839	1	CHP	4	3838.500	-38.71	-10	Pass
3839	3840	0.4	CHP	5	3839.850	-24.48	-13	Pass
3840	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.600	-45.48	-13	Pass
3901	3905	1	CHP	7	3902.700	-40.76	-10	Pass
3905	3960	1	CHP	8	3933.600	-40.71	-13	Pass
3960	3965	1	CHP	9	3961.650	-41.32	-25	Pass
3965	3975	1	CHP	10	3971.550	-41.71	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3870MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3765	3775	1	CHP	1	3770.550	-40.01	-30	Pass
3775	3780	1	CHP	2	3777.300	-39.79	-25	Pass
3780	3835	1	CHP	3	3812.250	-39.81	-13	Pass
3835	3839	1	CHP	4	3837.750	-40.12	-10	Pass
3839	3840	0.4	CHP	5	3839.550	-44.05	-13	Pass
3840	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.150	-22.43	-13	Pass
3901	3905	1	CHP	7	3901.500	-38.35	-10	Pass
3905	3960	1	CHP	8	3906.900	-40.39	-13	Pass
3960	3965	1	CHP	9	3964.350	-41.25	-25	Pass
3965	3975	1	CHP	10	3974.400	-41.74	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3870MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	848.400	-44.90	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3870MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3775	1	/	1	3736.150	-39.22	-30	Pass
3775	3780	1	/	2	3776.950	-39.19	-25	Pass
3780	3835	1	/	3	3826.250	-39.22	-13	Pass
3835	3905	1	/	/	/	/	/	/
3905	3960	1	/	4	3906.150	-39.77	-13	Pass
3960	3965	1	/	5	3963.100	-40.60	-25	Pass
3965	26500	1	/	6	26197.400	-34.87	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3870MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3765	3775	1	CHP	1	3770.700	-39.30	-30	Pass
3775	3780	1	CHP	2	3778.350	-37.31	-25	Pass
3780	3835	1	CHP	3	3789.600	-37.49	-13	Pass
3835	3839	1	CHP	4	3836.250	-37.44	-10	Pass
3839	3840	0.4	CHP	5	3839.700	-41.65	-13	Pass
3840	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.450	-39.41	-13	Pass
3901	3905	1	CHP	7	3901.950	-35.97	-10	Pass
3905	3960	1	CHP	8	3919.950	-36.02	-13	Pass
3960	3965	1	CHP	9	3962.550	-40.68	-25	Pass
3965	3975	1	CHP	10	3971.700	-41.31	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3870MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3765	3775	1	CHP	1	3774.900	-40.02	-30	Pass
3775	3780	1	CHP	2	3775.650	-39.81	-25	Pass
3780	3835	1	CHP	3	3833.250	-39.50	-13	Pass
3835	3839	1	CHP	4	3838.500	-38.22	-10	Pass
3839	3840	0.4	CHP	5	3839.850	-22.22	-13	Pass
3840	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.450	-44.82	-13	Pass
3901	3905	1	CHP	7	3903.900	-40.46	-10	Pass
3905	3960	1	CHP	8	3924.450	-41.02	-13	Pass
3960	3965	1	CHP	9	3964.050	-41.67	-25	Pass
3965	3975	1	CHP	10	3970.050	-41.49	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3870MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3765	3775	1	CHP	1	3767.100	-40.02	-30	Pass
3775	3780	1	CHP	2	3778.500	-40.16	-25	Pass
3780	3835	1	CHP	3	3820.800	-39.71	-13	Pass
3835	3839	1	CHP	4	3837.000	-39.97	-10	Pass
3839	3840	0.4	CHP	5	3839.850	-44.20	-13	Pass
3840	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.450	-30.91	-13	Pass
3901	3905	1	CHP	7	3902.100	-40.64	-10	Pass
3905	3960	1	CHP	8	3906.300	-40.29	-13	Pass
3960	3965	1	CHP	9	3964.950	-41.76	-25	Pass
3965	3975	1	CHP	10	3968.100	-41.59	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3480MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3375.600	-44.04	-30	Pass
3385	3390	1	CHP	2	3385.500	-43.61	-25	Pass
3390	3445	1	CHP	3	3442.800	-42.41	-13	Pass
3445	3449	1	CHP	4	3448.500	-39.64	-10	Pass
3449	3450	0.4	CHP	5	3449.850	-26.49	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.450	-48.73	-13	Pass
3511	3515	1	CHP	7	3512.850	-44.41	-10	Pass
3515	3570	1	CHP	8	3564.900	-43.86	-13	Pass
3570	3575	1	CHP	9	3574.650	-43.59	-25	Pass
3575	3585	1	CHP	10	3580.800	-43.28	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3480MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	892.850	-45.01	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3480MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3385	1	/	1	2615.000	-40.68	-30	Pass
3385	3390	1	/	2	3389.350	-41.71	-25	Pass
3390	3445	1	/	3	3421.650	-41.54	-13	Pass
3445	3515	1	/	/	/	/	/	/
3515	3570	1	/	4	3538.950	-41.64	-13	Pass
3570	3575	1	/	5	3570.400	-42.32	-25	Pass
3575	26500	1	/	6	26130.250	-34.25	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3480MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3376.200	-43.76	-30	Pass
3385	3390	1	CHP	2	3385.500	-43.97	-25	Pass
3390	3445	1	CHP	3	3406.050	-43.81	-13	Pass
3445	3449	1	CHP	4	3446.100	-44.38	-10	Pass
3449	3450	0.4	CHP	5	3449.250	-48.47	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.150	-23.42	-13	Pass
3511	3515	1	CHP	7	3511.500	-41.65	-10	Pass
3515	3570	1	CHP	8	3517.200	-41.93	-13	Pass
3570	3575	1	CHP	9	3574.950	-43.62	-25	Pass
3575	3585	1	CHP	10	3575.100	-43.60	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3480MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3376.500	-40.50	-30	Pass
3385	3390	1	CHP	2	3386.700	-40.60	-25	Pass
3390	3445	1	CHP	3	3405.300	-37.27	-13	Pass
3445	3449	1	CHP	4	3448.200	-36.91	-10	Pass
3449	3450	0.4	CHP	5	3449.700	-36.45	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.150	-39.94	-13	Pass
3511	3515	1	CHP	7	3512.400	-39.19	-10	Pass
3515	3570	1	CHP	8	3567.300	-40.23	-13	Pass
3570	3575	1	CHP	9	3574.500	-41.32	-25	Pass
3575	3585	1	CHP	10	3576.750	-40.99	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3480MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3381.450	-43.78	-30	Pass
3385	3390	1	CHP	2	3385.050	-44.08	-25	Pass
3390	3445	1	CHP	3	3443.100	-42.82	-13	Pass
3445	3449	1	CHP	4	3448.500	-41.20	-10	Pass
3449	3450	0.4	CHP	5	3449.550	-38.41	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.150	-48.76	-13	Pass
3511	3515	1	CHP	7	3512.100	-44.80	-10	Pass
3515	3570	1	CHP	8	3561.000	-43.93	-13	Pass
3570	3575	1	CHP	9	3572.250	-44.15	-25	Pass
3575	3585	1	CHP	10	3577.800	-43.43	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3480MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3384.450	-43.84	-30	Pass
3385	3390	1	CHP	2	3385.350	-43.72	-25	Pass
3390	3445	1	CHP	3	3420.000	-43.77	-13	Pass
3445	3449	1	CHP	4	3445.500	-44.04	-10	Pass
3449	3450	0.4	CHP	5	3449.400	-49.03	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.150	-22.50	-13	Pass
3511	3515	1	CHP	7	3511.950	-43.01	-10	Pass
3515	3570	1	CHP	8	3516.750	-41.91	-13	Pass
3570	3575	1	CHP	9	3570.450	-43.61	-25	Pass
3575	3585	1	CHP	10	3576.300	-43.65	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3675MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	860.650	-44.81	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3675MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3565	1	/	1	3244.000	-40.62	-30	Pass
3565	3570	1	/	2	3566.150	-41.52	-25	Pass
3570	3635	1	/	3	3618.000	-40.24	-13	Pass
3635	3715	1	/	/	/	/	/	/
3715	3780	1	/	4	3726.800	-38.93	-13	Pass
3780	3785	1	/	5	3783.750	-39.00	-25	Pass
3785	26500	1	/	6	26313.000	-34.72	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3870MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3765	3775	1	CHP	1	3772.950	-40.17	-30	Pass
3775	3780	1	CHP	2	3779.700	-40.40	-25	Pass
3780	3835	1	CHP	3	3783.150	-39.69	-13	Pass
3835	3839	1	CHP	4	3835.050	-40.24	-10	Pass
3839	3840	0.4	CHP	5	3839.100	-44.74	-13	Pass
3840	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.150	-44.88	-13	Pass
3901	3905	1	CHP	7	3902.700	-41.02	-10	Pass
3905	3960	1	CHP	8	3914.400	-40.77	-13	Pass
3960	3965	1	CHP	9	3961.500	-41.58	-25	Pass
3965	3975	1	CHP	10	3968.100	-41.76	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3870MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3765	3775	1	CHP	1	3771.300	-39.82	-30	Pass
3775	3780	1	CHP	2	3779.700	-40.06	-25	Pass
3780	3835	1	CHP	3	3782.250	-39.70	-13	Pass
3835	3839	1	CHP	4	3835.200	-40.01	-10	Pass
3839	3840	0.4	CHP	5	3839.850	-44.16	-13	Pass
3840	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.150	-25.39	-13	Pass
3901	3905	1	CHP	7	3901.500	-37.35	-10	Pass
3905	3960	1	CHP	8	3907.200	-39.84	-13	Pass
3960	3965	1	CHP	9	3962.700	-41.18	-25	Pass
3965	3975	1	CHP	10	3968.550	-41.21	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3870MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	847.650	-45.03	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3870MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3775	1	/	1	3774.400	-38.94	-30	Pass
3775	3780	1	/	2	3775.250	-39.12	-25	Pass
3780	3835	1	/	3	3805.000	-38.72	-13	Pass
3835	3905	1	/	/	/	/	/	/
3905	3960	1	/	4	3944.400	-39.84	-13	Pass
3960	3965	1	/	5	3963.950	-40.95	-25	Pass
3965	26500	1	/	6	26250.950	-34.76	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3870MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3765	3775	1	CHP	1	3770.400	-39.61	-30	Pass
3775	3780	1	CHP	2	3778.650	-39.62	-25	Pass
3780	3835	1	CHP	3	3829.950	-38.10	-13	Pass
3835	3839	1	CHP	4	3838.500	-37.37	-10	Pass
3839	3840	0.4	CHP	5	3839.700	-38.89	-13	Pass
3840	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.300	-37.52	-13	Pass
3901	3905	1	CHP	7	3901.500	-36.16	-10	Pass
3905	3960	1	CHP	8	3907.950	-38.67	-13	Pass
3960	3965	1	CHP	9	3960.900	-41.32	-25	Pass
3965	3975	1	CHP	10	3969.600	-41.27	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3870MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3765	3775	1	CHP	1	3772.800	-39.70	-30	Pass
3775	3780	1	CHP	2	3780.000	-40.17	-25	Pass
3780	3835	1	CHP	3	3832.800	-39.31	-13	Pass
3835	3839	1	CHP	4	3838.500	-36.21	-10	Pass
3839	3840	0.4	CHP	5	3839.850	-35.90	-13	Pass
3840	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.150	-44.98	-13	Pass
3901	3905	1	CHP	7	3901.800	-40.77	-10	Pass
3905	3960	1	CHP	8	3916.200	-40.73	-13	Pass
3960	3965	1	CHP	9	3963.900	-41.54	-25	Pass
3965	3975	1	CHP	10	3973.050	-41.69	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3870MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3765	3775	1	CHP	1	3774.450	-39.93	-30	Pass
3775	3780	1	CHP	2	3775.200	-40.00	-25	Pass
3780	3835	1	CHP	3	3812.550	-39.80	-13	Pass
3835	3839	1	CHP	4	3837.450	-40.17	-10	Pass
3839	3840	0.4	CHP	5	3839.700	-43.64	-13	Pass
3840	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.150	-30.65	-13	Pass
3901	3905	1	CHP	7	3901.800	-38.50	-10	Pass
3905	3960	1	CHP	8	3906.450	-39.97	-13	Pass
3960	3965	1	CHP	9	3962.700	-41.33	-25	Pass
3965	3975	1	CHP	10	3967.500	-41.68	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3480MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3378.750	-43.94	-30	Pass
3385	3390	1	CHP	2	3387.900	-44.12	-25	Pass
3390	3445	1	CHP	3	3392.850	-42.77	-13	Pass
3445	3449	1	CHP	4	3447.150	-43.78	-10	Pass
3449	3450	0.4	CHP	5	3449.550	-32.14	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.300	-48.65	-13	Pass
3511	3515	1	CHP	7	3511.950	-44.23	-10	Pass
3515	3570	1	CHP	8	3559.350	-43.99	-13	Pass
3570	3575	1	CHP	9	3571.200	-44.13	-25	Pass
3575	3585	1	CHP	10	3579.900	-43.67	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3480MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	891.350	-45.09	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3480MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3385	1	/	1	3246.550	-40.36	-30	Pass
3385	3390	1	/	2	3387.650	-41.83	-25	Pass
3390	3445	1	/	3	3421.650	-39.45	-13	Pass
3445	3515	1	/	/	/	/	/	/
3515	3570	1	/	4	3568.700	-41.08	-13	Pass
3570	3575	1	/	5	3574.650	-41.78	-25	Pass
3575	26500	1	/	6	26307.050	-34.62	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3480MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3376.650	-43.88	-30	Pass
3385	3390	1	CHP	2	3385.950	-43.82	-25	Pass
3390	3445	1	CHP	3	3410.250	-44.03	-13	Pass
3445	3449	1	CHP	4	3446.400	-44.55	-10	Pass
3449	3450	0.4	CHP	5	3449.400	-49.07	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.150	-32.19	-13	Pass
3511	3515	1	CHP	7	3511.500	-40.02	-10	Pass
3515	3570	1	CHP	8	3516.900	-43.49	-13	Pass
3570	3575	1	CHP	9	3570.150	-44.34	-25	Pass
3575	3585	1	CHP	10	3580.650	-43.91	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3480MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3380.400	-38.68	-30	Pass
3385	3390	1	CHP	2	3385.800	-38.28	-25	Pass
3390	3445	1	CHP	3	3442.200	-37.63	-13	Pass
3445	3449	1	CHP	4	3448.500	-35.26	-10	Pass
3449	3450	0.4	CHP	5	3449.850	-35.50	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.300	-36.86	-13	Pass
3511	3515	1	CHP	7	3512.100	-36.00	-10	Pass
3515	3570	1	CHP	8	3515.100	-39.07	-13	Pass
3570	3575	1	CHP	9	3570.150	-41.28	-25	Pass
3575	3585	1	CHP	10	3581.100	-40.92	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3480MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3382.350	-43.81	-30	Pass
3385	3390	1	CHP	2	3389.100	-43.80	-25	Pass
3390	3445	1	CHP	3	3393.900	-42.97	-13	Pass
3445	3449	1	CHP	4	3447.600	-36.25	-10	Pass
3449	3450	0.4	CHP	5	3449.850	-19.24	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.450	-48.34	-13	Pass
3511	3515	1	CHP	7	3513.150	-44.65	-10	Pass
3515	3570	1	CHP	8	3561.750	-44.12	-13	Pass
3570	3575	1	CHP	9	3570.300	-44.03	-25	Pass
3575	3585	1	CHP	10	3577.800	-43.76	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3480MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3378.000	-43.71	-30	Pass
3385	3390	1	CHP	2	3388.800	-43.98	-25	Pass
3390	3445	1	CHP	3	3424.050	-44.02	-13	Pass
3445	3449	1	CHP	4	3445.050	-44.50	-10	Pass
3449	3450	0.4	CHP	5	3449.250	-49.62	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.150	-27.58	-13	Pass
3511	3515	1	CHP	7	3511.500	-40.65	-10	Pass
3515	3570	1	CHP	8	3536.850	-42.49	-13	Pass
3570	3575	1	CHP	9	3574.950	-43.79	-25	Pass
3575	3585	1	CHP	10	3575.550	-43.44	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3675MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	910.850	-44.97	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3675MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3565	1	/	1	3119.050	-40.64	-30	Pass
3565	3570	1	/	2	3569.550	-41.95	-25	Pass
3570	3635	1	/	3	3612.900	-39.76	-13	Pass
3635	3715	1	/	/	/	/	/	/
3715	3780	1	/	4	3746.350	-39.23	-13	Pass
3780	3785	1	/	5	3782.050	-39.77	-25	Pass
3785	26500	1	/	6	26238.200	-34.36	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3870MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3765	3775	1	CHP	1	3767.250	-39.88	-30	Pass
3775	3780	1	CHP	2	3776.400	-40.02	-25	Pass
3780	3835	1	CHP	3	3833.550	-39.59	-13	Pass
3835	3839	1	CHP	4	3838.500	-37.38	-10	Pass
3839	3840	0.4	CHP	5	3839.850	-19.61	-13	Pass
3840	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.750	-45.06	-13	Pass
3901	3905	1	CHP	7	3902.100	-40.70	-10	Pass
3905	3960	1	CHP	8	3909.150	-40.63	-13	Pass
3960	3965	1	CHP	9	3963.000	-41.33	-25	Pass
3965	3975	1	CHP	10	3969.000	-41.61	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3870MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3765	3775	1	CHP	1	3772.500	-40.07	-30	Pass
3775	3780	1	CHP	2	3775.800	-39.97	-25	Pass
3780	3835	1	CHP	3	3796.050	-39.54	-13	Pass
3835	3839	1	CHP	4	3835.800	-40.00	-10	Pass
3839	3840	0.4	CHP	5	3839.250	-44.25	-13	Pass
3840	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.150	-28.01	-13	Pass
3901	3905	1	CHP	7	3901.500	-39.10	-10	Pass
3905	3960	1	CHP	8	3905.100	-40.25	-13	Pass
3960	3965	1	CHP	9	3964.800	-41.44	-25	Pass
3965	3975	1	CHP	10	3965.100	-41.69	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3870MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	886.000	-45.02	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3870MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3775	1	/	1	3759.100	-38.94	-30	Pass
3775	3780	1	/	2	3776.100	-39.38	-25	Pass
3780	3835	1	/	3	3817.750	-38.88	-13	Pass
3835	3905	1	/	/	/	/	/	/
3905	3960	1	/	4	3910.400	-39.56	-13	Pass
3960	3965	1	/	5	3964.800	-40.83	-25	Pass
3965	26500	1	/	6	26282.400	-34.62	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3870MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3765	3775	1	CHP	1	3769.650	-38.45	-30	Pass
3775	3780	1	CHP	2	3775.650	-38.13	-25	Pass
3780	3835	1	CHP	3	3791.100	-38.17	-13	Pass
3835	3839	1	CHP	4	3838.200	-37.85	-10	Pass
3839	3840	0.4	CHP	5	3839.850	-37.15	-13	Pass
3840	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.150	-33.41	-13	Pass
3901	3905	1	CHP	7	3901.500	-34.28	-10	Pass
3905	3960	1	CHP	8	3908.850	-37.29	-13	Pass
3960	3965	1	CHP	9	3962.250	-40.60	-25	Pass
3965	3975	1	CHP	10	3970.800	-39.99	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3870MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3765	3775	1	CHP	1	3772.350	-39.87	-30	Pass
3775	3780	1	CHP	2	3777.600	-40.28	-25	Pass
3780	3835	1	CHP	3	3833.550	-38.99	-13	Pass
3835	3839	1	CHP	4	3838.350	-39.46	-10	Pass
3839	3840	0.4	CHP	5	3839.250	-40.61	-13	Pass
3840	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.300	-44.95	-13	Pass
3901	3905	1	CHP	7	3903.150	-40.49	-10	Pass
3905	3960	1	CHP	8	3909.150	-40.44	-13	Pass
3960	3965	1	CHP	9	3964.500	-41.23	-25	Pass
3965	3975	1	CHP	10	3971.700	-41.47	-30	Pass

n77g_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3870MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3765	3775	1	CHP	1	3773.550	-39.97	-30	Pass
3775	3780	1	CHP	2	3778.800	-40.16	-25	Pass
3780	3835	1	CHP	3	3784.350	-39.57	-13	Pass
3835	3839	1	CHP	4	3838.500	-40.33	-10	Pass
3839	3840	0.4	CHP	5	3839.400	-43.58	-13	Pass
3840	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.150	-21.09	-13	Pass
3901	3905	1	CHP	7	3901.500	-39.78	-10	Pass
3905	3960	1	CHP	8	3906.450	-40.26	-13	Pass
3960	3965	1	CHP	9	3962.400	-41.73	-25	Pass
3965	3975	1	CHP	10	3966.000	-41.29	-30	Pass


Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694




5.2.7 30_S_70M_NTNV

n77g_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM PI/2 BPSK_3485.01MHz_Edge_1RB_Left_Ant1




n77g_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM PI/2 BPSK_3485.01MHz_Edge_1RB_Left_Ant1



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM PI/2 BPSK_3485.01MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3375	1	/	1	3096.950	-40.62	-30	Pass
3375	3380	1	/	2	3375.750	-42.04	-25	Pass
3380	3445	1	/	3	3419.950	-41.90	-13	Pass
3445	3525	1	/	/	/	/	/	/
3525	3590	1	/	4	3580.600	-41.67	-13	Pass
3590	3595	1	/	5	3590.800	-41.90	-25	Pass
3595	26500	1	/	6	26237.350	-35.02	-30	Pass

n77g_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM PI/2 BPSK_3485.01MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3365	3375	1	CHP	1	3372.800	-43.88	-30	Pass
3375	3380	1	CHP	2	3378.650	-44.20	-25	Pass
3380	3445	1	CHP	3	3402.950	-43.97	-13	Pass
3445	3449	1	CHP	4	3447.200	-43.98	-10	Pass
3449	3450	0.4	CHP	5	3449.600	-48.63	-13	Pass
3450	3520	0.4	CHP	/	/	/	/	/
3520	3521	0.4	CHP	6	3520.100	-22.55	-13	Pass
3521	3525	1	CHP	7	3521.600	-41.33	-10	Pass
3525	3590	1	CHP	8	3527.000	-41.93	-13	Pass
3590	3595	1	CHP	9	3593.600	-43.61	-25	Pass
3595	3605	1	CHP	10	3603.500	-41.09	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM PI/2 BPSK_3485.01MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3365	3375	1	CHP	1	3366.800	-41.33	-30	Pass
3375	3380	1	CHP	2	3375.050	-42.20	-25	Pass
3380	3445	1	CHP	3	3443.450	-39.65	-13	Pass
3445	3449	1	CHP	4	3448.250	-38.16	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-37.58	-13	Pass
3450	3520	0.4	CHP	/	/	/	/	/
3520	3521	0.4	CHP	6	3520.100	-46.95	-13	Pass
3521	3525	1	CHP	7	3521.750	-41.83	-10	Pass
3525	3590	1	CHP	8	3558.650	-37.72	-13	Pass
3590	3595	1	CHP	9	3594.950	-39.67	-25	Pass
3595	3605	1	CHP	10	3595.100	-39.72	-30	Pass

n77g_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM PI/2 BPSK_3485.01MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3365	3375	1	CHP	1	3370.850	-43.73	-30	Pass
3375	3380	1	CHP	2	3377.600	-43.63	-25	Pass
3380	3445	1	CHP	3	3443.150	-41.79	-13	Pass
3445	3449	1	CHP	4	3448.400	-41.91	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-22.33	-13	Pass
3450	3520	0.4	CHP	/	/	/	/	/
3520	3521	0.4	CHP	6	3520.550	-48.56	-13	Pass
3521	3525	1	CHP	7	3522.350	-44.30	-10	Pass
3525	3590	1	CHP	8	3587.000	-43.81	-13	Pass
3590	3595	1	CHP	9	3592.550	-43.62	-25	Pass
3595	3605	1	CHP	10	3601.250	-41.39	-30	Pass

n77g_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3485.01MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3365	3375	1	CHP	1	3373.400	-43.74	-30	Pass
3375	3380	1	CHP	2	3379.850	-43.77	-25	Pass
3380	3445	1	CHP	3	3398.150	-43.97	-13	Pass
3445	3449	1	CHP	4	3447.350	-44.37	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-48.63	-13	Pass
3450	3520	0.4	CHP	/	/	/	/	/
3520	3521	0.4	CHP	6	3520.100	-25.90	-13	Pass
3521	3525	1	CHP	7	3521.600	-42.40	-10	Pass
3525	3590	1	CHP	8	3526.550	-41.63	-13	Pass
3590	3595	1	CHP	9	3594.200	-43.77	-25	Pass
3595	3605	1	CHP	10	3603.800	-41.89	-30	Pass

n77g_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3675MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	858.950	-44.92	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM PI/2 BPSK 3675MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3565	1	/	1	3245.700	-40.58	-30	Pass
3565	3570	1	/	2	3566.150	-42.31	-25	Pass
3570	3635	1	/	3	3630.750	-39.69	-13	Pass
3635	3715	1	/	/	/	/	/	/
3715	3780	1	/	4	3770.150	-38.82	-13	Pass
3780	3785	1	/	5	3784.600	-39.18	-25	Pass
3785	26500	1	/	6	26271.350	-34.56	-30	Pass

n77g_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM PI/2 BPSK 3864.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3745	3755	1	CHP	1	3752.650	-40.17	-30	Pass
3755	3760	1	CHP	2	3759.100	-40.21	-25	Pass
3760	3825	1	CHP	3	3823.900	-39.53	-13	Pass
3825	3829	1	CHP	4	3828.400	-38.15	-10	Pass
3829	3830	0.4	CHP	5	3829.900	-39.87	-13	Pass
3830	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3901.000	-44.79	-13	Pass
3901	3905	1	CHP	7	3901.600	-40.76	-10	Pass
3905	3970	1	CHP	8	3906.550	-40.73	-13	Pass
3970	3975	1	CHP	9	3972.850	-41.79	-25	Pass
3975	3985	1	CHP	10	3982.450	-41.60	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3864.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3745	3755	1	CHP	1	3745.900	-40.23	-30	Pass
3755	3760	1	CHP	2	3759.250	-39.43	-25	Pass
3760	3825	1	CHP	3	3812.950	-39.58	-13	Pass
3825	3829	1	CHP	4	3825.100	-40.33	-10	Pass
3829	3830	0.4	CHP	5	3829.300	-44.33	-13	Pass
3830	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.100	-23.48	-13	Pass
3901	3905	1	CHP	7	3901.600	-40.03	-10	Pass
3905	3970	1	CHP	8	3907.150	-40.31	-13	Pass
3970	3975	1	CHP	9	3971.800	-41.48	-25	Pass
3975	3985	1	CHP	10	3979.900	-41.90	-30	Pass

n77g_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3864.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	886.800	-44.96	-30	Pass

n77g_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3864.99MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3755	1	/	1	3746.350	-38.85	-30	Pass
3755	3760	1	/	2	3759.950	-39.38	-25	Pass
3760	3825	1	/	3	3790.550	-38.55	-13	Pass
3825	3905	1	/	/	/	/	/	/
3905	3970	1	/	4	3905.300	-39.59	-13	Pass
3970	3975	1	/	5	3975.000	-40.44	-25	Pass
3975	26500	1	/	6	26228.000	-34.49	-30	Pass

n77g_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3864.99MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3745	3755	1	CHP	1	3750.100	-38.80	-30	Pass
3755	3760	1	CHP	2	3755.050	-39.40	-25	Pass
3760	3825	1	CHP	3	3812.800	-38.35	-13	Pass
3825	3829	1	CHP	4	3828.250	-38.21	-10	Pass
3829	3830	0.4	CHP	5	3829.900	-37.68	-13	Pass
3830	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3901.000	-43.28	-13	Pass
3901	3905	1	CHP	7	3904.450	-39.29	-10	Pass
3905	3970	1	CHP	8	3920.500	-38.50	-13	Pass
3970	3975	1	CHP	9	3974.950	-41.01	-25	Pass
3975	3985	1	CHP	10	3975.400	-41.00	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3864.99MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3745	3755	1	CHP	1	3753.250	-39.98	-30	Pass
3755	3760	1	CHP	2	3759.700	-39.88	-25	Pass
3760	3825	1	CHP	3	3823.300	-39.57	-13	Pass
3825	3829	1	CHP	4	3828.400	-39.40	-10	Pass
3829	3830	0.4	CHP	5	3829.900	-27.12	-13	Pass
3830	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.700	-45.39	-13	Pass
3901	3905	1	CHP	7	3901.600	-40.82	-10	Pass
3905	3970	1	CHP	8	3909.100	-40.79	-13	Pass
3970	3975	1	CHP	9	3970.900	-41.83	-25	Pass
3975	3985	1	CHP	10	3981.100	-41.69	-30	Pass

n77g_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3864.99MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3745	3755	1	CHP	1	3746.500	-40.08	-30	Pass
3755	3760	1	CHP	2	3760.000	-40.24	-25	Pass
3760	3825	1	CHP	3	3770.200	-39.71	-13	Pass
3825	3829	1	CHP	4	3826.600	-39.99	-10	Pass
3829	3830	0.4	CHP	5	3829.900	-44.60	-13	Pass
3830	3900	0.4	CHP	/	/	/	/	/
3900	3901	0.4	CHP	6	3900.100	-40.40	-13	Pass
3901	3905	1	CHP	7	3901.600	-39.91	-10	Pass
3905	3970	1	CHP	8	3906.400	-40.12	-13	Pass
3970	3975	1	CHP	9	3972.550	-41.66	-25	Pass
3975	3985	1	CHP	10	3979.750	-41.68	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694