



n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK 3675MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3625	1	/	1	3213.400	-40.02	-30	Pass
3625	3630	1	/	2	3627.350	-41.19	-25	Pass
3630	3655	1	/	3	3654.550	-39.37	-13	Pass
3655	3695	1	/	/	/	/	/	/
3695	3720	1	/	4	3717.450	-39.25	-13	Pass
3720	3725	1	/	5	3720.850	-39.84	-25	Pass
3725	26500	1	/	6	26280.700	-34.64	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK 3889.98MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3845	3855	1	CHP	1	3854.600	-40.23	-30	Pass
3855	3860	1	CHP	2	3858.300	-40.05	-25	Pass
3860	3875	1	CHP	3	3872.800	-39.83	-13	Pass
3875	3879	1	CHP	4	3878.500	-39.14	-10	Pass
3879	3880	0.2	CHP	5	3879.800	-29.89	-13	Pass
3880	3900	0.2	CHP	/	/	/	/	/
3900	3901	0.2	CHP	6	3900.200	-47.95	-13	Pass
3901	3905	1	CHP	7	3903.250	-40.61	-10	Pass
3905	3920	1	CHP	8	3910.400	-40.81	-13	Pass
3920	3925	1	CHP	9	3922.350	-41.19	-25	Pass
3925	3935	1	CHP	10	3933.800	-41.10	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_3889.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3845	3855	1	CHP	1	3852.150	-40.28	-30	Pass
3855	3860	1	CHP	2	3858.450	-40.41	-25	Pass
3860	3875	1	CHP	3	3871.800	-40.03	-13	Pass
3875	3879	1	CHP	4	3877.600	-40.69	-10	Pass
3879	3880	0.2	CHP	5	3879.300	-47.25	-13	Pass
3880	3900	0.2	CHP	/	/	/	/	/
3900	3901	0.2	CHP	6	3900.050	-29.10	-13	Pass
3901	3905	1	CHP	7	3901.500	-39.79	-10	Pass
3905	3920	1	CHP	8	3907.200	-40.21	-13	Pass
3920	3925	1	CHP	9	3922.100	-41.00	-25	Pass
3925	3935	1	CHP	10	3926.300	-40.86	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_3889.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	890.850	-44.76	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_3889.98MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3855	1	/	1	3795.650	-38.52	-30	Pass
3855	3860	1	/	2	3856.850	-38.77	-25	Pass
3860	3875	1	/	3	3865.350	-39.38	-13	Pass
3875	3905	1	/	/	/	/	/	/
3905	3920	1	/	4	3913.800	-39.99	-13	Pass
3920	3925	1	/	5	3921.450	-40.10	-25	Pass
3925	26500	1	/	6	26262.000	-34.65	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_3889.98MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3845	3855	1	CHP	1	3847.850	-39.77	-30	Pass
3855	3860	1	CHP	2	3857.700	-39.94	-25	Pass
3860	3875	1	CHP	3	3871.850	-36.80	-13	Pass
3875	3879	1	CHP	4	3878.050	-37.26	-10	Pass
3879	3880	0.2	CHP	5	3879.900	-38.40	-13	Pass
3880	3900	0.2	CHP	/	/	/	/	/
3900	3901	0.2	CHP	6	3900.050	-43.23	-13	Pass
3901	3905	1	CHP	7	3901.550	-37.58	-10	Pass
3905	3920	1	CHP	8	3907.550	-36.86	-13	Pass
3920	3925	1	CHP	9	3920.200	-40.88	-25	Pass
3925	3935	1	CHP	10	3927.000	-40.96	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3889.98MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3845	3855	1	CHP	1	3850.700	-40.14	-30	Pass
3855	3860	1	CHP	2	3859.400	-40.36	-25	Pass
3860	3875	1	CHP	3	3872.850	-39.64	-13	Pass
3875	3879	1	CHP	4	3878.500	-38.67	-10	Pass
3879	3880	0.2	CHP	5	3879.950	-26.10	-13	Pass
3880	3900	0.2	CHP	/	/	/	/	/
3900	3901	0.2	CHP	6	3900.250	-47.71	-13	Pass
3901	3905	1	CHP	7	3904.800	-40.96	-10	Pass
3905	3920	1	CHP	8	3909.850	-40.76	-13	Pass
3920	3925	1	CHP	9	3924.500	-41.13	-25	Pass
3925	3935	1	CHP	10	3927.850	-41.11	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3889.98MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3845	3855	1	CHP	1	3848.650	-40.37	-30	Pass
3855	3860	1	CHP	2	3857.100	-40.41	-25	Pass
3860	3875	1	CHP	3	3862.650	-40.17	-13	Pass
3875	3879	1	CHP	4	3876.750	-40.56	-10	Pass
3879	3880	0.2	CHP	5	3879.450	-47.45	-13	Pass
3880	3900	0.2	CHP	/	/	/	/	/
3900	3901	0.2	CHP	6	3900.200	-31.14	-13	Pass
3901	3905	1	CHP	7	3901.750	-39.19	-10	Pass
3905	3920	1	CHP	8	3907.000	-40.07	-13	Pass
3920	3925	1	CHP	9	3923.750	-40.80	-25	Pass
3925	3935	1	CHP	10	3928.350	-40.84	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3460.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3415	3425	1	CHP	1	3423.000	-44.25	-30	Pass
3425	3430	1	CHP	2	3426.750	-44.44	-25	Pass
3430	3445	1	CHP	3	3433.000	-43.49	-13	Pass
3445	3449	1	CHP	4	3448.500	-41.62	-10	Pass
3449	3450	0.2	CHP	5	3449.950	-25.93	-13	Pass
3450	3470	0.2	CHP	/	/	/	/	/
3470	3471	0.2	CHP	6	3470.100	-51.46	-13	Pass
3471	3475	1	CHP	7	3472.100	-44.43	-10	Pass
3475	3490	1	CHP	8	3488.600	-44.32	-13	Pass
3490	3495	1	CHP	9	3490.450	-44.51	-25	Pass
3495	3505	1	CHP	10	3504.050	-44.38	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3460.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	891.500	-45.05	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3460.02MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3425	1	/	1	3113.950	-40.86	-30	Pass
3425	3430	1	/	2	3429.300	-41.91	-25	Pass
3430	3445	1	/	3	3442.050	-41.25	-13	Pass
3445	3475	1	/	/	/	/	/	/
3475	3490	1	/	4	3485.400	-42.33	-13	Pass
3490	3495	1	/	5	3491.350	-42.43	-25	Pass
3495	26500	1	/	6	26218.650	-34.92	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3460.02MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3415	3425	1	CHP	1	3418.350	-44.30	-30	Pass
3425	3430	1	CHP	2	3427.700	-44.40	-25	Pass
3430	3445	1	CHP	3	3433.000	-44.26	-13	Pass
3445	3449	1	CHP	4	3445.950	-44.45	-10	Pass
3449	3450	0.2	CHP	5	3449.500	-51.54	-13	Pass
3450	3470	0.2	CHP	/	/	/	/	/
3470	3471	0.2	CHP	6	3470.050	-25.76	-13	Pass
3471	3475	1	CHP	7	3471.500	-41.44	-10	Pass
3475	3490	1	CHP	8	3476.950	-43.18	-13	Pass
3490	3495	1	CHP	9	3492.600	-44.36	-25	Pass
3495	3505	1	CHP	10	3500.650	-44.47	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3460.02MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3415	3425	1	CHP	1	3417.700	-41.74	-30	Pass
3425	3430	1	CHP	2	3428.500	-43.09	-25	Pass
3430	3445	1	CHP	3	3434.600	-41.49	-13	Pass
3445	3449	1	CHP	4	3448.500	-39.32	-10	Pass
3449	3450	0.2	CHP	5	3449.950	-33.43	-13	Pass
3450	3470	0.2	CHP	/	/	/	/	/
3470	3471	0.2	CHP	6	3470.050	-43.17	-13	Pass
3471	3475	1	CHP	7	3471.500	-40.77	-10	Pass
3475	3490	1	CHP	8	3480.200	-41.74	-13	Pass
3490	3495	1	CHP	9	3490.500	-42.62	-25	Pass
3495	3505	1	CHP	10	3499.350	-42.40	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3460.02MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3415	3425	1	CHP	1	3416.750	-44.27	-30	Pass
3425	3430	1	CHP	2	3429.700	-44.36	-25	Pass
3430	3445	1	CHP	3	3443.050	-41.35	-13	Pass
3445	3449	1	CHP	4	3448.500	-39.08	-10	Pass
3449	3450	0.2	CHP	5	3449.950	-29.70	-13	Pass
3450	3470	0.2	CHP	/	/	/	/	/
3470	3471	0.2	CHP	6	3470.300	-51.40	-13	Pass
3471	3475	1	CHP	7	3471.500	-44.49	-10	Pass
3475	3490	1	CHP	8	3480.400	-44.27	-13	Pass
3490	3495	1	CHP	9	3490.700	-44.52	-25	Pass
3495	3505	1	CHP	10	3495.700	-44.61	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3460.02MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3415	3425	1	CHP	1	3419.750	-44.27	-30	Pass
3425	3430	1	CHP	2	3427.150	-44.21	-25	Pass
3430	3445	1	CHP	3	3433.400	-44.25	-13	Pass
3445	3449	1	CHP	4	3447.350	-44.42	-10	Pass
3449	3450	0.2	CHP	5	3449.450	-51.60	-13	Pass
3450	3470	0.2	CHP	/	/	/	/	/
3470	3471	0.2	CHP	6	3470.050	-25.20	-13	Pass
3471	3475	1	CHP	7	3471.500	-38.45	-10	Pass
3475	3490	1	CHP	8	3477.000	-43.39	-13	Pass
3490	3495	1	CHP	9	3490.650	-44.42	-25	Pass
3495	3505	1	CHP	10	3500.100	-44.52	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3675MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	894.150	-44.83	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3675MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3625	1	/	1	3115.650	-40.07	-30	Pass
3625	3630	1	/	2	3628.200	-40.51	-25	Pass
3630	3655	1	/	3	3652.850	-39.94	-13	Pass
3655	3695	1	/	/	/	/	/	/
3695	3720	1	/	4	3700.450	-38.93	-13	Pass
3720	3725	1	/	5	3721.700	-39.34	-25	Pass
3725	26500	1	/	6	26172.750	-34.68	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3889.98MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3845	3855	1	CHP	1	3852.850	-40.22	-30	Pass
3855	3860	1	CHP	2	3860.000	-40.42	-25	Pass
3860	3875	1	CHP	3	3865.500	-40.10	-13	Pass
3875	3879	1	CHP	4	3878.500	-38.72	-10	Pass
3879	3880	0.2	CHP	5	3879.950	-25.90	-13	Pass
3880	3900	0.2	CHP	/	/	/	/	/
3900	3901	0.2	CHP	6	3900.500	-48.31	-13	Pass
3901	3905	1	CHP	7	3904.200	-40.82	-10	Pass
3905	3920	1	CHP	8	3906.500	-40.72	-13	Pass
3920	3925	1	CHP	9	3920.100	-41.04	-25	Pass
3925	3935	1	CHP	10	3929.700	-41.08	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3889.98MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3845	3855	1	CHP	1	3847.150	-40.22	-30	Pass
3855	3860	1	CHP	2	3857.700	-40.37	-25	Pass
3860	3875	1	CHP	3	3865.100	-40.19	-13	Pass
3875	3879	1	CHP	4	3875.250	-40.36	-10	Pass
3879	3880	0.2	CHP	5	3879.500	-47.56	-13	Pass
3880	3900	0.2	CHP	/	/	/	/	/
3900	3901	0.2	CHP	6	3900.050	-31.29	-13	Pass
3901	3905	1	CHP	7	3901.500	-40.07	-10	Pass
3905	3920	1	CHP	8	3907.050	-40.10	-13	Pass
3920	3925	1	CHP	9	3923.150	-40.90	-25	Pass
3925	3935	1	CHP	10	3927.250	-40.93	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3889.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	915.200	-44.88	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3889.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3855	1	/	1	3842.400	-38.90	-30	Pass
3855	3860	1	/	2	3858.550	-39.86	-25	Pass
3860	3875	1	/	3	3873.850	-39.83	-13	Pass
3875	3905	1	/	/	/	/	/	/
3905	3920	1	/	4	3905.300	-39.62	-13	Pass
3920	3925	1	/	5	3924.850	-40.42	-25	Pass
3925	26500	1	/	6	26318.100	-34.24	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3889.98MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3845	3855	1	CHP	1	3851.800	-38.92	-30	Pass
3855	3860	1	CHP	2	3855.050	-39.24	-25	Pass
3860	3875	1	CHP	3	3871.700	-38.01	-13	Pass
3875	3879	1	CHP	4	3875.300	-38.84	-10	Pass
3879	3880	0.2	CHP	5	3879.950	-40.03	-13	Pass
3880	3900	0.2	CHP	/	/	/	/	/
3900	3901	0.2	CHP	6	3900.050	-43.04	-13	Pass
3901	3905	1	CHP	7	3904.250	-39.05	-10	Pass
3905	3920	1	CHP	8	3905.150	-39.00	-13	Pass
3920	3925	1	CHP	9	3920.250	-40.70	-25	Pass
3925	3935	1	CHP	10	3930.300	-40.34	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3889.98MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3845	3855	1	CHP	1	3853.700	-40.15	-30	Pass
3855	3860	1	CHP	2	3855.600	-40.33	-25	Pass
3860	3875	1	CHP	3	3873.150	-39.52	-13	Pass
3875	3879	1	CHP	4	3878.500	-39.02	-10	Pass
3879	3880	0.2	CHP	5	3879.950	-31.40	-13	Pass
3880	3900	0.2	CHP	/	/	/	/	/
3900	3901	0.2	CHP	6	3900.350	-47.90	-13	Pass
3901	3905	1	CHP	7	3903.350	-40.77	-10	Pass
3905	3920	1	CHP	8	3906.500	-40.82	-13	Pass
3920	3925	1	CHP	9	3921.400	-40.94	-25	Pass
3925	3935	1	CHP	10	3925.300	-41.07	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3889.98MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3845	3855	1	CHP	1	3846.700	-39.96	-30	Pass
3855	3860	1	CHP	2	3855.150	-40.12	-25	Pass
3860	3875	1	CHP	3	3872.800	-40.28	-13	Pass
3875	3879	1	CHP	4	3876.150	-40.37	-10	Pass
3879	3880	0.2	CHP	5	3879.450	-47.48	-13	Pass
3880	3900	0.2	CHP	/	/	/	/	/
3900	3901	0.2	CHP	6	3900.050	-29.42	-13	Pass
3901	3905	1	CHP	7	3901.550	-38.47	-10	Pass
3905	3920	1	CHP	8	3906.600	-39.98	-13	Pass
3920	3925	1	CHP	9	3920.700	-41.09	-25	Pass
3925	3935	1	CHP	10	3925.300	-40.88	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3460.02MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3415	3425	1	CHP	1	3417.250	-44.02	-30	Pass
3425	3430	1	CHP	2	3426.700	-44.30	-25	Pass
3430	3445	1	CHP	3	3442.250	-42.31	-13	Pass
3445	3449	1	CHP	4	3448.500	-39.96	-10	Pass
3449	3450	0.2	CHP	5	3449.850	-30.51	-13	Pass
3450	3470	0.2	CHP	/	/	/	/	/
3470	3471	0.2	CHP	6	3470.450	-51.61	-13	Pass
3471	3475	1	CHP	7	3471.500	-44.38	-10	Pass
3475	3490	1	CHP	8	3485.050	-44.45	-13	Pass
3490	3495	1	CHP	9	3495.000	-44.65	-25	Pass
3495	3505	1	CHP	10	3498.250	-44.25	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3460.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	893.900	-45.09	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3460.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3425	1	/	1	3234.650	-40.55	-30	Pass
3425	3430	1	/	2	3427.600	-42.60	-25	Pass
3430	3445	1	/	3	3442.050	-41.69	-13	Pass
3445	3475	1	/	/	/	/	/	/
3475	3490	1	/	4	3478.600	-42.56	-13	Pass
3490	3495	1	/	5	3493.900	-42.52	-25	Pass
3495	26500	1	/	6	26228.000	-34.66	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3460.02MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3415	3425	1	CHP	1	3416.650	-44.32	-30	Pass
3425	3430	1	CHP	2	3427.250	-44.21	-25	Pass
3430	3445	1	CHP	3	3432.800	-44.16	-13	Pass
3445	3449	1	CHP	4	3447.550	-44.16	-10	Pass
3449	3450	0.2	CHP	5	3449.950	-51.33	-13	Pass
3450	3470	0.2	CHP	/	/	/	/	/
3470	3471	0.2	CHP	6	3470.050	-24.36	-13	Pass
3471	3475	1	CHP	7	3471.500	-39.18	-10	Pass
3475	3490	1	CHP	8	3477.500	-41.90	-13	Pass
3490	3495	1	CHP	9	3491.400	-44.25	-25	Pass
3495	3505	1	CHP	10	3498.600	-44.42	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3460.02MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3415	3425	1	CHP	1	3424.950	-41.35	-30	Pass
3425	3430	1	CHP	2	3428.700	-40.79	-25	Pass
3430	3445	1	CHP	3	3435.750	-39.83	-13	Pass
3445	3449	1	CHP	4	3448.500	-34.40	-10	Pass
3449	3450	0.2	CHP	5	3449.950	-32.17	-13	Pass
3450	3470	0.2	CHP	/	/	/	/	/
3470	3471	0.2	CHP	6	3470.050	-33.35	-13	Pass
3471	3475	1	CHP	7	3471.500	-33.59	-10	Pass
3475	3490	1	CHP	8	3475.050	-38.59	-13	Pass
3490	3495	1	CHP	9	3491.350	-42.33	-25	Pass
3495	3505	1	CHP	10	3498.650	-42.31	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3460.02MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3415	3425	1	CHP	1	3417.050	-44.31	-30	Pass
3425	3430	1	CHP	2	3427.050	-44.16	-25	Pass
3430	3445	1	CHP	3	3442.900	-41.03	-13	Pass
3445	3449	1	CHP	4	3448.500	-39.81	-10	Pass
3449	3450	0.2	CHP	5	3449.900	-30.92	-13	Pass
3450	3470	0.2	CHP	/	/	/	/	/
3470	3471	0.2	CHP	6	3470.550	-51.26	-13	Pass
3471	3475	1	CHP	7	3473.900	-44.58	-10	Pass
3475	3490	1	CHP	8	3477.550	-44.53	-13	Pass
3490	3495	1	CHP	9	3493.300	-44.62	-25	Pass
3495	3505	1	CHP	10	3498.100	-44.52	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK 3460.02MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3415	3425	1	CHP	1	3418.150	-44.33	-30	Pass
3425	3430	1	CHP	2	3428.650	-44.27	-25	Pass
3430	3445	1	CHP	3	3439.300	-44.15	-13	Pass
3445	3449	1	CHP	4	3445.400	-44.49	-10	Pass
3449	3450	0.2	CHP	5	3449.800	-51.77	-13	Pass
3450	3470	0.2	CHP	/	/	/	/	/
3470	3471	0.2	CHP	6	3470.150	-27.36	-13	Pass
3471	3475	1	CHP	7	3471.700	-39.64	-10	Pass
3475	3490	1	CHP	8	3477.400	-42.73	-13	Pass
3490	3495	1	CHP	9	3491.450	-44.27	-25	Pass
3495	3505	1	CHP	10	3496.950	-44.39	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK 3675MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	881.550	-44.89	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3675MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3625	1	/	1	3245.700	-40.06	-30	Pass
3625	3630	1	/	2	3628.200	-40.84	-25	Pass
3630	3655	1	/	3	3653.700	-40.26	-13	Pass
3655	3695	1	/	/	/	/	/	/
3695	3720	1	/	4	3710.650	-39.68	-13	Pass
3720	3725	1	/	5	3720.850	-40.11	-25	Pass
3725	26500	1	/	6	26264.550	-34.49	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3889.98MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3845	3855	1	CHP	1	3851.200	-40.11	-30	Pass
3855	3860	1	CHP	2	3857.050	-40.36	-25	Pass
3860	3875	1	CHP	3	3872.300	-39.98	-13	Pass
3875	3879	1	CHP	4	3878.500	-38.83	-10	Pass
3879	3880	0.2	CHP	5	3879.950	-24.39	-13	Pass
3880	3900	0.2	CHP	/	/	/	/	/
3900	3901	0.2	CHP	6	3900.650	-47.92	-13	Pass
3901	3905	1	CHP	7	3901.500	-40.85	-10	Pass
3905	3920	1	CHP	8	3906.700	-40.65	-13	Pass
3920	3925	1	CHP	9	3923.500	-40.91	-25	Pass
3925	3935	1	CHP	10	3929.700	-41.13	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3889.98MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3845	3855	1	CHP	1	3847.850	-40.26	-30	Pass
3855	3860	1	CHP	2	3855.700	-40.37	-25	Pass
3860	3875	1	CHP	3	3860.800	-40.28	-13	Pass
3875	3879	1	CHP	4	3876.100	-40.30	-10	Pass
3879	3880	0.2	CHP	5	3879.900	-47.76	-13	Pass
3880	3900	0.2	CHP	/	/	/	/	/
3900	3901	0.2	CHP	6	3900.050	-30.57	-13	Pass
3901	3905	1	CHP	7	3901.500	-38.85	-10	Pass
3905	3920	1	CHP	8	3905.100	-40.20	-13	Pass
3920	3925	1	CHP	9	3920.600	-40.95	-25	Pass
3925	3935	1	CHP	10	3925.600	-40.94	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3889.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	858.850	-44.93	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_3889.98MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3855	1	/	1	3804.150	-38.94	-30	Pass
3855	3860	1	/	2	3858.550	-39.86	-25	Pass
3860	3875	1	/	3	3865.350	-39.36	-13	Pass
3875	3905	1	/	/	/	/	/	/
3905	3920	1	/	4	3911.250	-39.26	-13	Pass
3920	3925	1	/	5	3924.850	-39.93	-25	Pass
3925	26500	1	/	6	26225.450	-34.46	-30	Pass

n77g_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_3889.98MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3845	3855	1	CHP	1	3848.700	-39.38	-30	Pass
3855	3860	1	CHP	2	3858.250	-39.05	-25	Pass
3860	3875	1	CHP	3	3874.900	-38.10	-13	Pass
3875	3879	1	CHP	4	3878.500	-33.82	-10	Pass
3879	3880	0.2	CHP	5	3879.950	-33.79	-13	Pass
3880	3900	0.2	CHP	/	/	/	/	/
3900	3901	0.2	CHP	6	3900.050	-34.76	-13	Pass
3901	3905	1	CHP	7	3901.500	-35.55	-10	Pass
3905	3920	1	CHP	8	3914.250	-39.25	-13	Pass
3920	3925	1	CHP	9	3920.900	-40.35	-25	Pass
3925	3935	1	CHP	10	3928.450	-40.65	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3889.98MHz_Inner_1RB_Left_Ant1



n77g_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3889.98MHz_Inner_1RB_Right_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694




5.2.3 30_S_30M_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM PI/2 BPSK_3465MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3415	1	/	1	3271.200	-40.65	-30	Pass
3415	3420	1	/	2	3416.550	-42.07	-25	Pass
3420	3445	1	/	3	3424.200	-42.11	-13	Pass
3445	3485	1	/	/	/	/	/	/
3485	3510	1	/	4	3499.850	-42.37	-13	Pass
3510	3515	1	/	5	3513.450	-42.52	-25	Pass
3515	26500	1	/	6	26238.200	-34.75	-30	Pass

n77g_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM PI/2 BPSK_3465MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3405	3415	1	CHP	1	3405.960	-44.26	-30	Pass
3415	3420	1	CHP	2	3415.320	-44.12	-25	Pass
3420	3445	1	CHP	3	3423.120	-44.05	-13	Pass
3445	3449	1	CHP	4	3448.320	-44.27	-10	Pass
3449	3450	0.3	/	5	3449.520	-48.73	-13	Pass
3450	3480	0.3	/	/	/	/	/	/
3480	3481	0.3	/	6	3480.120	-25.11	-13	Pass
3481	3485	1	CHP	7	3481.560	-40.14	-10	Pass
3485	3510	1	CHP	8	3486.720	-42.25	-13	Pass
3510	3515	1	CHP	9	3514.440	-44.67	-25	Pass
3515	3525	1	CHP	10	3516.120	-44.22	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_3465MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3405	3415	1	CHP	1	3408.600	-42.50	-30	Pass
3415	3420	1	CHP	2	3415.680	-42.86	-25	Pass
3420	3445	1	CHP	3	3435.000	-39.77	-13	Pass
3445	3449	1	CHP	4	3446.880	-39.85	-10	Pass
3449	3450	0.3	/	5	3449.760	-32.00	-13	Pass
3450	3480	0.3	/	/	/	/	/	/
3480	3481	0.3	/	6	3480.360	-43.42	-13	Pass
3481	3485	1	CHP	7	3481.560	-39.59	-10	Pass
3485	3510	1	CHP	8	3493.920	-37.96	-13	Pass
3510	3515	1	CHP	9	3511.920	-43.73	-25	Pass
3515	3525	1	CHP	10	3516.960	-43.55	-30	Pass

n77g_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_3465MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3405	3415	1	CHP	1	3405.840	-44.11	-30	Pass
3415	3420	1	CHP	2	3415.920	-44.53	-25	Pass
3420	3445	1	CHP	3	3424.320	-42.09	-13	Pass
3445	3449	1	CHP	4	3447.960	-40.28	-10	Pass
3449	3450	0.3	/	5	3449.760	-26.48	-13	Pass
3450	3480	0.3	/	/	/	/	/	/
3480	3481	0.3	/	6	3480.960	-48.05	-13	Pass
3481	3485	1	CHP	7	3481.680	-44.50	-10	Pass
3485	3510	1	CHP	8	3497.760	-44.28	-13	Pass
3510	3515	1	CHP	9	3514.800	-44.38	-25	Pass
3515	3525	1	CHP	10	3520.920	-44.38	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_3465MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3405	3415	1	CHP	1	3410.760	-44.26	-30	Pass
3415	3420	1	CHP	2	3415.320	-44.21	-25	Pass
3420	3445	1	CHP	3	3424.920	-43.87	-13	Pass
3445	3449	1	CHP	4	3446.040	-44.39	-10	Pass
3449	3450	0.3	/	5	3449.280	-48.25	-13	Pass
3450	3480	0.3	/	/	/	/	/	/
3480	3481	0.3	/	6	3480.120	-27.25	-13	Pass
3481	3485	1	CHP	7	3481.320	-38.04	-10	Pass
3485	3510	1	CHP	8	3486.720	-42.60	-13	Pass
3510	3515	1	CHP	9	3510.240	-44.23	-25	Pass
3515	3525	1	CHP	10	3523.080	-44.15	-30	Pass

n77g_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_3675MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	828.750	-44.92	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM PI/2 BPSK 3675MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3625	1	/	1	3139.450	-40.30	-30	Pass
3625	3630	1	/	2	3629.050	-40.66	-25	Pass
3630	3655	1	/	3	3637.550	-39.97	-13	Pass
3655	3695	1	/	/	/	/	/	/
3695	3720	1	/	4	3718.300	-39.74	-13	Pass
3720	3725	1	/	5	3724.250	-39.63	-25	Pass
3725	26500	1	/	6	26284.100	-34.59	-30	Pass

n77g_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM PI/2 BPSK 3885MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3825	3835	1	CHP	1	3828.840	-40.14	-30	Pass
3835	3840	1	CHP	2	3839.640	-40.31	-25	Pass
3840	3865	1	CHP	3	3862.680	-39.49	-13	Pass
3865	3869	1	CHP	4	3868.440	-39.34	-10	Pass
3869	3870	0.3	/	5	3869.880	-28.39	-13	Pass
3870	3900	0.3	/	/	/	/	/	/
3900	3901	0.3	/	6	3900.120	-44.90	-13	Pass
3901	3905	1	CHP	7	3904.200	-40.64	-10	Pass
3905	3930	1	CHP	8	3908.160	-40.79	-13	Pass
3930	3935	1	CHP	9	3933.360	-40.97	-25	Pass
3935	3945	1	CHP	10	3935.160	-41.12	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_3885MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3825	3835	1	CHP	1	3834.840	-39.79	-30	Pass
3835	3840	1	CHP	2	3835.080	-39.89	-25	Pass
3840	3865	1	CHP	3	3853.800	-40.10	-13	Pass
3865	3869	1	CHP	4	3867.960	-40.44	-10	Pass
3869	3870	0.3	/	5	3869.760	-43.69	-13	Pass
3870	3900	0.3	/	/	/	/	/	/
3900	3901	0.3	/	6	3900.240	-31.28	-13	Pass
3901	3905	1	CHP	7	3901.560	-40.56	-10	Pass
3905	3930	1	CHP	8	3906.720	-40.55	-13	Pass
3930	3935	1	CHP	9	3931.800	-41.07	-25	Pass
3935	3945	1	CHP	10	3935.760	-41.06	-30	Pass

n77g_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_3885MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	876.300	-44.76	-30	Pass

n77g_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_3885MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3835	1	/	1	3790.550	-38.51	-30	Pass
3835	3840	1	/	2	3839.000	-39.48	-25	Pass
3840	3865	1	/	3	3846.650	-39.31	-13	Pass
3865	3905	1	/	/	/	/	/	/
3905	3930	1	/	4	3907.000	-39.52	-13	Pass
3930	3935	1	/	5	3930.800	-40.38	-25	Pass
3935	26500	1	/	6	26284.100	-34.70	-30	Pass

n77g_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_3885MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3825	3835	1	CHP	1	3832.320	-39.23	-30	Pass
3835	3840	1	CHP	2	3837.240	-39.64	-25	Pass
3840	3865	1	CHP	3	3860.400	-38.30	-13	Pass
3865	3869	1	CHP	4	3868.320	-38.50	-10	Pass
3869	3870	0.3	/	5	3869.880	-32.52	-13	Pass
3870	3900	0.3	/	/	/	/	/	/
3900	3901	0.3	/	6	3900.240	-42.90	-13	Pass
3901	3905	1	CHP	7	3904.680	-39.43	-10	Pass
3905	3930	1	CHP	8	3914.520	-38.66	-13	Pass
3930	3935	1	CHP	9	3931.680	-40.86	-25	Pass
3935	3945	1	CHP	10	3939.240	-41.10	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_3885MHz_Inner_1RB_Left_Ant1



n77g_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_3885MHz_Inner_1RB_Right_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_3465MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3405	3415	1	CHP	1	3407.160	-43.88	-30	Pass
3415	3420	1	CHP	2	3416.040	-43.68	-25	Pass
3420	3445	1	CHP	3	3442.920	-42.16	-13	Pass
3445	3449	1	CHP	4	3448.440	-39.61	-10	Pass
3449	3450	0.3	/	5	3449.880	-36.40	-13	Pass
3450	3480	0.3	/	/	/	/	/	/
3480	3481	0.3	/	6	3480.480	-49.07	-13	Pass
3481	3485	1	CHP	7	3484.800	-44.31	-10	Pass
3485	3510	1	CHP	8	3508.920	-44.21	-13	Pass
3510	3515	1	CHP	9	3511.800	-44.43	-25	Pass
3515	3525	1	CHP	10	3520.920	-44.34	-30	Pass

n77g_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_3465MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	863.700	-45.07	-30	Pass

n77g_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_3465MHz_Edge_1RB_Left_Ant1



n77g_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_3465MHz_Edge_1RB_Right_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n77g_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_3465MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3405	3415	1	CHP	1	3406.800	-41.97	-30	Pass
3415	3420	1	CHP	2	3418.200	-43.45	-25	Pass
3420	3445	1	CHP	3	3444.960	-40.95	-13	Pass
3445	3449	1	CHP	4	3447.120	-40.74	-10	Pass
3449	3450	0.3	/	5	3449.760	-38.24	-13	Pass
3450	3480	0.3	/	/	/	/	/	/
3480	3481	0.3	/	6	3480.840	-45.70	-13	Pass
3481	3485	1	CHP	7	3484.800	-41.23	-10	Pass
3485	3510	1	CHP	8	3495.960	-40.47	-13	Pass
3510	3515	1	CHP	9	3514.920	-43.39	-25	Pass
3515	3525	1	CHP	10	3515.040	-43.42	-30	Pass

n77g_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_3465MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3405	3415	1	CHP	1	3406.200	-43.98	-30	Pass
3415	3420	1	CHP	2	3415.320	-44.28	-25	Pass
3420	3445	1	CHP	3	3443.280	-41.96	-13	Pass
3445	3449	1	CHP	4	3448.440	-39.76	-10	Pass
3449	3450	0.3	/	5	3449.880	-35.76	-13	Pass
3450	3480	0.3	/	/	/	/	/	/
3480	3481	0.3	/	6	3480.960	-49.19	-13	Pass
3481	3485	1	CHP	7	3483.480	-44.47	-10	Pass
3485	3510	1	CHP	8	3488.880	-44.01	-13	Pass
3510	3515	1	CHP	9	3510.480	-44.26	-25	Pass
3515	3525	1	CHP	10	3521.760	-44.00	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694