

DFT-s-OFDM 256 QAM	3470.01	Outer_Full	6.98	/	/	<=13	Pass
	3500.01	Outer_Full	6.99	/	/	<=13	Pass
	3529.98	Outer_Full	6.99	/	/	<=13	Pass
CP-OFDM QPSK	3470.01	Outer_Full	7.95	/	/	<=13	Pass
	3500.01	Outer_Full	7.94	/	/	<=13	Pass
	3529.98	Outer_Full	7.94	/	/	<=13	Pass
CP-OFDM 16 QAM	3470.01	Outer_Full	8.01	/	/	<=13	Pass
	3500.01	Outer_Full	8.02	/	/	<=13	Pass
	3529.98	Outer_Full	7.99	/	/	<=13	Pass
CP-OFDM 64 QAM	3470.01	Outer_Full	8.16	/	/	<=13	Pass
	3500.01	Outer_Full	8.18	/	/	<=13	Pass
	3529.98	Outer_Full	8.19	/	/	<=13	Pass
CP-OFDM 256 QAM	3470.01	Outer_Full	8.58	/	/	<=13	Pass
	3500.01	Outer_Full	8.56	/	/	<=13	Pass
	3529.98	Outer_Full	8.57	/	/	<=13	Pass

4.1.5 30_S_50M_NTNV

5G NR n78e SCS=30kHz SISO 50MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3475.02	Outer_Full	6.12	/	/	<=13	Pass
	3500.01	Outer_Full	6.15	/	/	<=13	Pass
	3525	Outer_Full	6.15	/	/	<=13	Pass
DFT-s-OFDM QPSK	3475.02	Outer_Full	6.48	/	/	<=13	Pass
	3500.01	Outer_Full	6.48	/	/	<=13	Pass
	3525	Outer_Full	6.50	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	3475.02	Outer_Full	7.15	/	/	<=13	Pass
	3500.01	Outer_Full	7.16	/	/	<=13	Pass
	3525	Outer_Full	7.15	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	3475.02	Outer_Full	7.26	/	/	<=13	Pass
	3500.01	Outer_Full	7.27	/	/	<=13	Pass
	3525	Outer_Full	7.27	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3475.02	Outer_Full	7.25	/	/	<=13	Pass
	3500.01	Outer_Full	7.27	/	/	<=13	Pass
	3525	Outer_Full	7.25	/	/	<=13	Pass
CP-OFDM QPSK	3475.02	Outer_Full	8.07	/	/	<=13	Pass
	3500.01	Outer_Full	8.06	/	/	<=13	Pass
	3525	Outer_Full	8.06	/	/	<=13	Pass
CP-OFDM 16 QAM	3475.02	Outer_Full	8.02	/	/	<=13	Pass
	3500.01	Outer_Full	8.01	/	/	<=13	Pass
	3525	Outer_Full	8.00	/	/	<=13	Pass
CP-OFDM 64 QAM	3475.02	Outer_Full	8.30	/	/	<=13	Pass
	3500.01	Outer_Full	8.30	/	/	<=13	Pass
	3525	Outer_Full	8.29	/	/	<=13	Pass
CP-OFDM 256 QAM	3475.02	Outer_Full	8.47	/	/	<=13	Pass
	3500.01	Outer_Full	8.46	/	/	<=13	Pass
	3525	Outer_Full	8.46	/	/	<=13	Pass

4.1.6 30_S_60M_NTNV

5G NR n78e SCS=30kHz SISO 60MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3480	Outer_Full	6.74	/	/	<=13	Pass
	3500.01	Outer_Full	6.75	/	/	<=13	Pass
	3519.99	Outer_Full	6.75	/	/	<=13	Pass
DFT-s-OFDM QPSK	3480	Outer_Full	6.91	/	/	<=13	Pass
	3500.01	Outer_Full	6.90	/	/	<=13	Pass
	3519.99	Outer_Full	6.90	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	3480	Outer_Full	7.35	/	/	<=13	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

DFT-s-OFDM 64 QAM	3500.01	Outer_Full	7.38	/	/	<=13	Pass
	3519.99	Outer_Full	7.34	/	/	<=13	Pass
	3480	Outer_Full	7.44	/	/	<=13	Pass
	3500.01	Outer_Full	7.43	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3519.99	Outer_Full	7.43	/	/	<=13	Pass
	3480	Outer_Full	7.46	/	/	<=13	Pass
	3500.01	Outer_Full	7.47	/	/	<=13	Pass
	3519.99	Outer_Full	7.47	/	/	<=13	Pass
CP-OFDM QPSK	3480	Outer_Full	8.20	/	/	<=13	Pass
	3500.01	Outer_Full	8.16	/	/	<=13	Pass
	3519.99	Outer_Full	8.19	/	/	<=13	Pass
	3480	Outer_Full	8.16	/	/	<=13	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	8.15	/	/	<=13	Pass
	3519.99	Outer_Full	8.17	/	/	<=13	Pass
	3480	Outer_Full	8.22	/	/	<=13	Pass
	3500.01	Outer_Full	8.21	/	/	<=13	Pass
CP-OFDM 64 QAM	3519.99	Outer_Full	8.22	/	/	<=13	Pass
	3480	Outer_Full	8.40	/	/	<=13	Pass
	3500.01	Outer_Full	8.41	/	/	<=13	Pass
	3519.99	Outer_Full	8.41	/	/	<=13	Pass

4.1.7 30_S_70M_NTNV

5G NR n78e SCS=30kHz SISO 70MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3485.01	Outer_Full	6.27	/	/	<=13	Pass
	3500.01	Outer_Full	6.27	/	/	<=13	Pass
	3514.98	Outer_Full	6.28	/	/	<=13	Pass
DFT-s-OFDM QPSK	3485.01	Outer_Full	6.98	/	/	<=13	Pass
	3500.01	Outer_Full	6.99	/	/	<=13	Pass
	3514.98	Outer_Full	6.99	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	3485.01	Outer_Full	7.36	/	/	<=13	Pass
	3500.01	Outer_Full	7.36	/	/	<=13	Pass
	3514.98	Outer_Full	7.36	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	3485.01	Outer_Full	7.44	/	/	<=13	Pass
	3500.01	Outer_Full	7.45	/	/	<=13	Pass
	3514.98	Outer_Full	7.44	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3485.01	Outer_Full	7.55	/	/	<=13	Pass
	3500.01	Outer_Full	7.55	/	/	<=13	Pass
	3514.98	Outer_Full	7.54	/	/	<=13	Pass
CP-OFDM QPSK	3485.01	Outer_Full	8.13	/	/	<=13	Pass
	3500.01	Outer_Full	8.18	/	/	<=13	Pass
	3514.98	Outer_Full	8.19	/	/	<=13	Pass
CP-OFDM 16 QAM	3485.01	Outer_Full	8.21	/	/	<=13	Pass
	3500.01	Outer_Full	8.18	/	/	<=13	Pass
	3514.98	Outer_Full	8.17	/	/	<=13	Pass
CP-OFDM 64 QAM	3485.01	Outer_Full	8.44	/	/	<=13	Pass
	3500.01	Outer_Full	8.43	/	/	<=13	Pass
	3514.98	Outer_Full	8.43	/	/	<=13	Pass
CP-OFDM 256 QAM	3485.01	Outer_Full	8.34	/	/	<=13	Pass
	3500.01	Outer_Full	10.89	/	/	<=13	Pass
	3514.98	Outer_Full	8.35	/	/	<=13	Pass

4.1.8 30_S_80M_NTNV

5G NR n78e SCS=30kHz SISO 80MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3490.02	Outer_Full	6.30	/	/	<=13	Pass
	3500.01	Outer_Full	6.29	/	/	<=13	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

	3510	Outer_Full	6.31	/	/	<=13	Pass
DFT-s-OFDM QPSK	3490.02	Outer_Full	7.23	/	/	<=13	Pass
	3500.01	Outer_Full	7.25	/	/	<=13	Pass
	3510	Outer_Full	7.24	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	3490.02	Outer_Full	7.47	/	/	<=13	Pass
	3500.01	Outer_Full	7.47	/	/	<=13	Pass
	3510	Outer_Full	7.47	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	3490.02	Outer_Full	7.52	/	/	<=13	Pass
	3500.01	Outer_Full	7.51	/	/	<=13	Pass
	3510	Outer_Full	7.51	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3490.02	Outer_Full	7.60	/	/	<=13	Pass
	3500.01	Outer_Full	7.61	/	/	<=13	Pass
	3510	Outer_Full	7.60	/	/	<=13	Pass
CP-OFDM QPSK	3490.02	Outer_Full	8.13	/	/	<=13	Pass
	3500.01	Outer_Full	8.12	/	/	<=13	Pass
	3510	Outer_Full	8.13	/	/	<=13	Pass
CP-OFDM 16 QAM	3490.02	Outer_Full	8.33	/	/	<=13	Pass
	3500.01	Outer_Full	8.31	/	/	<=13	Pass
	3510	Outer_Full	8.31	/	/	<=13	Pass
CP-OFDM 64 QAM	3490.02	Outer_Full	8.30	/	/	<=13	Pass
	3500.01	Outer_Full	8.29	/	/	<=13	Pass
	3510	Outer_Full	8.29	/	/	<=13	Pass
CP-OFDM 256 QAM	3490.02	Outer_Full	8.39	/	/	<=13	Pass
	3500.01	Outer_Full	8.38	/	/	<=13	Pass
	3510	Outer_Full	8.37	/	/	<=13	Pass

4.1.9 30_S_90M_NTNV

5G NR n78e SCS=30kHz SISO 90MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3495	Outer_Full	6.34	/	/	<=13	Pass
	3500.01	Outer_Full	6.36	/	/	<=13	Pass
	3504.99	Outer_Full	6.35	/	/	<=13	Pass
DFT-s-OFDM QPSK	3495	Outer_Full	7.15	/	/	<=13	Pass
	3500.01	Outer_Full	7.15	/	/	<=13	Pass
	3504.99	Outer_Full	7.14	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	3495	Outer_Full	7.64	/	/	<=13	Pass
	3500.01	Outer_Full	7.66	/	/	<=13	Pass
	3504.99	Outer_Full	7.66	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	3495	Outer_Full	7.65	/	/	<=13	Pass
	3500.01	Outer_Full	7.65	/	/	<=13	Pass
	3504.99	Outer_Full	7.67	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3495	Outer_Full	7.66	/	/	<=13	Pass
	3500.01	Outer_Full	7.67	/	/	<=13	Pass
	3504.99	Outer_Full	7.65	/	/	<=13	Pass
CP-OFDM QPSK	3495	Outer_Full	8.14	/	/	<=13	Pass
	3500.01	Outer_Full	8.15	/	/	<=13	Pass
	3504.99	Outer_Full	8.14	/	/	<=13	Pass
CP-OFDM 16 QAM	3495	Outer_Full	8.37	/	/	<=13	Pass
	3500.01	Outer_Full	8.36	/	/	<=13	Pass
	3504.99	Outer_Full	8.36	/	/	<=13	Pass
CP-OFDM 64 QAM	3495	Outer_Full	8.30	/	/	<=13	Pass
	3500.01	Outer_Full	8.30	/	/	<=13	Pass
	3504.99	Outer_Full	8.31	/	/	<=13	Pass
CP-OFDM 256 QAM	3495	Outer_Full	8.43	/	/	<=13	Pass
	3500.01	Outer_Full	8.43	/	/	<=13	Pass
	3504.99	Outer_Full	8.44	/	/	<=13	Pass

4.1.10 30_S_100M_NTNV

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694



5G NR n78e SCS=30kHz SISO 100MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	6.63	/	/	<=13	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	7.32	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	7.68	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	7.80	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	7.83	/	/	<=13	Pass
CP-OFDM QPSK	3500.01	Outer_Full	8.28	/	/	<=13	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	8.45	/	/	<=13	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	8.38	/	/	<=13	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	8.44	/	/	<=13	Pass




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

4.2 Test Graph

4.2.1 30_S_10M_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n78e_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_PI/2_BPSK_3544.98MHz_Outer_Full_Ant1




n78e_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_3455.01MHz_Outer_Full_Ant1



n78e_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_3500.01MHz_Outer_Full_Ant1



n78e_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_3544.98MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

n78e_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_16_QAM_3455.01MHz_Outer_Full_Ant1



n78e_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_16_QAM_3500.01MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n78e_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_16_QAM_3544.98MHz_Outer_Full_Ant1




n78e_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_64_QAM_3455.01MHz_Outer_Full_Ant1



n78e_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_64_QAM_3500.01MHz_Outer_Full_Ant1




n78e_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_64_QAM_3544.98MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78e_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_3455.01MHz_Outer_Full_Ant1



n78e_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_3500.01MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n78e_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_3544.98MHz_Outer_Full_Ant1




n78e_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_3455.01MHz_Outer_Full_Ant1



n78e_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_3500.01MHz_Outer_Full_Ant1




n78e_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_3544.98MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78e_30kHz_SISO_NTNV_10MHz_CP-OFDM_16_QAM_3455.01MHz_Outer_Full_Ant1



n78e_30kHz_SISO_NTNV_10MHz_CP-OFDM_16_QAM_3500.01MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n78e_30kHz_SISO_NTNV_10MHz_CP-OFDM_16_QAM_3544.98MHz_Outer_Full_Ant1




n78e_30kHz_SISO_NTNV_10MHz_CP-OFDM_64_QAM_3455.01MHz_Outer_Full_Ant1



n78e_30kHz_SISO_NTNV_10MHz_CP-OFDM_64_QAM_3500.01MHz_Outer_Full_Ant1




n78e_30kHz_SISO_NTNV_10MHz_CP-OFDM_64_QAM_3544.98MHz_Outer_Full_Ant1


Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

n78e_30kHz_SISO_NTNV_10MHz_CP-OFDM_256_QAM_3455.01MHz_Outer_Full_Ant1




n78e_30kHz_SISO_NTNV_10MHz_CP-OFDM_256_QAM_3500.01MHz_Outer_Full_Ant1



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


4.2.2 30_S_20M_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78e 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3540MHz Outer Full Ant1



n78e 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3460.02MHz Outer Full Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3500.01MHz_Outer_Full_Ant1




n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3540MHz_Outer_Full_Ant1



n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_3460.02MHz_Outer_Full_Ant1




n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_3500.01MHz_Outer_Full_Ant1



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
 Shenzhen, Guangdong Province, China
 Tel: +86 0755 23080694

n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_3540MHz_Outer_Full_Ant1



n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_3460.02MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_3500.01MHz_Outer_Full_Ant1




n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_3540MHz_Outer_Full_Ant1



n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_3460.02MHz_Outer_Full_Ant1




n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_3500.01MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_3540MHz_Outer_Full_Ant1



n78e_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3460.02MHz_Outer_Full_Ant1



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694