



n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3480MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3385	1	/	1	3158.150	-40.44	-30	Pass
3385	3390	1	/	2	3385.950	-41.68	-25	Pass
3390	3445	1	/	3	3442.900	-40.90	-13	Pass
3445	3515	1	/	/	/	/	/	/
3515	3570	1	/	4	3527.900	-41.81	-13	Pass
3570	3575	1	/	5	3574.650	-41.87	-25	Pass
3575	26500	1	/	6	26256.050	-34.54	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3480MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3378.150	-43.97	-30	Pass
3385	3390	1	CHP	2	3386.550	-44.07	-25	Pass
3390	3445	1	CHP	3	3399.300	-43.58	-13	Pass
3445	3449	1	CHP	4	3448.200	-44.55	-10	Pass
3449	3450	0.4	CHP	5	3449.700	-48.21	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.150	-34.24	-13	Pass
3511	3515	1	CHP	7	3511.500	-42.52	-10	Pass
3515	3570	1	CHP	8	3516.750	-43.63	-13	Pass
3570	3575	1	CHP	9	3570.600	-44.07	-25	Pass
3575	3585	1	CHP	10	3582.750	-43.55	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3480MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3379.050	-42.13	-30	Pass
3385	3390	1	CHP	2	3388.200	-40.69	-25	Pass
3390	3445	1	CHP	3	3399.000	-38.92	-13	Pass
3445	3449	1	CHP	4	3448.500	-38.02	-10	Pass
3449	3450	0.4	CHP	5	3449.700	-39.51	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.150	-37.73	-13	Pass
3511	3515	1	CHP	7	3511.650	-38.71	-10	Pass
3515	3570	1	CHP	8	3515.400	-39.70	-13	Pass
3570	3575	1	CHP	9	3573.900	-43.43	-25	Pass
3575	3585	1	CHP	10	3577.350	-42.29	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3480MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3379.800	-44.04	-30	Pass
3385	3390	1	CHP	2	3386.850	-43.92	-25	Pass
3390	3445	1	CHP	3	3443.400	-40.85	-13	Pass
3445	3449	1	CHP	4	3448.500	-40.25	-10	Pass
3449	3450	0.4	CHP	5	3449.850	-30.76	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.300	-48.50	-13	Pass
3511	3515	1	CHP	7	3513.450	-44.44	-10	Pass
3515	3570	1	CHP	8	3555.450	-43.85	-13	Pass
3570	3575	1	CHP	9	3574.050	-43.80	-25	Pass
3575	3585	1	CHP	10	3578.700	-43.91	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3480MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3379.650	-44.20	-30	Pass
3385	3390	1	CHP	2	3385.800	-44.10	-25	Pass
3390	3445	1	CHP	3	3401.550	-43.94	-13	Pass
3445	3449	1	CHP	4	3445.050	-44.54	-10	Pass
3449	3450	0.4	CHP	5	3449.250	-48.22	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.150	-27.43	-13	Pass
3511	3515	1	CHP	7	3511.200	-37.87	-10	Pass
3515	3570	1	CHP	8	3516.300	-41.75	-13	Pass
3570	3575	1	CHP	9	3574.200	-43.57	-25	Pass
3575	3585	1	CHP	10	3579.450	-43.58	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	866.600	-44.84	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3624.99MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3515	1	/	1	3146.250	-40.29	-30	Pass
3515	3520	1	/	2	3519.400	-42.45	-25	Pass
3520	3585	1	/	3	3553.400	-41.34	-13	Pass
3585	3665	1	/	/	/	/	/	/
3665	3730	1	/	4	3726.800	-39.06	-13	Pass
3730	3735	1	/	5	3734.450	-39.34	-25	Pass
3735	26500	1	/	6	26199.100	-34.77	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3769.98MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3669.050	-40.76	-30	Pass
3675	3680	1	CHP	2	3675.350	-41.16	-25	Pass
3680	3735	1	CHP	3	3732.950	-39.96	-13	Pass
3735	3739	1	CHP	4	3738.500	-38.45	-10	Pass
3739	3740	0.4	CHP	5	3739.850	-22.99	-13	Pass
3740	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.450	-44.31	-13	Pass
3801	3805	1	CHP	7	3804.800	-40.17	-10	Pass
3805	3860	1	CHP	8	3815.000	-39.85	-13	Pass
3860	3865	1	CHP	9	3863.600	-40.53	-25	Pass
3865	3875	1	CHP	10	3871.700	-40.19	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3769.98MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3672.050	-40.97	-30	Pass
3675	3680	1	CHP	2	3676.550	-40.84	-25	Pass
3680	3735	1	CHP	3	3732.500	-40.01	-13	Pass
3735	3739	1	CHP	4	3738.350	-40.07	-10	Pass
3739	3740	0.4	CHP	5	3739.850	-44.50	-13	Pass
3740	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.150	-26.64	-13	Pass
3801	3805	1	CHP	7	3801.500	-39.46	-10	Pass
3805	3860	1	CHP	8	3812.000	-39.62	-13	Pass
3860	3865	1	CHP	9	3864.650	-40.45	-25	Pass
3865	3875	1	CHP	10	3866.600	-40.49	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3769.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	886.700	-44.81	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694




n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3769.98MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3675	1	/	1	3673.250	-39.82	-30	Pass
3675	3680	1	/	2	3678.350	-39.90	-25	Pass
3680	3735	1	/	3	3683.450	-39.37	-13	Pass
3735	3805	1	/	/	/	/	/	/
3805	3860	1	/	4	3838.150	-38.41	-13	Pass
3860	3865	1	/	5	3864.500	-39.65	-25	Pass
3865	26500	1	/	6	26217.800	-34.69	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3769.98MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3666.950	-40.44	-30	Pass
3675	3680	1	CHP	2	3677.000	-39.94	-25	Pass
3680	3735	1	CHP	3	3689.000	-38.65	-13	Pass
3735	3739	1	CHP	4	3738.050	-39.16	-10	Pass
3739	3740	0.4	CHP	5	3739.850	-36.74	-13	Pass
3740	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.150	-43.30	-13	Pass
3801	3805	1	CHP	7	3803.450	-39.70	-10	Pass
3805	3860	1	CHP	8	3809.150	-39.43	-13	Pass
3860	3865	1	CHP	9	3862.550	-39.98	-25	Pass
3865	3875	1	CHP	10	3871.550	-39.47	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f 30kHz SISO_NTNV_60MHz_DFT-s-OFDM PI/2 BPSK_3769.98MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3673.850	-40.78	-30	Pass
3675	3680	1	CHP	2	3679.850	-40.59	-25	Pass
3680	3735	1	CHP	3	3729.800	-40.05	-13	Pass
3735	3739	1	CHP	4	3738.500	-39.65	-10	Pass
3739	3740	0.4	CHP	5	3739.850	-25.51	-13	Pass
3740	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.750	-44.02	-13	Pass
3801	3805	1	CHP	7	3804.650	-40.13	-10	Pass
3805	3860	1	CHP	8	3816.350	-39.88	-13	Pass
3860	3865	1	CHP	9	3864.350	-40.33	-25	Pass
3865	3875	1	CHP	10	3870.800	-40.55	-30	Pass

n78f 30kHz SISO_NTNV_60MHz_DFT-s-OFDM PI/2 BPSK_3769.98MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3666.500	-40.83	-30	Pass
3675	3680	1	CHP	2	3679.850	-40.70	-25	Pass
3680	3735	1	CHP	3	3696.500	-40.32	-13	Pass
3735	3739	1	CHP	4	3735.950	-40.43	-10	Pass
3739	3740	0.4	CHP	5	3739.700	-44.42	-13	Pass
3740	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.150	-40.01	-13	Pass
3801	3805	1	CHP	7	3801.500	-39.36	-10	Pass
3805	3860	1	CHP	8	3818.450	-39.59	-13	Pass
3860	3865	1	CHP	9	3864.950	-40.48	-25	Pass
3865	3875	1	CHP	10	3872.600	-40.06	-30	Pass


Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3480MHz_Edge_1RB_Left_Ant1




n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3480MHz_Edge_1RB_Left_Ant1



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3480MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3385	1	/	1	3296.700	-40.85	-30	Pass
3385	3390	1	/	2	3385.950	-42.50	-25	Pass
3390	3445	1	/	3	3392.750	-41.65	-13	Pass
3445	3515	1	/	/	/	/	/	/
3515	3570	1	/	4	3559.350	-41.44	-13	Pass
3570	3575	1	/	5	3572.100	-42.32	-25	Pass
3575	26500	1	/	6	26263.700	-34.66	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3480MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3379.500	-43.86	-30	Pass
3385	3390	1	CHP	2	3389.400	-44.21	-25	Pass
3390	3445	1	CHP	3	3394.350	-44.02	-13	Pass
3445	3449	1	CHP	4	3445.200	-44.24	-10	Pass
3449	3450	0.4	CHP	5	3449.400	-48.23	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.150	-22.06	-13	Pass
3511	3515	1	CHP	7	3511.050	-37.29	-10	Pass
3515	3570	1	CHP	8	3516.600	-42.25	-13	Pass
3570	3575	1	CHP	9	3570.600	-44.04	-25	Pass
3575	3585	1	CHP	10	3583.350	-43.67	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3480MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3380.700	-41.70	-30	Pass
3385	3390	1	CHP	2	3388.350	-41.15	-25	Pass
3390	3445	1	CHP	3	3405.750	-38.09	-13	Pass
3445	3449	1	CHP	4	3447.000	-37.26	-10	Pass
3449	3450	0.4	CHP	5	3449.850	-36.48	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.450	-38.91	-13	Pass
3511	3515	1	CHP	7	3511.500	-38.32	-10	Pass
3515	3570	1	CHP	8	3515.100	-39.22	-13	Pass
3570	3575	1	CHP	9	3574.800	-40.56	-25	Pass
3575	3585	1	CHP	10	3577.500	-40.76	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3480MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3377.550	-43.84	-30	Pass
3385	3390	1	CHP	2	3388.350	-44.09	-25	Pass
3390	3445	1	CHP	3	3443.700	-42.79	-13	Pass
3445	3449	1	CHP	4	3448.500	-40.41	-10	Pass
3449	3450	0.4	CHP	5	3449.850	-31.23	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.750	-48.98	-13	Pass
3511	3515	1	CHP	7	3511.500	-44.75	-10	Pass
3515	3570	1	CHP	8	3558.450	-43.80	-13	Pass
3570	3575	1	CHP	9	3571.350	-43.87	-25	Pass
3575	3585	1	CHP	10	3577.650	-43.67	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3480MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3384.000	-44.01	-30	Pass
3385	3390	1	CHP	2	3385.650	-44.09	-25	Pass
3390	3445	1	CHP	3	3398.850	-43.74	-13	Pass
3445	3449	1	CHP	4	3445.200	-44.65	-10	Pass
3449	3450	0.4	CHP	5	3449.850	-49.00	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.150	-22.31	-13	Pass
3511	3515	1	CHP	7	3511.500	-40.85	-10	Pass
3515	3570	1	CHP	8	3516.450	-41.65	-13	Pass
3570	3575	1	CHP	9	3574.350	-44.02	-25	Pass
3575	3585	1	CHP	10	3576.000	-43.58	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	888.750	-44.91	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3515	1	/	1	3160.700	-40.50	-30	Pass
3515	3520	1	/	2	3519.400	-42.85	-25	Pass
3520	3585	1	/	3	3578.050	-41.39	-13	Pass
3585	3665	1	/	/	/	/	/	/
3665	3730	1	/	4	3714.900	-39.40	-13	Pass
3730	3735	1	/	5	3731.050	-39.70	-25	Pass
3735	26500	1	/	6	26254.350	-34.53	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3769.98MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3672.500	-41.01	-30	Pass
3675	3680	1	CHP	2	3678.350	-40.95	-25	Pass
3680	3735	1	CHP	3	3732.650	-40.16	-13	Pass
3735	3739	1	CHP	4	3738.500	-38.01	-10	Pass
3739	3740	0.4	CHP	5	3739.850	-36.85	-13	Pass
3740	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.300	-44.03	-13	Pass
3801	3805	1	CHP	7	3804.500	-39.56	-10	Pass
3805	3860	1	CHP	8	3805.100	-39.86	-13	Pass
3860	3865	1	CHP	9	3864.800	-40.39	-25	Pass
3865	3875	1	CHP	10	3865.400	-40.16	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3769.98MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3668.600	-40.50	-30	Pass
3675	3680	1	CHP	2	3679.550	-40.87	-25	Pass
3680	3735	1	CHP	3	3699.350	-40.10	-13	Pass
3735	3739	1	CHP	4	3738.500	-40.22	-10	Pass
3739	3740	0.4	CHP	5	3739.850	-44.45	-13	Pass
3740	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.150	-29.26	-13	Pass
3801	3805	1	CHP	7	3801.500	-38.81	-10	Pass
3805	3860	1	CHP	8	3807.800	-39.76	-13	Pass
3860	3865	1	CHP	9	3864.650	-40.26	-25	Pass
3865	3875	1	CHP	10	3870.650	-40.44	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3769.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	924.100	-44.91	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3769.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3675	1	/	1	3656.250	-39.88	-30	Pass
3675	3680	1	/	2	3678.350	-40.62	-25	Pass
3680	3735	1	/	3	3719.150	-39.27	-13	Pass
3735	3805	1	/	/	/	/	/	/
3805	3860	1	/	4	3822.000	-39.23	-13	Pass
3860	3865	1	/	5	3860.250	-40.10	-25	Pass
3865	26500	1	/	6	26232.250	-34.76	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3769.98MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3672.800	-39.44	-30	Pass
3675	3680	1	CHP	2	3678.200	-39.57	-25	Pass
3680	3735	1	CHP	3	3731.150	-38.74	-13	Pass
3735	3739	1	CHP	4	3738.500	-38.07	-10	Pass
3739	3740	0.4	CHP	5	3739.700	-40.46	-13	Pass
3740	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.150	-40.79	-13	Pass
3801	3805	1	CHP	7	3802.250	-38.66	-10	Pass
3805	3860	1	CHP	8	3810.350	-39.42	-13	Pass
3860	3865	1	CHP	9	3863.300	-39.85	-25	Pass
3865	3875	1	CHP	10	3871.550	-39.86	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3769.98MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3666.350	-41.03	-30	Pass
3675	3680	1	CHP	2	3676.850	-40.88	-25	Pass
3680	3735	1	CHP	3	3733.250	-39.98	-13	Pass
3735	3739	1	CHP	4	3737.900	-39.92	-10	Pass
3739	3740	0.4	CHP	5	3739.850	-38.56	-13	Pass
3740	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.450	-44.53	-13	Pass
3801	3805	1	CHP	7	3804.050	-39.84	-10	Pass
3805	3860	1	CHP	8	3815.000	-39.83	-13	Pass
3860	3865	1	CHP	9	3860.600	-40.23	-25	Pass
3865	3875	1	CHP	10	3872.750	-40.22	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3769.98MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3674.150	-41.06	-30	Pass
3675	3680	1	CHP	2	3675.200	-41.07	-25	Pass
3680	3735	1	CHP	3	3727.550	-40.07	-13	Pass
3735	3739	1	CHP	4	3738.050	-40.47	-10	Pass
3739	3740	0.4	CHP	5	3739.250	-44.33	-13	Pass
3740	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.150	-25.11	-13	Pass
3801	3805	1	CHP	7	3801.500	-38.91	-10	Pass
3805	3860	1	CHP	8	3814.550	-39.70	-13	Pass
3860	3865	1	CHP	9	3861.800	-40.28	-25	Pass
3865	3875	1	CHP	10	3873.050	-40.40	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3480MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3384.450	-43.60	-30	Pass
3385	3390	1	CHP	2	3388.200	-44.06	-25	Pass
3390	3445	1	CHP	3	3443.400	-43.13	-13	Pass
3445	3449	1	CHP	4	3448.500	-40.31	-10	Pass
3449	3450	0.4	CHP	5	3449.700	-21.86	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.150	-48.83	-13	Pass
3511	3515	1	CHP	7	3512.100	-44.54	-10	Pass
3515	3570	1	CHP	8	3552.450	-43.93	-13	Pass
3570	3575	1	CHP	9	3570.900	-44.09	-25	Pass
3575	3585	1	CHP	10	3577.500	-43.93	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3480MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	864.800	-45.01	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3480MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3385	1	/	1	3234.650	-40.92	-30	Pass
3385	3390	1	/	2	3385.100	-42.26	-25	Pass
3390	3445	1	/	3	3392.750	-41.02	-13	Pass
3445	3515	1	/	/	/	/	/	/
3515	3570	1	/	4	3553.400	-41.66	-13	Pass
3570	3575	1	/	5	3570.400	-42.01	-25	Pass
3575	26500	1	/	6	26201.650	-34.78	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3480MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3378.750	-43.67	-30	Pass
3385	3390	1	CHP	2	3389.850	-44.18	-25	Pass
3390	3445	1	CHP	3	3395.550	-43.86	-13	Pass
3445	3449	1	CHP	4	3445.200	-44.27	-10	Pass
3449	3450	0.4	CHP	5	3449.400	-48.58	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.150	-28.83	-13	Pass
3511	3515	1	CHP	7	3511.500	-42.15	-10	Pass
3515	3570	1	CHP	8	3516.600	-43.21	-13	Pass
3570	3575	1	CHP	9	3574.800	-43.85	-25	Pass
3575	3585	1	CHP	10	3577.350	-43.65	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3480MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3376.800	-40.80	-30	Pass
3385	3390	1	CHP	2	3386.250	-40.74	-25	Pass
3390	3445	1	CHP	3	3444.900	-37.79	-13	Pass
3445	3449	1	CHP	4	3448.350	-34.20	-10	Pass
3449	3450	0.4	CHP	5	3449.850	-35.53	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.150	-38.26	-13	Pass
3511	3515	1	CHP	7	3512.850	-36.97	-10	Pass
3515	3570	1	CHP	8	3515.100	-39.07	-13	Pass
3570	3575	1	CHP	9	3574.650	-41.14	-25	Pass
3575	3585	1	CHP	10	3583.800	-41.41	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3480MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3380.400	-43.99	-30	Pass
3385	3390	1	CHP	2	3387.750	-43.86	-25	Pass
3390	3445	1	CHP	3	3393.900	-42.02	-13	Pass
3445	3449	1	CHP	4	3448.350	-38.81	-10	Pass
3449	3450	0.4	CHP	5	3449.850	-38.53	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.600	-48.40	-13	Pass
3511	3515	1	CHP	7	3512.700	-44.12	-10	Pass
3515	3570	1	CHP	8	3555.750	-43.97	-13	Pass
3570	3575	1	CHP	9	3573.900	-43.96	-25	Pass
3575	3585	1	CHP	10	3579.900	-43.80	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3480MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3375	3385	1	CHP	1	3376.950	-43.75	-30	Pass
3385	3390	1	CHP	2	3386.700	-44.07	-25	Pass
3390	3445	1	CHP	3	3399.150	-43.80	-13	Pass
3445	3449	1	CHP	4	3445.650	-44.27	-10	Pass
3449	3450	0.4	CHP	5	3449.850	-47.93	-13	Pass
3450	3510	0.4	CHP	/	/	/	/	/
3510	3511	0.4	CHP	6	3510.150	-29.21	-13	Pass
3511	3515	1	CHP	7	3511.500	-40.10	-10	Pass
3515	3570	1	CHP	8	3565.800	-43.33	-13	Pass
3570	3575	1	CHP	9	3571.950	-44.10	-25	Pass
3575	3585	1	CHP	10	3583.800	-43.90	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	844.600	-44.92	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3515	1	/	1	3245.700	-40.69	-30	Pass
3515	3520	1	/	2	3518.550	-42.02	-25	Pass
3520	3585	1	/	3	3576.350	-41.64	-13	Pass
3585	3665	1	/	/	/	/	/	/
3665	3730	1	/	4	3679.200	-39.28	-13	Pass
3730	3735	1	/	5	3733.600	-39.52	-25	Pass
3735	26500	1	/	6	26245.850	-34.55	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3769.98MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3667.400	-41.02	-30	Pass
3675	3680	1	CHP	2	3675.200	-41.15	-25	Pass
3680	3735	1	CHP	3	3712.250	-39.69	-13	Pass
3735	3739	1	CHP	4	3738.500	-38.56	-10	Pass
3739	3740	0.4	CHP	5	3739.850	-18.67	-13	Pass
3740	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.150	-44.53	-13	Pass
3801	3805	1	CHP	7	3804.950	-39.54	-10	Pass
3805	3860	1	CHP	8	3805.100	-39.49	-13	Pass
3860	3865	1	CHP	9	3863.150	-40.11	-25	Pass
3865	3875	1	CHP	10	3865.100	-40.24	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3769.98MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3670.550	-40.67	-30	Pass
3675	3680	1	CHP	2	3677.000	-40.67	-25	Pass
3680	3735	1	CHP	3	3727.700	-40.12	-13	Pass
3735	3739	1	CHP	4	3737.300	-39.94	-10	Pass
3739	3740	0.4	CHP	5	3739.400	-44.89	-13	Pass
3740	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.150	-25.36	-13	Pass
3801	3805	1	CHP	7	3801.500	-38.28	-10	Pass
3805	3860	1	CHP	8	3809.750	-39.72	-13	Pass
3860	3865	1	CHP	9	3861.650	-40.24	-25	Pass
3865	3875	1	CHP	10	3871.850	-40.21	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3769.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	905.750	-44.93	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3769.98MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3675	1	/	1	3655.400	-39.59	-30	Pass
3675	3680	1	/	2	3678.350	-39.80	-25	Pass
3680	3735	1	/	3	3726.800	-39.27	-13	Pass
3735	3805	1	/	/	/	/	/	/
3805	3860	1	/	4	3853.450	-38.65	-13	Pass
3860	3865	1	/	5	3864.500	-39.88	-25	Pass
3865	26500	1	/	6	26184.650	-34.70	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3769.98MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3674.000	-39.33	-30	Pass
3675	3680	1	CHP	2	3675.050	-39.81	-25	Pass
3680	3735	1	CHP	3	3734.900	-38.22	-13	Pass
3735	3739	1	CHP	4	3738.500	-36.89	-10	Pass
3739	3740	0.4	CHP	5	3739.850	-37.90	-13	Pass
3740	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.150	-36.97	-13	Pass
3801	3805	1	CHP	7	3801.500	-37.99	-10	Pass
3805	3860	1	CHP	8	3806.300	-38.92	-13	Pass
3860	3865	1	CHP	9	3862.400	-39.41	-25	Pass
3865	3875	1	CHP	10	3873.350	-39.78	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3769.98MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3671.450	-41.01	-30	Pass
3675	3680	1	CHP	2	3678.650	-40.96	-25	Pass
3680	3735	1	CHP	3	3733.250	-40.10	-13	Pass
3735	3739	1	CHP	4	3738.500	-38.59	-10	Pass
3739	3740	0.4	CHP	5	3739.550	-27.57	-13	Pass
3740	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.150	-44.29	-13	Pass
3801	3805	1	CHP	7	3803.900	-39.97	-10	Pass
3805	3860	1	CHP	8	3817.700	-39.75	-13	Pass
3860	3865	1	CHP	9	3862.850	-40.12	-25	Pass
3865	3875	1	CHP	10	3869.000	-40.19	-30	Pass

n78f_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3769.98MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3666.950	-40.95	-30	Pass
3675	3680	1	CHP	2	3678.500	-41.03	-25	Pass
3680	3735	1	CHP	3	3734.150	-40.00	-13	Pass
3735	3739	1	CHP	4	3735.050	-40.27	-10	Pass
3739	3740	0.4	CHP	5	3739.550	-44.18	-13	Pass
3740	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.150	-30.31	-13	Pass
3801	3805	1	CHP	7	3801.500	-38.99	-10	Pass
3805	3860	1	CHP	8	3810.350	-39.86	-13	Pass
3860	3865	1	CHP	9	3862.100	-40.27	-25	Pass
3865	3875	1	CHP	10	3869.750	-40.26	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


5.2.7 30_S_70M_NTNV

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM PI/2 BPSK_3485.01MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3365	3375	1	CHP	1	3374.150	-43.77	-30	Pass
3375	3380	1	CHP	2	3377.900	-43.69	-25	Pass
3380	3445	1	CHP	3	3442.850	-41.71	-13	Pass
3445	3449	1	CHP	4	3448.400	-42.19	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-24.47	-13	Pass
3450	3520	0.4	CHP	/	/	/	/	/
3520	3521	0.4	CHP	6	3520.550	-48.95	-13	Pass
3521	3525	1	CHP	7	3523.250	-44.45	-10	Pass
3525	3590	1	CHP	8	3579.950	-43.71	-13	Pass
3590	3595	1	CHP	9	3594.800	-43.55	-25	Pass
3595	3605	1	CHP	10	3601.400	-41.87	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM PI/2 BPSK_3485.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	856.700	-45.04	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f 30kHz SISO_NTNV_70MHz_DFT-s-OFDM PI/2 BPSK_3485.01MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3375	1	/	1	3074.000	-40.59	-30	Pass
3375	3380	1	/	2	3378.300	-41.80	-25	Pass
3380	3445	1	/	3	3442.050	-41.67	-13	Pass
3445	3525	1	/	/	/	/	/	/
3525	3590	1	/	4	3582.300	-41.84	-13	Pass
3590	3595	1	/	5	3594.200	-42.06	-25	Pass
3595	26500	1	/	6	26223.750	-34.55	-30	Pass

n78f 30kHz SISO_NTNV_70MHz_DFT-s-OFDM PI/2 BPSK_3485.01MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3365	3375	1	CHP	1	3366.950	-43.88	-30	Pass
3375	3380	1	CHP	2	3376.700	-44.21	-25	Pass
3380	3445	1	CHP	3	3405.650	-43.81	-13	Pass
3445	3449	1	CHP	4	3445.700	-44.47	-10	Pass
3449	3450	0.4	CHP	5	3449.300	-48.95	-13	Pass
3450	3520	0.4	CHP	/	/	/	/	/
3520	3521	0.4	CHP	6	3520.100	-34.67	-13	Pass
3521	3525	1	CHP	7	3521.150	-40.77	-10	Pass
3525	3590	1	CHP	8	3526.700	-42.78	-13	Pass
3590	3595	1	CHP	9	3594.350	-43.89	-25	Pass
3595	3605	1	CHP	10	3604.400	-41.46	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3485.01MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3365	3375	1	CHP	1	3372.350	-41.18	-30	Pass
3375	3380	1	CHP	2	3377.450	-43.98	-25	Pass
3380	3445	1	CHP	3	3436.400	-37.89	-13	Pass
3445	3449	1	CHP	4	3446.600	-39.29	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-39.22	-13	Pass
3450	3520	0.4	CHP	/	/	/	/	/
3520	3521	0.4	CHP	6	3520.850	-45.07	-13	Pass
3521	3525	1	CHP	7	3522.350	-41.60	-10	Pass
3525	3590	1	CHP	8	3557.450	-36.76	-13	Pass
3590	3595	1	CHP	9	3594.500	-42.03	-25	Pass
3595	3605	1	CHP	10	3601.700	-41.48	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3485.01MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3365	3375	1	CHP	1	3368.150	-43.35	-30	Pass
3375	3380	1	CHP	2	3376.550	-44.19	-25	Pass
3380	3445	1	CHP	3	3443.150	-40.76	-13	Pass
3445	3449	1	CHP	4	3448.400	-40.56	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-25.91	-13	Pass
3450	3520	0.4	CHP	/	/	/	/	/
3520	3521	0.4	CHP	6	3520.100	-48.77	-13	Pass
3521	3525	1	CHP	7	3522.950	-44.14	-10	Pass
3525	3590	1	CHP	8	3580.700	-43.78	-13	Pass
3590	3595	1	CHP	9	3590.450	-44.01	-25	Pass
3595	3605	1	CHP	10	3602.750	-41.33	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3485.01MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3365	3375	1	CHP	1	3366.050	-43.53	-30	Pass
3375	3380	1	CHP	2	3375.050	-43.85	-25	Pass
3380	3445	1	CHP	3	3393.350	-43.89	-13	Pass
3445	3449	1	CHP	4	3445.550	-44.44	-10	Pass
3449	3450	0.4	CHP	5	3449.450	-48.75	-13	Pass
3450	3520	0.4	CHP	/	/	/	/	/
3520	3521	0.4	CHP	6	3520.100	-26.77	-13	Pass
3521	3525	1	CHP	7	3521.600	-41.81	-10	Pass
3525	3590	1	CHP	8	3526.700	-41.59	-13	Pass
3590	3595	1	CHP	9	3592.850	-43.69	-25	Pass
3595	3605	1	CHP	10	3602.000	-41.55	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	897.300	-45.28	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3624.99MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3515	1	/	1	3083.350	-41.02	-30	Pass
3515	3520	1	/	2	3519.400	-43.34	-25	Pass
3520	3585	1	/	3	3582.300	-41.11	-13	Pass
3585	3665	1	/	/	/	/	/	/
3665	3730	1	/	4	3720.850	-39.47	-13	Pass
3730	3735	1	/	5	3733.600	-39.57	-25	Pass
3735	26500	1	/	6	26177.850	-35.01	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3765MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3650.400	-41.12	-30	Pass
3655	3660	1	CHP	2	3655.350	-41.43	-25	Pass
3660	3725	1	CHP	3	3721.800	-39.95	-13	Pass
3725	3729	1	CHP	4	3728.400	-39.07	-10	Pass
3729	3730	0.4	CHP	5	3729.600	-33.66	-13	Pass
3730	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.400	-44.56	-13	Pass
3801	3805	1	CHP	7	3802.350	-39.96	-10	Pass
3805	3870	1	CHP	8	3807.900	-39.52	-13	Pass
3870	3875	1	CHP	9	3874.200	-40.08	-25	Pass
3875	3885	1	CHP	10	3883.350	-40.54	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3765MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3654.450	-41.04	-30	Pass
3655	3660	1	CHP	2	3659.100	-41.13	-25	Pass
3660	3725	1	CHP	3	3710.100	-40.30	-13	Pass
3725	3729	1	CHP	4	3728.250	-40.53	-10	Pass
3729	3730	0.4	CHP	5	3729.150	-44.70	-13	Pass
3730	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.100	-26.21	-13	Pass
3801	3805	1	CHP	7	3801.600	-38.92	-10	Pass
3805	3870	1	CHP	8	3808.950	-39.54	-13	Pass
3870	3875	1	CHP	9	3874.800	-40.47	-25	Pass
3875	3885	1	CHP	10	3875.100	-40.54	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3765MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	878.950	-44.89	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3765MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3655	1	/	1	3620.550	-40.09	-30	Pass
3655	3660	1	/	2	3659.650	-40.39	-25	Pass
3660	3725	1	/	3	3708.950	-39.57	-13	Pass
3725	3805	1	/	/	/	/	/	/
3805	3870	1	/	4	3835.600	-38.88	-13	Pass
3870	3875	1	/	5	3872.150	-40.04	-25	Pass
3875	26500	1	/	6	26183.800	-34.72	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3765MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3646.950	-40.37	-30	Pass
3655	3660	1	CHP	2	3659.700	-40.41	-25	Pass
3660	3725	1	CHP	3	3711.450	-38.59	-13	Pass
3725	3729	1	CHP	4	3728.250	-38.74	-10	Pass
3729	3730	0.4	CHP	5	3729.900	-40.16	-13	Pass
3730	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.100	-44.07	-13	Pass
3801	3805	1	CHP	7	3802.350	-39.49	-10	Pass
3805	3870	1	CHP	8	3829.200	-39.32	-13	Pass
3870	3875	1	CHP	9	3874.950	-39.38	-25	Pass
3875	3885	1	CHP	10	3875.100	-39.42	-30	Pass


Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694




n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3765MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3648.750	-41.14	-30	Pass
3655	3660	1	CHP	2	3658.800	-41.13	-25	Pass
3660	3725	1	CHP	3	3720.450	-40.08	-13	Pass
3725	3729	1	CHP	4	3727.800	-39.41	-10	Pass
3729	3730	0.4	CHP	5	3729.900	-29.61	-13	Pass
3730	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.100	-43.83	-13	Pass
3801	3805	1	CHP	7	3802.050	-40.31	-10	Pass
3805	3870	1	CHP	8	3808.350	-39.91	-13	Pass
3870	3875	1	CHP	9	3871.050	-40.69	-25	Pass
3875	3885	1	CHP	10	3877.800	-40.55	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3765MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3647.400	-41.00	-30	Pass
3655	3660	1	CHP	2	3655.050	-41.17	-25	Pass
3660	3725	1	CHP	3	3703.800	-40.40	-13	Pass
3725	3729	1	CHP	4	3727.050	-40.53	-10	Pass
3729	3730	0.4	CHP	5	3729.300	-44.76	-13	Pass
3730	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.100	-40.19	-13	Pass
3801	3805	1	CHP	7	3801.900	-39.71	-10	Pass
3805	3870	1	CHP	8	3807.000	-39.62	-13	Pass
3870	3875	1	CHP	9	3870.600	-40.71	-25	Pass
3875	3885	1	CHP	10	3877.650	-40.54	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694