



n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3485.01MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3365	3375	1	CHP	1	3369.050	-43.87	-30	Pass
3375	3380	1	CHP	2	3375.050	-43.92	-25	Pass
3380	3445	1	CHP	3	3442.850	-42.40	-13	Pass
3445	3449	1	CHP	4	3448.400	-40.71	-10	Pass
3449	3450	0.4	CHP	5	3449.750	-28.06	-13	Pass
3450	3520	0.4	CHP	/	/	/	/	/
3520	3521	0.4	CHP	6	3520.850	-48.45	-13	Pass
3521	3525	1	CHP	7	3522.650	-44.25	-10	Pass
3525	3590	1	CHP	8	3575.000	-43.68	-13	Pass
3590	3595	1	CHP	9	3590.600	-43.95	-25	Pass
3595	3605	1	CHP	10	3603.650	-41.58	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3485.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	854.650	-45.03	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3485.01MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3375	1	/	1	3254.200	-40.67	-30	Pass
3375	3380	1	/	2	3380.000	-41.94	-25	Pass
3380	3445	1	/	3	3399.550	-41.41	-13	Pass
3445	3525	1	/	/	/	/	/	/
3525	3590	1	/	4	3582.300	-41.45	-13	Pass
3590	3595	1	/	5	3591.650	-42.18	-25	Pass
3595	26500	1	/	6	26181.250	-34.45	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3485.01MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3365	3375	1	CHP	1	3366.350	-43.72	-30	Pass
3375	3380	1	CHP	2	3377.900	-43.93	-25	Pass
3380	3445	1	CHP	3	3389.300	-43.83	-13	Pass
3445	3449	1	CHP	4	3448.100	-44.27	-10	Pass
3449	3450	0.4	CHP	5	3449.300	-48.76	-13	Pass
3450	3520	0.4	CHP	/	/	/	/	/
3520	3521	0.4	CHP	6	3520.100	-32.49	-13	Pass
3521	3525	1	CHP	7	3521.150	-40.23	-10	Pass
3525	3590	1	CHP	8	3526.850	-42.65	-13	Pass
3590	3595	1	CHP	9	3590.450	-43.71	-25	Pass
3595	3605	1	CHP	10	3602.900	-41.49	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3485.01MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3365	3375	1	CHP	1	3369.650	-40.75	-30	Pass
3375	3380	1	CHP	2	3375.200	-41.13	-25	Pass
3380	3445	1	CHP	3	3437.300	-39.78	-13	Pass
3445	3449	1	CHP	4	3445.400	-41.40	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-41.53	-13	Pass
3450	3520	0.4	CHP	/	/	/	/	/
3520	3521	0.4	CHP	6	3520.100	-45.93	-13	Pass
3521	3525	1	CHP	7	3522.050	-42.67	-10	Pass
3525	3590	1	CHP	8	3573.200	-41.34	-13	Pass
3590	3595	1	CHP	9	3594.950	-41.91	-25	Pass
3595	3605	1	CHP	10	3601.400	-41.31	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3485.01MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3365	3375	1	CHP	1	3369.800	-43.70	-30	Pass
3375	3380	1	CHP	2	3376.100	-43.96	-25	Pass
3380	3445	1	CHP	3	3443.150	-42.73	-13	Pass
3445	3449	1	CHP	4	3448.700	-39.96	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-20.87	-13	Pass
3450	3520	0.4	CHP	/	/	/	/	/
3520	3521	0.4	CHP	6	3521.000	-48.88	-13	Pass
3521	3525	1	CHP	7	3521.600	-44.43	-10	Pass
3525	3590	1	CHP	8	3588.050	-43.70	-13	Pass
3590	3595	1	CHP	9	3590.150	-43.82	-25	Pass
3595	3605	1	CHP	10	3602.750	-41.61	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3485.01MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3365	3375	1	CHP	1	3369.050	-43.72	-30	Pass
3375	3380	1	CHP	2	3375.050	-43.99	-25	Pass
3380	3445	1	CHP	3	3418.100	-43.31	-13	Pass
3445	3449	1	CHP	4	3447.800	-44.57	-10	Pass
3449	3450	0.4	CHP	5	3449.450	-48.51	-13	Pass
3450	3520	0.4	CHP	/	/	/	/	/
3520	3521	0.4	CHP	6	3520.100	-39.32	-13	Pass
3521	3525	1	CHP	7	3521.600	-42.36	-10	Pass
3525	3590	1	CHP	8	3526.250	-43.52	-13	Pass
3590	3595	1	CHP	9	3592.550	-43.68	-25	Pass
3595	3605	1	CHP	10	3600.800	-41.30	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	907.100	-45.17	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3515	1	/	1	3090.150	-41.00	-30	Pass
3515	3520	1	/	2	3518.550	-42.60	-25	Pass
3520	3585	1	/	3	3582.300	-41.50	-13	Pass
3585	3665	1	/	/	/	/	/	/
3665	3730	1	/	4	3705.550	-39.67	-13	Pass
3730	3735	1	/	5	3730.200	-40.28	-25	Pass
3735	26500	1	/	6	26222.050	-34.70	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3765MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3647.700	-41.10	-30	Pass
3655	3660	1	CHP	2	3659.250	-41.28	-25	Pass
3660	3725	1	CHP	3	3722.550	-39.88	-13	Pass
3725	3729	1	CHP	4	3728.400	-38.23	-10	Pass
3729	3730	0.4	CHP	5	3729.900	-22.14	-13	Pass
3730	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.700	-44.36	-13	Pass
3801	3805	1	CHP	7	3803.250	-39.93	-10	Pass
3805	3870	1	CHP	8	3807.900	-39.70	-13	Pass
3870	3875	1	CHP	9	3870.150	-40.54	-25	Pass
3875	3885	1	CHP	10	3883.200	-40.40	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3765MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3654.900	-40.98	-30	Pass
3655	3660	1	CHP	2	3655.050	-41.01	-25	Pass
3660	3725	1	CHP	3	3723.300	-40.41	-13	Pass
3725	3729	1	CHP	4	3727.650	-40.39	-10	Pass
3729	3730	0.4	CHP	5	3729.750	-44.41	-13	Pass
3730	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.100	-29.39	-13	Pass
3801	3805	1	CHP	7	3802.350	-38.91	-10	Pass
3805	3870	1	CHP	8	3807.300	-39.38	-13	Pass
3870	3875	1	CHP	9	3870.150	-40.49	-25	Pass
3875	3885	1	CHP	10	3876.300	-40.32	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3765MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	913.600	-44.91	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3765MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3655	1	/	1	3646.050	-40.09	-30	Pass
3655	3660	1	/	2	3656.250	-40.30	-25	Pass
3660	3725	1	/	3	3666.450	-39.55	-13	Pass
3725	3805	1	/	/	/	/	/	/
3805	3870	1	/	4	3851.750	-38.84	-13	Pass
3870	3875	1	/	5	3873.850	-39.71	-25	Pass
3875	26500	1	/	6	26225.450	-34.57	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3765MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3651.150	-37.82	-30	Pass
3655	3660	1	CHP	2	3659.850	-38.68	-25	Pass
3660	3725	1	CHP	3	3702.900	-38.27	-13	Pass
3725	3729	1	CHP	4	3725.100	-39.63	-10	Pass
3729	3730	0.4	CHP	5	3729.900	-41.12	-13	Pass
3730	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.700	-43.14	-13	Pass
3801	3805	1	CHP	7	3803.850	-39.46	-10	Pass
3805	3870	1	CHP	8	3808.800	-39.11	-13	Pass
3870	3875	1	CHP	9	3871.950	-39.47	-25	Pass
3875	3885	1	CHP	10	3878.550	-39.48	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3765MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3653.700	-41.06	-30	Pass
3655	3660	1	CHP	2	3657.300	-41.08	-25	Pass
3660	3725	1	CHP	3	3723.150	-39.48	-13	Pass
3725	3729	1	CHP	4	3728.400	-37.94	-10	Pass
3729	3730	0.4	CHP	5	3729.900	-22.38	-13	Pass
3730	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.400	-44.42	-13	Pass
3801	3805	1	CHP	7	3802.200	-39.97	-10	Pass
3805	3870	1	CHP	8	3865.500	-39.58	-13	Pass
3870	3875	1	CHP	9	3871.650	-40.20	-25	Pass
3875	3885	1	CHP	10	3876.600	-40.40	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3765MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3654.000	-41.46	-30	Pass
3655	3660	1	CHP	2	3656.700	-41.20	-25	Pass
3660	3725	1	CHP	3	3718.500	-40.12	-13	Pass
3725	3729	1	CHP	4	3725.400	-40.27	-10	Pass
3729	3730	0.4	CHP	5	3729.450	-44.69	-13	Pass
3730	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.100	-30.46	-13	Pass
3801	3805	1	CHP	7	3801.600	-39.09	-10	Pass
3805	3870	1	CHP	8	3865.200	-39.31	-13	Pass
3870	3875	1	CHP	9	3871.950	-40.46	-25	Pass
3875	3885	1	CHP	10	3879.450	-40.18	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3485.01MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3365	3375	1	CHP	1	3368.300	-43.77	-30	Pass
3375	3380	1	CHP	2	3376.250	-43.95	-25	Pass
3380	3445	1	CHP	3	3383.600	-42.62	-13	Pass
3445	3449	1	CHP	4	3449.000	-39.57	-10	Pass
3449	3450	0.4	CHP	5	3449.450	-37.47	-13	Pass
3450	3520	0.4	CHP	/	/	/	/	/
3520	3521	0.4	CHP	6	3520.550	-48.34	-13	Pass
3521	3525	1	CHP	7	3522.200	-44.32	-10	Pass
3525	3590	1	CHP	8	3588.500	-43.52	-13	Pass
3590	3595	1	CHP	9	3590.150	-43.75	-25	Pass
3595	3605	1	CHP	10	3603.650	-41.33	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3485.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	858.650	-44.99	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3485.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3375	1	/	1	3249.950	-40.67	-30	Pass
3375	3380	1	/	2	3377.450	-42.06	-25	Pass
3380	3445	1	/	3	3383.400	-41.91	-13	Pass
3445	3525	1	/	/	/	/	/	/
3525	3590	1	/	4	3573.800	-41.59	-13	Pass
3590	3595	1	/	5	3590.800	-42.38	-25	Pass
3595	26500	1	/	6	26234.800	-34.62	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3485.01MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3365	3375	1	CHP	1	3371.300	-43.74	-30	Pass
3375	3380	1	CHP	2	3376.550	-44.00	-25	Pass
3380	3445	1	CHP	3	3407.750	-43.92	-13	Pass
3445	3449	1	CHP	4	3445.100	-44.42	-10	Pass
3449	3450	0.4	CHP	5	3449.750	-49.00	-13	Pass
3450	3520	0.4	CHP	/	/	/	/	/
3520	3521	0.4	CHP	6	3520.100	-33.66	-13	Pass
3521	3525	1	CHP	7	3522.050	-42.56	-10	Pass
3525	3590	1	CHP	8	3583.700	-43.55	-13	Pass
3590	3595	1	CHP	9	3593.300	-44.01	-25	Pass
3595	3605	1	CHP	10	3600.500	-41.37	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3485.01MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3365	3375	1	CHP	1	3367.700	-41.06	-30	Pass
3375	3380	1	CHP	2	3379.100	-41.35	-25	Pass
3380	3445	1	CHP	3	3441.500	-38.51	-13	Pass
3445	3449	1	CHP	4	3448.400	-35.39	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-37.93	-13	Pass
3450	3520	0.4	CHP	/	/	/	/	/
3520	3521	0.4	CHP	6	3520.100	-41.56	-13	Pass
3521	3525	1	CHP	7	3521.750	-39.88	-10	Pass
3525	3590	1	CHP	8	3560.750	-40.45	-13	Pass
3590	3595	1	CHP	9	3590.600	-41.81	-25	Pass
3595	3605	1	CHP	10	3603.800	-41.07	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3485.01MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3365	3375	1	CHP	1	3370.100	-43.76	-30	Pass
3375	3380	1	CHP	2	3375.500	-43.86	-25	Pass
3380	3445	1	CHP	3	3443.300	-42.22	-13	Pass
3445	3449	1	CHP	4	3448.400	-40.66	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-19.24	-13	Pass
3450	3520	0.4	CHP	/	/	/	/	/
3520	3521	0.4	CHP	6	3520.100	-48.34	-13	Pass
3521	3525	1	CHP	7	3523.550	-44.67	-10	Pass
3525	3590	1	CHP	8	3587.150	-43.41	-13	Pass
3590	3595	1	CHP	9	3592.550	-43.69	-25	Pass
3595	3605	1	CHP	10	3602.600	-41.79	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f 30kHz SISO_NTNV_70MHz_CP-OFDM QPSK_3485.01MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3365	3375	1	CHP	1	3369.800	-43.85	-30	Pass
3375	3380	1	CHP	2	3375.050	-43.97	-25	Pass
3380	3445	1	CHP	3	3424.100	-43.58	-13	Pass
3445	3449	1	CHP	4	3446.900	-44.47	-10	Pass
3449	3450	0.4	CHP	5	3449.300	-48.92	-13	Pass
3450	3520	0.4	CHP	/	/	/	/	/
3520	3521	0.4	CHP	6	3520.100	-38.52	-13	Pass
3521	3525	1	CHP	7	3521.150	-38.00	-10	Pass
3525	3590	1	CHP	8	3526.400	-42.41	-13	Pass
3590	3595	1	CHP	9	3591.950	-43.48	-25	Pass
3595	3605	1	CHP	10	3601.700	-41.48	-30	Pass

n78f 30kHz SISO_NTNV_70MHz_CP-OFDM QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	883.650	-45.12	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3515	1	/	1	3249.100	-40.71	-30	Pass
3515	3520	1	/	2	3516.000	-42.10	-25	Pass
3520	3585	1	/	3	3561.900	-40.43	-13	Pass
3585	3665	1	/	/	/	/	/	/
3665	3730	1	/	4	3703.000	-39.03	-13	Pass
3730	3735	1	/	5	3734.450	-39.89	-25	Pass
3735	26500	1	/	6	26202.500	-34.60	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3765MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3648.000	-41.33	-30	Pass
3655	3660	1	CHP	2	3658.350	-41.03	-25	Pass
3660	3725	1	CHP	3	3723.300	-39.92	-13	Pass
3725	3729	1	CHP	4	3729.000	-35.96	-10	Pass
3729	3730	0.4	CHP	5	3729.900	-28.38	-13	Pass
3730	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3801.000	-44.23	-13	Pass
3801	3805	1	CHP	7	3803.700	-40.17	-10	Pass
3805	3870	1	CHP	8	3817.050	-39.79	-13	Pass
3870	3875	1	CHP	9	3873.900	-40.63	-25	Pass
3875	3885	1	CHP	10	3881.400	-40.60	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3765MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3649.200	-40.74	-30	Pass
3655	3660	1	CHP	2	3660.000	-41.05	-25	Pass
3660	3725	1	CHP	3	3722.700	-40.12	-13	Pass
3725	3729	1	CHP	4	3728.100	-40.41	-10	Pass
3729	3730	0.4	CHP	5	3729.900	-45.09	-13	Pass
3730	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.100	-24.59	-13	Pass
3801	3805	1	CHP	7	3801.600	-38.10	-10	Pass
3805	3870	1	CHP	8	3805.650	-39.63	-13	Pass
3870	3875	1	CHP	9	3870.900	-40.43	-25	Pass
3875	3885	1	CHP	10	3875.100	-40.42	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3765MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	875.100	-44.77	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3765MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3655	1	/	1	3644.350	-39.89	-30	Pass
3655	3660	1	/	2	3657.100	-40.54	-25	Pass
3660	3725	1	/	3	3681.750	-39.26	-13	Pass
3725	3805	1	/	/	/	/	/	/
3805	3870	1	/	4	3848.350	-38.81	-13	Pass
3870	3875	1	/	5	3873.850	-39.46	-25	Pass
3875	26500	1	/	6	26245.000	-34.60	-30	Pass

n78f_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3765MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3653.100	-38.31	-30	Pass
3655	3660	1	CHP	2	3660.000	-37.75	-25	Pass
3660	3725	1	CHP	3	3665.400	-37.06	-13	Pass
3725	3729	1	CHP	4	3728.400	-38.46	-10	Pass
3729	3730	0.4	CHP	5	3729.600	-41.95	-13	Pass
3730	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.100	-39.77	-13	Pass
3801	3805	1	CHP	7	3803.250	-37.34	-10	Pass
3805	3870	1	CHP	8	3805.200	-38.23	-13	Pass
3870	3875	1	CHP	9	3871.650	-39.28	-25	Pass
3875	3885	1	CHP	10	3882.000	-39.06	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3765MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3649.050	-41.03	-30	Pass
3655	3660	1	CHP	2	3658.050	-41.10	-25	Pass
3660	3725	1	CHP	3	3722.850	-39.85	-13	Pass
3725	3729	1	CHP	4	3727.650	-39.07	-10	Pass
3729	3730	0.4	CHP	5	3729.900	-24.34	-13	Pass
3730	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.850	-43.93	-13	Pass
3801	3805	1	CHP	7	3804.150	-40.21	-10	Pass
3805	3870	1	CHP	8	3819.750	-39.89	-13	Pass
3870	3875	1	CHP	9	3871.650	-40.13	-25	Pass
3875	3885	1	CHP	10	3880.650	-40.12	-30	Pass


n78f_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3765MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3650.550	-41.00	-30	Pass
3655	3660	1	CHP	2	3660.000	-41.47	-25	Pass
3660	3725	1	CHP	3	3719.550	-40.41	-13	Pass
3725	3729	1	CHP	4	3726.900	-40.13	-10	Pass
3729	3730	0.4	CHP	5	3729.900	-44.17	-13	Pass
3730	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.100	-34.44	-13	Pass
3801	3805	1	CHP	7	3801.600	-38.33	-10	Pass
3805	3870	1	CHP	8	3806.250	-39.38	-13	Pass
3870	3875	1	CHP	9	3870.150	-39.89	-25	Pass
3875	3885	1	CHP	10	3881.100	-40.62	-30	Pass


5.2.8 30_S_80M_NTNV

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM PI/2 BPSK_3490.02MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3355	3365	1	CHP	1	3362.200	-43.79	-30	Pass
3365	3370	1	CHP	2	3368.200	-43.99	-25	Pass
3370	3445	1	CHP	3	3442.900	-41.89	-13	Pass
3445	3449	1	CHP	4	3448.450	-40.38	-10	Pass
3449	3450	0.4	CHP	5	3449.950	-17.11	-13	Pass
3450	3530	0.4	CHP	/	/	/	/	/
3530	3531	0.4	CHP	6	3530.650	-49.39	-13	Pass
3531	3535	1	CHP	7	3532.600	-44.59	-10	Pass
3535	3610	1	CHP	8	3606.250	-41.68	-13	Pass
3610	3615	1	CHP	9	3612.250	-41.70	-25	Pass
3615	3625	1	CHP	10	3620.050	-41.38	-30	Pass

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM PI/2 BPSK_3490.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	893.450	-45.11	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f 30kHz SISO_NTNV_80MHz_DFT-s-OFDM PI/2 BPSK_3490.02MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3365	1	/	1	3080.800	-40.70	-30	Pass
3365	3370	1	/	2	3365.550	-41.47	-25	Pass
3370	3445	1	/	3	3442.050	-41.58	-13	Pass
3445	3535	1	/	/	/	/	/	/
3535	3610	1	/	4	3602.700	-40.27	-13	Pass
3610	3615	1	/	5	3614.600	-40.98	-25	Pass
3615	26500	1	/	6	26357.200	-34.87	-30	Pass

n78f 30kHz SISO_NTNV_80MHz_DFT-s-OFDM PI/2 BPSK_3490.02MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3355	3365	1	CHP	1	3363.100	-43.83	-30	Pass
3365	3370	1	CHP	2	3369.550	-44.04	-25	Pass
3370	3445	1	CHP	3	3388.450	-43.56	-13	Pass
3445	3449	1	CHP	4	3448.450	-44.66	-10	Pass
3449	3450	0.4	CHP	5	3449.050	-48.59	-13	Pass
3450	3530	0.4	CHP	/	/	/	/	/
3530	3531	0.4	CHP	6	3530.050	-25.10	-13	Pass
3531	3535	1	CHP	7	3531.550	-37.89	-10	Pass
3535	3610	1	CHP	8	3605.950	-41.28	-13	Pass
3610	3615	1	CHP	9	3612.700	-41.83	-25	Pass
3615	3625	1	CHP	10	3621.850	-41.03	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_PI/2_BPSK_3490.02MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3355	3365	1	CHP	1	3363.400	-42.51	-30	Pass
3365	3370	1	CHP	2	3370.000	-41.70	-25	Pass
3370	3445	1	CHP	3	3411.700	-35.01	-13	Pass
3445	3449	1	CHP	4	3446.650	-36.18	-10	Pass
3449	3450	0.4	CHP	5	3449.800	-36.83	-13	Pass
3450	3530	0.4	CHP	/	/	/	/	/
3530	3531	0.4	CHP	6	3530.050	-41.52	-13	Pass
3531	3535	1	CHP	7	3535.000	-40.11	-10	Pass
3535	3610	1	CHP	8	3540.100	-37.65	-13	Pass
3610	3615	1	CHP	9	3612.700	-39.87	-25	Pass
3615	3625	1	CHP	10	3622.900	-39.95	-30	Pass

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_PI/2_BPSK_3490.02MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3355	3365	1	CHP	1	3361.150	-43.97	-30	Pass
3365	3370	1	CHP	2	3368.050	-44.16	-25	Pass
3370	3445	1	CHP	3	3443.050	-42.16	-13	Pass
3445	3449	1	CHP	4	3448.450	-40.89	-10	Pass
3449	3450	0.4	CHP	5	3449.950	-31.35	-13	Pass
3450	3530	0.4	CHP	/	/	/	/	/
3530	3531	0.4	CHP	6	3530.500	-48.11	-13	Pass
3531	3535	1	CHP	7	3531.550	-44.29	-10	Pass
3535	3610	1	CHP	8	3609.850	-41.42	-13	Pass
3610	3615	1	CHP	9	3610.150	-41.82	-25	Pass
3615	3625	1	CHP	10	3624.100	-41.44	-30	Pass

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_PI/2_BPSK_3490.02MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3355	3365	1	CHP	1	3356.350	-43.59	-30	Pass
3365	3370	1	CHP	2	3367.000	-43.70	-25	Pass
3370	3445	1	CHP	3	3375.100	-43.68	-13	Pass
3445	3449	1	CHP	4	3445.600	-44.45	-10	Pass
3449	3450	0.4	CHP	5	3449.500	-48.65	-13	Pass
3450	3530	0.4	CHP	/	/	/	/	/
3530	3531	0.4	CHP	6	3530.050	-37.48	-13	Pass
3531	3535	1	CHP	7	3532.000	-42.35	-10	Pass
3535	3610	1	CHP	8	3605.800	-40.85	-13	Pass
3610	3615	1	CHP	9	3614.200	-41.34	-25	Pass
3615	3625	1	CHP	10	3623.050	-41.27	-30	Pass

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_PI/2_BPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	863.500	-45.00	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f 30kHz_SISO_NTNV_80MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3485	1	/	1	3170.900	-40.42	-30	Pass
3485	3490	1	/	2	3486.250	-42.66	-25	Pass
3490	3575	1	/	3	3548.300	-42.00	-13	Pass
3575	3675	1	/	/	/	/	/	/
3675	3760	1	/	4	3759.950	-39.16	-13	Pass
3760	3765	1	/	5	3760.800	-39.31	-25	Pass
3765	26500	1	/	6	26245.000	-34.88	-30	Pass

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM PI/2 BPSK_3759.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3625	3635	1	CHP	1	3630.550	-41.25	-30	Pass
3635	3640	1	CHP	2	3635.650	-41.12	-25	Pass
3640	3715	1	CHP	3	3698.200	-40.38	-13	Pass
3715	3719	1	CHP	4	3718.150	-40.02	-10	Pass
3719	3720	0.4	CHP	5	3719.950	-40.97	-13	Pass
3720	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.500	-43.45	-13	Pass
3801	3805	1	CHP	7	3804.250	-39.88	-10	Pass
3805	3880	1	CHP	8	3850.000	-39.61	-13	Pass
3880	3885	1	CHP	9	3884.950	-40.68	-25	Pass
3885	3895	1	CHP	10	3890.200	-40.47	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_PI/2_BPSK_3759.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3625	3635	1	CHP	1	3625.600	-41.22	-30	Pass
3635	3640	1	CHP	2	3636.700	-41.07	-25	Pass
3640	3715	1	CHP	3	3710.650	-40.23	-13	Pass
3715	3719	1	CHP	4	3717.250	-40.37	-10	Pass
3719	3720	0.4	CHP	5	3719.050	-44.53	-13	Pass
3720	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.050	-25.74	-13	Pass
3801	3805	1	CHP	7	3801.550	-38.96	-10	Pass
3805	3880	1	CHP	8	3806.950	-39.44	-13	Pass
3880	3885	1	CHP	9	3882.550	-40.49	-25	Pass
3885	3895	1	CHP	10	3891.250	-40.41	-30	Pass

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_PI/2_BPSK_3759.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	882.300	-44.91	-30	Pass

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_PI/2_BPSK_3759.99MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3635	1	/	1	3618.850	-40.02	-30	Pass
3635	3640	1	/	2	3638.400	-40.90	-25	Pass
3640	3715	1	/	3	3678.350	-39.61	-13	Pass
3715	3805	1	/	/	/	/	/	/
3805	3880	1	/	4	3810.100	-38.92	-13	Pass
3880	3885	1	/	5	3884.900	-39.83	-25	Pass
3885	26500	1	/	6	26182.100	-34.53	-30	Pass

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_PI/2_BPSK_3759.99MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3625	3635	1	CHP	1	3629.350	-38.68	-30	Pass
3635	3640	1	CHP	2	3638.350	-39.93	-25	Pass
3640	3715	1	CHP	3	3664.600	-38.26	-13	Pass
3715	3719	1	CHP	4	3715.150	-39.19	-10	Pass
3719	3720	0.4	CHP	5	3719.950	-43.10	-13	Pass
3720	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.050	-41.06	-13	Pass
3801	3805	1	CHP	7	3801.700	-38.46	-10	Pass
3805	3880	1	CHP	8	3806.500	-38.66	-13	Pass
3880	3885	1	CHP	9	3883.150	-40.00	-25	Pass
3885	3895	1	CHP	10	3888.400	-40.04	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f 30kHz SISO_NTNV_80MHz_DFT-s-OFDM PI/2 BPSK_3759.99MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3625	3635	1	CHP	1	3627.850	-40.92	-30	Pass
3635	3640	1	CHP	2	3636.250	-40.90	-25	Pass
3640	3715	1	CHP	3	3713.650	-39.78	-13	Pass
3715	3719	1	CHP	4	3718.450	-40.12	-10	Pass
3719	3720	0.4	CHP	5	3719.950	-35.08	-13	Pass
3720	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.500	-44.04	-13	Pass
3801	3805	1	CHP	7	3804.400	-39.74	-10	Pass
3805	3880	1	CHP	8	3809.050	-39.77	-13	Pass
3880	3885	1	CHP	9	3883.750	-40.46	-25	Pass
3885	3895	1	CHP	10	3892.150	-40.35	-30	Pass

n78f 30kHz SISO_NTNV_80MHz_DFT-s-OFDM PI/2 BPSK_3759.99MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3625	3635	1	CHP	1	3633.100	-40.83	-30	Pass
3635	3640	1	CHP	2	3636.550	-41.17	-25	Pass
3640	3715	1	CHP	3	3715.000	-40.37	-13	Pass
3715	3719	1	CHP	4	3717.400	-40.41	-10	Pass
3719	3720	0.4	CHP	5	3719.200	-44.23	-13	Pass
3720	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.050	-26.50	-13	Pass
3801	3805	1	CHP	7	3801.550	-39.32	-10	Pass
3805	3880	1	CHP	8	3847.450	-39.50	-13	Pass
3880	3885	1	CHP	9	3883.600	-40.53	-25	Pass
3885	3895	1	CHP	10	3889.150	-40.38	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3490.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3355	3365	1	CHP	1	3364.450	-43.69	-30	Pass
3365	3370	1	CHP	2	3365.050	-43.87	-25	Pass
3370	3445	1	CHP	3	3442.900	-42.11	-13	Pass
3445	3449	1	CHP	4	3448.450	-42.18	-10	Pass
3449	3450	0.4	CHP	5	3449.500	-32.06	-13	Pass
3450	3530	0.4	CHP	/	/	/	/	/
3530	3531	0.4	CHP	6	3530.200	-48.68	-13	Pass
3531	3535	1	CHP	7	3531.550	-44.36	-10	Pass
3535	3610	1	CHP	8	3604.750	-41.58	-13	Pass
3610	3615	1	CHP	9	3613.450	-41.61	-25	Pass
3615	3625	1	CHP	10	3623.950	-41.24	-30	Pass

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3490.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	862.900	-45.06	-30	Pass

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3490.02MHz_Edge_1RB_Left_Ant1



n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3490.02MHz_Edge_1RB_Right_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3490.02MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3355	3365	1	CHP	1	3359.050	-39.08	-30	Pass
3365	3370	1	CHP	2	3366.550	-41.27	-25	Pass
3370	3445	1	CHP	3	3411.250	-38.46	-13	Pass
3445	3449	1	CHP	4	3445.900	-40.99	-10	Pass
3449	3450	0.4	CHP	5	3449.950	-42.16	-13	Pass
3450	3530	0.4	CHP	/	/	/	/	/
3530	3531	0.4	CHP	6	3530.050	-43.07	-13	Pass
3531	3535	1	CHP	7	3532.600	-41.40	-10	Pass
3535	3610	1	CHP	8	3539.500	-40.03	-13	Pass
3610	3615	1	CHP	9	3613.600	-40.00	-25	Pass
3615	3625	1	CHP	10	3619.900	-39.13	-30	Pass

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3490.02MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3355	3365	1	CHP	1	3356.500	-43.80	-30	Pass
3365	3370	1	CHP	2	3368.050	-44.12	-25	Pass
3370	3445	1	CHP	3	3443.350	-42.37	-13	Pass
3445	3449	1	CHP	4	3448.450	-38.39	-10	Pass
3449	3450	0.4	CHP	5	3449.950	-25.54	-13	Pass
3450	3530	0.4	CHP	/	/	/	/	/
3530	3531	0.4	CHP	6	3530.650	-48.69	-13	Pass
3531	3535	1	CHP	7	3535.000	-44.45	-10	Pass
3535	3610	1	CHP	8	3607.600	-41.53	-13	Pass
3610	3615	1	CHP	9	3612.100	-41.39	-25	Pass
3615	3625	1	CHP	10	3617.500	-41.40	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3490.02MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3355	3365	1	CHP	1	3362.200	-43.89	-30	Pass
3365	3370	1	CHP	2	3368.950	-44.17	-25	Pass
3370	3445	1	CHP	3	3401.500	-43.89	-13	Pass
3445	3449	1	CHP	4	3447.100	-44.77	-10	Pass
3449	3450	0.4	CHP	5	3449.950	-49.00	-13	Pass
3450	3530	0.4	CHP	/	/	/	/	/
3530	3531	0.4	CHP	6	3530.050	-24.82	-13	Pass
3531	3535	1	CHP	7	3531.550	-42.10	-10	Pass
3535	3610	1	CHP	8	3605.650	-41.65	-13	Pass
3610	3615	1	CHP	9	3614.500	-41.51	-25	Pass
3615	3625	1	CHP	10	3618.700	-41.47	-30	Pass

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	880.200	-45.27	-30	Pass

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3485	1	/	1	3232.950	-40.78	-30	Pass
3485	3490	1	/	2	3487.100	-42.55	-25	Pass
3490	3575	1	/	3	3502.400	-41.61	-13	Pass
3575	3675	1	/	/	/	/	/	/
3675	3760	1	/	4	3759.950	-39.06	-13	Pass
3760	3765	1	/	5	3762.500	-40.07	-25	Pass
3765	26500	1	/	6	26194.850	-34.64	-30	Pass

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3759.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3625	3635	1	CHP	1	3630.850	-41.31	-30	Pass
3635	3640	1	CHP	2	3636.550	-41.34	-25	Pass
3640	3715	1	CHP	3	3714.100	-40.25	-13	Pass
3715	3719	1	CHP	4	3718.450	-38.72	-10	Pass
3719	3720	0.4	CHP	5	3719.950	-23.53	-13	Pass
3720	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.650	-44.39	-13	Pass
3801	3805	1	CHP	7	3802.600	-39.86	-10	Pass
3805	3880	1	CHP	8	3811.750	-39.69	-13	Pass
3880	3885	1	CHP	9	3883.150	-40.38	-25	Pass
3885	3895	1	CHP	10	3886.300	-40.37	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3759.99MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3625	3635	1	CHP	1	3625.900	-41.34	-30	Pass
3635	3640	1	CHP	2	3638.500	-41.43	-25	Pass
3640	3715	1	CHP	3	3714.550	-40.17	-13	Pass
3715	3719	1	CHP	4	3717.250	-40.46	-10	Pass
3719	3720	0.4	CHP	5	3719.650	-44.78	-13	Pass
3720	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.050	-21.12	-13	Pass
3801	3805	1	CHP	7	3801.550	-39.14	-10	Pass
3805	3880	1	CHP	8	3819.100	-39.79	-13	Pass
3880	3885	1	CHP	9	3880.750	-40.65	-25	Pass
3885	3895	1	CHP	10	3892.450	-40.78	-30	Pass

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3759.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	864.050	-44.70	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3759.99MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3635	1	/	1	3634.150	-39.65	-30	Pass
3635	3640	1	/	2	3636.700	-40.01	-25	Pass
3640	3715	1	/	3	3714.900	-39.56	-13	Pass
3715	3805	1	/	/	/	/	/	/
3805	3880	1	/	4	3808.400	-38.92	-13	Pass
3880	3885	1	/	5	3882.350	-39.45	-25	Pass
3885	26500	1	/	6	26234.800	-34.83	-30	Pass

n78f_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3759.99MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3625	3635	1	CHP	1	3630.250	-38.69	-30	Pass
3635	3640	1	CHP	2	3635.950	-40.26	-25	Pass
3640	3715	1	CHP	3	3715.000	-38.23	-13	Pass
3715	3719	1	CHP	4	3718.450	-37.37	-10	Pass
3719	3720	0.4	CHP	5	3719.950	-34.94	-13	Pass
3720	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.050	-43.19	-13	Pass
3801	3805	1	CHP	7	3802.450	-39.50	-10	Pass
3805	3880	1	CHP	8	3805.600	-39.36	-13	Pass
3880	3885	1	CHP	9	3882.700	-39.05	-25	Pass
3885	3895	1	CHP	10	3892.600	-40.04	-30	Pass