



n78f_30kHz_SISO_NTNV_90MHz_CP-OFDM_QPSK_3754.98MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3615	1	/	1	3601.000	-40.24	-30	Pass
3615	3620	1	/	2	3619.700	-40.00	-25	Pass
3620	3705	1	/	3	3694.500	-38.53	-13	Pass
3705	3805	1	/	/	/	/	/	/
3805	3890	1	/	4	3808.400	-38.83	-13	Pass
3890	3895	1	/	5	3893.400	-39.89	-25	Pass
3895	26500	1	/	6	26236.500	-34.49	-30	Pass

n78f_30kHz_SISO_NTNV_90MHz_CP-OFDM_QPSK_3754.98MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3605	3615	1	CHP	1	3612.350	-38.14	-30	Pass
3615	3620	1	CHP	2	3618.800	-38.10	-25	Pass
3620	3705	1	CHP	3	3703.700	-37.03	-13	Pass
3705	3709	1	CHP	4	3708.500	-36.43	-10	Pass
3709	3710	0.4	CHP	5	3709.850	-36.91	-13	Pass
3710	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.450	-40.30	-13	Pass
3801	3805	1	CHP	7	3804.200	-37.41	-10	Pass
3805	3890	1	CHP	8	3867.650	-37.55	-13	Pass
3890	3895	1	CHP	9	3892.550	-38.00	-25	Pass
3895	3905	1	CHP	10	3895.100	-38.13	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_90MHz_CP-OFDM_QPSK_3754.98MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3605	3615	1	CHP	1	3605.900	-41.44	-30	Pass
3615	3620	1	CHP	2	3618.200	-41.45	-25	Pass
3620	3705	1	CHP	3	3667.400	-40.21	-13	Pass
3705	3709	1	CHP	4	3708.500	-36.53	-10	Pass
3709	3710	0.4	CHP	5	3709.100	-35.85	-13	Pass
3710	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.750	-44.01	-13	Pass
3801	3805	1	CHP	7	3801.500	-40.06	-10	Pass
3805	3890	1	CHP	8	3806.000	-39.30	-13	Pass
3890	3895	1	CHP	9	3890.150	-40.42	-25	Pass
3895	3905	1	CHP	10	3897.650	-40.53	-30	Pass

n78f_30kHz_SISO_NTNV_90MHz_CP-OFDM_QPSK_3754.98MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3605	3615	1	CHP	1	3608.150	-41.09	-30	Pass
3615	3620	1	CHP	2	3618.950	-41.41	-25	Pass
3620	3705	1	CHP	3	3699.500	-40.02	-13	Pass
3705	3709	1	CHP	4	3707.600	-40.35	-10	Pass
3709	3710	0.4	CHP	5	3709.700	-44.27	-13	Pass
3710	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.150	-27.62	-13	Pass
3801	3805	1	CHP	7	3801.500	-38.63	-10	Pass
3805	3890	1	CHP	8	3813.800	-39.67	-13	Pass
3890	3895	1	CHP	9	3894.500	-40.59	-25	Pass
3895	3905	1	CHP	10	3901.700	-40.37	-30	Pass


5.2.10 30_S_100M_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM PI/2 BPSK_3500.01MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3345	1	/	1	3250.800	-40.55	-30	Pass
3345	3350	1	/	2	3349.400	-42.03	-25	Pass
3350	3445	1	/	3	3442.900	-40.08	-13	Pass
3445	3555	1	/	/	/	/	/	/
3555	3650	1	/	4	3613.750	-39.90	-13	Pass
3650	3655	1	/	5	3652.000	-41.09	-25	Pass
3655	26500	1	/	6	26252.650	-34.79	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM PI/2 BPSK_3500.01MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3335	3345	1	CHP	1	3338.300	-43.71	-30	Pass
3345	3350	1	CHP	2	3348.650	-43.69	-25	Pass
3350	3445	1	CHP	3	3354.950	-43.57	-13	Pass
3445	3449	1	CHP	4	3445.100	-44.23	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-48.43	-13	Pass
3450	3550	0.4	CHP	/	/	/	/	/
3550	3551	0.4	CHP	6	3550.100	-31.65	-13	Pass
3551	3555	1	CHP	7	3551.600	-41.61	-10	Pass
3555	3650	1	CHP	8	3647.300	-40.92	-13	Pass
3650	3655	1	CHP	9	3653.900	-41.01	-25	Pass
3655	3665	1	CHP	10	3662.000	-40.82	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_3500.01MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3335	3345	1	CHP	1	3341.600	-37.44	-30	Pass
3345	3350	1	CHP	2	3347.150	-36.21	-25	Pass
3350	3445	1	CHP	3	3383.000	-34.21	-13	Pass
3445	3449	1	CHP	4	3445.550	-38.09	-10	Pass
3449	3450	0.4	CHP	5	3449.450	-44.02	-13	Pass
3450	3550	0.4	CHP	/	/	/	/	/
3550	3551	0.4	CHP	6	3551.000	-39.49	-13	Pass
3551	3555	1	CHP	7	3553.550	-35.28	-10	Pass
3555	3650	1	CHP	8	3556.550	-36.28	-13	Pass
3650	3655	1	CHP	9	3653.900	-40.50	-25	Pass
3655	3665	1	CHP	10	3656.600	-39.41	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_3500.01MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3335	3345	1	CHP	1	3337.550	-43.66	-30	Pass
3345	3350	1	CHP	2	3347.000	-43.63	-25	Pass
3350	3445	1	CHP	3	3353.750	-42.85	-13	Pass
3445	3449	1	CHP	4	3448.400	-42.58	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-21.35	-13	Pass
3450	3550	0.4	CHP	/	/	/	/	/
3550	3551	0.4	CHP	6	3550.550	-48.61	-13	Pass
3551	3555	1	CHP	7	3553.100	-44.06	-10	Pass
3555	3650	1	CHP	8	3649.100	-40.74	-13	Pass
3650	3655	1	CHP	9	3650.300	-40.91	-25	Pass
3655	3665	1	CHP	10	3655.550	-40.79	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM PI/2 BPSK_3500.01MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3335	3345	1	CHP	1	3338.000	-43.41	-30	Pass
3345	3350	1	CHP	2	3350.000	-43.45	-25	Pass
3350	3445	1	CHP	3	3354.050	-42.83	-13	Pass
3445	3449	1	CHP	4	3446.000	-44.25	-10	Pass
3449	3450	0.4	CHP	5	3449.150	-47.92	-13	Pass
3450	3550	0.4	CHP	/	/	/	/	/
3550	3551	0.4	CHP	6	3550.100	-35.43	-13	Pass
3551	3555	1	CHP	7	3551.750	-42.47	-10	Pass
3555	3650	1	CHP	8	3647.150	-40.96	-13	Pass
3650	3655	1	CHP	9	3652.850	-40.98	-25	Pass
3655	3665	1	CHP	10	3660.200	-40.74	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	912.100	-45.21	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_3624.99MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3455	1	/	1	3236.350	-41.02	-30	Pass
3455	3460	1	/	2	3456.500	-42.71	-25	Pass
3460	3565	1	/	3	3526.200	-42.11	-13	Pass
3565	3685	1	/	/	/	/	/	/
3685	3790	1	/	4	3746.350	-39.45	-13	Pass
3790	3795	1	/	5	3791.400	-39.32	-25	Pass
3795	26500	1	/	6	26255.200	-34.74	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_3750MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3585	3595	1	CHP	1	3587.700	-41.26	-30	Pass
3595	3600	1	CHP	2	3595.950	-41.16	-25	Pass
3600	3695	1	CHP	3	3693.000	-39.95	-13	Pass
3695	3699	1	CHP	4	3698.400	-39.57	-10	Pass
3699	3700	0.4	CHP	5	3699.600	-33.16	-13	Pass
3700	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.700	-43.94	-13	Pass
3801	3805	1	CHP	7	3801.600	-40.21	-10	Pass
3805	3900	1	CHP	8	3805.950	-39.68	-13	Pass
3900	3905	1	CHP	9	3900.150	-40.77	-25	Pass
3905	3915	1	CHP	10	3908.550	-40.60	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_3750MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3585	3595	1	CHP	1	3590.700	-41.46	-30	Pass
3595	3600	1	CHP	2	3596.700	-41.37	-25	Pass
3600	3695	1	CHP	3	3688.200	-40.39	-13	Pass
3695	3699	1	CHP	4	3695.250	-40.85	-10	Pass
3699	3700	0.4	CHP	5	3699.150	-44.69	-13	Pass
3700	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.100	-29.01	-13	Pass
3801	3805	1	CHP	7	3801.600	-38.55	-10	Pass
3805	3900	1	CHP	8	3807.150	-39.39	-13	Pass
3900	3905	1	CHP	9	3904.650	-40.33	-25	Pass
3905	3915	1	CHP	10	3908.550	-40.45	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_3750MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	875.900	-44.92	-30	Pass

n78f 30kHz SISO NTN 100MHz DFT-s-OFDM PI/2 BPSK 3750MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3595	1	/	1	3231.250	-40.55	-30	Pass
3595	3600	1	/	2	3596.750	-41.05	-25	Pass
3600	3695	1	/	3	3674.950	-39.62	-13	Pass
3695	3805	1	/	/	/	/	/	/
3805	3900	1	/	4	3857.700	-39.00	-13	Pass
3900	3905	1	/	5	3901.900	-40.08	-25	Pass
3905	26500	1	/	6	26239.050	-34.38	-30	Pass

n78f 30kHz SISO NTN 100MHz DFT-s-OFDM PI/2 BPSK 3750MHz Outer Full Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3585	3595	1	CHP	1	3587.550	-39.63	-30	Pass
3595	3600	1	CHP	2	3595.200	-39.43	-25	Pass
3600	3695	1	CHP	3	3694.950	-36.90	-13	Pass
3695	3699	1	CHP	4	3696.600	-36.74	-10	Pass
3699	3700	0.4	CHP	5	3699.150	-40.85	-13	Pass
3700	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.400	-43.47	-13	Pass
3801	3805	1	CHP	7	3804.150	-38.42	-10	Pass
3805	3900	1	CHP	8	3840.000	-38.21	-13	Pass
3900	3905	1	CHP	9	3903.000	-40.40	-25	Pass
3905	3915	1	CHP	10	3910.350	-40.01	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_3750MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3585	3595	1	CHP	1	3590.550	-41.68	-30	Pass
3595	3600	1	CHP	2	3598.650	-41.77	-25	Pass
3600	3695	1	CHP	3	3693.000	-39.41	-13	Pass
3695	3699	1	CHP	4	3698.400	-39.85	-10	Pass
3699	3700	0.4	CHP	5	3699.450	-32.07	-13	Pass
3700	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.100	-44.20	-13	Pass
3801	3805	1	CHP	7	3801.600	-39.87	-10	Pass
3805	3900	1	CHP	8	3820.050	-39.80	-13	Pass
3900	3905	1	CHP	9	3902.700	-40.73	-25	Pass
3905	3915	1	CHP	10	3910.500	-40.81	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_3750MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3585	3595	1	CHP	1	3592.800	-41.60	-30	Pass
3595	3600	1	CHP	2	3600.000	-41.58	-25	Pass
3600	3695	1	CHP	3	3671.550	-40.50	-13	Pass
3695	3699	1	CHP	4	3695.100	-40.83	-10	Pass
3699	3700	0.4	CHP	5	3699.300	-45.22	-13	Pass
3700	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.100	-36.79	-13	Pass
3801	3805	1	CHP	7	3801.600	-38.54	-10	Pass
3805	3900	1	CHP	8	3806.400	-38.94	-13	Pass
3900	3905	1	CHP	9	3901.950	-40.73	-25	Pass
3905	3915	1	CHP	10	3905.550	-40.45	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3500.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3335	3345	1	CHP	1	3343.700	-43.46	-30	Pass
3345	3350	1	CHP	2	3348.350	-43.73	-25	Pass
3350	3445	1	CHP	3	3442.700	-42.22	-13	Pass
3445	3449	1	CHP	4	3448.400	-41.73	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-18.35	-13	Pass
3450	3550	0.4	CHP	/	/	/	/	/
3550	3551	0.4	CHP	6	3550.700	-49.11	-13	Pass
3551	3555	1	CHP	7	3554.900	-44.30	-10	Pass
3555	3650	1	CHP	8	3650.000	-41.01	-13	Pass
3650	3655	1	CHP	9	3650.150	-41.08	-25	Pass
3655	3665	1	CHP	10	3661.250	-40.94	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3500.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	894.750	-45.02	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3500.01MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3345	1	/	1	3211.700	-40.36	-30	Pass
3345	3350	1	/	2	3348.550	-41.46	-25	Pass
3350	3445	1	/	3	3436.100	-41.34	-13	Pass
3445	3555	1	/	/	/	/	/	/
3555	3650	1	/	4	3647.750	-40.05	-13	Pass
3650	3655	1	/	5	3650.300	-40.02	-25	Pass
3655	26500	1	/	6	26277.300	-34.41	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3500.01MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3335	3345	1	CHP	1	3342.800	-43.34	-30	Pass
3345	3350	1	CHP	2	3347.900	-43.54	-25	Pass
3350	3445	1	CHP	3	3351.050	-43.50	-13	Pass
3445	3449	1	CHP	4	3447.650	-44.11	-10	Pass
3449	3450	0.4	CHP	5	3449.300	-48.49	-13	Pass
3450	3550	0.4	CHP	/	/	/	/	/
3550	3551	0.4	CHP	6	3550.100	-27.17	-13	Pass
3551	3555	1	CHP	7	3551.600	-40.87	-10	Pass
3555	3650	1	CHP	8	3643.100	-40.78	-13	Pass
3650	3655	1	CHP	9	3651.200	-40.83	-25	Pass
3655	3665	1	CHP	10	3656.600	-41.05	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3500.01MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3335	3345	1	CHP	1	3344.750	-43.52	-30	Pass
3345	3350	1	CHP	2	3345.050	-43.63	-25	Pass
3350	3445	1	CHP	3	3443.300	-41.03	-13	Pass
3445	3449	1	CHP	4	3445.100	-41.29	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-42.26	-13	Pass
3450	3550	0.4	CHP	/	/	/	/	/
3550	3551	0.4	CHP	6	3550.100	-41.29	-13	Pass
3551	3555	1	CHP	7	3554.900	-38.19	-10	Pass
3555	3650	1	CHP	8	3595.850	-36.77	-13	Pass
3650	3655	1	CHP	9	3654.650	-39.31	-25	Pass
3655	3665	1	CHP	10	3657.350	-38.80	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3500.01MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3335	3345	1	CHP	1	3341.900	-43.46	-30	Pass
3345	3350	1	CHP	2	3348.650	-43.04	-25	Pass
3350	3445	1	CHP	3	3443.300	-40.49	-13	Pass
3445	3449	1	CHP	4	3448.400	-40.70	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-36.65	-13	Pass
3450	3550	0.4	CHP	/	/	/	/	/
3550	3551	0.4	CHP	6	3550.100	-48.14	-13	Pass
3551	3555	1	CHP	7	3554.000	-44.25	-10	Pass
3555	3650	1	CHP	8	3641.900	-40.86	-13	Pass
3650	3655	1	CHP	9	3653.900	-40.99	-25	Pass
3655	3665	1	CHP	10	3656.150	-40.68	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3500.01MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3335	3345	1	CHP	1	3341.900	-43.19	-30	Pass
3345	3350	1	CHP	2	3348.500	-43.50	-25	Pass
3350	3445	1	CHP	3	3377.150	-43.60	-13	Pass
3445	3449	1	CHP	4	3446.000	-44.48	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-48.82	-13	Pass
3450	3550	0.4	CHP	/	/	/	/	/
3550	3551	0.4	CHP	6	3550.100	-33.46	-13	Pass
3551	3555	1	CHP	7	3551.600	-43.46	-10	Pass
3555	3650	1	CHP	8	3645.800	-40.53	-13	Pass
3650	3655	1	CHP	9	3654.200	-41.16	-25	Pass
3655	3665	1	CHP	10	3660.650	-40.86	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	852.050	-45.31	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3455	1	/	1	3228.700	-40.88	-30	Pass
3455	3460	1	/	2	3459.900	-43.09	-25	Pass
3460	3565	1	/	3	3559.350	-42.05	-13	Pass
3565	3685	1	/	/	/	/	/	/
3685	3790	1	/	4	3773.550	-39.16	-13	Pass
3790	3795	1	/	5	3793.950	-39.34	-25	Pass
3795	26500	1	/	6	26235.650	-34.65	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3750MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3585	3595	1	CHP	1	3591.150	-41.66	-30	Pass
3595	3600	1	CHP	2	3597.750	-41.37	-25	Pass
3600	3695	1	CHP	3	3692.700	-40.20	-13	Pass
3695	3699	1	CHP	4	3698.400	-38.00	-10	Pass
3699	3700	0.4	CHP	5	3699.450	-37.03	-13	Pass
3700	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.100	-43.93	-13	Pass
3801	3805	1	CHP	7	3802.800	-40.12	-10	Pass
3805	3900	1	CHP	8	3805.800	-39.54	-13	Pass
3900	3905	1	CHP	9	3904.350	-40.61	-25	Pass
3905	3915	1	CHP	10	3908.100	-40.76	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3750MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3585	3595	1	CHP	1	3586.500	-41.18	-30	Pass
3595	3600	1	CHP	2	3595.200	-41.07	-25	Pass
3600	3695	1	CHP	3	3677.550	-40.52	-13	Pass
3695	3699	1	CHP	4	3696.450	-40.59	-10	Pass
3699	3700	0.4	CHP	5	3699.150	-44.09	-13	Pass
3700	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.100	-20.71	-13	Pass
3801	3805	1	CHP	7	3801.600	-39.21	-10	Pass
3805	3900	1	CHP	8	3828.450	-39.46	-13	Pass
3900	3905	1	CHP	9	3900.300	-40.31	-25	Pass
3905	3915	1	CHP	10	3907.500	-40.63	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3750MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	884.300	-45.01	-30	Pass


Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3750MHz_Edge_1RB_Right_Ant1



n78f_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3750MHz_Outer_Full_Ant1




n78f 30kHz SISO_NTNV_100MHz_DFT-s-OFDM QPSK_3750MHz Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3585	3595	1	CHP	1	3585.600	-41.57	-30	Pass
3595	3600	1	CHP	2	3597.450	-41.68	-25	Pass
3600	3695	1	CHP	3	3693.000	-40.22	-13	Pass
3695	3699	1	CHP	4	3698.400	-40.00	-10	Pass
3699	3700	0.4	CHP	5	3699.900	-35.63	-13	Pass
3700	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.400	-43.94	-13	Pass
3801	3805	1	CHP	7	3803.850	-40.17	-10	Pass
3805	3900	1	CHP	8	3823.950	-39.55	-13	Pass
3900	3905	1	CHP	9	3903.300	-40.60	-25	Pass
3905	3915	1	CHP	10	3905.250	-40.91	-30	Pass

n78f 30kHz SISO_NTNV_100MHz_DFT-s-OFDM QPSK_3750MHz Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3585	3595	1	CHP	1	3587.700	-41.40	-30	Pass
3595	3600	1	CHP	2	3598.200	-41.65	-25	Pass
3600	3695	1	CHP	3	3694.350	-40.47	-13	Pass
3695	3699	1	CHP	4	3695.400	-40.26	-10	Pass
3699	3700	0.4	CHP	5	3699.750	-44.77	-13	Pass
3700	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.100	-37.19	-13	Pass
3801	3805	1	CHP	7	3801.600	-38.61	-10	Pass
3805	3900	1	CHP	8	3806.550	-39.34	-13	Pass
3900	3905	1	CHP	9	3900.750	-40.49	-25	Pass
3905	3915	1	CHP	10	3909.600	-40.62	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3500.01MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3335	3345	1	CHP	1	3338.000	-43.54	-30	Pass
3345	3350	1	CHP	2	3348.350	-43.60	-25	Pass
3350	3445	1	CHP	3	3352.700	-43.72	-13	Pass
3445	3449	1	CHP	4	3448.400	-42.47	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-25.05	-13	Pass
3450	3550	0.4	CHP	/	/	/	/	/
3550	3551	0.4	CHP	6	3550.700	-48.57	-13	Pass
3551	3555	1	CHP	7	3551.750	-44.70	-10	Pass
3555	3650	1	CHP	8	3642.500	-41.29	-13	Pass
3650	3655	1	CHP	9	3654.650	-41.41	-25	Pass
3655	3665	1	CHP	10	3657.800	-40.96	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3500.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	854.400	-45.02	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f 30kHz SISO_NTNV_100MHz_CP-OFDM QPSK 3500.01MHz Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3345	1	/	1	3102.050	-40.71	-30	Pass
3345	3350	1	/	2	3349.400	-42.35	-25	Pass
3350	3445	1	/	3	3351.950	-41.41	-13	Pass
3445	3555	1	/	/	/	/	/	/
3555	3650	1	/	4	3620.550	-40.36	-13	Pass
3650	3655	1	/	5	3654.550	-40.39	-25	Pass
3655	26500	1	/	6	26245.000	-34.84	-30	Pass

n78f 30kHz SISO_NTNV_100MHz_CP-OFDM QPSK 3500.01MHz Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3335	3345	1	CHP	1	3342.200	-43.72	-30	Pass
3345	3350	1	CHP	2	3347.000	-44.19	-25	Pass
3350	3445	1	CHP	3	3359.900	-43.44	-13	Pass
3445	3449	1	CHP	4	3447.500	-44.59	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-48.73	-13	Pass
3450	3550	0.4	CHP	/	/	/	/	/
3550	3551	0.4	CHP	6	3550.100	-37.68	-13	Pass
3551	3555	1	CHP	7	3552.050	-44.17	-10	Pass
3555	3650	1	CHP	8	3628.550	-41.08	-13	Pass
3650	3655	1	CHP	9	3652.400	-41.49	-25	Pass
3655	3665	1	CHP	10	3657.500	-40.98	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3500.01MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3395	3405	1	CHP	1	3404.750	-43.64	-30	Pass
3405	3410	1	CHP	2	3405.200	-43.67	-25	Pass
3410	3465	1	CHP	3	3457.550	-13.80	-13	Pass
3465	3469	1	CHP	4	3465.500	-13.74	-10	Pass
3469	3470	0.4	CHP	5	3469.700	-18.16	-13	Pass
3470	3530	0.4	CHP	/	/	/	/	/
3530	3531	0.4	CHP	6	3530.450	-18.29	-13	Pass
3531	3535	1	CHP	7	3533.450	-14.64	-10	Pass
3535	3590	1	CHP	8	3535.550	-14.14	-13	Pass
3590	3595	1	CHP	9	3594.950	-43.93	-25	Pass
3595	3605	1	CHP	10	3600.650	-41.85	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3500.01MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3335	3345	1	CHP	1	3344.900	-43.90	-30	Pass
3345	3350	1	CHP	2	3345.200	-43.80	-25	Pass
3350	3445	1	CHP	3	3443.300	-42.95	-13	Pass
3445	3449	1	CHP	4	3447.950	-41.25	-10	Pass
3449	3450	0.4	CHP	5	3449.900	-29.56	-13	Pass
3450	3550	0.4	CHP	/	/	/	/	/
3550	3551	0.4	CHP	6	3550.100	-48.33	-13	Pass
3551	3555	1	CHP	7	3552.350	-44.51	-10	Pass
3555	3650	1	CHP	8	3645.500	-41.25	-13	Pass
3650	3655	1	CHP	9	3653.150	-40.95	-25	Pass
3655	3665	1	CHP	10	3663.650	-40.77	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3500.01MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3335	3345	1	CHP	1	3336.200	-43.60	-30	Pass
3345	3350	1	CHP	2	3345.500	-44.11	-25	Pass
3350	3445	1	CHP	3	3358.250	-43.98	-13	Pass
3445	3449	1	CHP	4	3445.250	-44.53	-10	Pass
3449	3450	0.4	CHP	5	3449.450	-48.61	-13	Pass
3450	3550	0.4	CHP	/	/	/	/	/
3550	3551	0.4	CHP	6	3550.100	-32.04	-13	Pass
3551	3555	1	CHP	7	3551.600	-40.37	-10	Pass
3555	3650	1	CHP	8	3644.600	-41.00	-13	Pass
3650	3655	1	CHP	9	3651.800	-41.45	-25	Pass
3655	3665	1	CHP	10	3663.500	-41.09	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	871.000	-45.33	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3455	1	/	1	2653.250	-40.78	-30	Pass
3455	3460	1	/	2	3458.200	-42.70	-25	Pass
3460	3565	1	/	3	3560.200	-42.03	-13	Pass
3565	3685	1	/	/	/	/	/	/
3685	3790	1	/	4	3774.400	-39.36	-13	Pass
3790	3795	1	/	5	3793.100	-39.35	-25	Pass
3795	26500	1	/	6	26269.650	-34.57	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3750MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3585	3595	1	CHP	1	3589.200	-41.29	-30	Pass
3595	3600	1	CHP	2	3600.000	-41.47	-25	Pass
3600	3695	1	CHP	3	3692.550	-39.86	-13	Pass
3695	3699	1	CHP	4	3698.400	-38.39	-10	Pass
3699	3700	0.4	CHP	5	3699.900	-26.06	-13	Pass
3700	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.550	-43.72	-13	Pass
3801	3805	1	CHP	7	3804.450	-40.00	-10	Pass
3805	3900	1	CHP	8	3826.350	-39.51	-13	Pass
3900	3905	1	CHP	9	3901.950	-40.69	-25	Pass
3905	3915	1	CHP	10	3908.700	-40.65	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3750MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3585	3595	1	CHP	1	3591.150	-41.15	-30	Pass
3595	3600	1	CHP	2	3596.250	-41.54	-25	Pass
3600	3695	1	CHP	3	3684.900	-40.53	-13	Pass
3695	3699	1	CHP	4	3697.650	-40.48	-10	Pass
3699	3700	0.4	CHP	5	3699.300	-44.64	-13	Pass
3700	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.100	-33.35	-13	Pass
3801	3805	1	CHP	7	3801.600	-39.34	-10	Pass
3805	3900	1	CHP	8	3806.550	-39.48	-13	Pass
3900	3905	1	CHP	9	3903.450	-40.34	-25	Pass
3905	3915	1	CHP	10	3913.200	-40.60	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3750MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	854.650	-44.94	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3750MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3595	1	/	1	3237.200	-40.74	-30	Pass
3595	3600	1	/	2	3597.600	-41.78	-25	Pass
3600	3695	1	/	3	3651.150	-39.71	-13	Pass
3695	3805	1	/	/	/	/	/	/
3805	3900	1	/	4	3810.100	-39.07	-13	Pass
3900	3905	1	/	5	3903.600	-39.73	-25	Pass
3905	26500	1	/	6	26236.500	-34.57	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3750MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3585	3595	1	CHP	1	3593.550	-36.65	-30	Pass
3595	3600	1	CHP	2	3598.800	-36.94	-25	Pass
3600	3695	1	CHP	3	3678.900	-35.72	-13	Pass
3695	3699	1	CHP	4	3697.950	-36.35	-10	Pass
3699	3700	0.4	CHP	5	3699.900	-40.54	-13	Pass
3700	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.100	-38.13	-13	Pass
3801	3805	1	CHP	7	3801.600	-35.56	-10	Pass
3805	3900	1	CHP	8	3805.650	-35.47	-13	Pass
3900	3905	1	CHP	9	3903.600	-37.33	-25	Pass
3905	3915	1	CHP	10	3908.250	-37.54	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3750MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3585	3595	1	CHP	1	3585.900	-41.57	-30	Pass
3595	3600	1	CHP	2	3597.300	-41.35	-25	Pass
3600	3695	1	CHP	3	3690.750	-40.05	-13	Pass
3695	3699	1	CHP	4	3698.400	-38.08	-10	Pass
3699	3700	0.4	CHP	5	3699.600	-30.70	-13	Pass
3700	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3801.000	-44.08	-13	Pass
3801	3805	1	CHP	7	3801.600	-39.88	-10	Pass
3805	3900	1	CHP	8	3846.900	-39.50	-13	Pass
3900	3905	1	CHP	9	3901.950	-40.61	-25	Pass
3905	3915	1	CHP	10	3906.000	-40.65	-30	Pass

n78f_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3750MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3585	3595	1	CHP	1	3590.550	-41.25	-30	Pass
3595	3600	1	CHP	2	3599.700	-41.26	-25	Pass
3600	3695	1	CHP	3	3684.300	-40.46	-13	Pass
3695	3699	1	CHP	4	3698.400	-40.61	-10	Pass
3699	3700	0.4	CHP	5	3699.900	-44.78	-13	Pass
3700	3800	0.4	CHP	/	/	/	/	/
3800	3801	0.4	CHP	6	3800.100	-35.50	-13	Pass
3801	3805	1	CHP	7	3801.750	-38.46	-10	Pass
3805	3900	1	CHP	8	3805.050	-39.29	-13	Pass
3900	3905	1	CHP	9	3901.800	-40.20	-25	Pass
3905	3915	1	CHP	10	3913.650	-40.61	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694



6. Frequency Stability (IC)

6.1 Test Result

6.1.1 30_S_10M

5G NR n78f SCS=30kHz SISO 10MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	OBW (FL - FH) (MHz)		Limit	Verdict
					FL	FH		
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	20	LV	3620.650	3629.280	3620 to 3630	Pass
				HV	3620.629	3629.320	3620 to 3630	Pass
			-30	NV	3620.666	3629.314	3620 to 3630	Pass
			-20	NV	3620.631	3629.280	3620 to 3630	Pass
			-10	NV	3620.643	3629.348	3620 to 3630	Pass
			0	NV	3620.648	3629.312	3620 to 3630	Pass
			10	NV	3620.660	3629.259	3620 to 3630	Pass
			20	NV	3620.638	3629.238	3620 to 3630	Pass
			30	NV	3620.677	3629.306	3620 to 3630	Pass
			40	NV	3620.670	3629.326	3620 to 3630	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	20	LV	3620.693	3629.340	3620 to 3630	Pass
				HV	3620.658	3629.354	3620 to 3630	Pass
			-30	NV	3620.666	3629.370	3620 to 3630	Pass
			-20	NV	3620.636	3629.270	3620 to 3630	Pass
			-10	NV	3620.651	3629.330	3620 to 3630	Pass
			0	NV	3620.665	3629.321	3620 to 3630	Pass
			10	NV	3620.662	3629.353	3620 to 3630	Pass
			20	NV	3620.645	3629.291	3620 to 3630	Pass
			30	NV	3620.711	3629.296	3620 to 3630	Pass
			40	NV	3620.642	3629.347	3620 to 3630	Pass
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	20	LV	3620.681	3629.326	3620 to 3630	Pass
				HV	3620.680	3629.291	3620 to 3630	Pass
			-30	NV	3620.675	3629.307	3620 to 3630	Pass
			-20	NV	3620.714	3629.309	3620 to 3630	Pass
			-10	NV	3620.646	3629.308	3620 to 3630	Pass
			0	NV	3620.662	3629.346	3620 to 3630	Pass
			10	NV	3620.669	3629.312	3620 to 3630	Pass
			20	NV	3620.654	3629.329	3620 to 3630	Pass
			30	NV	3620.643	3629.253	3620 to 3630	Pass
			40	NV	3620.627	3629.286	3620 to 3630	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	20	LV	3620.691	3629.324	3620 to 3630	Pass
				HV	3620.657	3629.358	3620 to 3630	Pass
			-30	NV	3620.669	3629.355	3620 to 3630	Pass
			-20	NV	3620.656	3629.338	3620 to 3630	Pass
			-10	NV	3620.602	3629.335	3620 to 3630	Pass
			0	NV	3620.752	3629.339	3620 to 3630	Pass
			10	NV	3620.732	3629.287	3620 to 3630	Pass
			20	NV	3620.653	3629.330	3620 to 3630	Pass
			30	NV	3620.656	3629.361	3620 to 3630	Pass
			40	NV	3620.647	3629.341	3620 to 3630	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	20	LV	3620.663	3629.328	3620 to 3630	Pass
				HV	3620.695	3629.345	3620 to 3630	Pass
			-30	NV	3620.606	3629.350	3620 to 3630	Pass
			-20	NV	3620.681	3629.361	3620 to 3630	Pass
			-10	NV	3620.656	3629.331	3620 to 3630	Pass
			0	NV	3620.678	3629.328	3620 to 3630	Pass
			10	NV	3620.648	3629.348	3620 to 3630	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

			20	NV	3620.641	3629.401	3620 to 3630	Pass
			30	NV	3620.604	3629.345	3620 to 3630	Pass
			40	NV	3620.634	3629.240	3620 to 3630	Pass
			50	NV	3620.627	3629.381	3620 to 3630	Pass
CP-OFDM QPSK	3624.99	Outer_Full	20	LV	3620.619	3629.356	3620 to 3630	Pass
				HV	3620.657	3629.345	3620 to 3630	Pass
			-30	NV	3620.629	3629.329	3620 to 3630	Pass
			-20	NV	3620.655	3629.312	3620 to 3630	Pass
			-10	NV	3620.665	3629.256	3620 to 3630	Pass
			0	NV	3620.609	3629.325	3620 to 3630	Pass
			10	NV	3620.644	3629.298	3620 to 3630	Pass
			20	NV	3620.653	3629.331	3620 to 3630	Pass
			30	NV	3620.626	3629.295	3620 to 3630	Pass
			40	NV	3620.618	3629.312	3620 to 3630	Pass
			50	NV	3620.689	3629.305	3620 to 3630	Pass
			20	LV	3620.638	3629.321	3620 to 3630	Pass
				HV	3620.624	3629.347	3620 to 3630	Pass
			-30	NV	3620.621	3629.353	3620 to 3630	Pass
CP-OFDM 16 QAM	3624.99	Outer_Full	-20	NV	3620.670	3629.283	3620 to 3630	Pass
			-10	NV	3620.670	3629.323	3620 to 3630	Pass
			0	NV	3620.577	3629.282	3620 to 3630	Pass
			10	NV	3620.679	3629.284	3620 to 3630	Pass
			20	NV	3620.642	3629.285	3620 to 3630	Pass
			30	NV	3620.638	3629.310	3620 to 3630	Pass
			40	NV	3620.632	3629.287	3620 to 3630	Pass
			50	NV	3620.647	3629.304	3620 to 3630	Pass
			20	LV	3620.630	3629.314	3620 to 3630	Pass
				HV	3620.636	3629.329	3620 to 3630	Pass
			-30	NV	3620.620	3629.320	3620 to 3630	Pass
			-20	NV	3620.619	3629.334	3620 to 3630	Pass
			-10	NV	3620.656	3629.306	3620 to 3630	Pass
			0	NV	3620.637	3629.309	3620 to 3630	Pass
CP-OFDM 64 QAM	3624.99	Outer_Full	10	NV	3620.638	3629.314	3620 to 3630	Pass
			20	NV	3620.683	3629.298	3620 to 3630	Pass
			30	NV	3620.638	3629.332	3620 to 3630	Pass
			40	NV	3620.618	3629.298	3620 to 3630	Pass
			50	NV	3620.652	3629.298	3620 to 3630	Pass
			20	LV	3620.641	3629.341	3620 to 3630	Pass
				HV	3620.649	3629.307	3620 to 3630	Pass
			-30	NV	3620.636	3629.354	3620 to 3630	Pass
			-20	NV	3620.757	3629.325	3620 to 3630	Pass
			-10	NV	3620.670	3629.317	3620 to 3630	Pass
			0	NV	3620.658	3629.285	3620 to 3630	Pass
			10	NV	3620.637	3629.358	3620 to 3630	Pass
			20	NV	3620.648	3629.365	3620 to 3630	Pass
			30	NV	3620.653	3629.358	3620 to 3630	Pass
CP-OFDM 256 QAM	3624.99	Outer_Full	40	NV	3620.664	3629.254	3620 to 3630	Pass
			50	NV	3620.660	3629.337	3620 to 3630	Pass

6.1.2 30_S_20M

5G NR n78f SCS=30kHz SISO 20MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	OBW (FL - FH) (MHz)		Limit	Verdict
					FL	FH		
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	20	LV	3615.595	3634.016	3610 to 3640	Pass
				HV	3615.628	3633.971	3610 to 3640	Pass
			-30	NV	3615.670	3633.990	3610 to 3640	Pass
			-20	NV	3615.692	3634.031	3610 to 3640	Pass
			-10	NV	3615.579	3633.929	3610 to 3640	Pass
			0	NV	3615.581	3634.068	3610 to 3640	Pass
			10	NV	3615.556	3633.936	3610 to 3640	Pass
			20	NV	3615.602	3634.051	3610 to 3640	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

			30	NV	3615.615	3634.035	3610 to 3640	Pass
			40	NV	3615.520	3634.072	3610 to 3640	Pass
			50	NV	3615.642	3633.888	3610 to 3640	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	20	LV	3615.549	3634.038	3610 to 3640	Pass
				HV	3615.678	3633.909	3610 to 3640	Pass
			-30	NV	3615.664	3633.884	3610 to 3640	Pass
			-20	NV	3615.552	3634.040	3610 to 3640	Pass
			-10	NV	3615.630	3634.113	3610 to 3640	Pass
			0	NV	3615.648	3634.086	3610 to 3640	Pass
			10	NV	3615.564	3634.017	3610 to 3640	Pass
			20	NV	3615.614	3634.012	3610 to 3640	Pass
			30	NV	3615.672	3633.973	3610 to 3640	Pass
			40	NV	3615.563	3634.067	3610 to 3640	Pass
			50	NV	3615.630	3633.970	3610 to 3640	Pass
			DFT-s-OFDM 16 QAM	3624.99	Outer_Full	20	LV	3615.613
HV	3615.652	3633.899					3610 to 3640	Pass
-30	NV	3615.635				3634.020	3610 to 3640	Pass
-20	NV	3615.671				3633.997	3610 to 3640	Pass
-10	NV	3615.669				3633.977	3610 to 3640	Pass
0	NV	3615.560				3634.046	3610 to 3640	Pass
10	NV	3615.630				3634.007	3610 to 3640	Pass
20	NV	3615.604				3634.019	3610 to 3640	Pass
30	NV	3615.666				3633.944	3610 to 3640	Pass
40	NV	3615.603				3633.905	3610 to 3640	Pass
50	NV	3615.718				3633.993	3610 to 3640	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full				20	LV	3615.696
			HV	3615.565	3633.951		3610 to 3640	Pass
			-30	NV	3615.614	3633.931	3610 to 3640	Pass
			-20	NV	3615.599	3633.983	3610 to 3640	Pass
			-10	NV	3615.555	3634.061	3610 to 3640	Pass
			0	NV	3615.641	3634.059	3610 to 3640	Pass
			10	NV	3615.634	3634.030	3610 to 3640	Pass
			20	NV	3615.675	3634.055	3610 to 3640	Pass
			30	NV	3615.637	3633.968	3610 to 3640	Pass
			40	NV	3615.632	3634.054	3610 to 3640	Pass
			50	NV	3615.544	3633.971	3610 to 3640	Pass
			DFT-s-OFDM 256 QAM	3624.99	Outer_Full	20	LV	3615.574
HV	3615.682	3634.034					3610 to 3640	Pass
-30	NV	3615.655				3633.987	3610 to 3640	Pass
-20	NV	3615.608				3634.072	3610 to 3640	Pass
-10	NV	3615.634				3634.041	3610 to 3640	Pass
0	NV	3615.662				3634.071	3610 to 3640	Pass
10	NV	3615.631				3633.975	3610 to 3640	Pass
20	NV	3615.609				3633.985	3610 to 3640	Pass
30	NV	3615.630				3634.025	3610 to 3640	Pass
40	NV	3615.629				3634.056	3610 to 3640	Pass
50	NV	3615.528				3633.923	3610 to 3640	Pass
CP-OFDM QPSK	3624.99	Outer_Full				20	LV	3615.585
			HV	3615.634	3634.325		3610 to 3640	Pass
			-30	NV	3615.634	3634.339	3610 to 3640	Pass
			-20	NV	3615.563	3634.317	3610 to 3640	Pass
			-10	NV	3615.568	3634.292	3610 to 3640	Pass
			0	NV	3615.616	3634.395	3610 to 3640	Pass
			10	NV	3615.543	3634.344	3610 to 3640	Pass
			20	NV	3615.699	3634.274	3610 to 3640	Pass
			30	NV	3615.669	3634.338	3610 to 3640	Pass
			40	NV	3615.594	3634.250	3610 to 3640	Pass
			50	NV	3615.639	3634.329	3610 to 3640	Pass
			CP-OFDM 16 QAM	3624.99	Outer_Full	20	LV	3615.652
HV	3615.690	3634.366					3610 to 3640	Pass
-30	NV	3615.593				3634.336	3610 to 3640	Pass
-20	NV	3615.639				3634.415	3610 to 3640	Pass



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

			-10	NV	3615.674	3634.375	3610 to 3640	Pass
			0	NV	3615.689	3634.359	3610 to 3640	Pass
			10	NV	3615.613	3634.344	3610 to 3640	Pass
			20	NV	3615.552	3634.309	3610 to 3640	Pass
			30	NV	3615.725	3634.303	3610 to 3640	Pass
			40	NV	3615.620	3634.269	3610 to 3640	Pass
			50	NV	3615.664	3634.268	3610 to 3640	Pass
CP-OFDM 64 QAM	3624.99	Outer_Full	20	LV	3615.574	3634.425	3610 to 3640	Pass
				HV	3615.594	3634.217	3610 to 3640	Pass
			-30	NV	3615.696	3634.286	3610 to 3640	Pass
			-20	NV	3615.560	3634.368	3610 to 3640	Pass
			-10	NV	3615.546	3634.286	3610 to 3640	Pass
			0	NV	3615.614	3634.219	3610 to 3640	Pass
			10	NV	3615.605	3634.337	3610 to 3640	Pass
			20	NV	3615.587	3634.221	3610 to 3640	Pass
			30	NV	3615.711	3634.227	3610 to 3640	Pass
			40	NV	3615.545	3634.258	3610 to 3640	Pass
CP-OFDM 256 QAM	3624.99	Outer_Full	50	NV	3615.596	3634.322	3610 to 3640	Pass
			20	LV	3615.677	3634.371	3610 to 3640	Pass
				HV	3615.623	3634.326	3610 to 3640	Pass
			-30	NV	3615.771	3634.367	3610 to 3640	Pass
			-20	NV	3615.664	3634.381	3610 to 3640	Pass
			-10	NV	3615.596	3634.287	3610 to 3640	Pass
			0	NV	3615.660	3634.311	3610 to 3640	Pass
			10	NV	3615.722	3634.287	3610 to 3640	Pass
			20	NV	3615.673	3634.274	3610 to 3640	Pass
			30	NV	3615.675	3634.303	3610 to 3640	Pass
			40	NV	3615.726	3634.227	3610 to 3640	Pass
			50	NV	3615.586	3634.298	3610 to 3640	Pass

6.1.3 30_S_30M

5G NR n78f SCS=30kHz SISO 30MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	OBW (FL - FH) (MHz)		Limit	Verdict
					FL	FH		
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	20	LV	3610.863	3638.047	3610 to 3640	Pass
				HV	3610.837	3638.080	3610 to 3640	Pass
			-30	NV	3611.002	3638.068	3610 to 3640	Pass
			-20	NV	3610.809	3638.065	3610 to 3640	Pass
			-10	NV	3610.901	3638.158	3610 to 3640	Pass
			0	NV	3610.926	3638.059	3610 to 3640	Pass
			10	NV	3610.874	3638.099	3610 to 3640	Pass
			20	NV	3610.866	3637.958	3610 to 3640	Pass
			30	NV	3610.778	3638.038	3610 to 3640	Pass
			40	NV	3610.969	3637.987	3610 to 3640	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	50	NV	3610.818	3638.140	3610 to 3640	Pass
			20	LV	3610.779	3638.070	3610 to 3640	Pass
				HV	3610.869	3638.043	3610 to 3640	Pass
			-30	NV	3610.950	3638.181	3610 to 3640	Pass
			-20	NV	3610.922	3638.092	3610 to 3640	Pass
			-10	NV	3610.897	3638.130	3610 to 3640	Pass
			0	NV	3610.879	3637.974	3610 to 3640	Pass
			10	NV	3610.755	3638.035	3610 to 3640	Pass
			20	NV	3610.881	3638.071	3610 to 3640	Pass
			30	NV	3610.850	3637.973	3610 to 3640	Pass
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	40	NV	3610.786	3638.037	3610 to 3640	Pass
			50	NV	3610.842	3637.980	3610 to 3640	Pass
			20	LV	3610.963	3638.098	3610 to 3640	Pass
				HV	3610.886	3637.975	3610 to 3640	Pass
			-30	NV	3610.832	3638.161	3610 to 3640	Pass
			-20	NV	3610.879	3637.998	3610 to 3640	Pass
			-10	NV	3610.746	3637.975	3610 to 3640	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

			0	NV	3610.936	3638.098	3610 to 3640	Pass
			10	NV	3610.926	3637.985	3610 to 3640	Pass
			20	NV	3610.976	3638.135	3610 to 3640	Pass
			30	NV	3610.787	3638.111	3610 to 3640	Pass
			40	NV	3610.787	3637.978	3610 to 3640	Pass
			50	NV	3610.785	3638.085	3610 to 3640	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	20	LV	3610.884	3638.103	3610 to 3640	Pass
				HV	3610.935	3637.943	3610 to 3640	Pass
			-30	NV	3610.898	3637.861	3610 to 3640	Pass
			-20	NV	3611.027	3638.095	3610 to 3640	Pass
			-10	NV	3610.930	3638.097	3610 to 3640	Pass
			0	NV	3611.041	3638.018	3610 to 3640	Pass
			10	NV	3610.978	3637.969	3610 to 3640	Pass
			20	NV	3610.870	3638.030	3610 to 3640	Pass
			30	NV	3610.800	3638.110	3610 to 3640	Pass
			40	NV	3610.918	3637.867	3610 to 3640	Pass
			50	NV	3610.961	3638.131	3610 to 3640	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	20	LV	3610.859	3637.924	3610 to 3640	Pass
				HV	3610.978	3638.101	3610 to 3640	Pass
			-30	NV	3610.773	3638.063	3610 to 3640	Pass
			-20	NV	3610.884	3637.968	3610 to 3640	Pass
			-10	NV	3611.006	3638.135	3610 to 3640	Pass
			0	NV	3610.865	3638.087	3610 to 3640	Pass
			10	NV	3610.948	3638.092	3610 to 3640	Pass
			20	NV	3610.967	3638.056	3610 to 3640	Pass
			30	NV	3610.872	3637.964	3610 to 3640	Pass
			40	NV	3610.928	3638.110	3610 to 3640	Pass
			50	NV	3610.919	3637.950	3610 to 3640	Pass
CP-OFDM QPSK	3624.99	Outer_Full	20	LV	3610.902	3639.070	3610 to 3640	Pass
				HV	3611.247	3639.108	3610 to 3640	Pass
			-30	NV	3610.868	3639.084	3610 to 3640	Pass
			-20	NV	3610.865	3639.161	3610 to 3640	Pass
			-10	NV	3610.991	3639.038	3610 to 3640	Pass
			0	NV	3610.964	3639.004	3610 to 3640	Pass
			10	NV	3610.922	3639.090	3610 to 3640	Pass
			20	NV	3610.956	3639.028	3610 to 3640	Pass
			30	NV	3610.994	3639.092	3610 to 3640	Pass
			40	NV	3610.921	3639.122	3610 to 3640	Pass
			50	NV	3610.989	3639.053	3610 to 3640	Pass
CP-OFDM 16 QAM	3624.99	Outer_Full	20	LV	3610.913	3638.989	3610 to 3640	Pass
				HV	3610.848	3638.861	3610 to 3640	Pass
			-30	NV	3610.883	3639.001	3610 to 3640	Pass
			-20	NV	3610.867	3639.107	3610 to 3640	Pass
			-10	NV	3610.779	3639.063	3610 to 3640	Pass
			0	NV	3610.994	3639.003	3610 to 3640	Pass
			10	NV	3610.912	3639.030	3610 to 3640	Pass
			20	NV	3610.846	3638.982	3610 to 3640	Pass
			30	NV	3611.008	3639.054	3610 to 3640	Pass
			40	NV	3610.826	3638.984	3610 to 3640	Pass
			50	NV	3610.890	3639.051	3610 to 3640	Pass
CP-OFDM 64 QAM	3624.99	Outer_Full	20	LV	3610.816	3639.090	3610 to 3640	Pass
				HV	3610.993	3638.936	3610 to 3640	Pass
			-30	NV	3610.902	3639.010	3610 to 3640	Pass
			-20	NV	3610.942	3639.012	3610 to 3640	Pass
			-10	NV	3610.763	3639.027	3610 to 3640	Pass
			0	NV	3610.851	3639.054	3610 to 3640	Pass
			10	NV	3610.916	3639.059	3610 to 3640	Pass
			20	NV	3610.922	3639.099	3610 to 3640	Pass
			30	NV	3611.019	3639.217	3610 to 3640	Pass
			40	NV	3610.916	3639.188	3610 to 3640	Pass
			50	NV	3611.049	3639.000	3610 to 3640	Pass
CP-OFDM 256 QAM	3624.99	Outer_Full	20	LV	3610.956	3639.022	3610 to 3640	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

				HV	3610.853	3639.203	3610 to 3640	Pass
			-30	NV	3610.928	3639.113	3610 to 3640	Pass
			-20	NV	3610.971	3639.132	3610 to 3640	Pass
			-10	NV	3610.887	3639.086	3610 to 3640	Pass
			0	NV	3610.838	3639.067	3610 to 3640	Pass
			10	NV	3610.945	3639.081	3610 to 3640	Pass
			20	NV	3610.952	3639.068	3610 to 3640	Pass
			30	NV	3610.748	3639.061	3610 to 3640	Pass
			40	NV	3610.811	3639.003	3610 to 3640	Pass
			50	NV	3610.850	3639.043	3610 to 3640	Pass

6.1.4 30_S_40M

5G NR n78f SCS=30kHz SISO 40MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	OBW (FL - FH) (MHz)		Limit	Verdict
					FL	FH		
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	20	LV	3605.559	3642.244	3600 to 3650	Pass
				HV	3605.694	3642.364	3600 to 3650	Pass
			-30	NV	3605.533	3642.284	3600 to 3650	Pass
			-20	NV	3605.711	3642.258	3600 to 3650	Pass
			-10	NV	3605.464	3642.206	3600 to 3650	Pass
			0	NV	3605.512	3642.220	3600 to 3650	Pass
			10	NV	3605.624	3642.057	3600 to 3650	Pass
			20	NV	3605.493	3642.390	3600 to 3650	Pass
			30	NV	3605.581	3642.345	3600 to 3650	Pass
			40	NV	3605.698	3642.356	3600 to 3650	Pass
			50	NV	3605.602	3642.565	3600 to 3650	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	20	LV	3605.616	3642.339	3600 to 3650	Pass
				HV	3605.589	3642.240	3600 to 3650	Pass
			-30	NV	3605.634	3642.270	3600 to 3650	Pass
			-20	NV	3605.635	3642.345	3600 to 3650	Pass
			-10	NV	3605.699	3642.166	3600 to 3650	Pass
			0	NV	3605.553	3642.067	3600 to 3650	Pass
			10	NV	3605.604	3642.191	3600 to 3650	Pass
			20	NV	3605.587	3642.244	3600 to 3650	Pass
			30	NV	3605.598	3642.209	3600 to 3650	Pass
			40	NV	3605.583	3642.225	3600 to 3650	Pass
			50	NV	3605.664	3642.162	3600 to 3650	Pass
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	20	LV	3605.670	3642.159	3600 to 3650	Pass
				HV	3605.530	3642.144	3600 to 3650	Pass
			-30	NV	3605.597	3642.237	3600 to 3650	Pass
			-20	NV	3605.551	3642.347	3600 to 3650	Pass
			-10	NV	3605.662	3642.152	3600 to 3650	Pass
			0	NV	3605.463	3642.247	3600 to 3650	Pass
			10	NV	3605.597	3642.361	3600 to 3650	Pass
			20	NV	3605.604	3642.062	3600 to 3650	Pass
			30	NV	3605.511	3641.997	3600 to 3650	Pass
			40	NV	3605.730	3642.066	3600 to 3650	Pass
			50	NV	3605.514	3642.062	3600 to 3650	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	20	LV	3605.513	3642.276	3600 to 3650	Pass
				HV	3605.789	3642.273	3600 to 3650	Pass
			-30	NV	3605.657	3642.345	3600 to 3650	Pass
			-20	NV	3605.525	3642.365	3600 to 3650	Pass
			-10	NV	3605.693	3642.341	3600 to 3650	Pass
			0	NV	3605.498	3642.296	3600 to 3650	Pass
			10	NV	3605.462	3642.332	3600 to 3650	Pass
			20	NV	3605.599	3642.254	3600 to 3650	Pass
			30	NV	3605.636	3642.327	3600 to 3650	Pass
			40	NV	3605.742	3642.281	3600 to 3650	Pass
			50	NV	3605.616	3642.303	3600 to 3650	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	20	LV	3605.584	3642.158	3600 to 3650	Pass
				HV	3605.536	3642.146	3600 to 3650	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

			-30	NV	3605.542	3642.276	3600 to 3650	Pass
			-20	NV	3605.656	3642.145	3600 to 3650	Pass
			-10	NV	3605.579	3642.282	3600 to 3650	Pass
			0	NV	3605.656	3642.232	3600 to 3650	Pass
			10	NV	3605.627	3642.218	3600 to 3650	Pass
			20	NV	3605.693	3642.184	3600 to 3650	Pass
			30	NV	3605.480	3642.296	3600 to 3650	Pass
			40	NV	3605.461	3642.171	3600 to 3650	Pass
			50	NV	3605.819	3642.049	3600 to 3650	Pass
CP-OFDM QPSK	3624.99	Outer_Full	20	LV	3605.662	3644.421	3600 to 3650	Pass
				HV	3605.710	3644.323	3600 to 3650	Pass
			-30	NV	3605.548	3644.376	3600 to 3650	Pass
			-20	NV	3605.588	3644.289	3600 to 3650	Pass
			-10	NV	3605.606	3644.381	3600 to 3650	Pass
			0	NV	3605.670	3644.257	3600 to 3650	Pass
			10	NV	3605.604	3644.340	3600 to 3650	Pass
			20	NV	3605.605	3644.362	3600 to 3650	Pass
			30	NV	3605.680	3644.244	3600 to 3650	Pass
			40	NV	3605.523	3644.482	3600 to 3650	Pass
			50	NV	3605.586	3644.363	3600 to 3650	Pass
				LV	3605.676	3644.381	3600 to 3650	Pass
				HV	3605.522	3644.258	3600 to 3650	Pass
CP-OFDM 16 QAM	3624.99	Outer_Full	-30	NV	3605.637	3644.306	3600 to 3650	Pass
			-20	NV	3605.405	3644.452	3600 to 3650	Pass
			-10	NV	3605.591	3644.293	3600 to 3650	Pass
			0	NV	3605.543	3644.419	3600 to 3650	Pass
			10	NV	3605.677	3644.041	3600 to 3650	Pass
			20	NV	3605.585	3644.357	3600 to 3650	Pass
			30	NV	3605.578	3644.403	3600 to 3650	Pass
			40	NV	3605.658	3644.358	3600 to 3650	Pass
			50	NV	3605.710	3644.501	3600 to 3650	Pass
				LV	3605.549	3644.370	3600 to 3650	Pass
				HV	3605.592	3644.293	3600 to 3650	Pass
			-30	NV	3605.650	3644.314	3600 to 3650	Pass
			-20	NV	3605.644	3644.346	3600 to 3650	Pass
CP-OFDM 64 QAM	3624.99	Outer_Full	-10	NV	3605.693	3644.328	3600 to 3650	Pass
			0	NV	3605.558	3644.268	3600 to 3650	Pass
			10	NV	3605.610	3644.459	3600 to 3650	Pass
			20	NV	3605.629	3644.463	3600 to 3650	Pass
			30	NV	3605.635	3644.368	3600 to 3650	Pass
			40	NV	3605.658	3644.230	3600 to 3650	Pass
			50	NV	3605.632	3644.555	3600 to 3650	Pass
				LV	3605.591	3644.241	3600 to 3650	Pass
				HV	3605.581	3644.291	3600 to 3650	Pass
			-30	NV	3605.576	3644.269	3600 to 3650	Pass
			-20	NV	3605.599	3644.292	3600 to 3650	Pass
			-10	NV	3605.668	3644.288	3600 to 3650	Pass
			0	NV	3605.752	3644.329	3600 to 3650	Pass
CP-OFDM 256 QAM	3624.99	Outer_Full	10	NV	3605.604	3644.455	3600 to 3650	Pass
			20	NV	3605.630	3644.269	3600 to 3650	Pass
			30	NV	3605.601	3644.250	3600 to 3650	Pass
			40	NV	3605.740	3644.241	3600 to 3650	Pass
			50	NV	3605.608	3644.245	3600 to 3650	Pass

6.1.5 30_S_50M

5G NR n78f SCS=30kHz SISO 50MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	OBW (FL - FH) (MHz)		Limit	Verdict
					FL	FH		
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	20	LV	3600.919	3647.305	3600 to 3650	Pass
				HV	3600.807	3647.346	3600 to 3650	Pass
			-30	NV	3600.840	3647.319	3600 to 3650	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

			-20	NV	3600.978	3647.281	3600 to 3650	Pass
			-10	NV	3600.973	3647.242	3600 to 3650	Pass
			0	NV	3600.856	3647.344	3600 to 3650	Pass
			10	NV	3600.702	3647.423	3600 to 3650	Pass
			20	NV	3601.052	3647.344	3600 to 3650	Pass
			30	NV	3600.865	3647.506	3600 to 3650	Pass
			40	NV	3600.951	3647.453	3600 to 3650	Pass
			50	NV	3600.873	3647.498	3600 to 3650	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	20	LV	3600.925	3647.282	3600 to 3650	Pass
				HV	3600.824	3647.155	3600 to 3650	Pass
			-30	NV	3600.754	3647.266	3600 to 3650	Pass
			-20	NV	3600.913	3647.327	3600 to 3650	Pass
			-10	NV	3600.965	3647.349	3600 to 3650	Pass
			0	NV	3600.865	3647.247	3600 to 3650	Pass
			10	NV	3600.752	3647.212	3600 to 3650	Pass
			20	NV	3600.852	3647.209	3600 to 3650	Pass
			30	NV	3601.195	3647.554	3600 to 3650	Pass
			40	NV	3600.972	3647.501	3600 to 3650	Pass
			50	NV	3600.844	3647.345	3600 to 3650	Pass
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	20	LV	3600.857	3647.253	3600 to 3650	Pass
				HV	3601.184	3647.318	3600 to 3650	Pass
			-30	NV	3600.768	3647.357	3600 to 3650	Pass
			-20	NV	3600.979	3647.320	3600 to 3650	Pass
			-10	NV	3600.954	3647.188	3600 to 3650	Pass
			0	NV	3600.785	3647.236	3600 to 3650	Pass
			10	NV	3600.871	3647.534	3600 to 3650	Pass
			20	NV	3600.833	3647.560	3600 to 3650	Pass
			30	NV	3601.024	3647.266	3600 to 3650	Pass
			40	NV	3600.803	3647.303	3600 to 3650	Pass
			50	NV	3600.806	3647.246	3600 to 3650	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	20	LV	3600.837	3647.422	3600 to 3650	Pass
				HV	3600.745	3647.365	3600 to 3650	Pass
			-30	NV	3600.844	3647.491	3600 to 3650	Pass
			-20	NV	3600.946	3647.214	3600 to 3650	Pass
			-10	NV	3600.979	3647.323	3600 to 3650	Pass
			0	NV	3600.651	3647.112	3600 to 3650	Pass
			10	NV	3600.773	3647.366	3600 to 3650	Pass
			20	NV	3601.072	3647.371	3600 to 3650	Pass
			30	NV	3600.887	3647.453	3600 to 3650	Pass
			40	NV	3600.986	3647.249	3600 to 3650	Pass
			50	NV	3600.736	3647.352	3600 to 3650	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	20	LV	3600.928	3647.280	3600 to 3650	Pass
				HV	3600.819	3647.291	3600 to 3650	Pass
			-30	NV	3600.923	3647.347	3600 to 3650	Pass
			-20	NV	3600.918	3647.307	3600 to 3650	Pass
			-10	NV	3600.802	3647.428	3600 to 3650	Pass
			0	NV	3601.023	3647.196	3600 to 3650	Pass
			10	NV	3600.960	3647.430	3600 to 3650	Pass
			20	NV	3600.740	3647.247	3600 to 3650	Pass
			30	NV	3600.782	3647.453	3600 to 3650	Pass
			40	NV	3600.983	3647.222	3600 to 3650	Pass
			50	NV	3600.828	3647.180	3600 to 3650	Pass
CP-OFDM QPSK	3624.99	Outer_Full	20	LV	3600.971	3649.090	3600 to 3650	Pass
				HV	3600.792	3649.091	3600 to 3650	Pass
			-30	NV	3600.787	3649.002	3600 to 3650	Pass
			-20	NV	3600.958	3649.077	3600 to 3650	Pass
			-10	NV	3600.776	3649.082	3600 to 3650	Pass
			0	NV	3600.946	3649.066	3600 to 3650	Pass
			10	NV	3600.917	3649.103	3600 to 3650	Pass
			20	NV	3601.052	3648.962	3600 to 3650	Pass
			30	NV	3600.800	3649.207	3600 to 3650	Pass
			40	NV	3600.955	3649.014	3600 to 3650	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

CP-OFDM 16 QAM	3624.99	Outer_Full	50	NV	3600.873	3648.880	3600 to 3650	Pass
			20	LV	3600.873	3649.333	3600 to 3650	Pass
				HV	3600.691	3649.057	3600 to 3650	Pass
			-30	NV	3600.967	3649.111	3600 to 3650	Pass
			-20	NV	3601.058	3648.993	3600 to 3650	Pass
			-10	NV	3600.797	3649.206	3600 to 3650	Pass
			0	NV	3600.877	3648.977	3600 to 3650	Pass
			10	NV	3601.026	3649.209	3600 to 3650	Pass
			20	NV	3600.837	3648.947	3600 to 3650	Pass
			30	NV	3600.985	3649.076	3600 to 3650	Pass
			40	NV	3600.870	3649.169	3600 to 3650	Pass
CP-OFDM 64 QAM	3624.99	Outer_Full	20	LV	3600.937	3649.090	3600 to 3650	Pass
				HV	3601.212	3649.077	3600 to 3650	Pass
			-30	NV	3601.056	3649.046	3600 to 3650	Pass
			-20	NV	3600.993	3648.934	3600 to 3650	Pass
			-10	NV	3600.970	3648.985	3600 to 3650	Pass
			0	NV	3600.785	3648.868	3600 to 3650	Pass
			10	NV	3600.916	3648.947	3600 to 3650	Pass
			20	NV	3600.825	3649.107	3600 to 3650	Pass
			30	NV	3600.776	3649.173	3600 to 3650	Pass
			40	NV	3600.891	3649.025	3600 to 3650	Pass
			50	NV	3600.948	3648.751	3600 to 3650	Pass
CP-OFDM 256 QAM	3624.99	Outer_Full	20	LV	3600.790	3649.066	3600 to 3650	Pass
				HV	3600.820	3648.831	3600 to 3650	Pass
			-30	NV	3600.852	3648.930	3600 to 3650	Pass
			-20	NV	3600.904	3649.059	3600 to 3650	Pass
			-10	NV	3601.073	3648.841	3600 to 3650	Pass
			0	NV	3600.836	3649.070	3600 to 3650	Pass
			10	NV	3600.963	3648.930	3600 to 3650	Pass
			20	NV	3600.923	3649.297	3600 to 3650	Pass
			30	NV	3600.813	3649.179	3600 to 3650	Pass
			40	NV	3600.947	3648.941	3600 to 3650	Pass
			50	NV	3600.801	3648.901	3600 to 3650	Pass

6.1.6 30_S_60M

5G NR n78f SCS=30kHz SISO 60MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	OBW (FL - FH) (MHz)		Limit	Verdict
					FL	FH		
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	20	LV	3595.708	3654.051	3550 to 3700	Pass
				HV	3595.915	3654.166	3550 to 3700	Pass
			-30	NV	3595.836	3654.031	3550 to 3700	Pass
			-20	NV	3596.055	3654.215	3550 to 3700	Pass
			-10	NV	3595.669	3654.459	3550 to 3700	Pass
			0	NV	3595.751	3654.127	3550 to 3700	Pass
			10	NV	3595.828	3654.215	3550 to 3700	Pass
			20	NV	3595.860	3654.186	3550 to 3700	Pass
			30	NV	3595.783	3653.883	3550 to 3700	Pass
			40	NV	3595.822	3654.058	3550 to 3700	Pass
			50	NV	3595.809	3653.964	3550 to 3700	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	20	LV	3595.952	3654.327	3590 to 3660	Pass
				HV	3595.666	3654.110	3590 to 3660	Pass
			-30	NV	3595.666	3654.429	3590 to 3660	Pass
			-20	NV	3595.829	3654.242	3590 to 3660	Pass
			-10	NV	3595.703	3654.161	3590 to 3660	Pass
			0	NV	3595.839	3654.372	3590 to 3660	Pass
			10	NV	3595.562	3654.349	3590 to 3660	Pass
			20	NV	3595.878	3654.185	3590 to 3660	Pass
			30	NV	3595.718	3654.272	3590 to 3660	Pass
			40	NV	3595.737	3654.173	3590 to 3660	Pass
			50	NV	3595.711	3654.193	3590 to 3660	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

DFT-s-OFDM 16 QAM	3624.99	Outer_Full	20	LV	3595.916	3653.901	3590 to 3660	Pass
				HV	3595.916	3654.327	3590 to 3660	Pass
			-30	NV	3595.908	3654.397	3590 to 3660	Pass
			-20	NV	3595.911	3654.370	3590 to 3660	Pass
			-10	NV	3595.970	3654.194	3590 to 3660	Pass
			0	NV	3595.719	3654.108	3590 to 3660	Pass
			10	NV	3595.949	3654.473	3590 to 3660	Pass
			20	NV	3595.714	3654.024	3590 to 3660	Pass
			30	NV	3595.737	3654.192	3590 to 3660	Pass
			40	NV	3595.805	3654.107	3590 to 3660	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	20	LV	3595.894	3654.174	3590 to 3660	Pass
				HV	3595.779	3654.469	3590 to 3660	Pass
			-30	NV	3595.979	3654.396	3590 to 3660	Pass
			-20	NV	3595.962	3654.342	3590 to 3660	Pass
			-10	NV	3595.848	3654.237	3590 to 3660	Pass
			0	NV	3595.560	3654.124	3590 to 3660	Pass
			10	NV	3595.805	3654.228	3590 to 3660	Pass
			20	NV	3595.783	3654.074	3590 to 3660	Pass
			30	NV	3595.845	3654.356	3590 to 3660	Pass
			40	NV	3595.845	3654.352	3590 to 3660	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	20	LV	3596.051	3654.159	3590 to 3660	Pass
				HV	3595.884	3654.412	3590 to 3660	Pass
			-30	NV	3595.627	3654.059	3590 to 3660	Pass
			-20	NV	3595.846	3654.069	3590 to 3660	Pass
			-10	NV	3595.906	3654.189	3590 to 3660	Pass
			0	NV	3595.860	3654.005	3590 to 3660	Pass
			10	NV	3595.838	3654.231	3590 to 3660	Pass
			20	NV	3595.852	3653.882	3590 to 3660	Pass
			30	NV	3596.226	3654.380	3590 to 3660	Pass
			40	NV	3595.834	3654.063	3590 to 3660	Pass
CP-OFDM QPSK	3624.99	Outer_Full	20	LV	3595.725	3654.272	3590 to 3660	Pass
				HV	3595.782	3654.265	3590 to 3660	Pass
			-30	NV	3595.801	3654.164	3590 to 3660	Pass
			-20	NV	3595.852	3654.197	3590 to 3660	Pass
			-10	NV	3595.740	3654.515	3590 to 3660	Pass
			0	NV	3595.790	3654.279	3590 to 3660	Pass
			10	NV	3595.823	3654.180	3590 to 3660	Pass
			20	NV	3595.715	3654.176	3590 to 3660	Pass
			30	NV	3595.785	3654.207	3590 to 3660	Pass
			40	NV	3595.733	3654.239	3590 to 3660	Pass
CP-OFDM 16 QAM	3624.99	Outer_Full	20	LV	3595.766	3654.199	3590 to 3660	Pass
				HV	3595.752	3654.250	3590 to 3660	Pass
			-30	NV	3595.718	3654.075	3590 to 3660	Pass
			-20	NV	3595.823	3654.302	3590 to 3660	Pass
			-10	NV	3595.848	3654.093	3590 to 3660	Pass
			0	NV	3595.769	3654.179	3590 to 3660	Pass
			10	NV	3595.745	3654.219	3590 to 3660	Pass
			20	NV	3595.837	3654.047	3590 to 3660	Pass
			30	NV	3595.896	3654.223	3590 to 3660	Pass
			40	NV	3595.817	3654.193	3590 to 3660	Pass
CP-OFDM 64 QAM	3624.99	Outer_Full	20	LV	3595.845	3654.090	3590 to 3660	Pass
				HV	3595.775	3654.481	3590 to 3660	Pass
			-30	NV	3595.837	3654.342	3590 to 3660	Pass
			-20	NV	3595.837	3654.224	3590 to 3660	Pass
			-10	NV	3595.715	3654.095	3590 to 3660	Pass
			0	NV	3595.803	3654.188	3590 to 3660	Pass
			10	NV	3595.673	3654.090	3590 to 3660	Pass



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

CP-OFDM 256 QAM	3624.99	Outer_Full	20	NV	3595.575	3654.081	3590 to 3660	Pass
			30	NV	3595.978	3654.269	3590 to 3660	Pass
			40	NV	3595.727	3654.063	3590 to 3660	Pass
			50	NV	3595.848	3654.331	3590 to 3660	Pass
			20	LV	3595.895	3654.170	3590 to 3660	Pass
				HV	3595.765	3654.228	3590 to 3660	Pass
			-30	NV	3595.822	3654.226	3590 to 3660	Pass
			-20	NV	3595.498	3654.387	3590 to 3660	Pass
			-10	NV	3595.501	3654.086	3590 to 3660	Pass
			0	NV	3595.735	3654.132	3590 to 3660	Pass
			10	NV	3595.662	3654.230	3590 to 3660	Pass
			20	NV	3595.726	3654.237	3590 to 3660	Pass
			30	NV	3595.895	3654.220	3590 to 3660	Pass
			40	NV	3595.423	3654.158	3590 to 3660	Pass
			50	NV	3595.893	3654.213	3590 to 3660	Pass

6.1.7 30_S_70M

5G NR n78f SCS=30kHz SISO 70MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	OBW (FL - FH) (MHz)		Limit	Verdict
					FL	FH		
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	20	LV	3590.391	3656.236	3590 to 3660	Pass
				HV	3590.470	3655.937	3590 to 3660	Pass
			-30	NV	3590.425	3656.018	3590 to 3660	Pass
			-20	NV	3590.342	3656.060	3590 to 3660	Pass
			-10	NV	3590.346	3655.984	3590 to 3660	Pass
			0	NV	3590.332	3656.081	3590 to 3660	Pass
			10	NV	3590.517	3656.047	3590 to 3660	Pass
			20	NV	3590.282	3655.945	3590 to 3660	Pass
			30	NV	3590.354	3655.902	3590 to 3660	Pass
			40	NV	3590.450	3656.238	3590 to 3660	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	20	LV	3590.433	3656.149	3590 to 3660	Pass
				HV	3590.523	3656.235	3590 to 3660	Pass
			-30	NV	3590.310	3656.082	3590 to 3660	Pass
			-20	NV	3590.412	3656.116	3590 to 3660	Pass
			-10	NV	3590.604	3656.392	3590 to 3660	Pass
			0	NV	3590.252	3656.180	3590 to 3660	Pass
			10	NV	3590.375	3656.098	3590 to 3660	Pass
			20	NV	3590.724	3656.058	3590 to 3660	Pass
			30	NV	3590.305	3656.132	3590 to 3660	Pass
			40	NV	3590.548	3655.909	3590 to 3660	Pass
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	20	LV	3590.568	3655.956	3590 to 3660	Pass
				HV	3590.273	3656.302	3590 to 3660	Pass
			-30	NV	3590.353	3656.121	3590 to 3660	Pass
			-20	NV	3590.308	3656.102	3590 to 3660	Pass
			-10	NV	3590.359	3656.086	3590 to 3660	Pass
			0	NV	3590.331	3656.253	3590 to 3660	Pass
			10	NV	3590.221	3655.907	3590 to 3660	Pass
			20	NV	3590.622	3656.298	3590 to 3660	Pass
			30	NV	3590.490	3656.532	3590 to 3660	Pass
			40	NV	3590.293	3656.150	3590 to 3660	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	20	LV	3590.370	3656.159	3590 to 3660	Pass
				HV	3590.614	3656.130	3590 to 3660	Pass
			-30	NV	3590.547	3655.938	3590 to 3660	Pass
			-20	NV	3590.528	3656.242	3590 to 3660	Pass
			-10	NV	3590.946	3656.357	3590 to 3660	Pass
			0	NV	3590.417	3655.776	3590 to 3660	Pass
			10	NV	3590.302	3655.990	3590 to 3660	Pass
			20	NV	3590.574	3655.993	3590 to 3660	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

			30	NV	3590.588	3656.324	3590 to 3660	Pass
			40	NV	3590.309	3656.059	3590 to 3660	Pass
			50	NV	3590.519	3656.279	3590 to 3660	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	20	LV	3590.457	3656.004	3590 to 3660	Pass
				HV	3590.492	3655.909	3590 to 3660	Pass
			-30	NV	3590.521	3656.232	3590 to 3660	Pass
			-20	NV	3590.338	3656.215	3590 to 3660	Pass
			-10	NV	3590.478	3656.054	3590 to 3660	Pass
			0	NV	3590.373	3656.133	3590 to 3660	Pass
			10	NV	3590.305	3656.077	3590 to 3660	Pass
			20	NV	3590.483	3656.124	3590 to 3660	Pass
			30	NV	3590.444	3656.087	3590 to 3660	Pass
			40	NV	3590.327	3655.978	3590 to 3660	Pass
			50	NV	3590.405	3655.879	3590 to 3660	Pass
			CP-OFDM QPSK	3624.99	Outer_Full	20	LV	3590.473
HV	3590.480	3659.322					3590 to 3660	Pass
-30	NV	3590.439				3659.568	3590 to 3660	Pass
-20	NV	3590.378				3659.471	3590 to 3660	Pass
-10	NV	3590.465				3659.290	3590 to 3660	Pass
0	NV	3590.337				3659.302	3590 to 3660	Pass
10	NV	3590.478				3659.494	3590 to 3660	Pass
20	NV	3590.601				3659.446	3590 to 3660	Pass
30	NV	3590.149				3659.265	3590 to 3660	Pass
40	NV	3590.649				3659.397	3590 to 3660	Pass
50	NV	3590.619				3659.489	3590 to 3660	Pass
CP-OFDM 16 QAM	3624.99	Outer_Full				20	LV	3590.692
			HV	3590.519	3659.066		3590 to 3660	Pass
			-30	NV	3590.682	3659.263	3590 to 3660	Pass
			-20	NV	3590.366	3659.661	3590 to 3660	Pass
			-10	NV	3590.654	3659.316	3590 to 3660	Pass
			0	NV	3590.933	3659.788	3590 to 3660	Pass
			10	NV	3590.506	3659.439	3590 to 3660	Pass
			20	NV	3590.438	3659.295	3590 to 3660	Pass
			30	NV	3590.628	3659.228	3590 to 3660	Pass
			40	NV	3590.485	3659.748	3590 to 3660	Pass
			50	NV	3590.658	3659.622	3590 to 3660	Pass
			CP-OFDM 64 QAM	3624.99	Outer_Full	20	LV	3590.560
HV	3590.610	3659.259					3590 to 3660	Pass
-30	NV	3590.497				3659.296	3590 to 3660	Pass
-20	NV	3590.580				3659.630	3590 to 3660	Pass
-10	NV	3590.582				3659.392	3590 to 3660	Pass
0	NV	3590.548				3659.286	3590 to 3660	Pass
10	NV	3590.425				3659.261	3590 to 3660	Pass
20	NV	3590.496				3659.208	3590 to 3660	Pass
30	NV	3590.519				3659.182	3590 to 3660	Pass
40	NV	3590.501				3659.148	3590 to 3660	Pass
50	NV	3590.422				3659.400	3590 to 3660	Pass
CP-OFDM 256 QAM	3624.99	Outer_Full				20	LV	3590.525
			HV	3590.473	3659.244		3590 to 3660	Pass
			-30	NV	3590.606	3659.406	3590 to 3660	Pass
			-20	NV	3590.596	3659.442	3590 to 3660	Pass
			-10	NV	3590.446	3659.191	3590 to 3660	Pass
			0	NV	3590.423	3659.290	3590 to 3660	Pass
			10	NV	3590.476	3659.428	3590 to 3660	Pass
			20	NV	3590.440	3659.335	3590 to 3660	Pass
			30	NV	3590.564	3659.408	3590 to 3660	Pass
			40	NV	3590.577	3659.384	3590 to 3660	Pass
			50	NV	3590.724	3659.242	3590 to 3660	Pass



6.1.8 30_S_80M

5G NR n78f SCS=30kHz SISO 80MHz

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	OBW (FL - FH) (MHz)		Limit	Verdict
					FL	FH		
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	20	LV	3585.705	3664.029	3580 to 3670	Pass
				HV	3585.543	3663.326	3580 to 3670	Pass
			-30	NV	3585.664	3664.136	3580 to 3670	Pass
			-20	NV	3585.367	3663.909	3580 to 3670	Pass
			-10	NV	3585.569	3663.564	3580 to 3670	Pass
			0	NV	3585.531	3663.766	3580 to 3670	Pass
			10	NV	3585.707	3663.914	3580 to 3670	Pass
			20	NV	3585.565	3663.737	3580 to 3670	Pass
			30	NV	3585.322	3663.944	3580 to 3670	Pass
			40	NV	3585.903	3663.711	3580 to 3670	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	20	LV	3585.749	3663.773	3580 to 3670	Pass
				HV	3585.888	3663.989	3580 to 3670	Pass
			-30	NV	3585.728	3663.871	3580 to 3670	Pass
			-20	NV	3585.765	3664.214	3580 to 3670	Pass
			-10	NV	3585.756	3663.521	3580 to 3670	Pass
			0	NV	3585.755	3663.809	3580 to 3670	Pass
			10	NV	3585.800	3663.767	3580 to 3670	Pass
			20	NV	3585.401	3664.019	3580 to 3670	Pass
			30	NV	3585.634	3663.944	3580 to 3670	Pass
			40	NV	3585.635	3663.970	3580 to 3670	Pass
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	20	LV	3585.911	3663.592	3580 to 3670	Pass
				HV	3585.922	3663.927	3580 to 3670	Pass
			-30	NV	3585.656	3663.844	3580 to 3670	Pass
			-20	NV	3585.836	3663.768	3580 to 3670	Pass
			-10	NV	3585.910	3663.895	3580 to 3670	Pass
			0	NV	3586.014	3663.714	3580 to 3670	Pass
			10	NV	3585.779	3663.762	3580 to 3670	Pass
			20	NV	3585.848	3663.906	3580 to 3670	Pass
			30	NV	3585.730	3663.946	3580 to 3670	Pass
			40	NV	3585.587	3663.981	3580 to 3670	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	20	LV	3585.897	3663.852	3580 to 3670	Pass
				HV	3585.544	3663.928	3580 to 3670	Pass
			-30	NV	3585.722	3663.728	3580 to 3670	Pass
			-20	NV	3585.807	3663.771	3580 to 3670	Pass
			-10	NV	3585.840	3663.933	3580 to 3670	Pass
			0	NV	3585.963	3663.883	3580 to 3670	Pass
			10	NV	3585.761	3663.616	3580 to 3670	Pass
			20	NV	3585.779	3663.909	3580 to 3670	Pass
			30	NV	3585.557	3664.073	3580 to 3670	Pass
			40	NV	3585.804	3663.992	3580 to 3670	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	20	LV	3585.892	3663.731	3580 to 3670	Pass
				HV	3585.982	3663.828	3580 to 3670	Pass
			-30	NV	3585.720	3663.917	3580 to 3670	Pass
			-20	NV	3585.812	3663.896	3580 to 3670	Pass
			-10	NV	3585.896	3664.030	3580 to 3670	Pass
			0	NV	3585.711	3663.930	3580 to 3670	Pass
			10	NV	3585.778	3663.711	3580 to 3670	Pass
			20	NV	3585.754	3663.806	3580 to 3670	Pass
			30	NV	3586.115	3663.603	3580 to 3670	Pass
			40	NV	3585.696	3663.984	3580 to 3670	Pass
CP-OFDM QPSK	3624.99	Outer_Full	20	LV	3585.585	3664.293	3580 to 3670	Pass
				HV	3585.805	3664.326	3580 to 3670	Pass
			-30	NV	3585.781	3664.259	3580 to 3670	Pass
			-20	NV	3585.754	3664.161	3580 to 3670	Pass
			-10	NV	3585.870	3664.323	3580 to 3670	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

			0	NV	3585.772	3664.606	3580 to 3670	Pass
			10	NV	3585.983	3664.248	3580 to 3670	Pass
			20	NV	3585.671	3664.397	3580 to 3670	Pass
			30	NV	3585.859	3663.971	3580 to 3670	Pass
			40	NV	3585.885	3664.301	3580 to 3670	Pass
			50	NV	3585.666	3664.349	3580 to 3670	Pass
CP-OFDM 16 QAM	3624.99	Outer_Full	20	LV	3585.850	3664.161	3580 to 3670	Pass
				HV	3585.749	3664.286	3580 to 3670	Pass
			-30	NV	3585.849	3664.121	3580 to 3670	Pass
			-20	NV	3585.823	3664.263	3580 to 3670	Pass
			-10	NV	3585.733	3664.356	3580 to 3670	Pass
			0	NV	3585.461	3664.208	3580 to 3670	Pass
			10	NV	3585.770	3664.172	3580 to 3670	Pass
			20	NV	3585.741	3664.410	3580 to 3670	Pass
			30	NV	3585.841	3664.294	3580 to 3670	Pass
			40	NV	3585.790	3664.095	3580 to 3670	Pass
			50	NV	3585.880	3664.195	3580 to 3670	Pass
CP-OFDM 64 QAM	3624.99	Outer_Full	20	LV	3585.631	3664.190	3580 to 3670	Pass
				HV	3585.933	3664.200	3580 to 3670	Pass
			-30	NV	3585.905	3664.323	3580 to 3670	Pass
			-20	NV	3585.825	3664.238	3580 to 3670	Pass
			-10	NV	3585.363	3664.210	3580 to 3670	Pass
			0	NV	3585.798	3664.096	3580 to 3670	Pass
			10	NV	3585.638	3664.077	3580 to 3670	Pass
			20	NV	3585.814	3664.299	3580 to 3670	Pass
			30	NV	3585.856	3664.333	3580 to 3670	Pass
			40	NV	3585.777	3664.097	3580 to 3670	Pass
			50	NV	3585.603	3664.097	3580 to 3670	Pass
CP-OFDM 256 QAM	3624.99	Outer_Full	20	LV	3585.619	3664.331	3580 to 3670	Pass
				HV	3585.655	3664.132	3580 to 3670	Pass
			-30	NV	3585.673	3664.217	3580 to 3670	Pass
			-20	NV	3585.672	3664.227	3580 to 3670	Pass
			-10	NV	3586.014	3664.144	3580 to 3670	Pass
			0	NV	3585.922	3664.214	3580 to 3670	Pass
			10	NV	3585.827	3664.147	3580 to 3670	Pass
			20	NV	3585.703	3664.166	3580 to 3670	Pass
			30	NV	3585.707	3664.038	3580 to 3670	Pass
			40	NV	3585.878	3664.047	3580 to 3670	Pass
			50	NV	3585.990	3664.273	3580 to 3670	Pass

6.1.9 30_S_90M

5G NR n78f SCS=30kHz SISO 90MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	OBW (FL - FH) (MHz)		Limit	Verdict
					FL	FH		
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	20	LV	3580.935	3668.602	3580 to 3670	Pass
				HV	3581.012	3668.351	3580 to 3670	Pass
			-30	NV	3580.802	3668.332	3580 to 3670	Pass
			-20	NV	3580.562	3668.401	3580 to 3670	Pass
			-10	NV	3580.866	3668.379	3580 to 3670	Pass
			0	NV	3581.110	3668.431	3580 to 3670	Pass
			10	NV	3581.054	3668.384	3580 to 3670	Pass
			20	NV	3581.033	3668.647	3580 to 3670	Pass
			30	NV	3580.994	3668.344	3580 to 3670	Pass
			40	NV	3580.824	3668.423	3580 to 3670	Pass
			50	NV	3580.808	3668.709	3580 to 3670	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	20	LV	3581.004	3668.371	3580 to 3670	Pass
				HV	3580.836	3668.370	3580 to 3670	Pass
			-30	NV	3580.949	3668.393	3580 to 3670	Pass
			-20	NV	3580.627	3668.670	3580 to 3670	Pass
			-10	NV	3580.855	3668.557	3580 to 3670	Pass
			0	NV	3580.845	3668.281	3580 to 3670	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

			10	NV	3581.004	3668.361	3580 to 3670	Pass
			20	NV	3581.016	3668.621	3580 to 3670	Pass
			30	NV	3580.878	3668.597	3580 to 3670	Pass
			40	NV	3580.748	3668.462	3580 to 3670	Pass
			50	NV	3580.702	3668.430	3580 to 3670	Pass
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	20	LV	3580.881	3668.601	3580 to 3670	Pass
				HV	3581.004	3668.631	3580 to 3670	Pass
			-30	NV	3580.756	3668.441	3580 to 3670	Pass
			-20	NV	3580.632	3668.429	3580 to 3670	Pass
			-10	NV	3580.687	3668.332	3580 to 3670	Pass
			0	NV	3580.691	3668.295	3580 to 3670	Pass
			10	NV	3580.884	3668.706	3580 to 3670	Pass
			20	NV	3580.843	3668.450	3580 to 3670	Pass
			30	NV	3580.671	3668.401	3580 to 3670	Pass
			40	NV	3580.753	3668.110	3580 to 3670	Pass
			50	NV	3580.831	3668.723	3580 to 3670	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	20	LV	3580.684	3668.619	3580 to 3670	Pass
				HV	3580.985	3668.604	3580 to 3670	Pass
			-30	NV	3580.661	3668.622	3580 to 3670	Pass
			-20	NV	3580.790	3668.447	3580 to 3670	Pass
			-10	NV	3580.843	3668.259	3580 to 3670	Pass
			0	NV	3580.715	3668.537	3580 to 3670	Pass
			10	NV	3580.997	3668.714	3580 to 3670	Pass
			20	NV	3580.798	3668.411	3580 to 3670	Pass
			30	NV	3581.112	3668.388	3580 to 3670	Pass
			40	NV	3580.898	3668.568	3580 to 3670	Pass
			50	NV	3581.094	3668.594	3580 to 3670	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	20	LV	3580.886	3668.557	3580 to 3670	Pass
				HV	3580.711	3668.727	3580 to 3670	Pass
			-30	NV	3580.958	3668.413	3580 to 3670	Pass
			-20	NV	3580.909	3668.385	3580 to 3670	Pass
			-10	NV	3581.040	3668.346	3580 to 3670	Pass
			0	NV	3580.899	3668.364	3580 to 3670	Pass
			10	NV	3580.849	3668.535	3580 to 3670	Pass
			20	NV	3581.014	3668.770	3580 to 3670	Pass
			30	NV	3580.826	3668.582	3580 to 3670	Pass
			40	NV	3580.820	3668.534	3580 to 3670	Pass
			50	NV	3581.012	3668.453	3580 to 3670	Pass
CP-OFDM QPSK	3624.99	Outer_Full	20	LV	3581.042	3669.242	3580 to 3670	Pass
				HV	3580.965	3669.067	3580 to 3670	Pass
			-30	NV	3580.865	3669.277	3580 to 3670	Pass
			-20	NV	3580.897	3669.123	3580 to 3670	Pass
			-10	NV	3580.994	3668.991	3580 to 3670	Pass
			0	NV	3580.763	3669.028	3580 to 3670	Pass
			10	NV	3580.776	3668.993	3580 to 3670	Pass
			20	NV	3580.827	3669.004	3580 to 3670	Pass
			30	NV	3581.005	3669.126	3580 to 3670	Pass
			40	NV	3580.607	3669.087	3580 to 3670	Pass
			50	NV	3581.177	3669.106	3580 to 3670	Pass
CP-OFDM 16 QAM	3624.99	Outer_Full	20	LV	3580.786	3669.073	3580 to 3670	Pass
				HV	3580.904	3669.121	3580 to 3670	Pass
			-30	NV	3580.987	3669.064	3580 to 3670	Pass
			-20	NV	3580.910	3669.579	3580 to 3670	Pass
			-10	NV	3580.718	3669.025	3580 to 3670	Pass
			0	NV	3580.704	3669.279	3580 to 3670	Pass
			10	NV	3581.054	3669.285	3580 to 3670	Pass
			20	NV	3581.019	3669.053	3580 to 3670	Pass
			30	NV	3580.863	3669.531	3580 to 3670	Pass
			40	NV	3581.006	3669.214	3580 to 3670	Pass
			50	NV	3580.914	3669.255	3580 to 3670	Pass
CP-OFDM 64 QAM	3624.99	Outer_Full	20	LV	3580.813	3669.672	3580 to 3670	Pass
				HV	3581.049	3669.206	3580 to 3670	Pass

			-30	NV	3581.058	3669.352	3580 to 3670	Pass
			-20	NV	3580.876	3669.449	3580 to 3670	Pass
			-10	NV	3580.832	3668.901	3580 to 3670	Pass
			0	NV	3580.941	3669.055	3580 to 3670	Pass
			10	NV	3580.877	3669.277	3580 to 3670	Pass
			20	NV	3580.930	3669.209	3580 to 3670	Pass
			30	NV	3580.764	3669.256	3580 to 3670	Pass
			40	NV	3580.896	3669.366	3580 to 3670	Pass
			50	NV	3580.969	3668.988	3580 to 3670	Pass
CP-OFDM 256 QAM	3624.99	Outer_Full	20	LV	3580.657	3669.226	3580 to 3670	Pass
				HV	3580.963	3669.369	3580 to 3670	Pass
			-30	NV	3581.111	3669.089	3580 to 3670	Pass
			-20	NV	3580.682	3669.260	3580 to 3670	Pass
			-10	NV	3580.796	3669.203	3580 to 3670	Pass
			0	NV	3581.035	3669.139	3580 to 3670	Pass
			10	NV	3580.660	3669.240	3580 to 3670	Pass
			20	NV	3580.902	3669.241	3580 to 3670	Pass
			30	NV	3580.978	3669.620	3580 to 3670	Pass
			40	NV	3581.007	3668.980	3580 to 3670	Pass
			50	NV	3580.951	3669.323	3580 to 3670	Pass

6.1.10 30_S_100M

5G NR n78f SCS=30kHz SISO 100MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	OBW (FL - FH) (MHz)		Limit	Verdict
					FL	FH		
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	20	LV	3575.683	3673.220	3570 to 3680	Pass
				HV	3575.802	3673.119	3570 to 3680	Pass
			-30	NV	3576.090	3673.098	3570 to 3680	Pass
			-20	NV	3575.614	3672.666	3570 to 3680	Pass
			-10	NV	3575.112	3674.017	3570 to 3680	Pass
			0	NV	3576.126	3672.940	3570 to 3680	Pass
			10	NV	3575.999	3673.244	3570 to 3680	Pass
			20	NV	3575.975	3673.033	3570 to 3680	Pass
			30	NV	3576.185	3673.141	3570 to 3680	Pass
			40	NV	3575.947	3673.035	3570 to 3680	Pass
			50	NV	3575.794	3673.155	3570 to 3680	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	20	LV	3576.113	3673.162	3570 to 3680	Pass
				HV	3576.687	3672.961	3570 to 3680	Pass
			-30	NV	3576.036	3672.935	3570 to 3680	Pass
			-20	NV	3575.850	3673.227	3570 to 3680	Pass
			-10	NV	3576.014	3673.257	3570 to 3680	Pass
			0	NV	3575.927	3672.886	3570 to 3680	Pass
			10	NV	3576.082	3673.027	3570 to 3680	Pass
			20	NV	3575.682	3672.710	3570 to 3680	Pass
			30	NV	3575.887	3673.171	3570 to 3680	Pass
			40	NV	3575.818	3673.102	3570 to 3680	Pass
			50	NV	3576.037	3673.216	3570 to 3680	Pass
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	20	LV	3575.691	3673.198	3570 to 3680	Pass
				HV	3575.865	3673.185	3570 to 3680	Pass
			-30	NV	3576.163	3672.946	3570 to 3680	Pass
			-20	NV	3576.072	3673.194	3570 to 3680	Pass
			-10	NV	3575.991	3672.886	3570 to 3680	Pass
			0	NV	3575.880	3673.046	3570 to 3680	Pass
			10	NV	3575.729	3672.963	3570 to 3680	Pass
			20	NV	3576.235	3673.266	3570 to 3680	Pass
			30	NV	3575.895	3673.100	3570 to 3680	Pass
			40	NV	3576.070	3673.056	3570 to 3680	Pass
			50	NV	3575.870	3673.248	3570 to 3680	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	20	LV	3575.920	3672.943	3570 to 3680	Pass
				HV	3575.804	3673.167	3570 to 3680	Pass
			-30	NV	3575.792	3672.914	3570 to 3680	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

			-20	NV	3575.671	3673.028	3570 to 3680	Pass
			-10	NV	3576.064	3673.041	3570 to 3680	Pass
			0	NV	3575.720	3673.088	3570 to 3680	Pass
			10	NV	3575.692	3672.945	3570 to 3680	Pass
			20	NV	3575.778	3672.904	3570 to 3680	Pass
			30	NV	3575.682	3673.117	3570 to 3680	Pass
			40	NV	3575.705	3673.249	3570 to 3680	Pass
			50	NV	3575.788	3673.120	3570 to 3680	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	20	LV	3576.009	3673.198	3570 to 3680	Pass
				HV	3575.944	3672.728	3570 to 3680	Pass
			-30	NV	3575.732	3673.180	3570 to 3680	Pass
			-20	NV	3576.746	3673.241	3570 to 3680	Pass
			-10	NV	3575.864	3672.946	3570 to 3680	Pass
			0	NV	3576.196	3672.958	3570 to 3680	Pass
			10	NV	3575.769	3673.183	3570 to 3680	Pass
			20	NV	3576.153	3673.092	3570 to 3680	Pass
			30	NV	3575.860	3673.224	3570 to 3680	Pass
			40	NV	3576.131	3673.196	3570 to 3680	Pass
			50	NV	3575.589	3673.169	3570 to 3680	Pass
CP-OFDM QPSK	3624.99	Outer_Full	20	LV	3575.799	3673.995	3570 to 3680	Pass
				HV	3575.751	3674.427	3570 to 3680	Pass
			-30	NV	3576.005	3674.531	3570 to 3680	Pass
			-20	NV	3576.084	3674.065	3570 to 3680	Pass
			-10	NV	3575.766	3674.226	3570 to 3680	Pass
			0	NV	3575.899	3674.223	3570 to 3680	Pass
			10	NV	3575.968	3674.289	3570 to 3680	Pass
			20	NV	3575.734	3674.400	3570 to 3680	Pass
			30	NV	3576.188	3674.128	3570 to 3680	Pass
			40	NV	3575.967	3674.381	3570 to 3680	Pass
			50	NV	3575.828	3674.565	3570 to 3680	Pass
CP-OFDM 16 QAM	3624.99	Outer_Full	20	LV	3576.086	3674.628	3570 to 3680	Pass
				HV	3575.688	3673.986	3570 to 3680	Pass
			-30	NV	3576.478	3674.260	3570 to 3680	Pass
			-20	NV	3575.898	3674.291	3570 to 3680	Pass
			-10	NV	3575.868	3674.508	3570 to 3680	Pass
			0	NV	3575.817	3674.245	3570 to 3680	Pass
			10	NV	3576.179	3674.245	3570 to 3680	Pass
			20	NV	3576.324	3674.434	3570 to 3680	Pass
			30	NV	3576.207	3674.230	3570 to 3680	Pass
			40	NV	3575.855	3673.902	3570 to 3680	Pass
			50	NV	3576.110	3674.151	3570 to 3680	Pass
CP-OFDM 64 QAM	3624.99	Outer_Full	20	LV	3576.063	3674.385	3570 to 3680	Pass
				HV	3576.350	3674.264	3570 to 3680	Pass
			-30	NV	3575.722	3674.187	3570 to 3680	Pass
			-20	NV	3576.108	3674.181	3570 to 3680	Pass
			-10	NV	3575.984	3674.015	3570 to 3680	Pass
			0	NV	3575.992	3674.194	3570 to 3680	Pass
			10	NV	3575.976	3674.143	3570 to 3680	Pass
			20	NV	3575.590	3673.420	3570 to 3680	Pass
			30	NV	3575.808	3674.345	3570 to 3680	Pass
			40	NV	3575.789	3674.172	3570 to 3680	Pass
			50	NV	3575.970	3674.159	3570 to 3680	Pass
CP-OFDM 256 QAM	3624.99	Outer_Full	20	LV	3576.025	3674.307	3570 to 3680	Pass
				HV	3575.812	3674.423	3570 to 3680	Pass
			-30	NV	3576.031	3674.221	3570 to 3680	Pass
			-20	NV	3575.701	3673.663	3570 to 3680	Pass
			-10	NV	3575.856	3674.214	3570 to 3680	Pass
			0	NV	3575.867	3674.531	3570 to 3680	Pass
			10	NV	3576.003	3674.473	3570 to 3680	Pass
			20	NV	3575.771	3674.067	3570 to 3680	Pass
			30	NV	3575.593	3674.040	3570 to 3680	Pass
			40	NV	3575.864	3674.149	3570 to 3680	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

			50	NV	3575.794	3674.512	3570 to 3680	Pass
--	--	--	----	----	----------	----------	--------------	------



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694