

Appendix B WCDMA 5

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 Band5_ERP

Band: 5								
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
	Network	Subset				Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	23.63	-2.50	18.98	<=38.45	Pass
		12.2kbps AMR	826.4	23.66	-2.50	19.01	<=38.45	Pass
		12.2kbps RMC	836.6	23.62	-2.50	18.97	<=38.45	Pass
		12.2kbps AMR	836.6	23.63	-2.50	18.98	<=38.45	Pass
		12.2kbps RMC	846.6	23.77	-2.50	19.12	<=38.45	Pass

			4.43	0.122	0.0001	-2.5 to 2.5	Pass
		-30	3.85	0.057	0.0001	-2.5 to 2.5	Pass
		-20	3.85	-0.007	0.0000	-2.5 to 2.5	Pass
		-10	3.85	-0.007	0.0000	-2.5 to 2.5	Pass
		0	3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
		10	3.85	0.336	0.0004	-2.5 to 2.5	Pass
		30	3.85	-0.050	-0.0001	-2.5 to 2.5	Pass
		40	3.85	0.172	0.0002	-2.5 to 2.5	Pass
		50	3.85	0.401	0.0005	-2.5 to 2.5	Pass
	846.6	20	3.27	-1.724	-0.0020	-2.5 to 2.5	Pass
			3.85	-1			

ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	836.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	836.6	Refer To Test Graph		Pass




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

3.2 Test Graph

3.2.1 Band5



4. 99% & 26dB Bandwidth

4.1 Test Result


4.1.1 Band5_OBW

Band: 5						
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	4.197	/	Pass
			836.6	4.185	/	Pass
			846.6	4.167	/	Pass
	HSUPA	Subtest 1	826.4	4.191	/	Pass
			836.6	4.185	/	Pass
			846.6	4.186	/	Pass


4.1.2 Band5_X

4.2 Test Graph


4.2.1 Band5_OBW



Band5_RMC_HCH_846.6MHz_12.2kbps_RMC_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23


Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV




4.2.2 Band5_XDB




Band5_RMC_HCH_846.6MHz_12.2kbps_RMC_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



5. Peak-Average Ratio


5.1 Test Result

5.1.1 Band5

Band: 5						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	2.85	<=13	Pass
			836.6	2.82	<=13	Pass
			846.6	2.89	<=13	Pass
	HSUPA	Subtest 1	826.4	4.16	<=13	Pass
			836.6	4.86	<=13	Pass
			846.6	4.97	<=13	Pass


5.2 Test Graph

5.2.1 Band5




Radiolink Testing (Shenzhen) Co., Ltd.

Band5_RMC_HCH_846.6MHz_12.2kbps_RMC_NTNV



2026-03-18 17:20:40


Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



2026-03-18 17:21:04




Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



2026-03-18 17:21:15

Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



2026-03

6. Spurious Emission

6.1 Test Result


6.1.1 Band5

Band: 5						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass




6.2 Test Graph


6.2.1 Band5




Band5_RMC_MCH_836.6MHz_12.2kbps_RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps_RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps_RMC_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV

7. Form731

7.1 Test Result

7.1.1 Form731_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.2399	99.0000	ppm	4M20F9W	22H	23.80

7.1.2 Form731_ERP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.0822	99.0000	ppm	4M20F9W	22H	19.15



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China