TEST DATA
FCC ID:2BGIKSL-029

Product	**:**	**Led helmet**
Model Name	**:**	**SL029, SL030, SL031, SL032, SL033**
Brand	**:**	**/**
Report No.	**:**	**NCT24033719XE1-1**

Prepared for

Huizhou Shining Bright Technology Co., Ltd

9th Floor, Building 2,Hengxin Wisdom Science and Technology Park, Huize Avenue, Shuikou Town, Huicheng District, Huizhou City, Guangdong Province, China

Prepared by

Shenzhen NCT Testing Technology Co., Ltd.

A101&2F B2, Fuqiao 6th Area, Xintian Community, Fuhai Street, Baoan District, Shenzhen, People's Republic of China

TEL: 400-8868-419

Table of Contents

1. -6dB Bandwidth 3
2. 99% Occupied Bandwidth 5
3. Duty Cycle 7
4. Peak Output Power 9
5. Power Spectral Density 11
6. Bandedge 13
7. Spurious Emission 15

240816 FCC ID BLE
FCC_BLE (Part15.247) Test Data

1. -6dB Bandwidth

Condition	Antenna	Rate	Frequency (MHz)	-6dB BW(kHz)	limit(kHz)	Result
NVNT	ANT1	1Mbps	2402.00	517.0	500	Pass
NVNT	ANT1	1Mbps	2440.00	515.0	500	Pass
NVNT	ANT1	1Mbps	2480.00	519.3	500	Pass

-6dB_Bandwidth_NVNT_ANT1_1Mbps_2402

-6dB_Bandwidth_NVNT_ANT1_1Mbps_2440

-6dB_Bandwidth_NVNT_ANT1_1Mbps_2480

2. 99% Occupied Bandwidth

Condition	Antenna	Rate	Frequency (MHz)	99%%BW(MHz)
NVNT	ANT1	1Mbps	2402.00	1.029
NVNT	ANT1	1Mbps	2440.00	1.025
NVNT	ANT1	1Mbps	2480.00	1.025

99%_Occupied_Bandwidth_NVNT_ANT1_1Mbps_2402

99%_Occupied_Bandwidth_NVNT_ANT1_1Mbps_2440

99%_Occupied_Bandwidth_NVNT_ANT1_1Mbps_2480

Keysight Spectrum Analyzer - Occupied BW
Center Freq 2.480000000 GHz
Center Freq: 2.480000000 GHz
Trig: Free Run
Avg|Hold: 10/10
#Atten: 30 dB
Radio Std: None
Radio Device: BTS
10:38:01 AM Aug 16, 2024
#IFGain:Low
Ref Offset 4.65 dB
10 dB/div
Ref 16.30 dBm
Log
6.30
-3.70
-13.7
-23.7
-33.7
-43.7
-53.7
-63.7
-73.7
Center 2.48 GHz
#Res BW 30 kHz
#VBW 100 kHz
Span 3 MHz
Sweep 3.2 ms
Occupied Bandwidth
1.0246 MHz
Total Power 4.92 dBm
Transmit Freq Error 46.537 kHz
% of OBW Power 99.00 %
x dB Bandwidth 1.249 MHz
x dB -26.00 dB
Frequency
Center Freq
2.480000000 GHz
CF Step
300.000 kHz
Auto
Man
Freq Offset
0 Hz
MSG
STATUS

3. Duty Cycle

Condition	Antenna	Rate	Frequency (MHz)	Dutycycle(%)	Duty_factor
NVNT	ANT1	1Mbps	2402.00	16.13	7.92
NVNT	ANT1	1Mbps	2440.00	16.13	7.92
NVNT	ANT1	1Mbps	2480.00	12.90	8.89

Duty_Cycle_NVNT_ANT1_1Mbps_2402



Duty_Cycle_NVNT_ANT1_1Mbps_2440



Duty_Cycle_NVNT_ANT1_1Mbps_2480


Keysight Spectrum Analyzer - Swept SA
Center Freq 2.480000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
Atten: 26 dB
#Avg Type: RMS
10:38:18 AM Aug 16, 2024
Ref Offset 4.65 dB
10 dB/div
Ref 20.30 dBm
Mkr3 820.0 µs
-0.55 dBm
Center 2.480000000 GHz
Res BW 8 MHz
#VBW 8.0 MHz
Span 0 Hz
Sweep 20.00 ms (1001 pts)
MKR MODE TRC SCL X Y FUNCTION FUNCTION WIDTH FUNCTION VALUE
1 N 1 t 200.0 µs -0.55 dBm
2 N 1 t 280.0 µs -0.38 dBm
3 N 1 t 820.0 µs -0.55 dBm
Frequency
Auto Tune
Center Freq
2.480000000 GHz
Start Freq
2.480000000 GHz
Stop Freq
2.480000000 GHz
CF Step
8.000000 MHz
Auto Man
Freq Offset
0 Hz
Scale Type
Log Lin

4. Peak Output Power

Condition	Antenna	Rate	Frequency (MHz)	Max. Conducted Power(dBm)	Max. Conducted Power(mW)	Limit(mW)	Result
NVNT	ANT1	1Mbps	2402.00	0.71	1.18	1000	Pass
NVNT	ANT1	1Mbps	2440.00	0.08	1.02	1000	Pass
NVNT	ANT1	1Mbps	2480.00	-0.42	0.91	1000	Pass

Peak_Output_Power_NVNT_ANT1_1Mbps_2402



Peak_Output_Power_NVNT_ANT1_1Mbps_2440



Peak_Output_Power_NVNT_ANT1_1Mbps_2480


Keysight Spectrum Analyzer - Swept SA
Center Freq 2.480000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
Atten: 20 dB
#Avg Type: RMS
Avg|Hold: 10/10
10:38:40 AM Aug 16, 2024
Ref Offset 4.65 dB
10 dB/div
Ref 14.30 dBm
Log
Mkr1 2.479 700 GHz
-0.416 dBm
4.30
-5.70
-15.7
-25.7
-35.7
-45.7
-55.7
-65.7
-75.7
Center 2.480000 GHz
#Res BW 3.0 MHz
#VBW 8.0 MHz
Span 6.000 MHz
Sweep 1.000 ms (1001 pts)
Frequency
Auto Tune
Center Freq
2.480000000 GHz
Start Freq
2.477000000 GHz
Stop Freq
2.483000000 GHz
CF Step
600.000 kHz
Auto
Man
Freq Offset
0 Hz
Scale Type
Log
Lin

5. Power Spectral Density

Condition	Antenna	Rate	Frequency (MHz)	Power Spectral Density(dBm)	Limit(dBm/3kHz)	Result
NVNT	ANT1	1Mbps	2402.00	-19.25	8	Pass
NVNT	ANT1	1Mbps	2440.00	-19.68	8	Pass
NVNT	ANT1	1Mbps	2480.00	-19.79	8	Pass

Power_Spectral_Density_NVNT_ANT1_1Mbps_2402



Power_Spectral_Density_NVNT_ANT1_1Mbps_2440



Power_Spectral_Density_NVNT_ANT1_1Mbps_2480


Keysight Spectrum Analyzer - Swept SA
Center Freq 2.480000000 GHz
PNO: Wide
IFGain:Low
Trig: Free Run
Atten: 16 dB
#Avg Type: RMS
Avg|Hold: 10/10
10:38:55 AM Aug 16, 2024
Ref Offset 4.65 dB
10 dB/div
Ref 10.30 dBm
Log
Mkr1 2.480 050 7 GHz
-19.788 dBm
Center 2.4800000 GHz
#Res BW 3.0 kHz
#VBW 10 kHz
Span 1.538 MHz
Sweep 162.1 ms (1001 pts)
Frequency
Auto Tune
Center Freq
2.480000000 GHz
Start Freq
2.479231250 GHz
Stop Freq
2.480768750 GHz
CF Step
153.750 kHz
Auto
Man
Freq Offset
0 Hz
Scale Type
Log
Lin

6. Bandedge

Condition	Antenna	Rate	TX_Frequency (MHz)	Max. Mark Frequency (MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	1Mbps	2402.00	2399.965	-51.922	-19.466	Pass
NVNT	ANT1	1Mbps	2480.00	2497.550	-62.136	-20.557	Pass

1_Reference_Level_NVNT_ANT1_1Mbps_2402

2_Bandedge_NVNT_ANT1_1Mbps_2402



1_Reference_Level_NVNT_ANT1_1Mbps_2480

2_Bandedge_NVNT_ANT1_1Mbps_2480



7. Spurious Emission

Condition	Antenna	Rate	TX_Frequency(MHz)	Spurious MAX.Value(dBm)	Limit	Result
NVNT	ANT1	1Mbps	2402.00	-39.259	-19.466	Pass
NVNT	ANT1	1Mbps	2440.00	-43.171	-20.079	Pass
NVNT	ANT1	1Mbps	2480.00	-41.320	-20.557	Pass

1_Reference_Level_NVNT_ANT1_1Mbps_2402



2_Spurious_Emission_NVNT_ANT1_1Mbps_2402



1_Reference_Level_NVNT_ANT1_1Mbps_2440



2_Spurious_Emission_NVNT_ANT1_1Mbps_2440



1_Reference_Level_NVNT_ANT1_1Mbps_2480



2_Spurious_Emission_NVNT_ANT1_1Mbps_2480