

Quick Start Guide

Smart Wireless Battery machine
Model: YH-A28D-i

2025/06/01

A28D

Download and Login

01

Download the App before establishing a connection with the device.

Scan the code to download

Scan QR code to download iCam 365 "App



App market download

Search for "icam365" in the Apple Store or Google Play and download it!

Register Login

Open the iCam365 app and use third-party shortcuts to log in or register an account



App will be continuously updated, UI is based on the app

Add a new device / Scan code

02

When connecting the device, make sure the device is powered on

Step 1

Click the Add button



Step 2

Scan the QR code of the fuselage



Step 3

Select the Wi-Fi to connect to and enter the password



Step 4

Show the QR code to the device lens, When you hear the beep, click next



Step 5

Wait for the distribution network and the addition to complete




If adding fails, try
1. Reconnect the power supply of the device once to ensure that it is powered on;
2. Check whether the Wi-Fi connected to the device can access the Internet normally
3. Check if the Wi-Fi password is entered correctly
After trying the above methods, it still fails, it is recommended to contact the online customer service for help

App will be updated continuously, and the interface is subject to App

Product Overview

03



PS: Please insert the micro SD card in the direction shown in the diagram. If inserted incorrectly, the Micro SD card may get stuck and the device may be damaged. When inserting or removing the memory card, the device must be powered off (switched off) first.
TF Card Interface: Supports micro SD cards for local storage (up to 128GB).
Reset Button: Used to restore the camera to factory settings (long-press for 5-8 seconds).
Card Capacity Requirements: 8-128GB.
Read/Write Speed Requirements: Class 10 level.
File Format: FAT32


Common problem

04

If the following methods still don't solve your problem, please contact the customer service of the camera you purchased, or contact the online customer service in the App, and we will solve it for you as soon as possible


Problems	Solution
The camera fails to power on.	It is possible that the camera battery has been drained. Please use a 5V power adapter to fully charge the camera, then toggle the switch to the "ON" position to power it on again.
What should I do if the device is sun successfully added?	check whether the Wi-Fi password is correct, and the network can be connected correctly, then RESET the camera, and add it again after completion.
How to download video?	Click the "Record Screen" button during playback, and click the red button after recording, and the video file will be saved to the phone;
What if the display device is offline?	First confirm whether the power supply and network are normal, and there is no problem before powering off the camera and restarting it. If the connection is still disconnected after restarting, please remove the camera from the APP and add it again.
The memory card is full, what should I do?	No manual processing is required. When the remaining memory card capacity is less than or equal to 500M, the camera will automatically overwrite the oldest video file.
What should I do if I cannot receive the warning	1. Confirm that the message in the App device settings is on 2. Apple mobile phone: In the mobile phone settings, find the "iACM365" application and enable the "message notification" permission. Log out of "iACM365" and log in again. Android phone: In the message notification, find "iACM365" and enable the "Allow Notification" permission. Alarm messages are stored for up to 7 days
How to share the device with others?	Click share and send the link to the sharer. The sharer can complete the operation step by step according to the content of the connection. Share up to 10 people per device

⚠ Each device has a different function, for reference only




The application will be updated continuously, the interface is based on the app

⚠ Each device has different functions, for reference only




The application will be updated continuously, the interface is based on the app

⚠ Each device has a different function, for reference only



The application will be updated continuously, the interface is based on the app

⚠ Each device has a different function, for reference only



The application will be updated continuously, the interface is based on the app



Scan the QR code to download "icam365"

FCC Statement

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: 1) this device may not cause harmful interference, and 2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

FCC Radiation Exposure Statement

This device complies with RF radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

This device must operate with a minimum distance of 20 cm between the radiator and user body.