

1. Duty Cycle

1.1 Test Result


1.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	SISO	5745	1.393	1.436	97.01	0.13	0.03
		5785	1.393	1.437	96.94	0.14	0.07
		5825	1.392	1.437	96.87	0.14	0.03
802.11n (HT20)	SISO	5745	1.300	1.345	96.65	0.15	0.07
		5785	1.301	1.344	96.80	0.14	0.03
		5825	1.302	1.345	96.80	0.14	0.03
802.11n (HT40)	SISO	5755	0.649	0.692	93.79	0.28	0.07
		5795	0.649	0.692	93.79	0.28	0.03


1.2 Test Graph

1.2.1 Ant1


802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV



802.11n(HT40)_LCH_5755MHz_Ant1_NTNV



802.11n(HT40)_HCH_5795MHz_Ant1_NTNV



2.Maximum Peak Output Power

2.1 Test Result


2.1.1 Power

Mode	TX Type	Frequency (MHz)	Duty Cycle Correction Factor (dB)	Maximum Average Conducted Output Power (dBm)		Verdict
				ANT1	Limit	
802.11a	SISO	5745	0.13	2.90	<=30	Pass
		5785	0.14	1.96	<=30	Pass
		5825	0.14	1.52	<=30	Pass
802.11n (HT20)	SISO	5745	0.15	4.82	<=30	Pass
		5785	0.14	4.01	<=30	Pass
		5825	0.14	3.66	<=30	Pass
802.11n (HT40)	SISO	5755	0.28	4.45	<=30	Pass
		5795	0.28	4.15	<=30	Pass
Note1: Antenna Gain: Ant1: 3.03dBi;						


2.2 Test Graph

2.2.1 Power


802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV



802.11n(HT40)_LCH_5755MHz_Ant1_NTNV



802.11n(HT40)_HCH_5795MHz_Ant1_NTNV



3.-6dB Bandwidth and 99% Bandwidth Measurement

3. Bandwidth

3.1 Test Result

3.1.1 OBW

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5745	1	17.139	/	Pass
		5785	1	17.142	/	Pass
		5825	1	17.083	/	Pass
802.11n (HT20)	SISO	5745	1	17.583	/	Pass
		5785	1	17.553	/	Pass
		5825	1	17.571	/	Pass
802.11n (HT40)	SISO	5755	1	36.129	/	Pass
		5795	1	36.085	/	Pass


2.1.2 6dB BW

Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5745	1	15.685	≥ 0.5	Pass
		5785	1	14.957	≥ 0.5	Pass
		5825	1	15.468	≥ 0.5	Pass
802.11n (HT20)	SISO	5745	1	15.381	≥ 0.5	Pass
		5785	1	16.356	≥ 0.5	Pass
		5825	1	15.400	≥ 0.5	Pass
802.11n (HT40)	SISO	5755	1	35.141	≥ 0.5	Pass
		5795	1	35.145	≥ 0.5	Pass


3.2 Test Graph

3.2.1 OBW


802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV



802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




2.2.2 6dB BW


802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV



802.11n(HT40)_LCH_5755MHz_Ant1_NTNV



802.11n(HT40)_HCH_5795MHz_Ant1_NTNV



4.Power Spectral density

4.1 Test Result

4.1.1 PSD-Band3

Mode	TX Type	Frequency (MHz)	Duty Cycle Correction Factor (dB)	Maximum PSD (dBm/500kHz)		Verdict
				ANT1(dBm/500kHz)	Limit(dBm/500kHz)	
802.11a	SISO	5745	0.13	-10.35	<=30	Pass
		5785	0.14	-11.15	<=30	Pass
		5825	0.14	-11.70	<=30	Pass
802.11n (HT20)	SISO	5745	0.15	-8.23	<=30	Pass
		5785	0.14	-9.09	<=30	Pass
		5825	0.14	-9.59	<=30	Pass
802.11n (HT40)	SISO	5755	0.28	-11.81	<=30	Pass
		5795	0.28	-12.02	<=30	Pass


Note1: Antenna Gain: Ant1: 3.03dBi;

Note2: $ANT1(dBm/300KHz) = ANT1(dBm/500KHz) + 10\log(500/300)$


4.2 Test Graph

4.2.1 PSD-Band3


802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV



802.11n(HT40)_LCH_5755MHz_Ant1_NTNV



802.11n(HT40)_HCH_5795MHz_Ant1_NTNV



5.Unwanted Emissions In Restricted Frequency Bands and Spurious Emission


5.1.1 Spurious Emission

Mode	TX Type	Frequency (MHz)	ANT	Level of Unwanted Emissions (dBm)		Verdict
				Result	Limit	
802.11a	SISO	5745	1	Refer To Test Graph		Pass
		5785	1	Refer To Test Graph		Pass
		5825	1	Refer To Test Graph		Pass
802.11n (HT20)	SISO	5745	1	Refer To Test Graph		Pass
		5785	1	Refer To Test Graph		Pass
		5825	1	Refer To Test Graph		Pass
802.11n (HT40)	SISO	5755	1	Refer To Test Graph		Pass
		5795	1	Refer To Test Graph		Pass


5.1.2 Test Graph

5.1.3 SE

802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20736.15	-46.72	-21.20	25.52	Pass	Peak	7	20736.15	-58.06	-41.20	16.86	Pass	AVG
2	21600.6	-47.47	-27.00	20.47	Pass	Peak	8	21600.6	/	-27.00	/	/	AVG
3	23511.4	-46.46	-27.00	19.46	Pass	Peak	9	23511.4	/	-27.00	/	/	AVG
4	24301.9	-45.90	-27.00	18.90	Pass	Peak	10	24301.9	/	-27.00	/	/	AVG
5	25211.4	-43.65	-27.00	16.65	Pass	Peak	11	25211.4	/	-27.00	/	/	AVG
6	26169.35	-44.11	-27.00	17.11	Pass	Peak	12	26169.35	/	-27.00	/	/	AVG

802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21216.4	-47.63	-21.20	26.43	Pass	Peak	7	21216.4	-56.97	-41.20	15.77	Pass	AVG
2	22016.25	-48.18	-21.20	26.98	Pass	Peak	8	22016.25	-58.01	-41.20	16.81	Pass	AVG
3	23212.2	-47.31	-27.00	20.31	Pass	Peak	9	23212.2	/	-27.00	/	/	AVG
4	24111.5	-45.24	-27.00	18.24	Pass	Peak	10	24111.5	/	-27.00	/	/	AVG
5	25275.15	-44.79	-27.00	17.79	Pass	Peak	11	25275.15	/	-27.00	/	/	AVG
6	26461.75	-44.90	-27.00	17.90	Pass	Peak	12	26461.75	/	-27.00	/	/	AVG

802.11a_HCH_5825MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2479.85	-46.27	-27.00	19.27	Pass	Peak	7	2479.85	/	-27.00	/	/	AVG
2	21729.8	-47.84	-27.00	20.84	Pass	Peak	8	21729.8	/	-27.00	/	/	AVG
3	23135.7	-47.71	-27.00	20.71	Pass	Peak	9	23135.7	/	-27.00	/	/	AVG
4	24077.5	-45.79	-27.00	18.79	Pass	Peak	10	24077.5	/	-27.00	/	/	AVG
5	25165.5	-43.36	-27.00	16.36	Pass	Peak	11	25165.5	/	-27.00	/	/	AVG
6	26104.75	-43.76	-27.00	16.76	Pass	Peak	12	26104.75	/	-27.00	/	/	AVG

802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




Frequency (MHz)						Frequency (MHz)					
No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)
1	21333.7	-41.63	-21.20	20.43	Pass	Peak	7	21333.7	-51.45	-41.20	10.25
2	22792.3	-42.42	-21.20	21.22	Pass	Peak	8	22792.3	-52.83	-41.20	11.63
3	23636.35	-40.66	-21.20	19.46	Pass	Peak	9	23636.35	-50.00	-41.20	8.80
4	24430.25	-39.42	-27.00	12.42	Pass	Peak	10	24430.25	/	-27.00	/
5	25259	-38.21	-27.00	11.21	Pass	Peak	11	25259	/	-27.00	/
6	26458.35	-38.66	-27.00	11.66	Pass	Peak	12	26458.35	/	-27.00	/

802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21258.05	-46.99	-21.20	25.79	Pass	Peak	7	21258.05	-57.37	-41.20	16.17	Pass	AVG
2	22737.05	-48.34	-21.20	27.14	Pass	Peak	8	22737.05	-58.89	-41.20	17.69	Pass	AVG
3	23808.05	-46.08	-21.20	24.88	Pass	Peak	9	23808.05	-55.67	-41.20	14.47	Pass	AVG
4	24675.9	-44.85	-27.00	17.85	Pass	Peak	10	24675.9	/	-27.00	/	/	AVG
5	25608.35	-43.41	-27.00	16.41	Pass	Peak	11	25608.35	/	-27.00	/	/	AVG
6	26407.35	-44.32	-27.00	17.32	Pass	Peak	12	26407.35	/	-27.00	/	/	AVG

802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21048.95	-48.06	-21.20	26.86	Pass	Peak	7	21048.95	-58.35	-41.20	17.15	Pass	AVG
2	21991.6	-48.80	-27.00	21.80	Pass	Peak	8	21991.6	/	-27.00	/	/	AVG
3	23279.35	-47.15	-27.00	20.15	Pass	Peak	9	23279.35	/	-27.00	/	/	AVG
4	24327.4	-45.20	-27.00	18.20	Pass	Peak	10	24327.4	/	-27.00	/	/	AVG
5	25202.05	-44.42	-27.00	17.42	Pass	Peak	11	25202.05	/	-27.00	/	/	AVG
6	26498.3	-44.07	-27.00	17.07	Pass	Peak	12	26498.3	/	-27.00	/	/	AVG

802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20728.5	-42.91	-21.20	21.71	Pass	Peak	7	20728.5	-52.11	-41.20	10.91	Pass	AVG
2	21557.25	-41.63	-27.00	14.63	Pass	Peak	8	21557.25	/	-27.00	/	/	AVG
3	23670.35	-40.02	-21.20	18.82	Pass	Peak	9	23670.35	-49.76	-41.20	8.56	Pass	AVG
4	24710.75	-39.72	-27.00	12.72	Pass	Peak	10	24710.75	/	-27.00	/	/	AVG
5	25651.7	-39.20	-27.00	12.20	Pass	Peak	11	25651.7	/	-27.00	/	/	AVG
6	26460.9	-38.78	-27.00	11.78	Pass	Peak	12	26460.9	/	-27.00	/	/	AVG

802.11n(HT40)_HCH_5795MHz_Ant1_NTNV



802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19072.7	-48.85	-21.20	27.65	Pass	Peak	7	19072.7	-59.29	-41.20	18.09	Pass	AVG
2	20334.95	-48.47	-21.20	27.27	Pass	Peak	8	20334.95	-59.41	-41.20	18.21	Pass	AVG
3	21276.75	-47.67	-21.20	26.47	Pass	Peak	9	21276.75	-57.19	-41.20	15.99	Pass	AVG
4	23727.3	-46.25	-21.20	25.05	Pass	Peak	10	23727.3	-55.75	-41.20	14.55	Pass	AVG
5	24601.1	-45.45	-27.00	18.45	Pass	Peak	11	24601.1	/	-27.00	/	/	AVG
6	25795.35	-44.84	-27.00	17.84	Pass	Peak	12	25795.35	/	-27.00	/	/	AVG

5.2.1 BandEdge


Mode	TX Type	Frequency (MHz)	ANT	Level of Unwanted Emissions (dBm)		Verdict
				Result	Limit	
802.11a	SISO	5745	1	Refer To Test Graph		Pass
		5825	1	Refer To Test Graph		Pass
802.11n (HT20)	SISO	5745	1	Refer To Test Graph		Pass
		5825	1	Refer To Test Graph		Pass
802.11n (HT40)	SISO	5755	1	Refer To Test Graph		Pass
		5795	1	Refer To Test Graph		Pass

5.3.2 BandEdge


802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV



802.11n(HT40)_LCH_5755MHz_Ant1_NTNV



802.11n(HT40)_HCH_5795MHz_Ant1_NTNV



6.Frequency Stability Measurement

6.1.1 Ant1

Mode	TX Type	Frequency (MHz)	Temperature (°C)	Ant1		Limit (MHz)	Verdict
				Voltage	Measured Frequency (MHz)		
802.11a	SISO	5745	20	LV	5745.020	5725 to 5850	Pass
				NV	5744.980	5725 to 5850	Pass
				HV	5745.020	5725 to 5850	Pass
			-30	NV	5745.080	5725 to 5850	Pass
			-20	NV	5744.980	5725 to 5850	Pass
			-10	NV	5745.120	5725 to 5850	Pass
			0	NV	5744.960	5725 to 5850	Pass
			10	NV	5744.920	5725 to 5850	Pass
			30	NV	5745.040	5725 to 5850	Pass
			40	NV	5745.040	5725 to 5850	Pass
			50	NV	5745.060	5725 to 5850	Pass
		5785	20	LV	5785.000	5725 to 5850	Pass
				NV	5785.040	5725 to 5850	Pass
				HV	5785.000	5725 to 5850	Pass
			-30	NV	5785.080	5725 to 5850	Pass
			-20	NV	5785.100	5725 to 5850	Pass
			-10	NV	5785.060	5725 to 5850	Pass
			0	NV	5785.000	5725 to 5850	Pass
			10	NV	5785.020	5725 to 5850	Pass
			30	NV	5785.020	5725 to 5850	Pass
			40	NV	5785.020	5725 to 5850	Pass
			50	NV	5785.000	5725 to 5850	Pass
		5825	20	LV	5824.980	5725 to 5850	Pass
				NV	5824.980	5725 to 5850	Pass
				HV	5825.020	5725 to 5850	Pass
			-30	NV	5825.040	5725 to 5850	Pass
			-20	NV	5825.000	5725 to 5850	Pass
			-10	NV	5825.060	5725 to 5850	Pass
			0	NV	5825.000	5725 to 5850	Pass
			10	NV	5825.020	5725 to 5850	Pass
			30	NV	5825.000	5725 to 5850	Pass
			40	NV	5825.020	5725 to 5850	Pass
			50	NV	5825.000	5725 to 5850	Pass
802.11n (HT20)	SISO	5745	20	LV	5745.060	5725 to 5850	Pass
				NV	5745.020	5725 to 5850	Pass
				HV	5744.960	5725 to 5850	Pass
			-30	NV	5744.940	5725 to 5850	Pass
			-20	NV	5745.120	5725 to 5850	Pass
			-10	NV	5745.120	5725 to 5850	Pass
			0	NV	5745.040	5725 to 5850	Pass
			10	NV	5744.960	5725 to 5850	Pass
			30	NV	5745.000	5725 to 5850	Pass
			40	NV	5745.020	5725 to 5850	Pass
			50	NV	5745.000	5725 to 5850	Pass
		5785	20	LV	5785.000	5725 to 5850	Pass
				NV	5785.060	5725 to 5850	Pass
				HV	5785.100	5725 to 5850	Pass
			-30	NV	5785.020	5725 to 5850	Pass
			-20	NV	5785.100	5725 to 5850	Pass
			-10	NV	5785.040	5725 to 5850	Pass
			0	NV	5785.020	5725 to 5850	Pass

FCC ID: 2BGPD-ZMLH-K33

			10	NV	5785.040	5725 to 5850	Pass
			30	NV	5785.020	5725 to 5850	Pass
			40	NV	5785.040	5725 to 5850	Pass
			50	NV	5785.080	5725 to 5850	Pass
		5825	20	LV	5825.020	5725 to 5850	Pass
				NV	5824.940	5725 to 5850	Pass
				HV	5825.100	5725 to 5850	Pass
			-30	NV	5825.040	5725 to 5850	Pass
			-20	NV	5824.980	5725 to 5850	Pass
			-10	NV	5825.000	5725 to 5850	Pass
			0	NV	5825.060	5725 to 5850	Pass
			10	NV	5825.080	5725 to 5850	Pass
			30	NV	5825.020	5725 to 5850	Pass
			40	NV	5825.020	5725 to 5850	Pass
			50	NV	5825.120	5725 to 5850	Pass
802.11n (HT40)	SISO	5755	20	LV	5755.080	5725 to 5850	Pass
				NV	5755.080	5725 to 5850	Pass
				HV	5755.040	5725 to 5850	Pass
			-30	NV	5755.080	5725 to 5850	Pass
			-20	NV	5755.040	5725 to 5850	Pass
			-10	NV	5755.080	5725 to 5850	Pass
			0	NV	5755.080	5725 to 5850	Pass
			10	NV	5755.080	5725 to 5850	Pass
			30	NV	5755.160	5725 to 5850	Pass
			40	NV	5755.080	5725 to 5850	Pass
			50	NV	5755.080	5725 to 5850	Pass
		5795	20	LV	5795.080	5725 to 5850	Pass
				NV	5795.040	5725 to 5850	Pass
				HV	5795.080	5725 to 5850	Pass
			-30	NV	5795.080	5725 to 5850	Pass
			-20	NV	5795.000	5725 to 5850	Pass
			-10	NV	5795.080	5725 to 5850	Pass
			0	NV	5795.080	5725 to 5850	Pass
			10	NV	5795.080	5725 to 5850	Pass
			30	NV	5795.120	5725 to 5850	Pass
			40	NV	5795.040	5725 to 5850	Pass
			50	NV	5795.000	5725 to 5850	Pass

-THE END-