









































Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant A	-35.18	-20	Pass
		2437		-34.81	-20	Pass
		2462		-36	-20	Pass
	g	2412		-34.83	-20	Pass
		2437		-34.83	-20	Pass
		2462		-33.65	-20	Pass
	n20	2412		-33.37	-20	Pass
		2437		-34.31	-20	Pass
		2462		-32.55	-20	Pass
	n40	2422		-29.95	-20	Pass
		2437		-29.65	-20	Pass
		2452		-29.56	-20	Pass
	ax20	2412		-33.07	-20	Pass
		2437		-34.15	-20	Pass
		2462		-32.78	-20	Pass
	ax40	2422		-28.81	-20	Pass
		2437		-30.3	-20	Pass
		2452		-29.45	-20	Pass























































Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	b	2412	Ant B	99.52	0
NVNT	g	2412	Ant B	97.66	0.1
NVNT	n20	2412	Ant B	99	0
NVNT	n40	2422	Ant B	99	0
NVNT	ax20	2412	Ant B	99.01	0
NVNT	ax40	2422	Ant B	99.01	0









Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant B	3.97	30	Pass
NVNT	b	2437	Ant B	3.88	30	Pass
NVNT	b	2462	Ant B	4.15	30	Pass
NVNT	g	2412	Ant B	3.36	30	Pass
NVNT	g	2437	Ant B	3.31	30	Pass
NVNT	g	2462	Ant B	3.64	30	Pass
NVNT	n20	2412	Ant B	2.82	30	Pass
NVNT	n20	2437	Ant B	2.94	30	Pass
NVNT	n20	2462	Ant B	3.26	30	Pass
NVNT	n40	2422	Ant B	2.3	30	Pass
NVNT	n40	2437	Ant B	2.45	30	Pass
NVNT	n40	2452	Ant B	2.65	30	Pass
NVNT	ax20	2412	Ant B	2.56	30	Pass
NVNT	ax20	2437	Ant B	2.62	30	Pass
NVNT	ax20	2462	Ant B	2.92	30	Pass
NVNT	ax40	2422	Ant B	1.88	30	Pass
NVNT	ax40	2437	Ant B	1.75	30	Pass
NVNT	ax40	2452	Ant B	1.96	30	Pass



-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant B	10.264	0.5	Pass
		2437		10.264	0.5	Pass
		2462		10.259	0.5	Pass
	g	2412		16.137	0.5	Pass
		2437		16.244	0.5	Pass
		2462		15.98	0.5	Pass
	n20	2412		16.925	0.5	Pass
		2437		16.94	0.5	Pass
		2462		16.947	0.5	Pass
	n40	2422		35.445	0.5	Pass
		2437		35.749	0.5	Pass
		2452		35.609	0.5	Pass
	ax20	2412		17.905	0.5	Pass
		2437		18.681	0.5	Pass
		2462		18.725	0.5	Pass
	ax40	2422		36.407	0.5	Pass
		2437		36.064	0.5	Pass
		2452		37.353	0.5	Pass

