

Shenzhen Yi Sheng Bang technology Co., LTD  
101, Building C, Shenzhen Qianwan Hard Science and Technology  
Industrial Park, Bao 'an District, Shenzhen

# 深圳市亿圣邦科技有限公司

## Shenzhen Yishengbang Technology Co., Ltd Antenna Test Report

Customer:卓创

Project: 1065G7

Product: WIFI

Report date: 2024-05-23

Prepared by :刘顺

Checked by : 黄震

Approved by : 林美财




# ***Purpose***

This report is to measure the performance of SLK for Master Antenna on卓创. All measure data are showed below.


## ***Content***

1. Product Overview
2. Test Result
  - 2.1 WIFI MAIN/AUX Antenna VSWR
  - 2.2 Antenna Parameters
  - 2.3 WIFI MAIN/AUX Antenna Gain/Efficiency/3D DATA
  - 2.4 WIFI throughput test
3. Conclusions


# 1. Product Overview



# 1. Product Overview





# 1. Product Overview





## 2. Test Result

### 2.1 WIFI MAIN Antenna VSWR




## 2. Test Result

### 2.1 WIFI AUX Antenna VSWR



## 2. Test Result


### 2.2 Antenna Parameters



## 2. Test Result

### 2.3 WIFI MAIN Antenna Gain/Efficiency/3D DATA


| Frequency (MHz) | Efficiency (dBi) | Gain (dBi) | Efficiency (%) |
|-----------------|------------------|------------|----------------|
| 2400            | -3.97            | 1.58       | 40.02          |
| 2410            | -3.95            | 1.11       | 40.21          |
| 2420            | -3.85            | 1.86       | 41.18          |
| 2430            | -3.86            | 1.22       | 41.03          |
| 2440            | -3.84            | 1.71       | 41.28          |
| 2450            | -3.89            | 1.00       | 40.79          |
| 2460            | -3.68            | 1.34       | 42.85          |
| 2470            | -3.87            | 1.44       | 40.93          |
| 2480            | -3.94            | 1.51       | 40.36          |
| 2490            | -3.89            | 1.63       | 40.82          |
| 2500            | -3.73            | 1.03       | 42.30          |
| 5150            | -3.70            | 1.15       | 42.60          |
| 5250            | -3.67            | 1.76       | 42.92          |
| 5450            | -3.49            | 1.95       | 44.68          |
| 5850            | -3.50            | 1.96       | 44.60          |



## 2. Test Result


### 2.3 WIFI AUX Antenna Gain/Efficiency/3D DATA

| Frequency (MHz) | Efficiency (dBi) | Gain (dBi) | Efficiency (%) |
|-----------------|------------------|------------|----------------|
| 2400            | -4.46            | 1.74       | 35.78          |
| 2410            | -4.45            | 1.99       | 35.85          |
| 2420            | -4.28            | 1.73       | 37.29          |
| 2430            | -4.47            | 1.53       | 35.67          |
| 2440            | -4.17            | 1.95       | 38.24          |
| 2450            | -4.41            | 1.71       | 36.20          |
| 2460            | -4.33            | 1.69       | 36.90          |
| 2470            | -4.59            | 1.34       | 34.70          |
| 2480            | -4.63            | 1.96       | 34.36          |
| 2490            | -4.47            | 1.85       | 35.68          |
| 2500            | -4.61            | 1.86       | 34.58          |
| 5150            | -3.24            | 1.94       | 47.38          |
| 5250            | -3.21            | 1.21       | 47.72          |
| 5450            | -3.16            | 1.36       | 48.29          |
| 5850            | -3.04            | 1.40       | 49.56          |




## 2. Test Result

### 2.4 WIFI throughput test



| ID    | Interval       | Transfer   | Bandwidth      |
|-------|----------------|------------|----------------|
| 4]    | 0.00-30.00 sec | 158 MBytes | 44.1 Mbits/sec |
| 4]    | 0.00-30.00 sec | 153 MBytes | 42.9 Mbits/sec |
| 6]    | 0.00-30.00 sec | 153 MBytes | 42.8 Mbits/sec |
| 6]    | 0.00-30.00 sec | 150 MBytes | 41.9 Mbits/sec |
| 8]    | 0.00-30.00 sec | 150 MBytes | 41.9 Mbits/sec |
| 8]    | 0.00-30.00 sec | 145 MBytes | 40.6 Mbits/sec |
| 10]   | 0.00-30.00 sec | 145 MBytes | 40.6 Mbits/sec |
| 12]   | 0.00-30.00 sec | 139 MBytes | 38.8 Mbits/sec |
| [SUM] | 0.00-30.00 sec | 745 MBytes | 208 Mbits/sec  |

2.4G十米下载




| ID    | Interval        | Transfer    | Bandwidth      |
|-------|-----------------|-------------|----------------|
| 4]    | 8.00-9.00 sec   | 13.4 MBytes | 112 Mbits/sec  |
| 4]    | 9.00-10.01 sec  | 12.4 MBytes | 103 Mbits/sec  |
| 4]    | 10.01-11.01 sec | 12.4 MBytes | 104 Mbits/sec  |
| 4]    | 11.01-12.00 sec | 13.2 MBytes | 112 Mbits/sec  |
| 4]    | 12.00-13.01 sec | 14.0 MBytes | 116 Mbits/sec  |
| 4]    | 13.01-14.01 sec | 11.1 MBytes | 93.7 Mbits/sec |
| 4]    | 14.01-15.01 sec | 11.2 MBytes | 94.5 Mbits/sec |
| 4]    | 15.01-16.01 sec | 11.6 MBytes | 97.3 Mbits/sec |
| 4]    | 16.01-17.01 sec | 12.0 MBytes | 101 Mbits/sec  |
| 4]    | 17.01-18.01 sec | 12.2 MBytes | 102 Mbits/sec  |
| 4]    | 18.01-19.00 sec | 11.2 MBytes | 95.4 Mbits/sec |
| 4]    | 19.00-20.00 sec | 12.6 MBytes | 106 Mbits/sec  |
| 4]    | 20.00-21.01 sec | 13.6 MBytes | 113 Mbits/sec  |
| 4]    | 21.01-22.01 sec | 12.0 MBytes | 101 Mbits/sec  |
| 4]    | 22.01-23.01 sec | 9.75 MBytes | 86.5 Mbits/sec |
| 4]    | 23.01-24.00 sec | 10.2 MBytes | 91.0 Mbits/sec |
| 4]    | 24.00-25.00 sec | 11.4 MBytes | 95.6 Mbits/sec |
| 4]    | 25.00-26.00 sec | 11.5 MBytes | 95.8 Mbits/sec |
| 4]    | 26.00-27.01 sec | 12.4 MBytes | 104 Mbits/sec  |
| 4]    | 27.01-28.01 sec | 12.5 MBytes | 104 Mbits/sec  |
| 4]    | 28.01-29.02 sec | 12.5 MBytes | 104 Mbits/sec  |
| 4]    | 29.02-30.01 sec | 14.8 MBytes | 123 Mbits/sec  |
| [SUM] | 0.00-30.01 sec  | 363 MBytes  | 102 Mbits/sec  |


2.4G十米上传

## 2. Test Result

### 2.4 WIFI throughput test



5G十米下载



5G十米上传

### 3. Conclusions

谢谢！