



802.11n(HT40) LCH 5510MHz MIMO NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5432.800	-49.81	-21.20	28.61	Pass	Peak	7	5432.800	-57.59	-41.20	16.39	Pass	AVG
2	5439.800	-48.67	-21.20	27.47	Pass	Peak	8	5439.800	-57.77	-41.20	16.57	Pass	AVG
3	5447.000	-48.27	-21.20	27.07	Pass	Peak	9	5447.000	-57.63	-41.20	16.43	Pass	AVG
4	5453.800	-48.50	-21.20	27.30	Pass	Peak	10	5453.800	-57.52	-41.20	16.32	Pass	AVG
5	5460.600	-42.04	-27.00	15.04	Pass	Peak	11	5460.600	/	/	/	/	AVG
6	5468.000	-38.61	-27.00	11.61	Pass	Peak	12	5468.000	/	/	/	/	AVG

802.11n(HT40) MCH 5550MHz MIMO NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21334.55	-31.98	-21.20	10.78	Pass	Peak	7	21334.55	-43.18	-41.20	1.98	Pass	AVG
2	22110.6	-34.27	-21.20	13.07	Pass	Peak	8	22110.6	-45.17	-41.20	3.97	Pass	AVG
3	23523.3	-34.36	-27.00	7.36	Pass	Peak	9	23523.3	/	-27.00	/	/	AVG
4	24301.05	-29.52	-27.00	2.52	Pass	Peak	10	24301.05	/	-27.00	/	/	AVG
5	25072	-30.95	-27.00	3.95	Pass	Peak	11	25072	/	-27.00	/	/	AVG
6	25897.35	-28.13	-27.00	1.13	Pass	Peak	12	25897.35	/	-27.00	/	/	AVG

802.11n(HT40) HCH 5670MHz MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2412.7	-40.35	-27.00	13.35	Pass	Peak	7	2412.7	/	-27.00	/	/	AVG
2	21416.15	-38.53	-27.00	11.53	Pass	Peak	8	21416.15	/	-27.00	/	/	AVG
3	23188.4	-40.19	-27.00	13.19	Pass	Peak	9	23188.4	/	-27.00	/	/	AVG
4	24319.75	-35.57	-27.00	8.57	Pass	Peak	10	24319.75	/	-27.00	/	/	AVG
5	25469.8	-34.55	-27.00	7.55	Pass	Peak	11	25469.8	/	-27.00	/	/	AVG
6	26368.25	-36.40	-27.00	9.40	Pass	Peak	12	26368.25	/	-27.00	/	/	AVG

802.11n(HT40) HCH 5670MHz MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5725.710	-38.36	-27.00	11.36	Pass	Peak	7	5725.710	/	-27.00	/	/	AVG
2	5736.930	-36.81	-27.00	9.81	Pass	Peak	8	5736.930	/	-27.00	/	/	AVG
3	5742.540	-41.82	-27.00	14.82	Pass	Peak	9	5742.540	/	-27.00	/	/	AVG
4	5747.980	-34.97	-27.00	7.97	Pass	Peak	10	5747.980	/	-27.00	/	/	AVG
5	5753.250	-39.88	-27.00	12.88	Pass	Peak	11	5753.250	/	-27.00	/	/	AVG
6	5767.360	-43.32	-27.00	16.32	Pass	Peak	12	5767.360	/	-27.00	/	/	AVG


802.11n(HT40) LCH 5755MHz Ant1 NTN




802.11n(HT40) LCH 5755MHz Ant1 NTN




802.11n(HT40) LCH 5755MHz Ant2 NTN




802.11n(HT40) LCH 5755MHz Ant2 NTN



802.11n(HT40)_LCH_5755MHz_MIMO_NTNV




802.11n(HT40)_LCH_5755MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21330.3	-31.60	-21.20	10.40	Pass	Peak	7	21330.3	-42.53	-41.20	1.33	Pass	AVG
2	22416.6	-33.47	-21.20	12.27	Pass	Peak	8	22416.6	-44.96	-41.20	3.76	Pass	AVG
3	23534.35	-33.57	-27.00	6.57	Pass	Peak	9	23534.35	/	-27.00	/	/	AVG
4	24300.2	-29.05	-27.00	2.05	Pass	Peak	10	24300.2	/	-27.00	/	/	AVG
5	25091.55	-29.83	-27.00	2.83	Pass	Peak	11	25091.55	/	-27.00	/	/	AVG
6	25933.9	-27.93	-27.00	0.93	Pass	Peak	12	25933.9	/	-27.00	/	/	AVG


802.11n(HT40) LCH 5755MHz MIMO NTN




802.11n(HT40)_HCH_5795MHz_Ant1_NTN




802.11n(HT40) HCH 5795MHz Ant1 NTN




802.11n(HT40)_HCH_5795MHz_Ant2_NTN




802.11n(HT40) HCH 5795MHz Ant2 NTN



802.11n(HT40) HCH 5795MHz MIMO NTN




802.11n(HT40) HCH 5795MHz MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21347.3	-31.73	-21.20	10.53	Pass	Peak	7	21347.3	-42.46	-41.20	1.26	Pass	AVG
2	22245.75	-33.82	-21.20	12.62	Pass	Peak	8	22245.75	-44.90	-41.20	3.70	Pass	AVG
3	23555.6	-32.96	-27.00	5.96	Pass	Peak	9	23555.6	/	-27.00	/	/	AVG
4	24324	-28.78	-27.00	1.78	Pass	Peak	10	24324	/	-27.00	/	/	AVG
5	25134.9	-29.87	-27.00	2.87	Pass	Peak	11	25134.9	/	-27.00	/	/	AVG
6	25940.7	-27.77	-27.00	0.77	Pass	Peak	12	25940.7	/	-27.00	/	/	AVG

802.11n(HT40) HCH 5795MHz MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-41.49	27.00	68.49	Pass	Peak	3	5925.000	-44.33	-27.00	17.33	Pass	Peak
2	5864.480	-38.42	12.95	51.37	Pass	Peak							

802.11ac(VHT20) LCH 5180MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21264	-33.04	-21.20	11.84	Pass	Peak	7	21264	-45.21	-41.20	4.01	Pass	AVG
2	22116.55	-35.25	-21.20	14.05	Pass	Peak	8	22116.55	-47.37	-41.20	6.17	Pass	AVG
3	23167.15	-35.12	-27.00	8.12	Pass	Peak	9	23167.15	/	-27.00	/	/	AVG
4	24300.2	-31.03	-27.00	4.03	Pass	Peak	10	24300.2	/	-27.00	/	/	AVG
5	25117.05	-31.50	-27.00	4.50	Pass	Peak	11	25117.05	/	-27.00	/	/	AVG
6	25915.2	-29.33	-27.00	2.33	Pass	Peak	12	25915.2	/	-27.00	/	/	AVG

802.11ac(VHT20) LCH 5180MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4990.500	-45.97	-21.20	24.77	Pass	Peak	7	4990.500	-53.93	-41.20	12.73	Pass	AVG
2	5016.500	-45.79	-21.20	24.59	Pass	Peak	8	5016.500	-53.59	-41.20	12.39	Pass	AVG
3	5041.500	-45.84	-21.20	24.64	Pass	Peak	9	5041.500	-53.17	-41.20	11.97	Pass	AVG
4	5061.500	-45.40	-21.20	24.20	Pass	Peak	10	5061.500	-53.72	-41.20	12.52	Pass	AVG
5	5082.500	-45.73	-21.20	24.53	Pass	Peak	11	5082.500	-53.22	-41.20	12.02	Pass	AVG
6	5109.500	-46.31	-21.20	25.11	Pass	Peak	12	5109.500	-53.55	-41.20	12.35	Pass	AVG

802.11ac(VHT20) MCH 5200MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21252.1	-33.31	-21.20	12.11	Pass	Peak	7	21252.1	-45.24	-41.20	4.04	Pass	AVG
2	22088.5	-35.66	-21.20	14.46	Pass	Peak	8	22088.5	-47.27	-41.20	6.07	Pass	AVG
3	23558.15	-35.29	-27.00	8.29	Pass	Peak	9	23558.15	/	-27.00	/	/	AVG
4	24325.7	-30.08	-27.00	3.08	Pass	Peak	10	24325.7	/	-27.00	/	/	AVG
5	25099.2	-31.85	-27.00	4.85	Pass	Peak	11	25099.2	/	-27.00	/	/	AVG
6	25891.4	-29.50	-27.00	2.50	Pass	Peak	12	25891.4	/	-27.00	/	/	AVG

802.11ac(VHT20) HCH 5240MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21257.2	-33.28	-21.20	12.08	Pass	Peak	7	21257.2	-45.27	-41.20	4.07	Pass	AVG
2	22051.1	-35.79	-21.20	14.59	Pass	Peak	8	22051.1	-47.28	-41.20	6.08	Pass	AVG
3	23496.1	-34.71	-27.00	7.71	Pass	Peak	9	23496.1	/	-27.00	/	/	AVG
4	24307.85	-31.12	-27.00	4.12	Pass	Peak	10	24307.85	/	-27.00	/	/	AVG
5	25092.4	-32.24	-27.00	5.24	Pass	Peak	11	25092.4	/	-27.00	/	/	AVG
6	25886.3	-29.56	-27.00	2.56	Pass	Peak	12	25886.3	/	-27.00	/	/	AVG


802.11ac(VHT20) HCH 5240MHz MIMO NTN



802.11ac(VHT20) LCH 5260MHz MIMO NTN




802.11ac(VHT20) LCH 5260MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4710.000	-46.16	-21.20	24.96	Pass	Peak	7	4710.000	-53.93	-41.20	12.73	Pass	AVG
2	5014.500	-45.61	-21.20	24.41	Pass	Peak	8	5014.500	-53.70	-41.20	12.50	Pass	AVG
3	5052.500	-45.02	-21.20	23.82	Pass	Peak	9	5052.500	-53.31	-41.20	12.11	Pass	AVG
4	5085.000	-45.86	-21.20	24.66	Pass	Peak	10	5085.000	-53.51	-41.20	12.31	Pass	AVG
5	5109.000	-46.25	-21.20	25.05	Pass	Peak	11	5109.000	-53.70	-41.20	12.50	Pass	AVG
6	5133.000	-46.06	-21.20	24.86	Pass	Peak	12	5133.000	-53.99	-41.20	12.79	Pass	AVG

802.11ac(VHT20) MCH 5300MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21377.9	-32.71	-21.20	11.51	Pass	Peak	7	21377.9	-45.13	-41.20	3.93	Pass	AVG
2	22402.15	-35.23	-21.20	14.03	Pass	Peak	8	22402.15	-47.63	-41.20	6.43	Pass	AVG
3	23533.5	-34.96	-27.00	7.96	Pass	Peak	9	23533.5	/	-27.00	/	/	AVG
4	24299.35	-30.53	-27.00	3.53	Pass	Peak	10	24299.35	/	-27.00	/	/	AVG
5	25132.35	-31.92	-27.00	4.92	Pass	Peak	11	25132.35	/	-27.00	/	/	AVG
6	25898.2	-29.34	-27.00	2.34	Pass	Peak	12	25898.2	/	-27.00	/	/	AVG

802.11ac(VHT20) HCH 5320MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21265.7	-33.07	-21.20	11.87	Pass	Peak	7	21265.7	-45.13	-41.20	3.93	Pass	AVG
2	22048.55	-35.17	-21.20	13.97	Pass	Peak	8	22048.55	-47.22	-41.20	6.02	Pass	AVG
3	23529.25	-34.95	-27.00	7.95	Pass	Peak	9	23529.25	/	-27.00	/	/	AVG
4	24315.5	-30.92	-27.00	3.92	Pass	Peak	10	24315.5	/	-27.00	/	/	AVG
5	25537.8	-29.80	-27.00	2.80	Pass	Peak	11	25537.8	/	-27.00	/	/	AVG
6	26388.65	-31.93	-27.00	4.93	Pass	Peak	12	26388.65	/	-27.00	/	/	AVG

802.11ac(VHT20) HCH 5320MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5350.080	-45.62	-21.20	24.42	Pass	Peak	7	5350.080	-53.44	-41.20	12.24	Pass	AVG
2	5357.760	-45.13	-21.20	23.93	Pass	Peak	8	5357.760	-53.72	-41.20	12.52	Pass	AVG
3	5365.920	-46.12	-21.20	24.92	Pass	Peak	9	5365.920	-53.80	-41.20	12.60	Pass	AVG
4	5393.600	-45.74	-21.20	24.54	Pass	Peak	10	5393.600	-53.60	-41.20	12.40	Pass	AVG
5	5401.280	-44.83	-21.20	23.63	Pass	Peak	11	5401.280	-53.35	-41.20	12.15	Pass	AVG
6	5407.360	-46.21	-21.20	25.01	Pass	Peak	12	5407.360	-53.71	-41.20	12.51	Pass	AVG

802.11ac(VHT20) LCH 5500MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5752.35	-39.12	-27.00	12.12	Pass	Peak	7	5752.35	/	-27.00	/	/	AVG
2	21371.95	-37.93	-21.20	16.73	Pass	Peak	8	21371.95	-50.25	-41.20	9.05	Pass	AVG
3	22428.5	-40.35	-21.20	19.15	Pass	Peak	9	22428.5	-52.69	-41.20	11.49	Pass	AVG
4	24310.4	-35.56	-27.00	8.56	Pass	Peak	10	24310.4	/	-27.00	/	/	AVG
5	25153.6	-36.57	-27.00	9.57	Pass	Peak	11	25153.6	/	-27.00	/	/	AVG
6	25942.4	-33.68	-27.00	6.68	Pass	Peak	12	25942.4	/	-27.00	/	/	AVG

802.11ac(VHT20) LCH 5500MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5413.750	-50.00	-21.20	28.80	Pass	Peak	7	5413.750	-57.42	-41.20	16.22	Pass	AVG
2	5421.570	-48.51	-21.20	27.31	Pass	Peak	8	5421.570	-57.16	-41.20	15.96	Pass	AVG
3	5427.010	-48.05	-21.20	26.85	Pass	Peak	9	5427.010	-56.88	-41.20	15.68	Pass	AVG
4	5445.030	-49.24	-21.20	28.04	Pass	Peak	10	5445.030	-57.68	-41.20	16.48	Pass	AVG
5	5457.100	-49.33	-21.20	28.13	Pass	Peak	11	5457.100	-57.31	-41.20	16.11	Pass	AVG
6	5469.000	-43.14	-27.00	16.14	Pass	Peak	12	5469.000	/	/	/	/	AVG

802.11ac(VHT20) MCH 5580MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21235.95	-32.48	-21.20	11.28	Pass	Peak	7	21235.95	-44.17	-41.20	2.97	Pass	AVG
2	22033.25	-34.54	-21.20	13.34	Pass	Peak	8	22033.25	-46.11	-41.20	4.91	Pass	AVG
3	23151.85	-34.42	-27.00	7.42	Pass	Peak	9	23151.85	/	-27.00	/	/	AVG
4	24306.15	-29.86	-27.00	2.86	Pass	Peak	10	24306.15	/	-27.00	/	/	AVG
5	25080.5	-30.58	-27.00	3.58	Pass	Peak	11	25080.5	/	-27.00	/	/	AVG
6	25895.65	-28.87	-27.00	1.87	Pass	Peak	12	25895.65	/	-27.00	/	/	AVG

802.11ac(VHT20) HCH 5700MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21314.15	-32.18	-21.20	10.98	Pass	Peak	7	21314.15	-44.22	-41.20	3.02	Pass	AVG
2	22133.55	-34.55	-21.20	13.35	Pass	Peak	8	22133.55	-46.49	-41.20	5.29	Pass	AVG
3	23191.8	-34.17	-27.00	7.17	Pass	Peak	9	23191.8	/	-27.00	/	/	AVG
4	24310.4	-29.55	-27.00	2.55	Pass	Peak	10	24310.4	/	-27.00	/	/	AVG
5	25123	-31.12	-27.00	4.12	Pass	Peak	11	25123	/	-27.00	/	/	AVG
6	25902.45	-28.36	-27.00	1.36	Pass	Peak	12	25902.45	/	-27.00	/	/	AVG

802.11ac(VHT20) HCH 5700MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5728.000	-36.08	-27.00	9.08	Pass	Peak	7	5728.000	/	-27.00	/	/	AVG
2	5733.880	-39.23	-27.00	12.23	Pass	Peak	8	5733.880	/	-27.00	/	/	AVG
3	5738.080	-38.74	-27.00	11.74	Pass	Peak	9	5738.080	/	-27.00	/	/	AVG
4	5747.200	-37.94	-27.00	10.94	Pass	Peak	10	5747.200	/	-27.00	/	/	AVG
5	5751.280	-34.94	-27.00	7.94	Pass	Peak	11	5751.280	/	-27.00	/	/	AVG
6	5782.720	-41.61	-27.00	14.61	Pass	Peak	12	5782.720	/	-27.00	/	/	AVG


802.11ac(VHT20)_LCH_5745MHz_Ant1_NTN




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant2_NTNV




802.11ac(VHT20) LCH 5745MHz Ant2 NTN



802.11ac(VHT20) LCH 5745MHz MIMO NTN




802.11ac(VHT20) LCH 5745MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21339.65	-37.25	-21.20	16.05	Pass	Peak	7	21339.65	-49.55	-41.20	8.35	Pass	AVG
2	22108.9	-39.54	-21.20	18.34	Pass	Peak	8	22108.9	-51.73	-41.20	10.53	Pass	AVG
3	23338.85	-39.86	-27.00	12.86	Pass	Peak	9	23338.85	/	-27.00	/	/	AVG
4	24301.05	-35.30	-27.00	8.30	Pass	Peak	10	24301.05	/	-27.00	/	/	AVG
5	25487.65	-33.56	-27.00	6.56	Pass	Peak	11	25487.65	/	-27.00	/	/	AVG
6	26366.55	-36.31	-27.00	9.31	Pass	Peak	12	26366.55	/	-27.00	/	/	AVG

802.11ac(VHT20) LCH 5745MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5650.000	-49.07	-27.00	22.07	Pass	Peak	3	5725.000	-33.55	27.00	60.55	Pass	Peak
2	5723.370	-32.30	23.28	55.58	Pass	Peak							


802.11ac(VHT20) MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20) MCH_5785MHz_Ant2_NTNV



802.11ac(VHT20) MCH_5785MHz MIMO_NTNV




802.11ac(VHT20) MCH_5785MHz MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21325.2	-31.32	-21.20	10.12	Pass	Peak	7	21325.2	-43.61	-41.20	2.41	Pass	AVG
2	22092.75	-33.52	-21.20	12.32	Pass	Peak	8	22092.75	-45.72	-41.20	4.52	Pass	AVG
3	23225.8	-33.25	-27.00	6.25	Pass	Peak	9	23225.8	/	-27.00	/	/	AVG
4	24306.15	-28.44	-27.00	1.44	Pass	Peak	10	24306.15	/	-27.00	/	/	AVG
5	25116.2	-30.54	-27.00	3.54	Pass	Peak	11	25116.2	/	-27.00	/	/	AVG
6	25894.8	-27.26	-27.00	0.26	Pass	Peak	12	25894.8	/	-27.00	/	/	AVG


802.11ac(VHT20) HCH 5825MHz Ant1 NTN




802.11ac(VHT20) HCH 5825MHz Ant1 NTN




802.11ac(VHT20) HCH 5825MHz Ant2 NTN




802.11ac(VHT20) HCH 5825MHz Ant2 NTN



802.11ac(VHT20) HCH 5825MHz MIMO NTN




802.11ac(VHT20) HCH 5825MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21296.3	-30.84	-21.20	9.64	Pass	Peak	7	21296.3	-43.66	-41.20	2.46	Pass	AVG
2	22465.05	-33.31	-21.20	12.11	Pass	Peak	8	22465.05	-46.00	-41.20	4.80	Pass	AVG
3	23530.1	-33.13	-27.00	6.13	Pass	Peak	9	23530.1	/	-27.00	/	/	AVG
4	24312.95	-28.79	-27.00	1.79	Pass	Peak	10	24312.95	/	-27.00	/	/	AVG
5	25086.45	-29.96	-27.00	2.96	Pass	Peak	11	25086.45	/	-27.00	/	/	AVG
6	25873.55	-27.47	-27.00	0.47	Pass	Peak	12	25873.55	/	-27.00	/	/	AVG


802.11ac(VHT20) HCH 5825MHz MIMO NTN



802.11ac(VHT40) LCH 5190MHz MIMO NTN




802.11ac(VHT40) LCH 5190MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4997.500	-46.65	-21.20	25.45	Pass	Peak	7	4997.500	-53.77	-41.20	12.57	Pass	AVG
2	5031.000	-45.90	-21.20	24.70	Pass	Peak	8	5031.000	-53.38	-41.20	12.18	Pass	AVG
3	5058.000	-44.77	-21.20	23.57	Pass	Peak	9	5058.000	-53.21	-41.20	12.01	Pass	AVG
4	5079.500	-46.72	-21.20	25.52	Pass	Peak	10	5079.500	-53.46	-41.20	12.26	Pass	AVG
5	5105.000	-44.80	-21.20	23.60	Pass	Peak	11	5105.000	-53.61	-41.20	12.41	Pass	AVG
6	5128.500	-45.76	-21.20	24.56	Pass	Peak	12	5128.500	-53.76	-41.20	12.56	Pass	AVG

802.11ac(VHT40) HCH 5230MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21337.95	-33.14	-21.20	11.94	Pass	Peak	7	21337.95	-44.01	-41.20	2.81	Pass	AVG
2	22133.55	-35.85	-21.20	14.65	Pass	Peak	8	22133.55	-46.28	-41.20	5.08	Pass	AVG
3	23251.3	-35.62	-27.00	8.62	Pass	Peak	9	23251.3	/	-27.00	/	/	AVG
4	24293.4	-31.30	-27.00	4.30	Pass	Peak	10	24293.4	/	-27.00	/	/	AVG
5	25143.4	-31.70	-27.00	4.70	Pass	Peak	11	25143.4	/	-27.00	/	/	AVG
6	25916.9	-29.38	-27.00	2.38	Pass	Peak	12	25916.9	/	-27.00	/	/	AVG

802.11ac(VHT40) HCH 5230MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5352.000	-45.90	-21.20	24.70	Pass	Peak	7	5352.000	-54.07	-41.20	12.87	Pass	AVG
2	5373.600	-45.73	-21.20	24.53	Pass	Peak	8	5373.600	-54.01	-41.20	12.81	Pass	AVG
3	5407.620	-46.62	-21.20	25.42	Pass	Peak	9	5407.620	-54.01	-41.20	12.81	Pass	AVG
4	5425.440	-46.15	-21.20	24.95	Pass	Peak	10	5425.440	-54.06	-41.20	12.86	Pass	AVG
5	5435.430	-46.70	-21.20	25.50	Pass	Peak	11	5435.430	-53.92	-41.20	12.72	Pass	AVG
6	5459.460	-46.01	-21.20	24.81	Pass	Peak	12	5459.460	-54.12	-41.20	12.92	Pass	AVG

802.11ac(VHT40) LCH 5270MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21358.35	-33.33	-21.20	12.13	Pass	Peak	7	21358.35	-44.17	-41.20	2.97	Pass	AVG
2	22169.25	-35.45	-21.20	14.25	Pass	Peak	8	22169.25	-46.40	-41.20	5.20	Pass	AVG
3	23214.75	-34.71	-27.00	7.71	Pass	Peak	9	23214.75	/	-27.00	/	/	AVG
4	24289.15	-31.36	-27.00	4.36	Pass	Peak	10	24289.15	/	-27.00	/	/	AVG
5	25119.6	-32.42	-27.00	5.42	Pass	Peak	11	25119.6	/	-27.00	/	/	AVG
6	25914.35	-29.52	-27.00	2.52	Pass	Peak	12	25914.35	/	-27.00	/	/	AVG

802.11ac(VHT40) LCH 5270MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4728.000	-46.74	-21.20	25.54	Pass	Peak	7	4728.000	-54.06	-41.20	12.86	Pass	AVG
2	5008.500	-46.40	-21.20	25.20	Pass	Peak	8	5008.500	-53.93	-41.20	12.73	Pass	AVG
3	5038.500	-45.70	-21.20	24.50	Pass	Peak	9	5038.500	-53.46	-41.20	12.26	Pass	AVG
4	5074.000	-46.27	-21.20	25.07	Pass	Peak	10	5074.000	-53.42	-41.20	12.22	Pass	AVG
5	5097.500	-45.49	-21.20	24.29	Pass	Peak	11	5097.500	-53.71	-41.20	12.51	Pass	AVG
6	5134.500	-45.50	-21.20	24.30	Pass	Peak	12	5134.500	-53.96	-41.20	12.76	Pass	AVG

802.11ac(VHT40) HCH 5310MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5753.2	-34.05	-27.00	7.05	Pass	Peak	7	5753.2	/	-27.00	/	/	AVG
2	21351.55	-32.80	-21.20	11.60	Pass	Peak	8	21351.55	-44.05	-41.20	2.85	Pass	AVG
3	23207.1	-35.27	-27.00	8.27	Pass	Peak	9	23207.1	/	-27.00	/	/	AVG
4	24300.2	-30.64	-27.00	3.64	Pass	Peak	10	24300.2	/	-27.00	/	/	AVG
5	25498.7	-29.60	-27.00	2.60	Pass	Peak	11	25498.7	/	-27.00	/	/	AVG
6	26388.65	-31.65	-27.00	4.65	Pass	Peak	12	26388.65	/	-27.00	/	/	AVG

802.11ac(VHT40) HCH 5310MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5352.080	-41.95	-21.20	20.75	Pass	Peak	7	5352.080	-52.29	-41.20	11.09	Pass	AVG
2	5359.300	-45.77	-21.20	24.57	Pass	Peak	8	5359.300	-53.46	-41.20	12.26	Pass	AVG
3	5374.690	-45.30	-21.20	24.10	Pass	Peak	9	5374.690	-53.57	-41.20	12.37	Pass	AVG
4	5381.530	-44.92	-21.20	23.72	Pass	Peak	10	5381.530	-53.75	-41.20	12.55	Pass	AVG
5	5391.600	-45.74	-21.20	24.54	Pass	Peak	11	5391.600	-53.82	-41.20	12.62	Pass	AVG
6	5402.050	-46.43	-21.20	25.23	Pass	Peak	12	5402.050	-53.83	-41.20	12.63	Pass	AVG

802.11ac(VHT40) LCH 5510MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5752.35	-39.24	-27.00	12.24	Pass	Peak	7	5752.35	/	-27.00	/	/	AVG
2	21338.8	-37.74	-21.20	16.54	Pass	Peak	8	21338.8	-49.08	-41.20	7.88	Pass	AVG
3	22396.2	-41.09	-21.20	19.89	Pass	Peak	9	22396.2	-51.47	-41.20	10.27	Pass	AVG
4	23594.7	-40.07	-27.00	13.07	Pass	Peak	10	23594.7	/	-27.00	/	/	AVG
5	24367.35	-36.18	-27.00	9.18	Pass	Peak	11	24367.35	/	-27.00	/	/	AVG
6	25884.6	-34.16	-27.00	7.16	Pass	Peak	12	25884.6	/	-27.00	/	/	AVG

802.11ac(VHT40) LCH 5510MHz MIMO NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5428.000	-48.36	-21.20	27.16	Pass	Peak	7	5428.000	-57.48	-41.20	16.28	Pass	AVG
2	5437.000	-48.54	-21.20	27.34	Pass	Peak	8	5437.000	-57.46	-41.20	16.26	Pass	AVG
3	5443.400	-48.56	-21.20	27.36	Pass	Peak	9	5443.400	-57.40	-41.20	16.20	Pass	AVG
4	5453.400	-49.93	-21.20	28.73	Pass	Peak	10	5453.400	-57.69	-41.20	16.49	Pass	AVG
5	5460.200	-40.92	-27.00	13.92	Pass	Peak	11	5460.200	/	/	/	/	AVG
6	5468.800	-36.88	-27.00	9.88	Pass	Peak	12	5468.800	/	/	/	/	AVG

802.11ac(VHT40) MCH 5550MHz MIMO NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21383	-32.17	-21.20	10.97	Pass	Peak	7	21383	-43.19	-41.20	1.99	Pass	AVG
2	22297.6	-34.88	-21.20	13.68	Pass	Peak	8	22297.6	-45.59	-41.20	4.39	Pass	AVG
3	23281.9	-34.21	-27.00	7.21	Pass	Peak	9	23281.9	/	-27.00	/	/	AVG
4	24280.65	-29.56	-27.00	2.56	Pass	Peak	10	24280.65	/	-27.00	/	/	AVG
5	25552.25	-28.63	-27.00	1.63	Pass	Peak	11	25552.25	/	-27.00	/	/	AVG
6	26359.75	-31.05	-27.00	4.05	Pass	Peak	12	26359.75	/	-27.00	/	/	AVG

802.11ac(VHT40) HCH 5670MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21364.3	-31.83	-21.20	10.63	Pass	Peak	7	21364.3	-43.18	-41.20	1.98	Pass	AVG
2	22255.95	-34.90	-21.20	13.70	Pass	Peak	8	22255.95	-45.53	-41.20	4.33	Pass	AVG
3	23192.65	-33.33	-27.00	6.33	Pass	Peak	9	23192.65	/	-27.00	/	/	AVG
4	24310.4	-29.80	-27.00	2.80	Pass	Peak	10	24310.4	/	-27.00	/	/	AVG
5	25080.5	-30.97	-27.00	3.97	Pass	Peak	11	25080.5	/	-27.00	/	/	AVG
6	25888	-28.00	-27.00	1.00	Pass	Peak	12	25888	/	-27.00	/	/	AVG

802.11ac(VHT40) HCH 5670MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5728.090	-41.10	-27.00	14.10	Pass	Peak	7	5728.090	/	-27.00	/	/	AVG
2	5734.890	-40.00	-27.00	13.00	Pass	Peak	8	5734.890	/	-27.00	/	/	AVG
3	5740.160	-38.25	-27.00	11.25	Pass	Peak	9	5740.160	/	-27.00	/	/	AVG
4	5746.450	-40.83	-27.00	13.83	Pass	Peak	10	5746.450	/	-27.00	/	/	AVG
5	5754.610	-40.70	-27.00	13.70	Pass	Peak	11	5754.610	/	-27.00	/	/	AVG
6	5761.240	-40.84	-27.00	13.84	Pass	Peak	12	5761.240	/	-27.00	/	/	AVG


802.11ac(VHT40) LCH 5755MHz Ant1 NTN




802.11ac(VHT40) LCH 5755MHz Ant1 NTN




802.11ac(VHT40) LCH 5755MHz Ant2 NTN




802.11ac(VHT40) LCH 5755MHz Ant2 NTN



802.11ac(VHT40) LCH 5755MHz MIMO NTN




802.11ac(VHT40) LCH 5755MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20616.3	-40.53	-21.20	19.33	Pass	Peak	7	20616.3	-51.19	-41.20	9.99	Pass	AVG
2	21382.15	-37.96	-21.20	16.76	Pass	Peak	8	21382.15	-48.62	-41.20	7.42	Pass	AVG
3	22850.1	-39.07	-21.20	17.87	Pass	Peak	9	22850.1	-51.25	-41.20	10.05	Pass	AVG
4	24273.85	-35.81	-27.00	8.81	Pass	Peak	10	24273.85	/	-27.00	/	/	AVG
5	25076.25	-35.23	-27.00	8.23	Pass	Peak	11	25076.25	/	-27.00	/	/	AVG
6	25891.4	-33.87	-27.00	6.87	Pass	Peak	12	25891.4	/	-27.00	/	/	AVG

802.11ac(VHT40) LCH 5755MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5650.000	-48.16	-27.00	21.16	Pass	Peak	3	5725.000	-35.59	27.00	62.59	Pass	Peak
2	5722.935	-26.72	22.29	49.01	Pass	Peak							


802.11ac(VHT40) HCH 5795MHz Ant1 NTN




802.11ac(VHT40) HCH 5795MHz Ant1 NTN




802.11ac(VHT40) HCH 5795MHz Ant2 NTN




802.11ac(VHT40) HCH 5795MHz Ant2 NTN



802.11ac(VHT40) HCH 5795MHz MIMO NTN




802.11ac(VHT40) HCH 5795MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21382.15	-30.92	-21.20	9.72	Pass	Peak	7	21382.15	-42.58	-41.20	1.38	Pass	AVG
2	22151.4	-33.74	-21.20	12.54	Pass	Peak	8	22151.4	-44.78	-41.20	3.58	Pass	AVG
3	23169.7	-32.74	-27.00	5.74	Pass	Peak	9	23169.7	/	-27.00	/	/	AVG
4	24295.1	-29.00	-27.00	2.00	Pass	Peak	10	24295.1	/	-27.00	/	/	AVG
5	25110.25	-30.46	-27.00	3.46	Pass	Peak	11	25110.25	/	-27.00	/	/	AVG
6	25878.65	-27.70	-27.00	0.70	Pass	Peak	12	25878.65	/	-27.00	/	/	AVG

802.11ac(VHT40) HCH 5795MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-39.76	27.00	66.76	Pass	Peak	3	5925.000	-43.87	-27.00	16.87	Pass	Peak
2	5850.200	-38.64	26.54	65.18	Pass	Peak							

802.11ac(VHT80) MCH 5210MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5355.000	-47.62	-21.20	26.42	Pass	Peak	5	5355.000	-52.50	-41.20	11.30	Pass	AVG
2	5398.000	-49.14	-21.20	27.94	Pass	Peak	6	5398.000	-52.05	-41.20	10.85	Pass	AVG
3	5426.000	-49.13	-21.20	27.93	Pass	Peak	7	5426.000	-52.01	-41.20	10.81	Pass	AVG
4	5456.500	-48.66	-21.20	27.46	Pass	Peak	8	5456.500	-52.34	-41.20	11.14	Pass	AVG

802.11ac(VHT80) MCH 5210MHz Ant2 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5356.000	-48.50	-21.20	27.30	Pass	Peak	5	5356.000	-52.41	-41.20	11.21	Pass	AVG
2	5393.000	-48.02	-21.20	26.82	Pass	Peak	6	5393.000	-51.97	-41.20	10.77	Pass	AVG
3	5421.500	-47.69	-21.20	26.49	Pass	Peak	7	5421.500	-52.49	-41.20	11.29	Pass	AVG
4	5456.500	-49.56	-21.20	28.36	Pass	Peak	8	5456.500	-52.26	-41.20	11.06	Pass	AVG

802.11ac(VHT80) MCH 5210MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20601	-34.89	-21.20	13.69	Pass	Peak	7	20601	-44.99	-41.20	3.79	Pass	AVG
2	21411.05	-33.15	-27.00	6.15	Pass	Peak	8	21411.05	/	-27.00	/	/	AVG
3	22201.55	-34.95	-21.20	13.75	Pass	Peak	9	22201.55	-44.83	-41.20	3.63	Pass	AVG
4	24302.75	-31.33	-27.00	4.33	Pass	Peak	10	24302.75	/	-27.00	/	/	AVG
5	25129.8	-31.47	-27.00	4.47	Pass	Peak	11	25129.8	/	-27.00	/	/	AVG
6	25896.5	-29.46	-27.00	2.46	Pass	Peak	12	25896.5	/	-27.00	/	/	AVG

802.11ac(VHT80) MCH 5210MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4695.000	-44.88	-21.20	23.68	Pass	Peak	7	4695.000	-53.91	-41.20	12.71	Pass	AVG
2	4731.500	-46.90	-21.20	25.70	Pass	Peak	8	4731.500	-53.97	-41.20	12.77	Pass	AVG
3	5032.500	-45.69	-21.20	24.49	Pass	Peak	9	5032.500	-53.47	-41.20	12.27	Pass	AVG
4	5064.000	-45.19	-21.20	23.99	Pass	Peak	10	5064.000	-53.35	-41.20	12.15	Pass	AVG
5	5104.000	-45.89	-21.20	24.69	Pass	Peak	11	5104.000	-53.47	-41.20	12.27	Pass	AVG
6	5141.500	-43.61	-21.20	22.41	Pass	Peak	12	5141.500	-53.17	-41.20	11.97	Pass	AVG


802.11ac(VHT80) MCH 5210MHz MIMO NTN



802.11ac(VHT80) MCH 5290MHz Ant1 NTN




802.11ac(VHT80) MCH 5290MHz Ant2 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5351.000	-47.91	-21.20	26.71	Pass	Peak	5	5351.000	-52.09	-41.20	10.89	Pass	AVG
2	5387.500	-50.21	-21.20	29.01	Pass	Peak	6	5387.500	-52.41	-41.20	11.21	Pass	AVG
3	5416.500	-49.50	-21.20	28.30	Pass	Peak	7	5416.500	-51.77	-41.20	10.57	Pass	AVG
4	5450.000	-51.11	-21.20	29.91	Pass	Peak	8	5450.000	-52.14	-41.20	10.94	Pass	AVG

802.11ac(VHT80) MCH 5290MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21356.65	-33.64	-21.20	12.44	Pass	Peak	7	21356.65	-42.58	-41.20	1.38	Pass	AVG
2	22142.9	-35.63	-21.20	14.43	Pass	Peak	8	22142.9	-44.62	-41.20	3.42	Pass	AVG
3	23506.3	-35.23	-27.00	8.23	Pass	Peak	9	23506.3	/	-27.00	/	/	AVG
4	24311.25	-31.31	-27.00	4.31	Pass	Peak	10	24311.25	/	-27.00	/	/	AVG
5	25106	-31.77	-27.00	4.77	Pass	Peak	11	25106	/	-27.00	/	/	AVG
6	25919.45	-29.44	-27.00	2.44	Pass	Peak	12	25919.45	/	-27.00	/	/	AVG

802.11ac(VHT80) MCH 5290MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4693.500	-45.65	-21.20	24.45	Pass	Peak	7	4693.500	-54.13	-41.20	12.93	Pass	AVG
2	4728.000	-45.85	-21.20	24.65	Pass	Peak	8	4728.000	-54.09	-41.20	12.89	Pass	AVG
3	5026.000	-46.40	-21.20	25.20	Pass	Peak	9	5026.000	-53.89	-41.20	12.69	Pass	AVG
4	5067.500	-46.51	-21.20	25.31	Pass	Peak	10	5067.500	-53.60	-41.20	12.40	Pass	AVG
5	5103.500	-45.38	-21.20	24.18	Pass	Peak	11	5103.500	-53.75	-41.20	12.55	Pass	AVG
6	5135.000	-45.26	-21.20	24.06	Pass	Peak	12	5135.000	-54.16	-41.20	12.96	Pass	AVG

802.11ac(VHT80) MCH 5290MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5355.000	-45.81	-21.20	24.61	Pass	Peak	5	5355.000	-53.29	-41.20	12.09	Pass	AVG
2	5392.500	-45.83	-21.20	24.63	Pass	Peak	6	5392.500	-53.45	-41.20	12.25	Pass	AVG
3	5420.500	-45.99	-21.20	24.79	Pass	Peak	7	5420.500	-53.60	-41.20	12.40	Pass	AVG
4	5450.000	-47.57	-21.20	26.37	Pass	Peak	8	5450.000	-53.16	-41.20	11.96	Pass	AVG

802.11ac(VHT80) LCH 5530MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21252.95	-38.35	-21.20	17.15	Pass	Peak	7	21252.95	-47.46	-41.20	6.26	Pass	AVG
2	22082.55	-40.44	-21.20	19.24	Pass	Peak	8	22082.55	-49.38	-41.20	8.18	Pass	AVG
3	23526.7	-39.94	-27.00	12.94	Pass	Peak	9	23526.7	/	-27.00	/	/	AVG
4	24316.35	-36.11	-27.00	9.11	Pass	Peak	10	24316.35	/	-27.00	/	/	AVG
5	25099.2	-37.15	-27.00	10.15	Pass	Peak	11	25099.2	/	-27.00	/	/	AVG
6	25917.75	-34.86	-27.00	7.86	Pass	Peak	12	25917.75	/	-27.00	/	/	AVG

802.11ac(VHT80) LCH 5530MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5372.500	-51.69	-21.20	30.49	Pass	Peak	7	5372.500	-59.48	-41.20	18.28	Pass	AVG
2	5387.350	-51.89	-21.20	30.69	Pass	Peak	8	5387.350	-58.95	-41.20	17.75	Pass	AVG
3	5406.700	-51.44	-21.20	30.24	Pass	Peak	9	5406.700	-58.84	-41.20	17.64	Pass	AVG
4	5420.650	-49.28	-21.20	28.08	Pass	Peak	10	5420.650	-58.25	-41.20	17.05	Pass	AVG
5	5436.850	-48.85	-21.20	27.65	Pass	Peak	11	5436.850	-58.00	-41.20	16.80	Pass	AVG
6	5458.450	-47.84	-21.20	26.64	Pass	Peak	12	5458.450	-57.06	-41.20	15.86	Pass	AVG

802.11ac(VHT80) HCH 5610MHz MIMO NTN



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21378.75	-32.02	-21.20	10.82	Pass	Peak	7	21378.75	-41.41	-41.20	0.21	Pass	AVG
2	22292.5	-34.82	-21.20	13.62	Pass	Peak	8	22292.5	-43.81	-41.20	2.61	Pass	AVG
3	23251.3	-33.75	-27.00	6.75	Pass	Peak	9	23251.3	/	-27.00	/	/	AVG
4	24289.15	-29.67	-27.00	2.67	Pass	Peak	10	24289.15	/	-27.00	/	/	AVG
5	25117.9	-30.42	-27.00	3.42	Pass	Peak	11	25117.9	/	-27.00	/	/	AVG
6	25905.85	-28.58	-27.00	1.58	Pass	Peak	12	25905.85	/	-27.00	/	/	AVG

802.11ac(VHT80) HCH 5610MHz MIMO NTN



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5728.450	-43.51	-27.00	16.51	Pass	Peak	6	5728.450	/	-27.00	/	/	AVG
2	5748.250	-42.92	-27.00	15.92	Pass	Peak	7	5748.250	/	-27.00	/	/	AVG
3	5768.050	-43.78	-27.00	16.78	Pass	Peak	8	5768.050	/	-27.00	/	/	AVG
4	5783.800	-42.92	-27.00	15.92	Pass	Peak	9	5783.800	/	-27.00	/	/	AVG
5	5799.100	-44.80	-27.00	17.80	Pass	Peak	10	5799.100	/	-27.00	/	/	AVG