

Field Strength of Spurious Radiation

Test Band = LTE_2_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3449	46.93	-44.28	28.89	-63.72	-13.00	50.72	Horizontal
2	5133.5	46.53	-42.25	31.70	-59.28	-13.00	46.28	Horizontal
3	7435.5	43.57	-37.80	36.77	-52.72	-13.00	39.72	Horizontal
4	11319.5	43.35	-35.00	40.14	-46.77	-13.00	33.77	Horizontal
5	15177	40.85	-31.15	39.84	-45.72	-13.00	32.72	Horizontal
6	17992.5	40.35	-39.76	48.07	-46.60	-13.00	33.60	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3750.5	47.26	-43.86	29.60	-62.26	-13.00	49.26	Vertical
2	5622.5	45.79	-41.40	32.56	-58.31	-13.00	45.31	Vertical
3	8841.5	42.14	-35.81	36.75	-52.18	-13.00	39.18	Vertical
4	11324.5	43.48	-35.07	40.15	-46.70	-13.00	33.70	Vertical
5	14803.5	40.57	-32.51	41.58	-45.62	-13.00	32.62	Vertical
6	17983.5	40.30	-39.76	47.90	-46.82	-13.00	33.82	Vertical

Test Band = LTE_2_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3495.5	46.97	-44.37	29.08	-63.58	-13.00	50.58	Horizontal
2	5132	45.82	-42.25	31.69	-60.00	-13.00	47.00	Horizontal
3	7500.5	43.79	-38.08	36.90	-52.65	-13.00	39.65	Horizontal
4	11316	43.60	-34.94	40.13	-46.47	-13.00	33.47	Horizontal
5	14801.5	41.04	-32.49	41.59	-45.12	-13.00	32.12	Horizontal
6	17999.5	40.41	-39.77	48.19	-46.43	-13.00	33.43	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3836	46.79	-43.91	29.73	-62.65	-13.00	49.65	Vertical
2	6035	44.56	-40.62	33.35	-57.97	-13.00	44.97	Vertical
3	9079.5	41.96	-35.42	36.80	-51.92	-13.00	38.92	Vertical
4	11288	43.39	-34.96	40.11	-46.72	-13.00	33.72	Vertical
5	14804	40.24	-32.51	41.58	-45.95	-13.00	32.95	Vertical
6	17964	40.68	-39.74	47.55	-46.77	-13.00	33.77	Vertical

Test Band = LTE_2_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3091	47.14	-44.57	28.88	-63.81	-13.00	50.81	Horizontal
2	5378	45.28	-41.82	32.37	-59.43	-13.00	46.43	Horizontal
3	7368	43.68	-38.14	36.57	-53.15	-13.00	40.15	Horizontal
4	11323.5	43.41	-35.06	40.15	-46.76	-13.00	33.76	Horizontal
5	14803	40.52	-32.51	41.58	-45.67	-13.00	32.67	Horizontal
6	17995.5	40.32	-39.77	48.12	-46.59	-13.00	33.59	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3923.5	47.18	-43.87	29.79	-62.16	-13.00	49.16	Vertical
2	6227.5	44.59	-40.04	33.34	-57.37	-13.00	44.37	Vertical
3	8396.5	42.83	-36.60	36.49	-52.54	-13.00	39.54	Vertical
4	11844	44.06	-34.90	39.84	-46.26	-13.00	33.26	Vertical
5	14675	41.75	-33.72	41.80	-45.43	-13.00	32.43	Vertical
6	17989.5	40.26	-39.76	48.01	-46.75	-13.00	33.75	Vertical

Test Band = LTE_4_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422	51.44	-44.29	28.73	-59.38	-13.00	46.38	Horizontal
2	5495	45.31	-41.47	32.38	-59.04	-13.00	46.04	Horizontal
3	7401	43.57	-38.00	36.70	-52.99	-13.00	39.99	Horizontal
4	11325.5	43.33	-35.09	40.15	-46.87	-13.00	33.87	Horizontal
5	14809	40.30	-32.56	41.55	-45.97	-13.00	32.97	Horizontal
6	17989	39.91	-39.76	48.00	-47.11	-13.00	34.11	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.5	53.71	-44.29	28.74	-57.10	-13.00	44.10	Vertical
2	5138	46.53	-42.23	31.73	-59.23	-13.00	46.23	Vertical
3	7418.5	43.48	-37.90	36.74	-52.94	-13.00	39.94	Vertical
4	11307	42.96	-34.81	40.11	-47.00	-13.00	34.00	Vertical
5	14908.5	40.12	-32.04	40.97	-46.21	-13.00	33.21	Vertical
6	17990	40.56	-39.76	48.02	-46.44	-13.00	33.44	Vertical

Test Band = LTE_4_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3447	51.24	-44.28	28.88	-59.42	-13.00	46.42	Horizontal
2	5142.5	45.73	-42.22	31.76	-59.99	-13.00	46.99	Horizontal
3	7393	43.38	-38.04	36.67	-53.25	-13.00	40.25	Horizontal
4	11797.5	42.78	-33.85	39.80	-46.53	-13.00	33.53	Horizontal
5	15279.5	39.67	-30.67	39.86	-46.40	-13.00	33.40	Horizontal
6	17989.5	39.80	-39.76	48.01	-47.21	-13.00	34.21	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3447	55.31	-44.28	28.88	-55.35	-13.00	42.35	Vertical
2	5504	45.26	-41.46	32.38	-59.08	-13.00	46.08	Vertical
3	8377.5	42.73	-36.58	36.41	-52.70	-13.00	39.70	Vertical
4	11316	43.28	-34.94	40.13	-46.79	-13.00	33.79	Vertical
5	14803	40.52	-32.51	41.58	-45.67	-13.00	32.67	Vertical
6	17888.5	41.46	-39.39	46.33	-46.86	-13.00	33.86	Vertical

Test Band = LTE_4_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472	50.10	-44.32	28.99	-60.49	-13.00	47.49	Horizontal
2	5190.5	45.51	-42.03	31.88	-59.90	-13.00	46.90	Horizontal
3	7473.5	43.37	-37.88	36.85	-52.92	-13.00	39.92	Horizontal
4	11296	42.99	-34.79	40.10	-46.96	-13.00	33.96	Horizontal
5	14798.5	40.43	-32.56	41.60	-45.79	-13.00	32.79	Horizontal
6	17988.5	40.24	-39.76	47.99	-46.79	-13.00	33.79	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472	52.53	-44.32	28.99	-58.06	-13.00	45.06	Vertical
2	5146.5	45.98	-42.20	31.78	-59.70	-13.00	46.70	Vertical
3	7877	43.06	-37.43	36.64	-52.99	-13.00	39.99	Vertical
4	11255.5	43.86	-35.65	40.14	-46.91	-13.00	33.91	Vertical
5	14682.5	41.33	-33.80	41.83	-45.90	-13.00	32.90	Vertical
6	17992.5	40.20	-39.76	48.07	-46.75	-13.00	33.75	Vertical

Test Band = LTE_5_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1161	47.45	-47.37	24.52	-70.66	-13.00	57.66	Horizontal
2	1673.5	47.09	-46.83	25.31	-69.69	-13.00	56.69	Horizontal
3	2451	46.43	-45.50	27.60	-66.73	-13.00	53.73	Horizontal
4	3842.5	46.39	-44.05	29.72	-63.20	-13.00	50.20	Horizontal
5	7423.5	43.29	-37.98	36.75	-53.20	-13.00	40.20	Horizontal
6	9911.5	41.09	-35.03	38.61	-50.59	-13.00	37.59	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1492.5	47.30	-47.03	24.96	-70.03	-13.00	57.03	Vertical
2	2216.5	46.89	-46.23	26.87	-67.73	-13.00	54.73	Vertical
3	3507.5	46.31	-44.78	29.09	-64.64	-13.00	51.64	Vertical
4	5524.5	44.69	-41.74	32.30	-60.01	-13.00	47.01	Vertical
5	7414.5	43.01	-38.08	36.73	-53.60	-13.00	40.60	Vertical
6	9971.5	40.73	-34.97	38.67	-50.83	-13.00	37.83	Vertical

Test Band = LTE_5_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1162	47.84	-47.37	24.52	-70.27	-13.00	57.27	Horizontal
2	1664.5	47.51	-46.85	25.38	-69.22	-13.00	56.22	Horizontal
3	2349.5	47.06	-46.03	27.60	-66.63	-13.00	53.63	Horizontal
4	3738	45.87	-44.17	29.53	-64.03	-13.00	51.03	Horizontal
5	5971	44.17	-40.64	32.94	-58.79	-13.00	45.79	Horizontal
6	9888.5	41.31	-35.04	38.51	-50.48	-13.00	37.48	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1439.5	47.01	-46.79	25.22	-69.82	-13.00	56.82	Vertical
2	2043.5	47.12	-46.32	26.33	-68.13	-13.00	55.13	Vertical
3	3133	46.90	-45.02	28.77	-64.61	-13.00	51.61	Vertical
4	4398.5	45.71	-43.23	30.09	-62.69	-13.00	49.69	Vertical
5	7417	43.12	-38.05	36.73	-53.46	-13.00	40.46	Vertical
6	9920.5	41.09	-35.00	38.62	-50.55	-13.00	37.55	Vertical

Test Band = LTE_5_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1105.5	47.24	-47.20	24.32	-70.90	-13.00	57.90	Horizontal
2	1633.5	47.61	-46.90	25.37	-69.18	-13.00	56.18	Horizontal
3	2514.5	47.25	-45.69	27.80	-65.90	-13.00	52.90	Horizontal
4	3968	45.88	-43.81	29.86	-63.33	-13.00	50.33	Horizontal
5	7129	42.22	-38.66	36.19	-55.51	-13.00	42.51	Horizontal
6	9939.5	40.76	-34.94	38.64	-50.80	-13.00	37.80	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1461	46.93	-46.86	25.21	-69.98	-13.00	56.98	Vertical
2	2006.5	46.84	-46.27	26.47	-68.22	-13.00	55.22	Vertical
3	2950	46.56	-45.03	28.30	-65.43	-13.00	52.43	Vertical
4	5207.5	44.84	-42.09	31.86	-60.65	-13.00	47.65	Vertical
5	7456.5	42.41	-37.75	36.81	-53.79	-13.00	40.79	Vertical
6	9943	40.90	-34.93	38.64	-50.65	-13.00	37.65	Vertical

Test Band = LTE_7_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3923	46.89	-43.87	29.79	-62.45	-25.00	37.45	Horizontal
2	5645.5	45.45	-41.32	32.51	-58.62	-25.00	33.62	Horizontal
3	8417	42.57	-36.46	36.47	-52.68	-25.00	27.68	Horizontal
4	11304.5	42.91	-34.77	40.11	-47.01	-25.00	22.01	Horizontal
5	14808.5	40.79	-32.55	41.55	-45.47	-25.00	20.47	Horizontal
6	17992.5	39.99	-39.76	48.07	-46.96	-25.00	21.96	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3808	46.95	-43.86	29.78	-62.39	-25.00	37.39	Vertical
2	5948.5	44.93	-40.94	32.90	-58.37	-25.00	33.37	Vertical
3	8427.5	42.37	-36.38	36.45	-52.82	-25.00	27.82	Vertical
4	11838	43.35	-34.75	39.84	-46.82	-25.00	21.82	Vertical
5	14672.5	41.45	-33.69	41.79	-45.71	-25.00	20.71	Vertical
6	17967	40.87	-39.74	47.61	-46.52	-25.00	21.52	Vertical

Test Band = LTE_7_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3837	46.87	-43.91	29.73	-62.57	-25.00	37.57	Horizontal
2	6061	44.59	-40.52	33.48	-57.71	-25.00	32.71	Horizontal
3	8395.5	42.65	-36.60	36.48	-52.73	-25.00	27.73	Horizontal
4	11756	43.56	-34.69	39.84	-46.55	-25.00	21.55	Horizontal
5	14675.5	41.09	-33.73	41.80	-46.10	-25.00	21.10	Horizontal
6	17987	40.31	-39.76	47.97	-46.74	-25.00	21.74	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3203	47.06	-43.89	28.41	-63.68	-25.00	38.68	Vertical
2	4452.5	46.69	-43.29	30.08	-61.78	-25.00	36.78	Vertical
3	7472.5	43.25	-37.88	36.85	-53.04	-25.00	28.04	Vertical
4	11795.5	42.68	-33.89	39.80	-46.67	-25.00	21.67	Vertical
5	14805	40.54	-32.52	41.57	-45.67	-25.00	20.67	Vertical
6	17986.5	40.10	-39.76	47.96	-46.96	-25.00	21.96	Vertical

Test Band = LTE_7_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3197.5	46.92	-43.89	28.42	-63.81	-25.00	38.81	Horizontal
2	5174	45.62	-42.09	31.85	-59.88	-25.00	34.88	Horizontal
3	7398.5	43.35	-38.02	36.69	-53.24	-25.00	28.24	Horizontal
4	11237.5	43.72	-35.64	40.16	-47.02	-25.00	22.02	Horizontal
5	14613.5	41.80	-33.93	41.55	-45.84	-25.00	20.84	Horizontal
6	17997.5	40.30	-39.77	48.16	-46.57	-25.00	21.57	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3111.5	47.44	-44.59	28.85	-63.56	-25.00	38.56	Vertical
2	5155.5	46.24	-42.17	31.81	-59.38	-25.00	34.38	Vertical
3	7511.5	43.28	-38.07	36.79	-53.26	-25.00	28.26	Vertical
4	11280.5	43.35	-35.12	40.12	-46.91	-25.00	21.91	Vertical
5	14676	41.90	-33.73	41.80	-45.29	-25.00	20.29	Vertical
6	17992	40.06	-39.76	48.06	-46.90	-25.00	21.90	Vertical

Test Band = LTE_12_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1196	47.52	-47.42	24.59	-70.57	-13.00	57.57	Horizontal
2	2506.5	46.87	-45.75	27.80	-66.34	-13.00	53.34	Horizontal
3	3838.5	46.16	-44.07	29.72	-63.45	-13.00	50.45	Horizontal
4	5618.5	44.66	-41.44	32.56	-59.48	-13.00	46.48	Horizontal
5	7456	42.44	-37.74	36.81	-53.75	-13.00	40.75	Horizontal
6	9960.5	40.64	-34.94	38.66	-50.90	-13.00	37.90	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1186.5	47.58	-47.40	24.57	-70.51	-13.00	57.51	Vertical
2	1783	47.38	-46.60	25.26	-69.22	-13.00	56.22	Vertical
3	2989	46.64	-45.04	28.53	-65.13	-13.00	52.13	Vertical
4	5046.5	45.24	-42.63	31.57	-61.08	-13.00	48.08	Vertical
5	7425.5	42.70	-37.95	36.75	-53.76	-13.00	40.76	Vertical
6	9943.5	41.01	-34.93	38.64	-50.54	-13.00	37.54	Vertical

Test Band = LTE_12_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1108	47.30	-47.21	24.33	-70.84	-13.00	57.84	Horizontal
2	1631	47.15	-46.90	25.35	-69.66	-13.00	56.66	Horizontal
3	2691	46.81	-45.32	27.98	-65.79	-13.00	52.79	Horizontal
4	4624	45.64	-42.97	30.15	-62.44	-13.00	49.44	Horizontal
5	7427.5	42.74	-37.93	36.76	-53.69	-13.00	40.69	Horizontal
6	9999.5	40.89	-35.06	38.70	-50.73	-13.00	37.73	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1134	47.12	-47.30	24.44	-71.00	-13.00	58.00	Vertical
2	1633	47.10	-46.90	25.36	-69.70	-13.00	56.70	Vertical
3	2544.5	46.89	-45.49	27.80	-66.06	-13.00	53.06	Vertical
4	3933.5	45.95	-43.94	29.83	-63.42	-13.00	50.42	Vertical
5	6224.5	43.84	-40.33	33.35	-58.40	-13.00	45.40	Vertical
6	9950.5	40.88	-34.91	38.65	-50.64	-13.00	37.64	Vertical

Test Band = LTE_12_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1170.5	47.24	-47.38	24.54	-70.86	-13.00	57.86	Horizontal
2	1659.5	47.30	-46.85	25.42	-69.39	-13.00	56.39	Horizontal
3	2697	46.46	-45.29	27.99	-66.10	-13.00	53.10	Horizontal
4	5148	45.39	-42.34	31.79	-60.42	-13.00	47.42	Horizontal
5	7514.5	43.14	-38.19	36.76	-53.55	-13.00	40.55	Horizontal
6	9941	41.07	-34.94	38.64	-50.49	-13.00	37.49	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1181	47.60	-47.40	24.56	-70.50	-13.00	57.50	Vertical
2	1821.5	46.80	-46.63	25.49	-69.60	-13.00	56.60	Vertical
3	3113.5	46.48	-45.06	28.85	-64.99	-13.00	51.99	Vertical
4	4317.5	45.61	-42.91	29.64	-62.92	-13.00	49.92	Vertical
5	6733	43.09	-39.42	35.17	-56.42	-13.00	43.42	Vertical
6	9940.5	41.04	-34.94	38.64	-50.52	-13.00	37.52	Vertical

Test Band = LTE_13_5MHz_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1019	46.92	-46.55	24.35	-70.54	-13.00	57.54	Horizontal
2	1601	46.73	-46.96	25.11	-70.38	-40.00	30.38	Horizontal
3	2334.5	47.47	-46.01	27.45	-66.35	-13.00	53.35	Horizontal
4	3805.5	46.12	-44.20	29.79	-63.55	-13.00	50.55	Horizontal
5	7449.5	42.62	-37.69	36.80	-53.53	-13.00	40.53	Horizontal
6	9853	41.17	-34.97	38.22	-50.84	-13.00	37.84	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1067.5	47.22	-47.10	24.17	-70.97	-13.00	57.97	Vertical
2	1604.5	46.80	-46.95	25.14	-70.27	-40.00	30.27	Vertical
3	2967.5	46.56	-45.03	28.41	-65.32	-13.00	52.32	Vertical
4	5692.5	45.00	-41.45	32.50	-59.21	-13.00	46.21	Vertical
5	7881	42.37	-37.44	36.61	-53.72	-13.00	40.72	Vertical
6	10000	41.05	-35.06	38.70	-50.57	-13.00	37.57	Vertical

Test Band = LTE_13_5MHz_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1050.5	47.16	-47.06	24.10	-71.06	-13.00	58.06	Horizontal
2	1595	46.95	-46.95	25.01	-70.25	-40.00	30.25	Horizontal
3	2548	46.46	-45.46	27.80	-66.46	-13.00	53.46	Horizontal
4	4583.5	45.74	-42.96	29.97	-62.51	-13.00	49.51	Horizontal
5	7442	42.80	-37.77	36.78	-53.45	-13.00	40.45	Horizontal
6	9967	41.03	-34.96	38.67	-50.52	-13.00	37.52	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1035	47.31	-46.81	24.22	-70.54	-13.00	57.54	Vertical
2	1599	47.03	-46.96	25.08	-70.11	-40.00	30.11	Vertical
3	2362.5	47.12	-45.99	27.55	-66.58	-13.00	53.58	Vertical
4	3964	45.74	-43.82	29.87	-63.47	-13.00	50.47	Vertical
5	7453	42.70	-37.71	36.81	-53.46	-13.00	40.46	Vertical
6	9922.5	41.18	-34.99	38.62	-50.45	-13.00	37.45	Vertical

Test Band = LTE_13_5MHz_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1054	47.54	-47.07	24.12	-70.67	-13.00	57.67	Horizontal
2	1565	48.03	-46.86	24.47	-69.62	-40.00	29.62	Horizontal
3	2385.5	47.00	-45.92	27.46	-66.72	-13.00	53.72	Horizontal
4	4213	45.49	-43.65	29.65	-63.77	-13.00	50.77	Horizontal
5	7465.5	42.85	-37.84	36.83	-53.42	-13.00	40.42	Horizontal
6	9963	41.07	-34.95	38.66	-50.48	-13.00	37.48	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1012.5	47.36	-46.44	24.40	-69.94	-13.00	56.94	Vertical
2	1564.5	47.19	-46.86	24.46	-70.47	-40.00	30.47	Vertical
3	2348.5	46.93	-46.03	27.59	-66.77	-13.00	53.77	Vertical
4	3827.5	46.13	-44.11	29.75	-63.49	-13.00	50.49	Vertical
5	7427	42.89	-37.94	36.75	-53.56	-13.00	40.56	Vertical
6	9941.5	41.21	-34.94	38.64	-50.35	-13.00	37.35	Vertical

Test Band = LTE_13_10MHz_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1027	47.42	-46.68	24.28	-70.24	-13.00	57.24	Horizontal
2	1593.5	46.79	-46.94	24.98	-70.43	-40.00	30.43	Horizontal
3	2491.5	47.24	-45.74	27.77	-65.99	-13.00	52.99	Horizontal
4	4399.5	45.83	-43.22	30.10	-62.55	-13.00	49.55	Horizontal
5	7460	43.08	-37.78	36.82	-53.14	-13.00	40.14	Horizontal
6	9920.5	41.24	-35.00	38.62	-50.40	-13.00	37.40	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1027.5	47.30	-46.69	24.28	-70.37	-13.00	57.37	Vertical
2	1602	47.09	-46.96	25.12	-70.01	-40.00	30.01	Vertical
3	2848	46.58	-45.27	28.30	-65.65	-13.00	52.65	Vertical
4	4801	45.27	-42.82	30.80	-62.01	-13.00	49.01	Vertical
5	7428.5	42.87	-37.92	36.76	-53.55	-13.00	40.55	Vertical
6	9914.5	41.19	-35.02	38.61	-50.48	-13.00	37.48	Vertical

Test Band = LTE_14_5MHz_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1011.5	47.79	-46.42	24.41	-69.48	-13.00	56.48	Horizontal
2	1576.5	47.61	-46.89	24.68	-69.86	-40.00	29.86	Horizontal
3	2453	46.77	-45.51	27.61	-66.39	-13.00	53.39	Horizontal
4	4311	45.75	-42.80	29.59	-62.72	-13.00	49.72	Horizontal
5	7433.5	42.82	-37.86	36.77	-53.53	-13.00	40.53	Horizontal
6	9972	41.24	-34.98	38.67	-50.33	-13.00	37.33	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1018.5	47.38	-46.54	24.35	-70.07	-13.00	57.07	Vertical
2	1588.5	47.34	-46.93	24.89	-69.96	-40.00	29.96	Vertical
3	2379.5	47.21	-45.94	27.48	-66.51	-13.00	53.51	Vertical
4	3846	46.46	-44.04	29.71	-63.13	-13.00	50.13	Vertical
5	7456.5	42.94	-37.75	36.81	-53.26	-13.00	40.26	Vertical
6	9980.5	41.08	-35.00	38.68	-50.50	-13.00	37.50	Vertical

Test Band = LTE_14_5MHz_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1045	47.48	-46.98	24.14	-70.62	-13.00	57.62	Horizontal
2	1581.5	47.96	-46.91	24.77	-69.44	-40.00	29.44	Horizontal
3	2462.5	46.79	-45.57	27.65	-66.39	-13.00	53.39	Horizontal
4	3930	45.99	-43.96	29.82	-63.41	-13.00	50.41	Horizontal
5	7448	42.97	-37.70	36.80	-53.19	-13.00	40.19	Horizontal
6	9971	41.16	-34.97	38.67	-50.40	-13.00	37.40	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1015.5	47.41	-46.49	24.38	-69.96	-13.00	56.96	Vertical
2	1582	47.51	-46.91	24.78	-69.88	-40.00	29.88	Vertical
3	2753.5	46.88	-45.38	28.11	-65.65	-13.00	52.65	Vertical
4	5175.5	45.37	-42.20	31.85	-60.24	-13.00	47.24	Vertical
5	7460	42.95	-37.78	36.82	-53.27	-13.00	40.27	Vertical
6	9994.5	41.64	-35.04	38.69	-49.97	-13.00	36.97	Vertical

Test Band = LTE_14_5MHz_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1000	47.26	-46.23	24.50	-69.73	-13.00	56.73	Horizontal
2	1564.5	48.74	-46.86	24.46	-68.92	-40.00	28.92	Horizontal
3	2955	46.67	-45.03	28.33	-65.29	-13.00	52.29	Horizontal
4	4802	45.13	-42.82	30.79	-62.16	-13.00	49.16	Horizontal
5	7459	42.85	-37.77	36.82	-53.36	-13.00	40.36	Horizontal
6	9993.5	41.03	-35.04	38.69	-50.58	-13.00	37.58	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1000	46.95	-46.23	24.50	-70.04	-13.00	57.04	Vertical
2	1601	47.05	-46.96	25.11	-70.06	-40.00	30.06	Vertical
3	2839	46.40	-45.25	28.30	-65.81	-13.00	52.81	Vertical
4	4546	46.20	-43.03	29.69	-62.40	-13.00	49.40	Vertical
5	7449.5	42.48	-37.69	36.80	-53.67	-13.00	40.67	Vertical
6	9885.5	41.36	-35.03	38.48	-50.45	-13.00	37.45	Vertical

Test Band = LTE_14_10MHz_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1002.5	47.13	-46.27	24.48	-69.92	-13.00	56.92	Horizontal
2	1596	46.73	-46.95	25.03	-70.45	-40.00	30.45	Horizontal
3	2493.5	47.09	-45.75	27.77	-66.15	-13.00	53.15	Horizontal
4	3863	46.26	-44.05	29.70	-63.35	-13.00	50.35	Horizontal
5	6827	43.74	-39.23	35.51	-55.24	-13.00	42.24	Horizontal
6	9928	41.17	-34.98	38.63	-50.44	-13.00	37.44	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1000.5	47.29	-46.24	24.50	-69.71	-13.00	56.71	Vertical
2	1600.5	46.93	-46.96	25.10	-70.19	-40.00	30.19	Vertical
3	2639	47.12	-45.50	27.90	-65.74	-13.00	52.74	Vertical
4	4390	45.76	-43.26	30.06	-62.70	-13.00	49.70	Vertical
5	7477.5	42.92	-37.96	36.86	-53.44	-13.00	40.44	Vertical
6	9914	41.35	-35.02	38.61	-50.32	-13.00	37.32	Vertical

Test Band = LTE_17_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1001	47.10	-46.25	24.49	-69.92	-13.00	56.92	Horizontal
2	1819.5	47.18	-46.62	25.48	-69.22	-13.00	56.22	Horizontal
3	3091.5	46.35	-45.14	28.88	-65.17	-13.00	52.17	Horizontal
4	5170	45.12	-42.23	31.84	-60.53	-13.00	47.53	Horizontal
5	7471.5	42.46	-37.90	36.84	-53.86	-13.00	40.86	Horizontal
6	9915	40.95	-35.02	38.62	-50.71	-13.00	37.71	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1006	47.17	-46.33	24.45	-69.97	-13.00	56.97	Vertical
2	1662.5	47.11	-46.85	25.40	-69.60	-13.00	56.60	Vertical
3	3083.5	47.14	-45.18	28.87	-64.43	-13.00	51.43	Vertical
4	5370	44.45	-41.66	32.32	-60.15	-13.00	47.15	Vertical
5	7485.5	42.71	-38.04	36.87	-53.72	-13.00	40.72	Vertical
6	9901.5	41.17	-35.06	38.60	-50.55	-13.00	37.55	Vertical

Test Band = LTE_17_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1054.5	47.56	-47.07	24.12	-70.65	-13.00	57.65	Horizontal
2	1767.5	47.55	-46.65	25.14	-69.22	-13.00	56.22	Horizontal
3	2706	46.53	-45.29	28.01	-66.01	-13.00	53.01	Horizontal
4	4610.5	45.54	-42.95	30.12	-62.55	-13.00	49.55	Horizontal
5	7499	42.88	-38.17	36.90	-53.65	-13.00	40.65	Horizontal
6	9910.5	41.90	-35.03	38.61	-49.78	-13.00	36.78	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1002.5	47.42	-46.27	24.48	-69.63	-13.00	56.63	Vertical
2	1637	47.21	-46.89	25.40	-69.54	-13.00	56.54	Vertical
3	2545	46.73	-45.48	27.80	-66.21	-13.00	53.21	Vertical
4	3951	45.67	-43.83	29.90	-63.52	-13.00	50.52	Vertical
5	6221	43.68	-40.32	33.37	-58.53	-13.00	45.53	Vertical
6	9975	40.84	-34.99	38.68	-50.73	-13.00	37.73	Vertical

Test Band = LTE_17_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1000	47.09	-46.23	24.50	-69.90	-13.00	56.90	Horizontal
2	1647.5	47.10	-46.87	25.48	-69.55	-13.00	56.55	Horizontal
3	2964	46.55	-45.03	28.38	-65.36	-13.00	52.36	Horizontal
4	5146	45.76	-42.35	31.78	-60.07	-13.00	47.07	Horizontal
5	7429.5	42.67	-37.91	36.76	-53.74	-13.00	40.74	Horizontal
6	9780.5	40.71	-35.02	38.42	-51.15	-13.00	38.15	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1003.5	47.08	-46.29	24.47	-70.00	-13.00	57.00	Vertical
2	1659.5	47.26	-46.85	25.42	-69.43	-13.00	56.43	Vertical
3	2559	46.71	-45.47	27.82	-66.20	-13.00	53.20	Vertical
4	4403.5	45.63	-43.23	30.10	-62.76	-13.00	49.76	Vertical
5	7418	42.78	-38.04	36.74	-53.78	-13.00	40.78	Vertical
6	9885.5	41.64	-35.03	38.48	-50.17	-13.00	37.17	Vertical

Test Band = LTE_25_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3920	46.73	-43.88	29.78	-62.63	-13.00	49.63	Horizontal
2	5952	44.75	-40.93	32.90	-58.54	-13.00	45.54	Horizontal
3	7508	43.69	-38.08	36.82	-52.83	-13.00	39.83	Horizontal
4	11285.5	43.04	-35.01	40.11	-47.12	-13.00	34.12	Horizontal
5	14675	41.38	-33.72	41.80	-45.80	-13.00	32.80	Horizontal
6	17873	41.46	-39.33	46.24	-46.89	-13.00	33.89	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3824.5	46.74	-43.89	29.75	-62.66	-13.00	49.66	Vertical
2	5144	46.39	-42.21	31.76	-59.32	-13.00	46.32	Vertical
3	7496	43.55	-38.05	36.89	-52.87	-13.00	39.87	Vertical
4	11305	43.44	-34.78	40.11	-46.49	-13.00	33.49	Vertical
5	14811	40.66	-32.57	41.53	-45.64	-13.00	32.64	Vertical
6	17986.5	40.12	-39.76	47.96	-46.94	-13.00	33.94	Vertical

Test Band = LTE_25_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517	47.01	-44.40	29.07	-63.58	-13.00	50.58	Horizontal
2	5131	46.07	-42.26	31.69	-59.76	-13.00	46.76	Horizontal
3	7493	43.70	-38.03	36.89	-52.70	-13.00	39.70	Horizontal
4	11279	43.37	-35.15	40.12	-46.92	-13.00	33.92	Horizontal
5	14801	40.60	-32.49	41.59	-45.56	-13.00	32.56	Horizontal
6	17977	40.24	-39.75	47.79	-46.98	-13.00	33.98	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3820	47.14	-43.88	29.76	-62.24	-13.00	49.24	Vertical
2	5642.5	45.51	-41.33	32.52	-58.56	-13.00	45.56	Vertical
3	8438	42.61	-36.30	36.42	-52.53	-13.00	39.53	Vertical
4	11301	43.24	-34.72	40.10	-46.64	-13.00	33.64	Vertical
5	14806.5	40.98	-32.53	41.56	-45.25	-13.00	32.25	Vertical
6	17998	39.98	-39.77	48.16	-46.89	-13.00	33.89	Vertical

Test Band = LTE_25_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3832.5	46.69	-43.91	29.74	-62.74	-13.00	49.74	Horizontal
2	5497	45.09	-41.46	32.39	-59.24	-13.00	46.24	Horizontal
3	7420	43.53	-37.89	36.74	-52.88	-13.00	39.88	Horizontal
4	9615.5	41.69	-34.96	37.89	-50.64	-13.00	37.64	Horizontal
5	13429	42.85	-33.05	39.69	-45.77	-13.00	32.77	Horizontal
6	17984.5	40.04	-39.76	47.92	-47.06	-13.00	34.06	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3749	46.68	-43.87	29.59	-62.86	-13.00	49.86	Vertical
2	5508	45.11	-41.48	32.37	-59.26	-13.00	46.26	Vertical
3	7483	43.28	-37.95	36.87	-53.06	-13.00	40.06	Vertical
4	11326	43.57	-35.10	40.15	-46.64	-13.00	33.64	Vertical
5	14808	40.87	-32.55	41.55	-45.39	-13.00	32.39	Vertical
6	17862	41.58	-39.29	46.17	-46.80	-13.00	33.80	Vertical

Test Band = LTE_26(814~824) _TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1003	47.32	-46.28	24.48	-69.74	-13.00	56.74	Horizontal
2	1634	46.67	-46.90	25.37	-70.12	-13.00	57.12	Horizontal
3	2495	47.14	-45.76	27.78	-66.10	-13.00	53.10	Horizontal
4	4042.5	46.00	-43.79	29.63	-63.42	-13.00	50.42	Horizontal
5	6008	44.25	-40.54	33.08	-58.47	-13.00	45.47	Horizontal
6	9931.5	40.89	-34.97	38.63	-50.71	-13.00	37.71	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1016	47.55	-46.50	24.37	-69.84	-13.00	56.84	Vertical
2	1645.5	47.02	-46.88	25.46	-69.66	-13.00	56.66	Vertical
3	2497	46.94	-45.77	27.79	-66.30	-13.00	53.30	Vertical
4	3831.5	46.19	-44.09	29.74	-63.42	-13.00	50.42	Vertical
5	6027.5	44.24	-40.68	33.28	-58.42	-13.00	45.42	Vertical
6	9568	41.21	-35.31	37.80	-51.56	-13.00	38.56	Vertical

Test Band = LTE_26(824~849) _TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1003.5	47.11	-46.29	24.47	-69.97	-13.00	56.97	Horizontal
2	1595	47.45	-46.95	25.01	-69.75	-13.00	56.75	Horizontal
3	2519	46.97	-45.66	27.80	-66.15	-13.00	53.15	Horizontal
4	3816.5	46.18	-44.15	29.77	-63.46	-13.00	50.46	Horizontal
5	6015	44.11	-40.59	33.15	-58.59	-13.00	45.59	Horizontal
6	9998.5	41.31	-35.06	38.70	-50.31	-13.00	37.31	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1026	46.96	-46.66	24.29	-70.67	-13.00	57.67	Vertical
2	1649	47.06	-46.87	25.49	-69.58	-13.00	56.58	Vertical
3	2574.5	46.73	-45.50	27.85	-66.18	-13.00	53.18	Vertical
4	3948.5	45.67	-43.84	29.89	-63.54	-13.00	50.54	Vertical
5	5993.5	44.43	-40.52	32.99	-58.36	-13.00	45.36	Vertical
6	9940.5	41.03	-34.94	38.64	-50.53	-13.00	37.53	Vertical

Test Band = LTE_26(824~849) _TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1079	47.79	-47.13	24.22	-70.38	-13.00	57.38	Horizontal
2	1688.5	47.24	-46.81	25.19	-69.64	-13.00	56.64	Horizontal
3	2629.5	46.92	-45.51	27.90	-65.95	-13.00	52.95	Horizontal
4	4302.5	45.37	-42.67	29.52	-63.04	-13.00	50.04	Horizontal
5	7460.5	42.71	-37.79	36.82	-53.52	-13.00	40.52	Horizontal
6	9912.5	40.97	-35.02	38.61	-50.70	-13.00	37.70	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1016.5	47.29	-46.50	24.37	-70.10	-13.00	57.10	Vertical
2	1644.5	47.09	-46.88	25.46	-69.59	-13.00	56.59	Vertical
3	2733.5	46.66	-45.36	28.07	-65.89	-13.00	52.89	Vertical
4	4390.5	45.77	-43.26	30.06	-62.69	-13.00	49.69	Vertical
5	7420.5	42.54	-38.01	36.74	-53.99	-13.00	40.99	Vertical
6	9885	41.00	-35.03	38.48	-50.81	-13.00	37.81	Vertical

Test Band = LTE_26(824~849) _TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1171	47.88	-47.39	24.54	-70.23	-13.00	57.23	Horizontal
2	2005.5	46.51	-46.27	26.48	-68.54	-13.00	55.54	Horizontal
3	3074.5	46.72	-45.23	28.85	-64.92	-13.00	51.92	Horizontal
4	5210.5	44.93	-42.10	31.84	-60.59	-13.00	47.59	Horizontal
5	7421.5	42.74	-38.00	36.74	-53.78	-13.00	40.78	Horizontal
6	9913	41.24	-35.02	38.61	-50.43	-13.00	37.43	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1162	47.37	-47.37	24.52	-70.74	-13.00	57.74	Vertical
2	1780	47.22	-46.61	25.24	-69.41	-13.00	56.41	Vertical
3	2950	46.54	-45.03	28.30	-65.45	-13.00	52.45	Vertical
4	4264	45.84	-43.07	29.72	-62.77	-13.00	49.77	Vertical
5	7493.5	43.04	-38.12	36.89	-53.45	-13.00	40.45	Vertical
6	9915	41.09	-35.02	38.62	-50.57	-13.00	37.57	Vertical

Test Band = LTE_38_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3942.5	47.03	-43.78	29.87	-62.14	-25.00	37.14	Horizontal
2	6186.5	44.46	-40.12	33.45	-57.47	-25.00	32.47	Horizontal
3	8979	41.61	-35.53	36.78	-52.40	-25.00	27.40	Horizontal
4	11767.5	43.31	-34.46	39.83	-46.58	-25.00	21.58	Horizontal
5	14808	40.34	-32.55	41.55	-45.92	-25.00	20.92	Horizontal
6	17983.5	40.01	-39.76	47.90	-47.11	-25.00	22.11	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3810.5	46.59	-43.86	29.78	-62.75	-25.00	37.75	Vertical
2	5593.5	45.50	-41.51	32.55	-58.72	-25.00	33.72	Vertical
3	7418.5	43.17	-37.90	36.74	-53.25	-25.00	28.25	Vertical
4	11289.5	43.62	-34.92	40.11	-46.45	-25.00	21.45	Vertical
5	14802	40.35	-32.50	41.59	-45.82	-25.00	20.82	Vertical
6	17993.5	40.28	-39.76	48.08	-46.66	-25.00	21.66	Vertical

Test Band = LTE_38_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3196	46.90	-43.91	28.42	-63.85	-25.00	38.85	Horizontal
2	5149.5	46.06	-42.19	31.80	-59.59	-25.00	34.59	Horizontal
3	7488	43.53	-37.99	36.88	-52.84	-25.00	27.84	Horizontal
4	11809	43.03	-34.03	39.81	-46.45	-25.00	21.45	Horizontal
5	14804	40.35	-32.51	41.58	-45.84	-25.00	20.84	Horizontal
6	17984.5	40.60	-39.76	47.92	-46.50	-25.00	21.50	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3842	46.91	-43.92	29.72	-62.55	-25.00	37.55	Vertical
2	6040	45.12	-40.61	33.40	-57.35	-25.00	32.35	Vertical
3	8886.5	42.28	-35.75	36.73	-52.00	-25.00	27.00	Vertical
4	11779.5	42.85	-34.21	39.82	-46.80	-25.00	21.80	Vertical
5	14670	42.06	-33.67	41.78	-45.09	-25.00	20.09	Vertical
6	17991	40.36	-39.76	48.04	-46.62	-25.00	21.62	Vertical

Test Band = LTE_38_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3082	47.03	-44.53	28.86	-63.90	-25.00	38.90	Horizontal
2	5162.5	45.56	-42.14	31.83	-60.01	-25.00	35.01	Horizontal
3	7466.5	43.06	-37.83	36.83	-53.20	-25.00	28.20	Horizontal
4	11313	43.22	-34.90	40.13	-46.81	-25.00	21.81	Horizontal
5	14682.5	41.26	-33.80	41.83	-45.97	-25.00	20.97	Horizontal
6	17998.5	39.81	-39.77	48.17	-47.05	-25.00	22.05	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3194	46.64	-43.94	28.44	-64.12	-25.00	39.12	Vertical
2	5406	45.36	-41.81	32.46	-59.25	-25.00	34.25	Vertical
3	7462.5	43.06	-37.80	36.83	-53.17	-25.00	28.17	Vertical
4	11246.5	43.94	-35.73	40.15	-46.90	-25.00	21.90	Vertical
5	14800.5	40.34	-32.48	41.60	-45.80	-25.00	20.80	Vertical
6	17988	40.20	-39.76	47.98	-46.84	-25.00	21.84	Vertical

Test Band = LTE_41_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3493.5	46.64	-44.37	29.07	-63.92	-25.00	38.92	Horizontal
2	5410	44.97	-41.80	32.44	-59.65	-25.00	34.65	Horizontal
3	8015	42.66	-36.82	36.43	-52.99	-25.00	27.99	Horizontal
4	11815	42.81	-34.18	39.82	-46.81	-25.00	21.81	Horizontal
5	14671.5	41.33	-33.68	41.79	-45.82	-25.00	20.82	Horizontal
6	17868.5	41.58	-39.32	46.21	-46.79	-25.00	21.79	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3834	46.70	-43.91	29.73	-62.74	-25.00	37.74	Vertical
2	6061.5	44.49	-40.52	33.48	-57.81	-25.00	32.81	Vertical
3	8374.5	43.07	-36.57	36.40	-52.36	-25.00	27.36	Vertical
4	11300	43.02	-34.70	40.10	-46.84	-25.00	21.84	Vertical
5	14677	41.54	-33.74	41.81	-45.65	-25.00	20.65	Vertical
6	17991.5	40.11	-39.76	48.05	-46.86	-25.00	21.86	Vertical

Test Band = LTE_41_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3255	46.91	-44.33	28.59	-64.09	-25.00	39.09	Horizontal
2	5221.5	45.64	-41.99	31.77	-59.84	-25.00	34.84	Horizontal
3	7419.5	43.60	-37.89	36.74	-52.81	-25.00	27.81	Horizontal
4	11031.5	41.57	-34.12	40.13	-47.68	-25.00	22.68	Horizontal
5	14805	40.76	-32.52	41.57	-45.45	-25.00	20.45	Horizontal
6	17991	40.09	-39.76	48.04	-46.89	-25.00	21.89	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3594.5	47.21	-44.34	28.91	-63.48	-25.00	38.48	Vertical
2	5674	45.30	-41.31	32.50	-58.77	-25.00	33.77	Vertical
3	8979.5	42.04	-35.53	36.78	-51.97	-25.00	26.97	Vertical
4	11809.5	42.53	-34.04	39.81	-46.96	-25.00	21.96	Vertical
5	14801.5	40.34	-32.49	41.59	-45.82	-25.00	20.82	Vertical
6	17971	40.27	-39.75	47.68	-47.06	-25.00	22.06	Vertical

Test Band = LTE_41_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3815	47.25	-43.87	29.77	-62.11	-25.00	37.11	Horizontal
2	6097.5	44.07	-40.32	33.41	-58.10	-25.00	33.10	Horizontal
3	9649.5	40.84	-34.69	38.10	-51.01	-25.00	26.01	Horizontal
4	13438	42.00	-32.89	39.71	-46.44	-25.00	21.44	Horizontal
5	16345.5	40.96	-30.49	38.64	-46.15	-25.00	21.15	Horizontal
6	17993	40.25	-39.76	48.07	-46.70	-25.00	21.70	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3481.5	46.88	-44.34	29.03	-63.69	-25.00	38.69	Vertical
2	5668	45.35	-41.31	32.50	-58.72	-25.00	33.72	Vertical
3	7416.5	43.28	-37.91	36.73	-53.16	-25.00	28.16	Vertical
4	11297	44.07	-34.76	40.10	-45.85	-25.00	20.85	Vertical
5	14801.5	40.78	-32.49	41.59	-45.38	-25.00	20.38	Vertical
6	17900	41.85	-39.43	46.40	-46.44	-25.00	21.44	Vertical

Test Band = LTE_42(3450-3550) _TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6901.9451	49.66	-39.75	35.40	-49.95	-13.00	36.95	Horizontal
2	9609.1805	41.30	-35.79	37.86	-51.89	-13.00	38.89	Horizontal
3	11810.3905	42.31	-34.79	39.81	-47.93	-13.00	34.93	Horizontal
4	14749.3625	39.66	-30.14	41.75	-43.99	-13.00	30.99	Horizontal
5	16359.443	40.61	-28.91	38.68	-44.88	-13.00	31.88	Horizontal
6	17973.5487	39.86	-39.75	47.72	-47.43	-13.00	34.43	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7422.3461	43.20	-38.40	36.74	-53.72	-13.00	40.72	Vertical
2	10024.9262	41.44	-35.14	38.72	-50.24	-13.00	37.24	Vertical
3	12396.3448	42.45	-35.13	39.78	-48.16	-13.00	35.16	Vertical
4	14543.5022	40.63	-31.02	41.56	-44.09	-13.00	31.09	Vertical
5	16355.9928	40.78	-28.92	38.67	-44.73	-13.00	31.73	Vertical
6	17975.2738	39.87	-39.75	47.75	-47.39	-13.00	34.39	Vertical

Test Band = LTE_42(3450-3550) _TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6982.4491	46.92	-39.25	35.49	-52.10	-13.00	39.10	Horizontal
2	9111.2056	40.91	-35.53	37.02	-52.86	-13.00	39.86	Horizontal
3	11238.2369	43.18	-35.81	40.16	-47.73	-13.00	34.73	Horizontal
4	14754.5377	40.03	-30.22	41.74	-43.71	-13.00	30.71	Horizontal
5	16364.6182	40.82	-28.89	38.69	-44.64	-13.00	31.64	Horizontal
6	17967.2234	39.95	-39.74	47.61	-47.44	-13.00	34.44	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7506.8753	42.93	-38.52	36.83	-54.02	-13.00	41.02	Vertical
2	9272.7886	40.96	-35.97	37.32	-52.95	-13.00	39.95	Vertical
3	11238.8119	43.38	-35.81	40.16	-47.53	-13.00	34.53	Vertical
4	14718.8859	40.58	-31.28	41.84	-44.12	-13.00	31.12	Vertical
5	16351.9676	40.75	-28.93	38.66	-44.78	-13.00	31.78	Vertical
6	17957.4479	40.71	-39.74	47.43	-46.86	-13.00	33.86	Vertical

Test Band = LTE_42(3450-3550) _TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7430.9715	42.88	-38.35	36.76	-53.97	-13.00	40.97	Horizontal
2	9557.4279	41.83	-35.94	37.80	-51.57	-13.00	38.57	Horizontal
3	11272.7386	43.02	-35.57	40.13	-47.68	-13.00	34.68	Horizontal
4	14713.7107	40.66	-31.48	41.86	-44.22	-13.00	31.22	Horizontal
5	16431.3216	39.96	-28.43	38.96	-44.77	-13.00	31.77	Horizontal
6	17966.6483	40.28	-39.74	47.60	-47.12	-13.00	34.12	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7432.6966	42.87	-38.34	36.77	-53.96	-13.00	40.96	Vertical
2	9512.5756	41.18	-35.62	37.80	-51.90	-13.00	38.90	Vertical
3	11240.537	43.61	-35.81	40.16	-47.30	-13.00	34.30	Vertical
4	14772.3636	40.16	-30.61	41.68	-44.03	-13.00	31.03	Vertical
5	16443.3972	39.82	-28.29	39.02	-44.71	-13.00	31.71	Vertical
6	17971.8236	39.82	-39.75	47.69	-47.50	-13.00	34.50	Vertical

Test Band = LTE_43(3700~3800) _TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7422.9211	42.98	-38.40	36.75	-53.93	-13.00	40.93	Horizontal
2	9544.2022	41.07	-35.90	37.80	-52.29	-13.00	39.29	Horizontal
3	11286.5393	43.12	-35.41	40.11	-47.44	-13.00	34.44	Horizontal
4	14726.3613	40.28	-31.00	41.82	-44.16	-13.00	31.16	Horizontal
5	16394.5197	40.57	-28.82	38.78	-44.73	-13.00	31.73	Horizontal
6	17968.3734	40.08	-39.74	47.63	-47.29	-13.00	34.29	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7430.3965	42.99	-38.36	36.76	-53.87	-13.00	40.87	Vertical
2	9552.2526	41.40	-35.95	37.80	-52.01	-13.00	39.01	Vertical
3	11295.1648	43.17	-35.31	40.10	-47.30	-13.00	34.30	Vertical
4	14721.1861	40.54	-31.20	41.84	-44.08	-13.00	31.08	Vertical
5	16395.0948	40.93	-28.82	38.79	-44.36	-13.00	31.36	Vertical
6	17972.9736	40.01	-39.75	47.71	-47.29	-13.00	34.29	Vertical

Test Band = LTE_43(3700~3800) _TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7406.2453	43.19	-38.49	36.71	-53.85	-13.00	40.85	Horizontal
2	9558.5779	41.68	-35.94	37.80	-51.72	-13.00	38.72	Horizontal
3	11895.4948	43.37	-35.50	39.90	-47.49	-13.00	34.49	Horizontal
4	14711.4106	40.87	-31.56	41.87	-44.08	-13.00	31.08	Horizontal
5	16436.4968	40.06	-28.37	38.98	-44.59	-13.00	31.59	Horizontal
6	17964.3482	40.41	-39.74	47.56	-47.03	-13.00	34.03	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7429.8215	43.08	-38.36	36.76	-53.78	-13.00	40.78	Vertical
2	9547.6524	41.47	-35.93	37.80	-51.92	-13.00	38.92	Vertical
3	11319.316	43.30	-35.41	40.14	-47.23	-13.00	34.23	Vertical
4	14757.4129	40.58	-30.28	41.73	-43.23	-13.00	30.23	Vertical
5	16353.1177	40.96	-28.92	38.66	-44.56	-13.00	31.56	Vertical
6	17972.9736	40.20	-39.75	47.71	-47.10	-13.00	34.10	Vertical

Test Band = LTE_43(3700~3800) _TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7480.999	42.96	-38.42	36.86	-53.86	-13.00	40.86	Horizontal
2	9548.8024	41.76	-35.94	37.80	-51.64	-13.00	38.64	Horizontal
3	11280.789	43.11	-35.48	40.12	-47.51	-13.00	34.51	Horizontal
4	14752.8126	39.81	-30.18	41.74	-43.89	-13.00	30.89	Horizontal
5	16479.624	40.63	-28.92	39.20	-44.35	-13.00	31.35	Horizontal
6	17970.6735	40.26	-39.75	47.67	-47.08	-13.00	34.08	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7514.9257	43.56	-38.51	36.75	-53.46	-13.00	40.46	Vertical
2	9772.4886	41.02	-35.98	38.39	-51.83	-13.00	38.83	Vertical
3	11900.67	43.39	-35.47	39.90	-47.44	-13.00	34.44	Vertical
4	14743.0372	39.88	-30.38	41.77	-43.99	-13.00	30.99	Vertical
5	16443.9722	39.98	-28.28	39.02	-44.54	-13.00	31.54	Vertical
6	17966.0733	40.25	-39.74	47.59	-47.16	-13.00	34.16	Vertical

Test Band = LTE_48_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7510.5	43.48	-38.52	36.80	-53.50	-40.00	13.50	Horizontal
2	9561.5	41.71	-35.93	37.80	-51.68	-40.00	11.68	Horizontal
3	11289	43.11	-35.38	40.11	-47.42	-40.00	7.42	Horizontal
4	14023.5	42.17	-32.57	41.34	-44.32	-40.00	4.32	Horizontal
5	16443.5	40.08	-28.29	39.02	-44.45	-40.00	4.45	Horizontal
6	17966	40.39	-39.74	47.59	-47.02	-40.00	7.02	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7424.5	43.12	-38.39	36.75	-53.78	-40.00	13.78	Vertical
2	9474.5	40.79	-35.52	37.65	-52.34	-40.00	12.34	Vertical
3	11242	43.41	-35.82	40.16	-47.51	-40.00	7.51	Vertical
4	14029	42.12	-32.48	41.37	-44.25	-40.00	4.25	Vertical
5	16479	40.65	-28.91	39.20	-44.32	-40.00	4.32	Vertical
6	17970	40.15	-39.75	47.66	-47.20	-40.00	7.20	Vertical

Test Band = LTE_48_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7513	43.06	-38.51	36.77	-53.94	-40.00	13.94	Horizontal
2	9811	40.94	-35.65	38.43	-51.54	-40.00	11.54	Horizontal
3	11330.5	43.39	-35.50	40.16	-47.21	-40.00	7.21	Horizontal
4	14757.5	39.93	-30.28	41.73	-43.88	-40.00	3.88	Horizontal
5	16487.5	40.65	-29.11	39.24	-44.48	-40.00	4.48	Horizontal
6	17968.5	40.22	-39.74	47.63	-47.15	-40.00	7.15	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7513	43.62	-38.51	36.77	-53.38	-40.00	13.38	Vertical
2	9340	41.24	-35.90	37.34	-52.58	-40.00	12.58	Vertical
3	11903.5	43.66	-35.43	39.89	-47.14	-40.00	7.14	Vertical
4	14038.5	41.44	-32.32	41.43	-44.71	-40.00	4.71	Vertical
5	16393	40.99	-28.83	38.78	-44.32	-40.00	4.32	Vertical
6	17970.5	40.23	-39.75	47.67	-47.11	-40.00	7.11	Vertical

Test Band = LTE_48_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7405	43.63	-38.49	36.71	-53.41	-40.00	13.41	Horizontal
2	9895.5	41.30	-35.73	38.56	-51.13	-40.00	11.13	Horizontal
3	11909	43.24	-35.36	39.87	-47.51	-40.00	7.51	Horizontal
4	14034	41.75	-32.40	41.40	-44.51	-40.00	4.51	Horizontal
5	16439.5	40.16	-28.34	39.00	-44.44	-40.00	4.44	Horizontal
6	17969.5	40.21	-39.75	47.65	-47.15	-40.00	7.15	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7466.5	42.83	-38.34	36.83	-53.94	-40.00	13.94	Vertical
2	9652.5	41.10	-35.44	38.11	-51.49	-40.00	11.49	Vertical
3	11286.5	43.05	-35.41	40.11	-47.51	-40.00	7.51	Vertical
4	14031	41.67	-32.45	41.39	-44.65	-40.00	4.65	Vertical
5	16351	41.57	-28.93	38.65	-43.97	-40.00	3.97	Vertical
6	17966	40.42	-39.74	47.59	-46.99	-40.00	6.99	Vertical

Test Band = LTE_66_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3203.5	46.98	-43.89	28.41	-63.76	-13.00	50.76	Horizontal
2	4818.5	45.72	-42.65	30.73	-61.46	-13.00	48.46	Horizontal
3	7415.5	43.39	-37.92	36.73	-53.06	-13.00	40.06	Horizontal
4	11296	43.35	-34.79	40.10	-46.60	-13.00	33.60	Horizontal
5	15171	40.77	-31.17	39.87	-45.79	-13.00	32.79	Horizontal
6	17988.5	39.89	-39.76	47.99	-47.14	-13.00	34.14	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3808.5	46.55	-43.86	29.78	-62.79	-13.00	49.79	Vertical
2	5617.5	45.63	-41.42	32.57	-58.48	-13.00	45.48	Vertical
3	8428	42.41	-36.38	36.44	-52.79	-13.00	39.79	Vertical
4	11319.5	43.85	-35.00	40.14	-46.27	-13.00	33.27	Vertical
5	15281.5	40.11	-30.68	39.86	-45.97	-13.00	32.97	Vertical
6	17899	40.89	-39.43	46.39	-47.41	-13.00	34.41	Vertical

Test Band = LTE_66_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3797	46.53	-43.84	29.79	-62.78	-13.00	49.78	Horizontal
2	5601.5	45.14	-41.48	32.60	-59.00	-13.00	46.00	Horizontal
3	7405.5	43.59	-37.98	36.71	-52.94	-13.00	39.94	Horizontal
4	11299	43.13	-34.72	40.10	-46.75	-13.00	33.75	Horizontal
5	14802	40.45	-32.50	41.59	-45.72	-13.00	32.72	Horizontal
6	17989.5	40.17	-39.76	48.01	-46.84	-13.00	33.84	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3836	46.88	-43.91	29.73	-62.56	-13.00	49.56	Vertical
2	5599	45.68	-41.49	32.59	-58.48	-13.00	45.48	Vertical
3	7403.5	43.34	-37.99	36.71	-53.20	-13.00	40.20	Vertical
4	11305	42.90	-34.78	40.11	-47.03	-13.00	34.03	Vertical
5	14799.5	40.04	-32.51	41.60	-46.13	-13.00	33.13	Vertical
6	17998	39.72	-39.77	48.16	-47.15	-13.00	34.15	Vertical

Test Band = LTE_66_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3213.5	46.73	-43.99	28.45	-64.07	-13.00	51.07	Horizontal
2	5072.5	45.44	-42.40	31.56	-60.66	-13.00	47.66	Horizontal
3	7429	43.33	-37.84	36.76	-53.01	-13.00	40.01	Horizontal
4	11281	43.35	-35.11	40.12	-46.90	-13.00	33.90	Horizontal
5	14805.5	40.90	-32.53	41.57	-45.32	-13.00	32.32	Horizontal
6	17990	40.01	-39.76	48.02	-46.99	-13.00	33.99	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3859.5	46.85	-43.95	29.70	-62.66	-13.00	49.66	Vertical
2	6048.5	44.95	-40.58	33.49	-57.40	-13.00	44.40	Vertical
3	8401	43.02	-36.59	36.50	-52.33	-13.00	39.33	Vertical
4	11299	42.87	-34.72	40.10	-47.01	-13.00	34.01	Vertical
5	14806	40.58	-32.53	41.56	-45.65	-13.00	32.65	Vertical
6	17987	40.03	-39.76	47.97	-47.02	-13.00	34.02	Vertical

Test Band = LTE_71_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1328	58.44	-47.15	24.88	-59.09	-13.00	46.09	Horizontal
2	2015.5	47.00	-46.28	26.44	-68.10	-13.00	55.10	Horizontal
3	3206	46.51	-44.62	28.42	-64.95	-13.00	51.95	Horizontal
4	5146	45.49	-42.35	31.78	-60.34	-13.00	47.34	Horizontal
5	7449	42.44	-37.69	36.80	-53.71	-13.00	40.71	Horizontal
6	9778	41.00	-35.05	38.41	-50.90	-13.00	37.90	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1328	51.43	-47.15	24.88	-66.10	-13.00	53.10	Vertical
2	2070.5	47.11	-46.33	26.51	-67.97	-13.00	54.97	Vertical
3	3320.5	46.92	-44.77	28.54	-64.57	-13.00	51.57	Vertical
4	5403	44.45	-41.81	32.48	-60.14	-13.00	47.14	Vertical
5	7497.5	42.74	-38.16	36.90	-53.78	-13.00	40.78	Vertical
6	9977	40.72	-34.99	38.68	-50.85	-13.00	37.85	Vertical

Test Band = LTE_71_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1348	52.28	-47.10	25.08	-65.00	-13.00	52.00	Horizontal
2	2013.5	46.69	-46.28	26.45	-68.40	-13.00	55.40	Horizontal
3	3282.5	46.26	-44.60	28.54	-65.06	-13.00	52.06	Horizontal
4	5151.5	45.19	-42.32	31.80	-60.59	-13.00	47.59	Horizontal
5	7426.5	42.85	-37.94	36.75	-53.60	-13.00	40.60	Horizontal
6	9970	41.07	-34.97	38.67	-50.49	-13.00	37.49	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1348	50.24	-47.10	25.08	-67.04	-13.00	54.04	Vertical
2	2001	46.56	-46.26	26.50	-68.46	-13.00	55.46	Vertical
3	3214	46.70	-44.60	28.46	-64.70	-13.00	51.70	Vertical
4	5377	43.99	-41.70	32.36	-60.61	-13.00	47.61	Vertical
5	7430.5	42.55	-37.90	36.76	-53.85	-13.00	40.85	Vertical
6	9924	40.87	-34.99	38.62	-50.76	-13.00	37.76	Vertical

Test Band = LTE_71_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1358	51.93	-47.04	25.07	-65.30	-13.00	52.30	Horizontal
2	2027	47.10	-46.30	26.39	-68.07	-13.00	55.07	Horizontal
3	3097.5	46.54	-45.10	28.90	-64.92	-13.00	51.92	Horizontal
4	5126	45.38	-42.45	31.66	-60.67	-13.00	47.67	Horizontal
5	7409	43.17	-38.14	36.72	-53.51	-13.00	40.51	Horizontal
6	9902.5	40.98	-35.05	38.60	-50.73	-13.00	37.73	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1358.5	48.84	-47.04	25.07	-68.39	-13.00	55.39	Vertical
2	2731	46.68	-45.35	28.06	-65.87	-13.00	52.87	Vertical
3	4434	45.47	-43.34	30.10	-63.03	-13.00	50.03	Vertical
4	6037	44.11	-40.74	33.37	-58.52	-13.00	45.52	Vertical
5	7484.5	42.83	-38.03	36.87	-53.59	-13.00	40.59	Vertical
6	9521	41.16	-35.11	37.80	-51.41	-13.00	38.41	Vertical