

Field Strength of Spurious Radiation

Test Band = LTE CA_7C_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3229.5	47.27	-44.14	28.52	-63.61	-25.00	38.61	Horizontal
2	5183.5	45.43	-42.06	31.87	-60.02	-25.00	35.02	Horizontal
3	7412.5	43.28	-37.94	36.73	-53.19	-25.00	28.19	Horizontal
4	11296.5	42.90	-34.77	40.10	-47.03	-25.00	22.03	Horizontal
5	14799.5	40.49	-32.51	41.60	-45.68	-25.00	20.68	Horizontal
6	17987	40.04	-39.76	47.97	-47.01	-25.00	22.01	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3842.5	46.98	-43.93	29.72	-62.49	-25.00	37.49	Vertical
2	5840	45.35	-41.10	32.56	-58.45	-25.00	33.45	Vertical
3	8981	42.03	-35.51	36.78	-51.96	-25.00	26.96	Vertical
4	11289	43.46	-34.94	40.11	-46.63	-25.00	21.63	Vertical
5	14803.5	40.16	-32.51	41.58	-46.03	-25.00	21.03	Vertical
6	17990.5	40.35	-39.76	48.03	-46.64	-25.00	21.64	Vertical

Test Band = LTE CA_7C_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3692.5	47.32	-44.22	29.30	-62.86	-25.00	37.86	Horizontal
2	5511	45.68	-41.49	32.36	-58.71	-25.00	33.71	Horizontal
3	7503	43.19	-38.08	36.87	-53.28	-25.00	28.28	Horizontal
4	11284.5	43.15	-35.03	40.12	-47.02	-25.00	22.02	Horizontal
5	14802	40.40	-32.50	41.59	-45.77	-25.00	20.77	Horizontal
6	17981.5	40.02	-39.76	47.87	-47.13	-25.00	22.13	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3926	46.49	-43.86	29.80	-62.83	-25.00	37.83	Vertical
2	6028.5	44.81	-40.64	33.29	-57.80	-25.00	32.80	Vertical
3	9067	41.97	-35.51	36.67	-52.13	-25.00	27.13	Vertical
4	11801	42.35	-33.83	39.80	-46.94	-25.00	21.94	Vertical
5	14800.5	40.17	-32.48	41.60	-45.97	-25.00	20.97	Vertical
6	17989	39.87	-39.76	48.00	-47.15	-25.00	22.15	Vertical

Test Band = LTE CA_7C_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472	46.85	-44.32	28.99	-63.74	-25.00	38.74	Horizontal
2	5279.5	45.60	-42.01	31.78	-59.89	-25.00	34.89	Horizontal
3	7450	43.28	-37.71	36.80	-52.89	-25.00	27.89	Horizontal
4	10737	42.77	-34.92	39.54	-47.87	-25.00	22.87	Horizontal
5	14671	41.29	-33.68	41.78	-45.87	-25.00	20.87	Horizontal
6	17986.5	40.11	-39.76	47.96	-46.95	-25.00	21.95	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3814	47.15	-43.87	29.77	-62.21	-25.00	37.21	Vertical
2	5168	45.59	-42.12	31.84	-59.95	-25.00	34.95	Vertical
3	7464.5	42.89	-37.82	36.83	-53.36	-25.00	28.36	Vertical
4	11153.5	42.73	-34.89	40.20	-47.22	-25.00	22.22	Vertical
5	14803.5	40.94	-32.51	41.58	-45.25	-25.00	20.25	Vertical
6	17997	40.05	-39.77	48.15	-46.83	-25.00	21.83	Vertical

Test Band = LTE CA_66C_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3749.5	46.65	-43.86	29.60	-62.87	-13.00	49.87	Horizontal
2	5144.5	46.17	-42.21	31.77	-59.53	-13.00	46.53	Horizontal
3	7424	43.21	-37.87	36.75	-53.17	-13.00	40.17	Horizontal
4	11038	41.28	-34.18	40.14	-48.02	-13.00	35.02	Horizontal
5	13752	40.65	-32.30	40.36	-46.55	-13.00	33.55	Horizontal
6	17987	40.25	-39.76	47.97	-46.80	-13.00	33.80	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3816	46.82	-43.87	29.77	-62.54	-13.00	49.54	Vertical
2	5668	44.99	-41.31	32.50	-59.08	-13.00	46.08	Vertical
3	8433	42.41	-36.34	36.43	-52.76	-13.00	39.76	Vertical
4	11299.5	42.84	-34.71	40.10	-47.03	-13.00	34.03	Vertical
5	14623.5	41.51	-33.80	41.59	-45.96	-13.00	32.96	Vertical
6	17992.5	40.15	-39.76	48.07	-46.80	-13.00	33.80	Vertical

Test Band = LTE CA_66C_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3518.5	47.18	-44.40	29.06	-63.42	-13.00	50.42	Horizontal
2	5373.5	45.14	-41.82	32.34	-59.60	-13.00	46.60	Horizontal
3	7514	43.62	-38.07	36.76	-52.95	-13.00	39.95	Horizontal
4	11279	43.83	-35.15	40.12	-46.46	-13.00	33.46	Horizontal
5	14805.5	40.94	-32.53	41.57	-45.28	-13.00	32.28	Horizontal
6	17986.5	40.13	-39.76	47.96	-46.93	-13.00	33.93	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3803	46.68	-43.85	29.79	-62.64	-13.00	49.64	Vertical
2	5581	45.66	-41.56	32.45	-58.71	-13.00	45.71	Vertical
3	7427.5	42.98	-37.85	36.76	-53.37	-13.00	40.37	Vertical
4	11147	43.00	-34.85	40.20	-46.91	-13.00	33.91	Vertical
5	15170.5	40.46	-31.17	39.88	-46.09	-13.00	33.09	Vertical
6	17989.5	40.34	-39.76	48.01	-46.67	-13.00	33.67	Vertical

Test Band = LTE CA_66C_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3468	47.11	-44.32	28.97	-63.50	-13.00	50.50	Horizontal
2	5166	45.77	-42.13	31.83	-59.79	-13.00	46.79	Horizontal
3	7494.5	43.25	-38.04	36.89	-53.16	-13.00	40.16	Horizontal
4	11149	43.16	-34.86	40.20	-46.76	-13.00	33.76	Horizontal
5	14685.5	41.07	-33.83	41.84	-46.18	-13.00	33.18	Horizontal
6	17990	39.99	-39.76	48.02	-47.01	-13.00	34.01	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3829	47.05	-43.90	29.74	-62.37	-13.00	49.37	Vertical
2	5718	45.72	-41.26	32.50	-58.30	-13.00	45.30	Vertical
3	7429.5	43.25	-37.83	36.76	-53.08	-13.00	40.08	Vertical
4	11263.5	43.40	-35.48	40.14	-47.20	-13.00	34.20	Vertical
5	14802	40.13	-32.50	41.59	-46.04	-13.00	33.04	Vertical
6	17992	40.01	-39.76	48.06	-46.95	-13.00	33.95	Vertical

Test Band = LTE_5B_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1090	47.56	-47.16	24.26	-70.60	-13.00	57.60	Horizontal
2	1661	47.32	-46.85	25.41	-69.38	-13.00	56.38	Horizontal
3	2545.5	46.57	-45.48	27.80	-66.37	-13.00	53.37	Horizontal
4	3947.5	45.97	-43.85	29.89	-63.25	-13.00	50.25	Horizontal
5	6834	43.15	-39.27	35.54	-55.84	-13.00	42.84	Horizontal
6	9915.5	40.98	-35.01	38.62	-50.67	-13.00	37.67	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1174	47.26	-47.39	24.55	-70.84	-13.00	57.84	Vertical
2	2094	46.53	-46.33	26.74	-68.32	-13.00	55.32	Vertical
3	3062	46.85	-45.30	28.82	-64.89	-13.00	51.89	Vertical
4	5492.5	44.50	-41.75	32.37	-60.14	-13.00	47.14	Vertical
5	7448.5	42.63	-37.70	36.80	-53.53	-13.00	40.53	Vertical
6	9967.5	40.82	-34.96	38.67	-50.73	-13.00	37.73	Vertical

Test Band = LTE_5B_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1105	47.47	-47.20	24.32	-70.67	-13.00	57.67	Horizontal
2	1611	47.36	-46.94	25.19	-69.65	-13.00	56.65	Horizontal
3	2797	46.37	-45.16	28.29	-65.76	-13.00	52.76	Horizontal
4	4786.5	45.36	-42.85	30.72	-62.03	-13.00	49.03	Horizontal
5	7423	42.61	-37.98	36.75	-53.88	-13.00	40.88	Horizontal
6	9936	41.02	-34.95	38.64	-50.55	-13.00	37.55	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1003.5	47.30	-46.29	24.47	-69.78	-13.00	56.78	Vertical
2	1766	47.07	-46.66	25.13	-69.72	-13.00	56.72	Vertical
3	2760	46.52	-45.35	28.14	-65.95	-13.00	52.95	Vertical
4	4403.5	45.53	-43.23	30.10	-62.86	-13.00	49.86	Vertical
5	7451	42.25	-37.69	36.80	-53.90	-13.00	40.90	Vertical
6	9515.5	40.93	-35.07	37.80	-51.60	-13.00	38.60	Vertical

Test Band = LTE_5B_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1011	46.94	-46.41	24.41	-70.32	-13.00	57.32	Horizontal
2	1659.5	47.14	-46.85	25.42	-69.55	-13.00	56.55	Horizontal
3	2983	46.91	-45.04	28.50	-64.89	-13.00	51.89	Horizontal
4	5132	45.35	-42.42	31.69	-60.64	-13.00	47.64	Horizontal
5	7428	42.87	-37.93	36.76	-53.56	-13.00	40.56	Horizontal
6	9912	41.00	-35.02	38.61	-50.67	-13.00	37.67	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1055	47.47	-47.07	24.12	-70.74	-13.00	57.74	Vertical
2	1820	46.87	-46.62	25.48	-69.53	-13.00	56.53	Vertical
3	3132.5	46.52	-45.02	28.77	-64.99	-13.00	51.99	Vertical
4	5218.5	45.08	-42.13	31.79	-60.52	-13.00	47.52	Vertical
5	7408	42.93	-38.15	36.72	-53.76	-13.00	40.76	Vertical
6	9930.5	40.63	-34.97	38.63	-50.97	-13.00	37.97	Vertical

Test Band = LTE_CA_2A-71A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3122	46.98	-44.57	28.81	-64.04	-13.00	51.04	Horizontal
2	5025	46.37	-42.44	31.40	-59.93	-13.00	46.93	Horizontal
3	7499	43.75	-38.07	36.90	-52.68	-13.00	39.68	Horizontal
4	11026	42.31	-34.06	40.13	-46.88	-13.00	33.88	Horizontal
5	13437	43.10	-32.91	39.71	-45.36	-13.00	32.36	Horizontal
6	17992.5	40.99	-39.76	48.07	-45.96	-13.00	32.96	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3942	47.08	-43.78	29.87	-62.09	-13.00	49.09	Vertical
2	6211.5	44.84	-40.00	33.43	-56.99	-13.00	43.99	Vertical
3	9755	42.01	-35.37	38.32	-50.30	-13.00	37.30	Vertical
4	13435.5	43.27	-32.94	39.71	-45.22	-13.00	32.22	Vertical
5	16602	41.61	-30.95	39.50	-45.10	-13.00	32.10	Vertical
6	17988.5	40.84	-39.76	47.99	-46.19	-13.00	33.19	Vertical

Test Band = LTE_CA_2A-71A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3908	46.96	-43.94	29.73	-62.51	-13.00	49.51	Horizontal
2	6030.5	45.14	-40.63	33.31	-57.44	-13.00	44.44	Horizontal
3	9139.5	42.30	-35.19	37.08	-51.07	-13.00	38.07	Horizontal
4	13298	42.25	-32.86	39.89	-45.98	-13.00	32.98	Horizontal
5	16481.5	41.96	-31.29	39.21	-45.38	-13.00	32.38	Horizontal
6	17990.5	40.72	-39.76	48.03	-46.27	-13.00	33.27	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3819.5	47.29	-43.88	29.76	-62.09	-13.00	49.09	Vertical
2	6012	45.31	-40.68	33.12	-57.51	-13.00	44.51	Vertical
3	8393.5	43.64	-36.59	36.47	-51.74	-13.00	38.74	Vertical
4	11307.5	43.45	-34.81	40.12	-46.50	-13.00	33.50	Vertical
5	14806	41.27	-32.53	41.56	-44.96	-13.00	31.96	Vertical
6	17995	40.76	-39.77	48.11	-46.16	-13.00	33.16	Vertical

Test Band = LTE CA_CA_2A-71A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3265.5	47.00	-44.30	28.57	-63.99	-13.00	50.99	Horizontal
2	4804.5	46.42	-42.64	30.78	-60.70	-13.00	47.70	Horizontal
3	7425	43.63	-37.86	36.75	-52.74	-13.00	39.74	Horizontal
4	11540.5	43.29	-34.56	40.24	-46.29	-13.00	33.29	Horizontal
5	14807	41.39	-32.54	41.56	-44.85	-13.00	31.85	Horizontal
6	17992	40.83	-39.76	48.06	-46.13	-13.00	33.13	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3206.5	46.78	-43.92	28.43	-63.97	-13.00	50.97	Vertical
2	5053	46.05	-42.43	31.59	-60.05	-13.00	47.05	Vertical
3	7363	44.33	-38.17	36.55	-52.55	-13.00	39.55	Vertical
4	11321.5	43.86	-35.03	40.14	-46.29	-13.00	33.29	Vertical
5	14800	40.90	-32.48	41.60	-45.24	-13.00	32.24	Vertical
6	17985	41.13	-39.76	47.93	-45.96	-13.00	32.96	Vertical

Test Band = LTE_CA_4A-5A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3205	46.68	-43.91	28.42	-64.07	-13.00	51.07	Horizontal
2	5273	46.02	-42.01	31.74	-59.51	-13.00	46.51	Horizontal
3	8272	43.30	-36.56	36.46	-52.06	-13.00	39.06	Horizontal
4	11290	43.70	-34.91	40.11	-46.36	-13.00	33.36	Horizontal
5	14801.5	41.23	-32.49	41.59	-44.93	-13.00	31.93	Horizontal
6	17989	40.87	-39.76	48.00	-46.15	-13.00	33.15	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3821.5	47.04	-43.88	29.76	-62.34	-13.00	49.34	Vertical
2	6498.5	44.32	-39.93	34.29	-56.58	-13.00	43.58	Vertical
3	10018.5	42.72	-34.84	38.72	-48.66	-13.00	35.66	Vertical
4	13385	43.79	-33.56	39.65	-45.38	-13.00	32.38	Vertical
5	15701	40.79	-29.13	38.50	-45.10	-13.00	32.10	Vertical
6	17992	40.89	-39.76	48.06	-46.07	-13.00	33.07	Vertical

Test Band = LTE_CA_4A-5A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3797	46.79	-43.84	29.79	-62.52	-13.00	49.52	Horizontal
2	5866.5	45.59	-41.02	32.67	-58.02	-13.00	45.02	Horizontal
3	9027	42.52	-35.49	36.59	-51.64	-13.00	38.64	Horizontal
4	12946	43.56	-33.58	38.98	-46.30	-13.00	33.30	Horizontal
5	15673.5	41.08	-29.81	38.50	-45.49	-13.00	32.49	Horizontal
6	17998	40.83	-39.77	48.16	-46.04	-13.00	33.04	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3447.5	48.75	-44.28	28.89	-61.90	-13.00	48.90	Vertical
2	5830.5	45.61	-41.09	32.52	-58.22	-13.00	45.22	Vertical
3	8397	43.41	-36.60	36.49	-51.96	-13.00	38.96	Vertical
4	11290.5	43.95	-34.90	40.11	-46.10	-13.00	33.10	Vertical
5	14804.5	41.44	-32.52	41.57	-44.77	-13.00	31.77	Vertical
6	17995.5	41.01	-39.77	48.12	-45.90	-13.00	32.90	Vertical

Test Band = LTE_CA_4A-5A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3915.5	46.87	-43.91	29.76	-62.54	-13.00	49.54	Horizontal
2	6224	45.44	-40.03	33.36	-56.49	-13.00	43.49	Horizontal
3	9131.5	42.63	-35.21	37.06	-50.78	-13.00	37.78	Horizontal
4	13009.5	43.64	-33.94	39.23	-46.33	-13.00	33.33	Horizontal
5	15276	40.53	-30.66	39.85	-45.54	-13.00	32.54	Horizontal
6	17995.5	40.75	-39.77	48.12	-46.16	-13.00	33.16	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3957	47.15	-43.74	29.89	-61.96	-13.00	48.96	Vertical
2	6218.5	44.99	-40.02	33.39	-56.90	-13.00	43.90	Vertical
3	9551	42.29	-35.29	37.80	-50.46	-13.00	37.46	Vertical
4	11941.5	43.89	-34.74	39.78	-46.33	-13.00	33.33	Vertical
5	14809.5	41.35	-32.56	41.54	-44.93	-13.00	31.93	Vertical
6	17985	41.06	-39.76	47.93	-46.03	-13.00	33.03	Vertical

Test Band = LTE_CA_5A-7A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3936.5	46.82	-43.80	29.85	-62.39	-13.00	49.39	Horizontal
2	6353	45.20	-40.29	33.89	-56.46	-13.00	43.46	Horizontal
3	9796.5	42.25	-34.99	38.49	-49.51	-13.00	36.51	Horizontal
4	13296.5	42.36	-32.91	39.89	-45.92	-13.00	32.92	Horizontal
5	15676.5	40.79	-29.74	38.50	-45.71	-13.00	32.71	Horizontal
6	17985	40.95	-39.76	47.93	-46.14	-13.00	33.14	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3812.5	47.23	-43.87	29.78	-62.12	-13.00	49.12	Vertical
2	6226	45.50	-40.04	33.34	-56.46	-13.00	43.46	Vertical
3	9110.5	42.97	-35.26	37.02	-50.53	-13.00	37.53	Vertical
4	11967	44.32	-34.68	39.70	-45.92	-13.00	32.92	Vertical
5	14803	41.34	-32.51	41.58	-44.85	-13.00	31.85	Vertical
6	17999	40.53	-39.77	48.18	-46.32	-13.00	33.32	Vertical

Test Band = LTE_CA_5A-7A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3912	47.02	-43.92	29.75	-62.41	-13.00	49.41	Horizontal
2	6349.5	45.15	-40.30	33.90	-56.51	-13.00	43.51	Horizontal
3	9246.5	42.18	-35.38	37.50	-50.96	-13.00	37.96	Horizontal
4	11955.5	44.50	-34.60	39.73	-45.63	-13.00	32.63	Horizontal
5	15304.5	40.96	-30.70	39.87	-45.13	-13.00	32.13	Horizontal
6	17992.5	40.88	-39.76	48.07	-46.07	-13.00	33.07	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3944.5	46.91	-43.77	29.88	-62.24	-13.00	49.24	Vertical
2	5581.5	45.60	-41.56	32.45	-58.77	-13.00	45.77	Vertical
3	8412	43.31	-36.50	36.48	-51.97	-13.00	38.97	Vertical
4	11998	44.38	-34.90	39.61	-46.17	-13.00	33.17	Vertical
5	14808.5	41.51	-32.55	41.55	-44.75	-13.00	31.75	Vertical
6	17996.5	40.81	-39.77	48.14	-46.08	-13.00	33.08	Vertical

Test Band = LTE_CA_5A-7A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3946	47.14	-43.76	29.88	-62.00	-13.00	49.00	Horizontal
2	5812.5	45.55	-41.08	32.45	-58.34	-13.00	45.34	Horizontal
3	8367	43.65	-36.57	36.37	-51.81	-13.00	38.81	Horizontal
4	11279	44.03	-35.15	40.12	-46.26	-13.00	33.26	Horizontal
5	14796	41.17	-32.69	41.61	-45.17	-13.00	32.17	Horizontal
6	17986.5	41.14	-39.76	47.96	-45.92	-13.00	32.92	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3632.5	47.44	-44.32	29.16	-62.98	-13.00	49.98	Vertical
2	5508	45.97	-41.48	32.37	-58.40	-13.00	45.40	Vertical
3	7435	43.56	-37.80	36.77	-52.73	-13.00	39.73	Vertical
4	11235	44.32	-35.61	40.17	-46.38	-13.00	33.38	Vertical
5	14043.5	42.99	-34.42	41.46	-45.23	-13.00	32.23	Vertical
6	17993	40.71	-39.76	48.07	-46.24	-13.00	33.24	Vertical

Test Band = LTE_CA_7A-12A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3943.5	46.86	-43.77	29.87	-62.30	-25.00	37.30	Horizontal
2	6218.5	45.01	-40.02	33.39	-56.88	-25.00	31.88	Horizontal
3	10006	42.94	-34.91	38.71	-48.52	-25.00	23.52	Horizontal
4	13398	43.66	-33.56	39.61	-45.55	-25.00	20.55	Horizontal
5	16601	41.83	-30.93	39.50	-44.86	-25.00	19.86	Horizontal
6	17984	41.18	-39.76	47.91	-45.93	-25.00	20.93	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3904	47.15	-43.96	29.72	-62.35	-25.00	37.35	Vertical
2	6459	45.03	-40.01	33.89	-56.35	-25.00	31.35	Vertical
3	9785	42.01	-35.10	38.44	-49.91	-25.00	24.91	Vertical
4	11983	44.29	-34.79	39.65	-46.11	-25.00	21.11	Vertical
5	15282	40.79	-30.68	39.86	-45.29	-25.00	20.29	Vertical
6	17175	42.63	-35.75	42.40	-45.98	-25.00	20.98	Vertical

Test Band = LTE_CA_7A-12A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3917	47.07	-43.90	29.77	-62.32	-25.00	37.32	Horizontal
2	6360.5	44.86	-40.27	33.86	-56.81	-25.00	31.81	Horizontal
3	9205	42.10	-35.34	37.50	-51.00	-25.00	26.00	Horizontal
4	12394.5	43.96	-34.32	39.77	-45.85	-25.00	20.85	Horizontal
5	14802.5	41.48	-32.50	41.59	-44.69	-25.00	19.69	Horizontal
6	18000	40.64	-39.77	48.20	-46.19	-25.00	21.19	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3999.5	47.13	-43.75	29.80	-62.08	-25.00	37.08	Vertical
2	6213	44.98	-40.00	33.42	-56.86	-25.00	31.86	Vertical
3	8255.5	43.22	-36.51	36.49	-52.06	-25.00	27.06	Vertical
4	11021.5	42.60	-34.02	40.12	-46.56	-25.00	21.56	Vertical
5	14804.5	41.17	-32.52	41.57	-45.04	-25.00	20.04	Vertical
6	17992.5	40.97	-39.76	48.07	-45.98	-25.00	20.98	Vertical

Test Band = LTE_CA_7A-12A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3835.5	47.10	-43.91	29.73	-62.34	-25.00	37.34	Horizontal
2	5799	45.55	-41.07	32.40	-58.38	-25.00	33.38	Horizontal
3	8400.5	43.53	-36.60	36.50	-51.83	-25.00	26.83	Horizontal
4	11301.5	43.59	-34.72	40.10	-46.29	-25.00	21.29	Horizontal
5	14808	41.21	-32.55	41.55	-45.05	-25.00	20.05	Horizontal
6	17990.5	41.07	-39.76	48.03	-45.92	-25.00	20.92	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3843.5	47.24	-43.93	29.71	-62.24	-25.00	37.24	Vertical
2	5496.5	45.77	-41.46	32.39	-58.56	-25.00	33.56	Vertical
3	7426	43.70	-37.85	36.75	-52.66	-25.00	27.66	Vertical
4	11532.5	43.17	-34.57	40.23	-46.43	-25.00	21.43	Vertical
5	14801.5	41.25	-32.49	41.59	-44.91	-25.00	19.91	Vertical
6	17988	40.85	-39.76	47.98	-46.19	-25.00	21.19	Vertical

Test Band = LTE_CA_12A-25A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3202	46.66	-43.88	28.41	-64.07	-13.00	51.07	Horizontal
2	5181.5	46.00	-42.06	31.86	-59.46	-13.00	46.46	Horizontal
3	7437	43.54	-37.79	36.77	-52.74	-13.00	39.74	Horizontal
4	11536	43.36	-34.57	40.24	-46.23	-13.00	33.23	Horizontal
5	14809.5	41.10	-32.56	41.54	-45.18	-13.00	32.18	Horizontal
6	17994	40.80	-39.77	48.09	-46.14	-13.00	33.14	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3269	46.95	-44.29	28.56	-64.04	-13.00	51.04	Vertical
2	5136	46.17	-42.24	31.72	-59.61	-13.00	46.61	Vertical
3	7426	43.81	-37.85	36.75	-52.55	-13.00	39.55	Vertical
4	11320.5	44.07	-35.01	40.14	-46.06	-13.00	33.06	Vertical
5	14808	41.49	-32.55	41.55	-44.77	-13.00	31.77	Vertical
6	17996	41.00	-39.77	48.13	-45.90	-13.00	32.90	Vertical

Test Band = LTE_CA_12A-25A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3944.5	46.90	-43.77	29.88	-62.25	-13.00	49.25	Horizontal
2	6219.5	45.33	-40.02	33.38	-56.57	-13.00	43.57	Horizontal
3	9155	42.38	-35.19	37.14	-50.93	-13.00	37.93	Horizontal
4	12007.5	44.56	-34.80	39.59	-45.91	-13.00	32.91	Horizontal
5	15276.5	40.76	-30.66	39.85	-45.31	-13.00	32.31	Horizontal
6	17995	40.86	-39.77	48.11	-46.06	-13.00	33.06	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3846.5	47.49	-43.93	29.71	-61.99	-13.00	48.99	Vertical
2	5765.5	45.50	-41.12	32.47	-58.41	-13.00	45.41	Vertical
3	7429.5	43.87	-37.83	36.76	-52.46	-13.00	39.46	Vertical
4	11106	42.90	-34.78	40.20	-46.94	-13.00	33.94	Vertical
5	14802.5	41.18	-32.50	41.59	-44.99	-13.00	31.99	Vertical
6	17990	41.53	-39.76	48.02	-45.47	-13.00	32.47	Vertical

Test Band = LTE_CA_12A-25A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3848	47.50	-43.94	29.70	-62.00	-13.00	49.00	Horizontal
2	6167	45.79	-40.33	33.37	-56.43	-13.00	43.43	Horizontal
3	9202	42.00	-35.33	37.50	-51.09	-13.00	38.09	Horizontal
4	12402	43.56	-34.34	39.78	-46.26	-13.00	33.26	Horizontal
5	14804.5	41.16	-32.52	41.57	-45.05	-13.00	32.05	Horizontal
6	17985	41.30	-39.76	47.93	-45.79	-13.00	32.79	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3948.5	46.82	-43.75	29.89	-62.30	-13.00	49.30	Vertical
2	6008.5	45.38	-40.69	33.09	-57.48	-13.00	44.48	Vertical
3	8761.5	42.88	-35.88	36.73	-51.53	-13.00	38.53	Vertical
4	12398.5	43.59	-34.33	39.79	-46.21	-13.00	33.21	Vertical
5	15703	40.81	-29.15	38.49	-45.11	-13.00	32.11	Vertical
6	17968.5	41.34	-39.74	47.63	-46.03	-13.00	33.03	Vertical

Test Band = LTE_CA_13A_5MHz-66A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1593	35.54	-17.41	24.97	-52.16	-40.00	12.16	Horizontal
2	3942	46.61	-43.78	29.87	-62.56	-13.00	49.56	Horizontal
3	6234	45.12	-40.06	33.30	-56.90	-13.00	43.90	Horizontal
4	9195	42.13	-35.31	37.46	-50.98	-13.00	37.98	Horizontal
5	12007	44.28	-34.81	39.59	-46.20	-13.00	33.20	Horizontal
6	17992.5	41.28	-39.76	48.07	-45.67	-13.00	32.67	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1604.5	35.47	-17.36	25.14	-52.01	-40.00	12.01	Vertical
2	3933.5	46.86	-43.82	29.83	-62.39	-13.00	49.39	Vertical
3	5984	45.68	-40.78	32.97	-57.39	-13.00	44.39	Vertical
4	9160.5	42.19	-35.20	37.18	-51.09	-13.00	38.09	Vertical
5	11995.5	43.99	-34.88	39.61	-46.54	-13.00	33.54	Vertical
6	17992	41.24	-39.76	48.06	-45.72	-13.00	32.72	Vertical

Test Band = LTE_CA_13A_5MHz-66A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1601.5	35.35	-17.39	25.11	-52.19	-40.00	12.19	Horizontal
2	3914	46.91	-43.91	29.76	-62.50	-13.00	49.50	Horizontal
3	6010.5	45.33	-40.68	33.11	-57.50	-13.00	44.50	Horizontal
4	9118	42.25	-35.24	37.04	-51.21	-13.00	38.21	Horizontal
5	13428.5	43.63	-33.06	39.69	-45.00	-13.00	32.00	Horizontal
6	17988.5	40.99	-39.76	47.99	-46.04	-13.00	33.04	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1589	35.30	-17.40	24.90	-52.46	-40.00	12.46	Vertical
2	3911.5	47.12	-43.92	29.75	-62.31	-13.00	49.31	Vertical
3	6183.5	45.49	-40.15	33.43	-56.49	-13.00	43.49	Vertical
4	9164	42.09	-35.21	37.21	-51.17	-13.00	38.17	Vertical
5	13422.5	43.62	-33.16	39.67	-45.13	-13.00	32.13	Vertical
6	17973.5	41.36	-39.75	47.72	-45.93	-13.00	32.93	Vertical

Test Band = LTE_CA_13A_5MHz-66A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1588	35.52	-17.40	24.88	-52.26	-40.00	12.26	Horizontal
2	3948.5	46.77	-43.75	29.89	-62.35	-13.00	49.35	Horizontal
3	6218.5	44.97	-40.02	33.39	-56.92	-13.00	43.92	Horizontal
4	9115	42.50	-35.25	37.03	-50.98	-13.00	37.98	Horizontal
5	12965	43.20	-33.65	39.06	-46.65	-13.00	33.65	Horizontal
6	17995.5	41.03	-39.77	48.12	-45.88	-13.00	32.88	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1602.5	35.35	-17.38	25.12	-52.17	-40.00	12.17	Vertical
2	3841.5	47.13	-43.92	29.72	-62.33	-13.00	49.33	Vertical
3	5801.5	45.79	-41.07	32.41	-58.13	-13.00	45.13	Vertical
4	9516.5	42.14	-35.08	37.80	-50.40	-13.00	37.40	Vertical
5	13296.5	42.35	-32.91	39.89	-45.93	-13.00	32.93	Vertical
6	17985.5	41.28	-39.76	47.94	-45.80	-13.00	32.80	Vertical

Test Band = LTE_CA_13A_10MHz-66A_TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1595	35.53	-17.41	25.01	-52.13	-40.00	12.13	Horizontal
2	3947	46.79	-43.75	29.89	-62.33	-13.00	49.33	Horizontal
3	5965.5	45.60	-40.87	32.93	-57.60	-13.00	44.60	Horizontal
4	9637.5	41.79	-34.79	38.03	-50.23	-13.00	37.23	Horizontal
5	13441.5	43.15	-32.83	39.72	-45.22	-13.00	32.22	Horizontal
6	17995.5	40.84	-39.77	48.12	-46.07	-13.00	33.07	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1607	35.38	-17.33	25.16	-52.05	-40.00	12.05	Vertical
2	3815	47.48	-43.87	29.77	-61.88	-13.00	48.88	Vertical
3	6197	45.61	-40.00	33.49	-56.16	-13.00	43.16	Vertical
4	9208.5	42.17	-35.34	37.50	-50.93	-13.00	37.93	Vertical
5	13420	43.26	-33.21	39.66	-45.55	-13.00	32.55	Vertical
6	17990	40.97	-39.76	48.02	-46.03	-13.00	33.03	Vertical

Test Band = LTE_CA_14A_5MHz-66A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1607.5	35.24	-17.33	25.16	-52.19	-40.00	12.19	Horizontal
2	3838	47.68	-43.92	29.72	-61.78	-13.00	48.78	Horizontal
3	6232.5	45.39	-40.05	33.31	-56.61	-13.00	43.61	Horizontal
4	9140.5	42.66	-35.19	37.08	-50.71	-13.00	37.71	Horizontal
5	13435.5	42.93	-32.94	39.71	-45.56	-13.00	32.56	Horizontal
6	17996.5	40.86	-39.77	48.14	-46.03	-13.00	33.03	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1604	35.43	-17.37	25.13	-52.07	-40.00	12.07	Vertical
2	3811	46.91	-43.86	29.78	-62.43	-13.00	49.43	Vertical
3	6059.5	44.86	-40.53	33.48	-57.45	-13.00	44.45	Vertical
4	9513.5	41.88	-35.06	37.80	-50.64	-13.00	37.64	Vertical
5	13136.5	42.40	-32.97	39.50	-46.33	-13.00	33.33	Vertical
6	17986.5	41.38	-39.76	47.96	-45.68	-13.00	32.68	Vertical

Test Band = LTE_CA_14A_5MHz-66A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1610	35.39	-17.30	25.18	-51.99	-40.00	11.99	Horizontal
2	3367	46.90	-44.52	28.60	-64.28	-13.00	51.28	Horizontal
3	5338.5	46.03	-41.87	32.13	-58.97	-13.00	45.97	Horizontal
4	8476.5	43.18	-36.12	36.45	-51.75	-13.00	38.75	Horizontal
5	13442.5	43.48	-32.81	39.73	-44.86	-13.00	31.86	Horizontal
6	17990.5	41.36	-39.76	48.03	-45.63	-13.00	32.63	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1588	35.22	-17.40	24.88	-52.56	-40.00	12.56	Vertical
2	3472	47.65	-44.32	28.99	-62.94	-13.00	49.94	Vertical
3	5610	45.39	-41.45	32.58	-58.74	-13.00	45.74	Vertical
4	9061	42.93	-35.55	36.61	-51.27	-13.00	38.27	Vertical
5	13398	43.88	-33.56	39.61	-45.33	-13.00	32.33	Vertical
6	17986	40.93	-39.76	47.95	-46.14	-13.00	33.14	Vertical

Test Band = LTE_CA_14A_5MHz-66A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1592.5	35.63	-17.41	24.97	-52.07	-40.00	12.07	Horizontal
2	3846	46.92	-43.93	29.71	-62.56	-13.00	49.56	Horizontal
3	6380.5	44.24	-40.20	33.78	-57.44	-13.00	44.44	Horizontal
4	9624.5	41.80	-34.89	37.95	-50.40	-13.00	37.40	Horizontal
5	13948	41.36	-33.20	41.04	-46.06	-13.00	33.06	Horizontal
6	17975	40.05	-39.75	47.75	-47.21	-13.00	34.21	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1597.5	35.24	-17.41	25.06	-52.37	-40.00	12.37	Vertical
2	3510	47.25	-44.39	29.08	-63.32	-13.00	50.32	Vertical
3	5517	45.67	-41.52	32.33	-58.78	-13.00	45.78	Vertical
4	9016.5	42.18	-35.43	36.63	-51.88	-13.00	38.88	Vertical
5	12396	43.12	-34.33	39.78	-46.69	-13.00	33.69	Vertical
6	17993.5	39.86	-39.76	48.08	-47.08	-13.00	34.08	Vertical

Test Band = LTE_CA_14A_10MHz-66A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1598	35.39	-17.41	25.06	-52.22	-40.00	12.22	Horizontal
2	3200	46.86	-43.86	28.40	-63.86	-13.00	50.86	Horizontal
3	5293	45.86	-42.02	31.86	-59.56	-13.00	46.56	Horizontal
4	8996	42.04	-35.37	36.72	-51.87	-13.00	38.87	Horizontal
5	13302	42.11	-32.83	39.89	-46.09	-13.00	33.09	Horizontal
6	17969.5	40.31	-39.75	47.65	-47.05	-13.00	34.05	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1602.5	35.25	-17.38	25.12	-52.27	-40.00	12.27	Vertical
2	3800.5	47.08	-43.84	29.80	-62.22	-13.00	49.22	Vertical
3	6046	44.57	-40.59	33.46	-57.82	-13.00	44.82	Vertical
4	9560.5	41.90	-35.25	37.80	-50.81	-13.00	37.81	Vertical
5	13943	41.55	-33.22	41.03	-45.90	-13.00	32.90	Vertical
6	17986.5	40.17	-39.76	47.96	-46.89	-13.00	33.89	Vertical

Test Band = LTE_CA_25A-26A(824~849) _TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3801.5	46.76	-43.84	29.80	-62.54	-13.00	49.54	Horizontal
2	5597	45.28	-41.50	32.58	-58.90	-13.00	45.90	Horizontal
3	10059	41.60	-34.72	38.76	-49.62	-13.00	36.62	Horizontal
4	13448.5	41.89	-32.71	39.75	-46.33	-13.00	33.33	Horizontal
5	16358.5	41.36	-30.70	38.68	-45.92	-13.00	32.92	Horizontal
6	17974	40.10	-39.75	47.73	-47.18	-13.00	34.18	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3255.5	47.44	-44.33	28.59	-63.56	-13.00	50.56	Vertical
2	4807	45.89	-42.65	30.77	-61.25	-13.00	48.25	Vertical
3	7428.5	43.42	-37.84	36.76	-52.92	-13.00	39.92	Vertical
4	11293	43.43	-34.85	40.11	-46.57	-13.00	33.57	Vertical
5	14805	40.51	-32.52	41.57	-45.70	-13.00	32.70	Vertical
6	17971.5	40.01	-39.75	47.69	-47.31	-13.00	34.31	Vertical

Test Band = LTE_CA_25A-26A(824~849) _TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3810	46.92	-43.86	29.78	-62.42	-13.00	49.42	Horizontal
2	6109.5	44.80	-40.35	33.38	-57.43	-13.00	44.43	Horizontal
3	8841.5	42.14	-35.81	36.75	-52.18	-13.00	39.18	Horizontal
4	11298.5	43.12	-34.73	40.10	-46.77	-13.00	33.77	Horizontal
5	14679	41.68	-33.76	41.82	-45.52	-13.00	32.52	Horizontal
6	17993.5	39.91	-39.76	48.08	-47.03	-13.00	34.03	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3813	47.04	-43.87	29.77	-62.32	-13.00	49.32	Vertical
2	5647.5	45.58	-41.31	32.51	-58.48	-13.00	45.48	Vertical
3	8914.5	42.13	-35.76	36.76	-52.13	-13.00	39.13	Vertical
4	12986	43.16	-33.83	39.14	-46.79	-13.00	33.79	Vertical
5	15284	39.82	-30.69	39.87	-46.26	-13.00	33.26	Vertical
6	17989	39.57	-39.76	48.00	-47.45	-13.00	34.45	Vertical

Test Band = LTE_CA_25A-26A(824~849) _TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3533.5	47.03	-44.42	29.03	-63.62	-13.00	50.62	Horizontal
2	5184	45.37	-42.05	31.87	-60.07	-13.00	47.07	Horizontal
3	7363.5	44.03	-38.16	36.55	-52.84	-13.00	39.84	Horizontal
4	11113.5	42.84	-34.79	40.20	-47.01	-13.00	34.01	Horizontal
5	14801.5	40.57	-32.49	41.59	-45.59	-13.00	32.59	Horizontal
6	17972	40.23	-39.75	47.70	-47.08	-13.00	34.08	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3532	47.08	-44.42	29.04	-63.56	-13.00	50.56	Vertical
2	5405.5	44.88	-41.81	32.47	-59.72	-13.00	46.72	Vertical
3	7508	43.41	-38.08	36.82	-53.11	-13.00	40.11	Vertical
4	11319.5	43.39	-35.00	40.14	-46.73	-13.00	33.73	Vertical
5	14669.5	41.33	-33.66	41.78	-45.81	-13.00	32.81	Vertical
6	17994.5	39.83	-39.77	48.10	-47.10	-13.00	34.10	Vertical

Test Band = LTE_CA_66A-71A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3957.5	46.48	-43.74	29.89	-62.63	-13.00	49.63	Horizontal
2	5650	45.04	-41.30	32.50	-59.02	-13.00	46.02	Horizontal
3	7415.5	43.21	-37.92	36.73	-53.24	-13.00	40.24	Horizontal
4	11276.5	43.20	-35.20	40.12	-47.14	-13.00	34.14	Horizontal
5	14802.5	40.39	-32.50	41.59	-45.78	-13.00	32.78	Horizontal
6	17980.5	40.36	-39.75	47.85	-46.80	-13.00	33.80	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3823.5	47.10	-43.89	29.75	-62.30	-13.00	49.30	Vertical
2	5901.5	45.11	-40.83	32.80	-58.18	-13.00	45.18	Vertical
3	8463	42.16	-36.16	36.43	-52.83	-13.00	39.83	Vertical
4	11240.5	43.76	-35.67	40.16	-47.01	-13.00	34.01	Vertical
5	15287	39.85	-30.70	39.87	-46.24	-13.00	33.24	Vertical
6	17968	40.37	-39.74	47.62	-47.01	-13.00	34.01	Vertical

Test Band = LTE_CA_66A-71A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3824.5	46.91	-43.89	29.75	-62.49	-13.00	49.49	Horizontal
2	5503	45.85	-41.45	32.39	-58.47	-13.00	45.47	Horizontal
3	7432.5	43.26	-37.82	36.77	-53.05	-13.00	40.05	Horizontal
4	11303.5	43.40	-34.75	40.11	-46.50	-13.00	33.50	Horizontal
5	14676.5	41.17	-33.74	41.81	-46.02	-13.00	33.02	Horizontal
6	17993	40.54	-39.76	48.07	-46.41	-13.00	33.41	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3809.5	47.28	-43.86	29.78	-62.06	-13.00	49.06	Vertical
2	5746.5	45.50	-41.15	32.50	-58.41	-13.00	45.41	Vertical
3	8445	42.24	-36.24	36.41	-52.85	-13.00	39.85	Vertical
4	11860	44.21	-35.16	39.86	-46.35	-13.00	33.35	Vertical
5	14677.5	41.40	-33.75	41.81	-45.80	-13.00	32.80	Vertical
6	17971	40.45	-39.75	47.68	-46.88	-13.00	33.88	Vertical

Test Band = LTE_CA_66A-71A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3830.5	47.05	-43.90	29.74	-62.37	-13.00	49.37	Horizontal
2	5821.5	45.80	-41.09	32.49	-58.06	-13.00	45.06	Horizontal
3	7424.5	43.61	-37.86	36.75	-52.76	-13.00	39.76	Horizontal
4	11293	43.36	-34.85	40.11	-46.64	-13.00	33.64	Horizontal
5	14671.5	41.57	-33.68	41.79	-45.58	-13.00	32.58	Horizontal
6	17990.5	40.50	-39.76	48.03	-46.49	-13.00	33.49	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3952.5	46.64	-43.74	29.90	-62.46	-13.00	49.46	Vertical
2	5651	45.46	-41.30	32.50	-58.60	-13.00	45.60	Vertical
3	8407	42.76	-36.54	36.49	-52.55	-13.00	39.55	Vertical
4	11840.5	43.51	-34.81	39.84	-46.72	-13.00	33.72	Vertical
5	14801	40.44	-32.49	41.59	-45.72	-13.00	32.72	Vertical
6	17990	40.77	-39.76	48.02	-46.23	-13.00	33.23	Vertical

Test Band = LTE_CA_41C_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3709	47.10	-44.14	29.35	-62.95	-25.00	37.95	Horizontal
2	5532	45.29	-41.59	32.27	-59.29	-25.00	34.29	Horizontal
3	8429	42.75	-36.37	36.44	-52.44	-25.00	27.44	Horizontal
4	11243.5	44.34	-35.70	40.16	-46.46	-25.00	21.46	Horizontal
5	14801.5	40.71	-32.49	41.59	-45.45	-25.00	20.45	Horizontal
6	17964	40.88	-39.74	47.55	-46.57	-25.00	21.57	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3834.5	46.78	-43.91	29.73	-62.66	-25.00	37.66	Vertical
2	6044	44.58	-40.60	33.44	-57.84	-25.00	32.84	Vertical
3	9113.5	41.36	-35.25	37.03	-52.12	-25.00	27.12	Vertical
4	11927.5	44.19	-35.03	39.82	-46.28	-25.00	21.28	Vertical
5	15703.5	40.34	-29.16	38.49	-45.59	-25.00	20.59	Vertical
6	17991	40.14	-39.76	48.04	-46.84	-25.00	21.84	Vertical

Test Band = LTE_CA_41C_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3490.5	47.26	-44.36	29.06	-63.30	-25.00	38.30	Horizontal
2	5151.5	46.35	-42.18	31.80	-59.29	-25.00	34.29	Horizontal
3	7999.5	42.86	-36.79	36.40	-52.79	-25.00	27.79	Horizontal
4	11322.5	43.36	-35.04	40.15	-46.79	-25.00	21.79	Horizontal
5	14809	40.74	-32.56	41.55	-45.53	-25.00	20.53	Horizontal
6	17998.5	40.07	-39.77	48.17	-46.79	-25.00	21.79	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3537	47.18	-44.42	29.03	-63.47	-25.00	38.47	Vertical
2	5604	45.42	-41.47	32.59	-58.72	-25.00	33.72	Vertical
3	8411.5	42.90	-36.51	36.48	-52.39	-25.00	27.39	Vertical
4	11305	43.25	-34.78	40.11	-46.68	-25.00	21.68	Vertical
5	14801.5	40.50	-32.49	41.59	-45.66	-25.00	20.66	Vertical
6	17970.5	40.74	-39.75	47.67	-46.60	-25.00	21.60	Vertical

Test Band = LTE_CA_41C_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3816.5	47.11	-43.87	29.77	-62.25	-25.00	37.25	Horizontal
2	6011	45.42	-40.68	33.11	-57.41	-25.00	32.41	Horizontal
3	8466.5	42.47	-36.15	36.43	-52.51	-25.00	27.51	Horizontal
4	11149	43.35	-34.86	40.20	-46.57	-25.00	21.57	Horizontal
5	14809	40.59	-32.56	41.55	-45.68	-25.00	20.68	Horizontal
6	17993	40.28	-39.76	48.07	-46.67	-25.00	21.67	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3942	46.85	-43.78	29.87	-62.32	-25.00	37.32	Vertical
2	5743	45.69	-41.17	32.50	-58.24	-25.00	33.24	Vertical
3	8448	42.61	-36.22	36.40	-52.47	-25.00	27.47	Vertical
4	11280.5	44.44	-35.12	40.12	-45.82	-25.00	20.82	Vertical
5	15280.5	39.96	-30.67	39.86	-46.11	-25.00	21.11	Vertical
6	17992	40.66	-39.76	48.06	-46.30	-25.00	21.30	Vertical

Test Band = LTE_CA_42C(3450~3550)_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6901.9451	49.66	-39.75	35.40	-49.95	-13.00	36.95	Horizontal
2	9119.831	40.93	-35.58	37.04	-52.87	-13.00	39.87	Horizontal
3	11899.52	43.34	-35.48	39.90	-47.50	-13.00	34.50	Horizontal
4	14041.5021	42.08	-32.27	41.45	-44.00	-13.00	31.00	Horizontal
5	16442.2471	40.16	-28.30	39.01	-44.39	-13.00	31.39	Horizontal
6	17966.6483	40.38	-39.74	47.60	-47.02	-13.00	34.02	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7532.7516	43.16	-38.49	36.57	-54.02	-13.00	41.02	Vertical
2	10019.751	41.58	-35.18	38.72	-50.14	-13.00	37.14	Vertical
3	11982.3241	42.94	-35.34	39.65	-48.01	-13.00	35.01	Vertical
4	14717.1609	41.09	-31.35	41.85	-43.67	-13.00	30.67	Vertical
5	16443.3972	40.24	-28.29	39.02	-44.29	-13.00	31.29	Vertical
6	17970.0985	39.98	-39.75	47.66	-47.37	-13.00	34.37	Vertical

Test Band = LTE_CA_42C(3450~3550) _TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6962.3231	46.15	-39.44	35.37	-53.18	-13.00	40.18	Horizontal
2	9068.6534	41.41	-35.91	36.69	-53.07	-13.00	40.07	Horizontal
3	11272.1636	43.18	-35.58	40.13	-47.53	-13.00	34.53	Horizontal
4	14708.5354	41.12	-31.67	41.87	-43.94	-13.00	30.94	Horizontal
5	16434.7717	40.16	-28.39	38.97	-44.52	-13.00	31.52	Horizontal
6	17967.2234	40.02	-39.74	47.61	-47.37	-13.00	34.37	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7432.1216	43.14	-38.35	36.76	-53.71	-13.00	40.71	Vertical
2	9556.2778	41.39	-35.94	37.80	-52.01	-13.00	39.01	Vertical
3	11314.7157	42.89	-35.37	40.13	-47.61	-13.00	34.61	Vertical
4	14749.3625	39.66	-30.14	41.75	-43.99	-13.00	30.99	Vertical
5	16459.498	40.00	-28.44	39.10	-44.60	-13.00	31.60	Vertical
6	17985.6243	40.13	-39.76	47.94	-46.95	-13.00	33.95	Vertical

Test Band = LTE_CA_42C(3450~3550) _TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7491.9246	42.77	-38.48	36.88	-54.09	-13.00	41.09	Horizontal
2	10009.9755	41.69	-35.25	38.71	-50.11	-13.00	37.11	Horizontal
3	11953.5727	42.81	-34.89	39.74	-47.60	-13.00	34.60	Horizontal
4	14751.0876	39.65	-30.14	41.75	-44.00	-13.00	31.00	Horizontal
5	16351.3926	41.09	-28.93	38.65	-44.45	-13.00	31.45	Horizontal
6	17967.7984	40.41	-39.74	47.62	-46.97	-13.00	33.97	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7485.5993	43.03	-38.45	36.87	-53.81	-13.00	40.81	Vertical
2	10019.751	41.47	-35.18	38.72	-50.25	-13.00	37.25	Vertical
3	11945.5223	42.63	-34.89	39.76	-47.76	-13.00	34.76	Vertical
4	14749.3625	40.10	-30.14	41.75	-43.55	-13.00	30.55	Vertical
5	16382.4441	40.69	-28.85	38.75	-44.67	-13.00	31.67	Vertical
6	17960.898	40.16	-39.74	47.50	-47.34	-13.00	34.34	Vertical

Test Band = LTE_CA_43C(3700~3800) _TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7413.1457	43.08	-38.45	36.73	-53.90	-13.00	40.90	Horizontal
2	10042.1771	41.48	-35.02	38.74	-50.06	-13.00	37.06	Horizontal
3	12398.6449	43.03	-35.15	39.79	-47.59	-13.00	34.59	Horizontal
4	14744.7622	39.84	-30.32	41.77	-43.97	-13.00	30.97	Horizontal
5	16474.4487	40.32	-28.80	39.17	-44.57	-13.00	31.57	Horizontal
6	17963.1982	40.98	-39.74	47.54	-46.48	-13.00	33.48	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7500.55	43.49	-38.53	36.89	-53.41	-13.00	40.41	Vertical
2	10019.751	41.70	-35.18	38.72	-50.02	-13.00	37.02	Vertical
3	12399.795	42.40	-35.16	39.80	-48.22	-13.00	35.22	Vertical
4	14748.2124	39.97	-30.19	41.76	-43.72	-13.00	30.72	Vertical
5	16395.0948	40.81	-28.82	38.79	-44.48	-13.00	31.48	Vertical
6	17970.0985	40.23	-39.75	47.66	-47.12	-13.00	34.12	Vertical

Test Band = LTE_CA_43C(3700~3800) _TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7507.4504	43.14	-38.52	36.83	-53.81	-13.00	40.81	Horizontal
2	10019.751	41.87	-35.18	38.72	-49.85	-13.00	36.85	Horizontal
3	12400.945	42.73	-35.16	39.79	-47.90	-13.00	34.90	Horizontal
4	14776.3888	40.44	-30.70	41.67	-43.85	-13.00	30.85	Horizontal
5	16351.3926	41.27	-28.93	38.65	-44.27	-13.00	31.27	Horizontal
6	17967.7984	40.52	-39.74	47.62	-46.86	-13.00	33.86	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7418.8959	42.93	-38.42	36.74	-54.01	-13.00	41.01	Vertical
2	10009.4005	41.52	-35.25	38.71	-50.28	-13.00	37.28	Vertical
3	12404.9702	42.81	-35.15	39.76	-47.84	-13.00	34.84	Vertical
4	14717.7359	40.75	-31.33	41.85	-43.99	-13.00	30.99	Vertical
5	16399.12	40.92	-28.81	38.80	-44.35	-13.00	31.35	Vertical
6	17970.6735	40.07	-39.75	47.67	-47.27	-13.00	34.27	Vertical

Test Band = LTE_CA_43C(3700~3800) _TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7443.6222	43.11	-38.28	36.79	-53.64	-13.00	40.64	Horizontal
2	10026.0763	41.54	-35.13	38.73	-50.12	-13.00	37.12	Horizontal
3	12405.5453	42.76	-35.15	39.76	-47.89	-13.00	34.89	Horizontal
4	14645.2823	41.13	-31.37	41.68	-43.82	-13.00	30.82	Horizontal
5	16395.6698	40.68	-28.82	38.79	-44.61	-13.00	31.61	Horizontal
6	17967.7984	40.27	-39.74	47.62	-47.11	-13.00	34.11	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7432.1216	42.79	-38.35	36.76	-54.06	-13.00	41.06	Vertical
2	9824.2412	40.84	-35.56	38.35	-51.63	-13.00	38.63	Vertical
3	11917.9209	43.04	-35.25	39.85	-47.62	-13.00	34.62	Vertical
4	14710.8355	40.96	-31.58	41.87	-44.01	-13.00	31.01	Vertical
5	16360.018	40.99	-28.91	38.68	-44.50	-13.00	31.50	Vertical
6	17971.8236	40.08	-39.75	47.69	-47.24	-13.00	34.24	Vertical

Test Band = LTE_CA_48C_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7417	43.94	-38.43	36.73	-53.02	-40.00	13.02	Horizontal
2	10009	41.94	-35.26	38.71	-49.87	-40.00	9.87	Horizontal
3	12389.5	42.77	-35.08	39.74	-47.83	-40.00	7.83	Horizontal
4	14036	41.73	-32.36	41.42	-44.47	-40.00	4.47	Horizontal
5	16431.5	40.27	-28.43	38.96	-44.46	-40.00	4.46	Horizontal
6	17965.5	40.68	-39.74	47.58	-46.74	-40.00	6.74	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7381.5	43.43	-38.58	36.63	-53.78	-40.00	13.78	Vertical
2	10017.5	41.72	-35.19	38.72	-50.01	-40.00	10.01	Vertical
3	12391	43.25	-35.09	39.75	-47.35	-40.00	7.35	Vertical
4	14038	41.84	-32.33	41.43	-44.32	-40.00	4.32	Vertical
5	16351.5	41.30	-28.93	38.65	-44.24	-40.00	4.24	Vertical
6	17969.5	40.24	-39.75	47.65	-47.12	-40.00	7.12	Vertical

Test Band = LTE_CA_48C_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7492.5	43.00	-38.49	36.89	-53.86	-40.00	13.86	Horizontal
2	10040	41.69	-35.03	38.74	-49.86	-40.00	9.86	Horizontal
3	12326	43.05	-34.82	39.36	-47.67	-40.00	7.67	Horizontal
4	14039	41.82	-32.31	41.43	-44.32	-40.00	4.32	Horizontal
5	16431	40.41	-28.44	38.96	-44.33	-40.00	4.33	Horizontal
6	17970	40.26	-39.75	47.66	-47.09	-40.00	7.09	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7498.5	43.10	-38.52	36.90	-53.78	-40.00	13.78	Vertical
2	10016.5	41.74	-35.20	38.72	-50.00	-40.00	10.00	Vertical
3	12405	42.89	-35.15	39.76	-47.76	-40.00	7.76	Vertical
4	14038.5	41.77	-32.32	41.43	-44.38	-40.00	4.38	Vertical
5	16405	40.88	-28.75	38.83	-44.30	-40.00	4.30	Vertical
6	17991.5	39.88	-39.76	48.05	-47.09	-40.00	7.09	Vertical

Test Band = LTE_CA_48C_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7403	43.14	-38.50	36.71	-53.91	-40.00	13.91	Horizontal
2	10013	41.91	-35.23	38.71	-49.87	-40.00	9.87	Horizontal
3	12380.5	42.77	-35.00	39.68	-47.81	-40.00	7.81	Horizontal
4	14029.5	41.84	-32.47	41.38	-44.51	-40.00	4.51	Horizontal
5	16351	41.12	-28.93	38.65	-44.42	-40.00	4.42	Horizontal
6	17958	40.87	-39.74	47.44	-46.69	-40.00	6.69	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7470	42.94	-38.36	36.84	-53.84	-40.00	13.84	Vertical
2	10013	41.88	-35.23	38.71	-49.90	-40.00	9.90	Vertical
3	12403	42.83	-35.15	39.78	-47.80	-40.00	7.80	Vertical
4	14034	41.53	-32.40	41.40	-44.73	-40.00	4.73	Vertical
5	16404.5	40.83	-28.76	38.82	-44.37	-40.00	4.37	Vertical
6	17890	41.50	-39.39	46.34	-46.81	-40.00	6.81	Vertical