

Field Strength of Spurious Radiation

Test Band = SA_n2_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3913	47.44	-43.92	29.75	-61.99	-13.00	48.99	Horizontal
2	5650.5	45.65	-41.30	32.50	-58.41	-13.00	45.41	Horizontal
3	8391	43.46	-36.59	36.46	-51.93	-13.00	38.93	Horizontal
4	11782.5	43.48	-34.15	39.82	-46.11	-13.00	33.11	Horizontal
5	15175	41.66	-31.16	39.85	-44.91	-13.00	31.91	Horizontal
6	17974.5	41.35	-39.75	47.74	-45.92	-13.00	32.92	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3225	47.53	-44.10	28.50	-63.33	-13.00	50.33	Vertical
2	5193.5	46.00	-42.02	31.89	-59.39	-13.00	46.39	Vertical
3	7379	44.03	-38.10	36.62	-52.71	-13.00	39.71	Vertical
4	11240	44.43	-35.67	40.16	-46.34	-13.00	33.34	Vertical
5	14807.5	41.49	-32.54	41.56	-44.75	-13.00	31.75	Vertical
6	17984.5	41.14	-39.76	47.92	-45.96	-13.00	32.96	Vertical

Test Band = SA_n2_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3941.5	46.96	-43.78	29.87	-62.21	-13.00	49.21	Horizontal
2	6010.5	45.28	-40.68	33.11	-57.55	-13.00	44.55	Horizontal
3	9200.5	42.18	-35.33	37.50	-50.91	-13.00	37.91	Horizontal
4	11957.5	43.83	-34.61	39.73	-46.31	-13.00	33.31	Horizontal
5	14811.5	41.26	-32.58	41.53	-45.05	-13.00	32.05	Horizontal
6	17986	41.35	-39.76	47.95	-45.72	-13.00	32.72	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3535.5	46.96	-44.42	29.03	-63.69	-13.00	50.69	Vertical
2	5217.5	46.19	-41.99	31.80	-59.26	-13.00	46.26	Vertical
3	7412.5	43.70	-37.94	36.73	-52.77	-13.00	39.77	Vertical
4	11456	43.21	-34.66	40.24	-46.47	-13.00	33.47	Vertical
5	14803.5	41.24	-32.51	41.58	-44.95	-13.00	31.95	Vertical
6	17992	40.86	-39.76	48.06	-46.10	-13.00	33.10	Vertical

Test Band = SA_n2_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3816	46.96	-43.87	29.77	-62.40	-13.00	49.40	Horizontal
2	5879	45.24	-40.95	32.72	-58.25	-13.00	45.25	Horizontal
3	8988	42.34	-35.45	36.75	-51.62	-13.00	38.62	Horizontal
4	12222	43.38	-34.21	39.51	-46.58	-13.00	33.58	Horizontal
5	14805.5	41.32	-32.53	41.57	-44.90	-13.00	31.90	Horizontal
6	17987	40.83	-39.76	47.97	-46.22	-13.00	33.22	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3839	46.88	-43.92	29.72	-62.58	-13.00	49.58	Vertical
2	5652	45.95	-41.30	32.50	-58.11	-13.00	45.11	Vertical
3	8512.5	42.95	-36.14	36.53	-51.92	-13.00	38.92	Vertical
4	11293.5	43.64	-34.84	40.11	-46.35	-13.00	33.35	Vertical
5	14809.5	41.28	-32.56	41.54	-45.00	-13.00	32.00	Vertical
6	17986.5	41.54	-39.76	47.96	-45.52	-13.00	32.52	Vertical

Test Band = SA_n5_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1106	47.35	-47.20	24.32	-70.79	-13.00	57.79	Horizontal
2	1937.5	47.02	-46.46	25.48	-69.22	-13.00	56.22	Horizontal
3	3181.5	46.54	-44.77	28.51	-64.98	-13.00	51.98	Horizontal
4	5013	45.48	-42.60	31.30	-61.08	-13.00	48.08	Horizontal
5	7447	42.86	-37.71	36.79	-53.32	-13.00	40.32	Horizontal
6	9919.5	41.79	-35.00	38.62	-49.85	-13.00	36.85	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1132.5	47.13	-47.30	24.43	-71.00	-13.00	58.00	Vertical
2	1806.5	46.92	-46.57	25.43	-69.48	-13.00	56.48	Vertical
3	2930.5	46.81	-45.21	28.22	-65.44	-13.00	52.44	Vertical
4	4690	45.65	-43.11	30.52	-62.20	-13.00	49.20	Vertical
5	7417.5	43.18	-38.04	36.74	-53.38	-13.00	40.38	Vertical
6	9515.5	41.22	-35.07	37.80	-51.31	-13.00	38.31	Vertical

Test Band = SA_n5_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1180	47.32	-47.40	24.56	-70.78	-13.00	57.78	Horizontal
2	2110	46.61	-46.33	26.74	-68.24	-13.00	55.24	Horizontal
3	3315	46.86	-44.74	28.53	-64.61	-13.00	51.61	Horizontal
4	5486.5	45.04	-41.76	32.35	-59.63	-13.00	46.63	Horizontal
5	7421.5	43.21	-38.00	36.74	-53.31	-13.00	40.31	Horizontal
6	9999.5	41.79	-35.06	38.70	-49.83	-13.00	36.83	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1458	47.23	-46.84	25.24	-69.63	-13.00	56.63	Vertical
2	2558	46.87	-45.47	27.82	-66.04	-13.00	53.04	Vertical
3	4295	45.61	-42.69	29.53	-62.81	-13.00	49.81	Vertical
4	5983.5	44.92	-40.57	32.97	-57.94	-13.00	44.94	Vertical
5	8233.5	42.47	-36.46	36.43	-52.82	-13.00	39.82	Vertical
6	9785	41.93	-34.97	38.44	-49.86	-13.00	36.86	Vertical

Test Band = SA_n5_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1120	47.39	-47.25	24.38	-70.74	-13.00	57.74	Horizontal
2	1659	48.46	-46.86	25.43	-68.23	-13.00	55.23	Horizontal
3	2825.5	46.43	-45.21	28.30	-65.74	-13.00	52.74	Horizontal
4	4552.5	46.03	-43.00	29.72	-62.51	-13.00	49.51	Horizontal
5	7419.5	42.91	-38.02	36.74	-53.63	-13.00	40.63	Horizontal
6	9544	41.93	-35.24	37.80	-50.77	-13.00	37.77	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1160	47.51	-47.37	24.52	-70.60	-13.00	57.60	Vertical
2	1820.5	47.40	-46.62	25.48	-69.00	-13.00	56.00	Vertical
3	3078	46.70	-45.21	28.86	-64.91	-13.00	51.91	Vertical
4	5052	45.58	-42.63	31.60	-60.71	-13.00	47.71	Vertical
5	7157.5	43.47	-38.44	36.43	-53.80	-13.00	40.80	Vertical
6	9920	41.71	-35.00	38.62	-49.93	-13.00	36.93	Vertical

Test Band = SA_n7_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3216	46.67	-44.01	28.46	-64.14	-25.00	39.14	Horizontal
2	4404.5	46.71	-43.30	30.10	-61.75	-25.00	36.75	Horizontal
3	6310.5	45.14	-40.33	33.58	-56.87	-25.00	31.87	Horizontal
4	9199.5	42.30	-35.33	37.50	-50.79	-25.00	25.79	Horizontal
5	13440.5	43.52	-32.85	39.72	-44.87	-25.00	19.87	Horizontal
6	17987.5	41.12	-39.76	47.98	-45.92	-25.00	20.92	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3219	47.28	-44.04	28.48	-63.54	-25.00	38.54	Vertical
2	5017.5	46.28	-42.44	31.34	-60.08	-25.00	35.08	Vertical
3	7430.5	44.12	-37.83	36.76	-52.21	-25.00	27.21	Vertical
4	11355	44.36	-35.43	40.21	-46.12	-25.00	21.12	Vertical
5	15282	41.33	-30.68	39.86	-44.75	-25.00	19.75	Vertical
6	17994.5	40.83	-39.77	48.10	-46.10	-25.00	21.10	Vertical

Test Band = SA_n7_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3800	47.06	-43.84	29.80	-62.24	-25.00	37.24	Horizontal
2	5902.5	45.55	-40.84	32.81	-57.74	-25.00	32.74	Horizontal
3	8454.5	43.69	-36.19	36.41	-51.35	-25.00	26.35	Horizontal
4	11319.5	44.05	-35.00	40.14	-46.07	-25.00	21.07	Horizontal
5	14806	41.09	-32.53	41.56	-45.14	-25.00	20.14	Horizontal
6	17991	41.16	-39.76	48.04	-45.82	-25.00	20.82	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3969.5	47.01	-43.74	29.86	-62.13	-25.00	37.13	Vertical
2	6223.5	45.07	-40.03	33.36	-56.86	-25.00	31.86	Vertical
3	9980	42.62	-34.82	38.68	-48.78	-25.00	23.78	Vertical
4	14044.5	43.30	-34.39	41.47	-44.88	-25.00	19.88	Vertical
5	16113.5	40.06	-28.31	38.10	-45.41	-25.00	20.41	Vertical
6	17989.5	40.98	-39.76	48.01	-46.03	-25.00	21.03	Vertical

Test Band = SA_n7_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3822.5	47.04	-43.89	29.76	-62.35	-25.00	37.35	Horizontal
2	5498.5	45.84	-41.45	32.39	-58.48	-25.00	33.48	Horizontal
3	7390	44.31	-38.05	36.66	-52.34	-25.00	27.34	Horizontal
4	11290.5	44.12	-34.90	40.11	-45.93	-25.00	20.93	Horizontal
5	14799.5	41.16	-32.51	41.60	-45.01	-25.00	20.01	Horizontal
6	17982	40.89	-39.76	47.88	-46.25	-25.00	21.25	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3946	46.66	-43.76	29.88	-62.48	-25.00	37.48	Vertical
2	5584	46.02	-41.55	32.47	-58.32	-25.00	33.32	Vertical
3	8389	43.64	-36.59	36.46	-51.75	-25.00	26.75	Vertical
4	11807	43.34	-33.98	39.81	-46.09	-25.00	21.09	Vertical
5	14806	41.15	-32.53	41.56	-45.08	-25.00	20.08	Vertical
6	17988	41.06	-39.76	47.98	-45.98	-25.00	20.98	Vertical

Test Band = SA_n12_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1399	55.22	-46.76	24.90	-61.90	-13.00	48.90	Horizontal
2	2263.5	46.77	-46.01	26.88	-67.62	-13.00	54.62	Horizontal
3	3097.5	46.57	-45.10	28.90	-64.89	-13.00	51.89	Horizontal
4	5154.5	45.42	-42.31	31.81	-60.34	-13.00	47.34	Horizontal
5	7420.5	43.06	-38.01	36.74	-53.47	-13.00	40.47	Horizontal
6	9909.5	41.90	-35.03	38.61	-49.78	-13.00	36.78	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1399	49.46	-46.76	24.90	-67.66	-13.00	54.66	Vertical
2	2164	46.96	-46.33	26.61	-68.02	-13.00	55.02	Vertical
3	3208	46.79	-44.62	28.43	-64.66	-13.00	51.66	Vertical
4	4656	45.97	-43.02	30.25	-62.06	-13.00	49.06	Vertical
5	6765	44.07	-39.23	35.26	-55.16	-13.00	42.16	Vertical
6	9982	41.52	-35.01	38.68	-50.07	-13.00	37.07	Vertical

Test Band = SA_n12_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1401	56.68	-46.75	24.91	-60.42	-13.00	47.42	Horizontal
2	2098.5	46.71	-46.33	26.79	-68.09	-13.00	55.09	Horizontal
3	3080	46.67	-45.20	28.86	-64.93	-13.00	51.93	Horizontal
4	4412.5	46.03	-43.27	30.10	-62.40	-13.00	49.40	Horizontal
5	6962.5	44.07	-39.22	35.38	-55.03	-13.00	42.03	Horizontal
6	9973	41.95	-34.98	38.67	-49.62	-13.00	36.62	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1401	52.10	-46.75	24.91	-65.00	-13.00	52.00	Vertical
2	2332.5	47.34	-46.01	27.43	-66.50	-13.00	53.50	Vertical
3	3519	46.48	-44.77	29.06	-64.49	-13.00	51.49	Vertical
4	5415	45.19	-41.81	32.41	-59.47	-13.00	46.47	Vertical
5	7448	42.72	-37.70	36.80	-53.44	-13.00	40.44	Vertical
6	9949	41.72	-34.91	38.65	-49.80	-13.00	36.80	Vertical

Test Band = SA_n12_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1449.5	46.86	-46.80	25.30	-69.90	-13.00	56.90	Horizontal
2	2058	47.01	-46.33	26.38	-68.20	-13.00	55.20	Horizontal
3	3250	46.17	-44.50	28.60	-64.99	-13.00	51.99	Horizontal
4	5387	45.08	-41.75	32.42	-59.51	-13.00	46.51	Horizontal
5	7446	42.71	-37.72	36.79	-53.48	-13.00	40.48	Horizontal
6	9877	42.13	-35.01	38.42	-49.72	-13.00	36.72	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1463.5	47.00	-46.87	25.19	-69.94	-13.00	56.94	Vertical
2	2323.5	46.87	-46.00	27.34	-67.05	-13.00	54.05	Vertical
3	3604	46.50	-44.70	28.93	-64.53	-13.00	51.53	Vertical
4	5281	45.61	-42.11	31.79	-59.97	-13.00	46.97	Vertical
5	7425	43.27	-37.96	36.75	-53.20	-13.00	40.20	Vertical
6	9936	41.59	-34.95	38.64	-49.98	-13.00	36.98	Vertical

Test Band = SA_n14_5MHz_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1577	48.45	-46.90	24.69	-69.02	-40.00	29.02	Horizontal
2	2446	47.08	-45.52	27.58	-66.12	-13.00	53.12	Horizontal
3	3999	46.26	-43.78	29.80	-62.98	-13.00	49.98	Horizontal
4	6199.5	44.37	-40.26	33.50	-57.65	-13.00	44.65	Horizontal
5	7862	42.83	-37.43	36.73	-53.13	-13.00	40.13	Horizontal
6	9949	41.78	-34.91	38.65	-49.74	-13.00	36.74	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1576.5	50.74	-46.89	24.68	-66.73	-40.00	26.73	Vertical
2	2378	46.98	-45.94	27.49	-66.73	-13.00	53.73	Vertical
3	3835	46.31	-44.08	29.73	-63.30	-13.00	50.30	Vertical
4	5689.5	45.23	-41.45	32.50	-58.98	-13.00	45.98	Vertical
5	7850	42.50	-37.43	36.80	-53.39	-13.00	40.39	Vertical
6	9944.5	41.69	-34.93	38.64	-49.86	-13.00	36.86	Vertical

Test Band = SA_n14_5MHz_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1609	47.22	-46.94	25.17	-69.81	-40.00	29.81	Horizontal
2	2377.5	47.35	-45.94	27.49	-66.36	-13.00	53.36	Horizontal
3	3752.5	45.94	-44.11	29.61	-63.82	-13.00	50.82	Horizontal
4	5604	44.81	-41.42	32.59	-59.28	-13.00	46.28	Horizontal
5	7446	43.10	-37.72	36.79	-53.09	-13.00	40.09	Horizontal
6	9889	42.33	-35.04	38.51	-49.46	-13.00	36.46	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1603.5	47.06	-46.95	25.13	-70.02	-40.00	30.02	Vertical
2	2375.5	46.93	-45.95	27.50	-66.78	-13.00	53.78	Vertical
3	3679.5	46.40	-44.55	29.30	-64.11	-13.00	51.11	Vertical
4	5605.5	45.01	-41.42	32.59	-59.08	-13.00	46.08	Vertical
5	7412.5	43.44	-38.10	36.73	-53.19	-13.00	40.19	Vertical
6	9970	41.56	-34.97	38.67	-50.00	-13.00	37.00	Vertical

Test Band = SA_n14_5MHz_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1586.5	48.38	-46.92	24.86	-68.94	-40.00	28.94	Horizontal
2	2381	47.13	-45.93	27.48	-66.58	-13.00	53.58	Horizontal
3	3809	46.18	-44.18	29.78	-63.48	-13.00	50.48	Horizontal
4	5778	44.64	-40.94	32.44	-59.12	-13.00	46.12	Horizontal
5	7898	42.51	-37.44	36.51	-53.68	-13.00	40.68	Horizontal
6	9949	41.18	-34.91	38.65	-50.34	-13.00	37.34	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1587	47.62	-46.92	24.87	-69.69	-40.00	29.69	Vertical
2	2349	46.99	-46.03	27.59	-66.71	-13.00	53.71	Vertical
3	3746	46.36	-44.12	29.58	-63.44	-13.00	50.44	Vertical
4	5690	44.67	-41.45	32.50	-59.54	-13.00	46.54	Vertical
5	7473	42.56	-37.91	36.85	-53.76	-13.00	40.76	Vertical
6	9885	41.61	-35.03	38.48	-50.20	-13.00	37.20	Vertical

Test Band = SA_n14_10MHz_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1599	46.93	-46.96	25.08	-70.21	-40.00	30.21	Horizontal
2	2636	46.56	-45.51	27.90	-66.31	-13.00	53.31	Horizontal
3	3936	46.08	-43.92	29.84	-63.26	-13.00	50.26	Horizontal
4	6201.5	43.50	-40.26	33.49	-58.53	-13.00	45.53	Horizontal
5	8392	42.38	-36.68	36.47	-53.09	-13.00	40.09	Horizontal
6	9952.5	41.04	-34.92	38.65	-50.49	-13.00	37.49	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1586	46.97	-46.92	24.85	-70.36	-40.00	30.36	Vertical
2	2351.5	47.33	-46.03	27.59	-66.37	-13.00	53.37	Vertical
3	3795.5	46.11	-44.21	29.78	-63.58	-13.00	50.58	Vertical
4	5610.5	45.02	-41.43	32.58	-59.09	-13.00	46.09	Vertical
5	7437.5	42.62	-37.82	36.78	-53.68	-13.00	40.68	Vertical
6	9995.5	40.99	-35.05	38.70	-50.62	-13.00	37.62	Vertical

Test Band = SA_n25_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3952.5	47.12	-43.74	29.90	-61.98	-13.00	48.98	Horizontal
2	6478	44.29	-39.97	34.08	-56.86	-13.00	43.86	Horizontal
3	9558	41.59	-35.26	37.80	-51.13	-13.00	38.13	Horizontal
4	13450.5	41.90	-32.69	39.75	-46.30	-13.00	33.30	Horizontal
5	15675.5	39.80	-29.76	38.50	-46.72	-13.00	33.72	Horizontal
6	17986	40.29	-39.76	47.95	-46.78	-13.00	33.78	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3480	46.90	-44.34	29.02	-63.68	-13.00	50.68	Vertical
2	5241.5	45.59	-42.00	31.65	-60.02	-13.00	47.02	Vertical
3	7447	43.04	-37.73	36.79	-53.16	-13.00	40.16	Vertical
4	11305.5	43.02	-34.78	40.11	-46.91	-13.00	33.91	Vertical
5	14806.5	40.66	-32.53	41.56	-45.57	-13.00	32.57	Vertical
6	17994	40.00	-39.77	48.09	-46.94	-13.00	33.94	Vertical

Test Band = SA_n25_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3819	46.75	-43.88	29.76	-62.63	-13.00	49.63	Horizontal
2	5483.5	45.88	-41.54	32.33	-58.59	-13.00	45.59	Horizontal
3	7464.5	43.25	-37.82	36.83	-53.00	-13.00	40.00	Horizontal
4	11283	43.87	-35.06	40.12	-46.33	-13.00	33.33	Horizontal
5	14800.5	40.28	-32.48	41.60	-45.86	-13.00	32.86	Horizontal
6	17974	40.49	-39.75	47.73	-46.79	-13.00	33.79	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3749.5	46.93	-43.86	29.60	-62.59	-13.00	49.59	Vertical
2	5669	45.38	-41.31	32.50	-58.69	-13.00	45.69	Vertical
3	9115	41.32	-35.25	37.03	-52.16	-13.00	39.16	Vertical
4	11817.5	42.93	-34.24	39.82	-46.75	-13.00	33.75	Vertical
5	14797.5	40.42	-32.61	41.61	-45.84	-13.00	32.84	Vertical
6	17990	40.37	-39.76	48.02	-46.63	-13.00	33.63	Vertical

Test Band = SA_n25_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3824	46.64	-43.89	29.75	-62.76	-13.00	49.76	Horizontal
2	6041.5	44.73	-40.60	33.42	-57.71	-13.00	44.71	Horizontal
3	9110.5	41.37	-35.26	37.02	-52.13	-13.00	39.13	Horizontal
4	12404	43.31	-34.33	39.77	-46.51	-13.00	33.51	Horizontal
5	14803	39.98	-32.51	41.58	-46.21	-13.00	33.21	Horizontal
6	17990.5	39.94	-39.76	48.03	-47.05	-13.00	34.05	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3807	46.66	-43.85	29.79	-62.66	-13.00	49.66	Vertical
2	5685.5	45.52	-41.31	32.50	-58.55	-13.00	45.55	Vertical
3	8425	42.43	-36.40	36.45	-52.78	-13.00	39.78	Vertical
4	11291	43.09	-34.89	40.11	-46.95	-13.00	33.95	Vertical
5	14669.5	41.05	-33.66	41.78	-46.09	-13.00	33.09	Vertical
6	17989.5	39.94	-39.76	48.01	-47.07	-13.00	34.07	Vertical

Test Band = SA_n26(814~824) _TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1451.5	46.97	-46.81	25.29	-69.81	-13.00	56.81	Horizontal
2	2101	46.44	-46.33	26.79	-68.36	-13.00	55.36	Horizontal
3	3112	46.27	-45.06	28.85	-65.20	-13.00	52.20	Horizontal
4	5026	44.64	-42.61	31.41	-61.82	-13.00	48.82	Horizontal
5	7415.5	42.74	-38.07	36.73	-53.86	-13.00	40.86	Horizontal
6	9948	41.00	-34.92	38.65	-50.53	-13.00	37.53	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1450.5	46.99	-46.80	25.30	-69.77	-13.00	56.77	Vertical
2	2468.5	46.88	-45.60	27.67	-66.31	-13.00	53.31	Vertical
3	3836	46.43	-44.08	29.73	-63.18	-13.00	50.18	Vertical
4	5635.5	45.11	-41.47	32.53	-59.09	-13.00	46.09	Vertical
5	7424.5	42.55	-37.97	36.75	-53.93	-13.00	40.93	Vertical
6	9916	40.75	-35.01	38.62	-50.90	-13.00	37.90	Vertical

Test Band = SA_n26(824~849) _TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1454	47.15	-46.82	25.27	-69.66	-13.00	56.66	Horizontal
2	2312.5	46.64	-45.99	27.23	-67.38	-13.00	54.38	Horizontal
3	3735	46.12	-44.19	29.51	-63.82	-13.00	50.82	Horizontal
4	5610.5	44.56	-41.43	32.58	-59.55	-13.00	46.55	Horizontal
5	7433	42.64	-37.87	36.77	-53.72	-13.00	40.72	Horizontal
6	9970	40.96	-34.97	38.67	-50.60	-13.00	37.60	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1448	46.63	-46.80	25.28	-70.15	-13.00	57.15	Vertical
2	2175.5	46.60	-46.33	26.70	-68.29	-13.00	55.29	Vertical
3	3322	46.93	-44.78	28.54	-64.57	-13.00	51.57	Vertical
4	5138.5	45.22	-42.39	31.73	-60.70	-13.00	47.70	Vertical
5	7459.5	42.25	-37.78	36.82	-53.97	-13.00	40.97	Vertical
6	9956	40.48	-34.93	38.66	-51.05	-13.00	38.05	Vertical

Test Band = SA_n26(824~849) _TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1445	46.53	-46.80	25.26	-70.27	-13.00	57.27	Horizontal
2	2352	46.93	-46.02	27.59	-66.76	-13.00	53.76	Horizontal
3	3762.5	46.20	-44.13	29.65	-63.54	-13.00	50.54	Horizontal
4	5580.5	44.62	-41.54	32.44	-59.74	-13.00	46.74	Horizontal
5	7419	42.80	-38.03	36.74	-53.75	-13.00	40.75	Horizontal
6	9888	41.04	-35.04	38.50	-50.76	-13.00	37.76	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1442.5	46.65	-46.79	25.24	-70.16	-13.00	57.16	Vertical
2	2432	46.88	-45.63	27.53	-66.48	-13.00	53.48	Vertical
3	3821	46.23	-44.14	29.76	-63.41	-13.00	50.41	Vertical
4	5611.5	44.63	-41.43	32.58	-59.48	-13.00	46.48	Vertical
5	7447	42.34	-37.71	36.79	-53.84	-13.00	40.84	Vertical
6	9880	40.40	-35.02	38.44	-51.44	-13.00	38.44	Vertical

Test Band = SA_n26(824~849) _TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1454.5	47.01	-46.82	25.26	-69.81	-13.00	56.81	Horizontal
2	2088	46.48	-46.33	26.68	-68.43	-13.00	55.43	Horizontal
3	3123.5	46.25	-45.04	28.81	-65.24	-13.00	52.24	Horizontal
4	5517	44.52	-41.74	32.33	-60.15	-13.00	47.15	Horizontal
5	7436	42.44	-37.84	36.77	-53.89	-13.00	40.89	Horizontal
6	9948.5	40.63	-34.91	38.65	-50.89	-13.00	37.89	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1441.5	46.87	-46.79	25.23	-69.95	-13.00	56.95	Vertical
2	2347	46.61	-46.03	27.57	-67.11	-13.00	54.11	Vertical
3	3813.5	46.00	-44.17	29.77	-63.66	-13.00	50.66	Vertical
4	5635	44.71	-41.47	32.53	-59.49	-13.00	46.49	Vertical
5	7409.5	42.74	-38.13	36.72	-53.93	-13.00	40.93	Vertical
6	9590.5	41.09	-35.34	37.80	-51.71	-13.00	38.71	Vertical

Test Band = SA_n38_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3850.5	47.10	-43.94	29.70	-62.40	-25.00	37.40	Horizontal
2	5764	45.13	-41.12	32.47	-58.78	-25.00	33.78	Horizontal
3	8433.5	42.92	-36.33	36.43	-52.24	-25.00	27.24	Horizontal
4	11328	43.09	-35.13	40.16	-47.14	-25.00	22.14	Horizontal
5	14676	41.40	-33.73	41.80	-45.79	-25.00	20.79	Horizontal
6	17976	40.39	-39.75	47.77	-46.85	-25.00	21.85	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3730	47.02	-44.00	29.48	-62.76	-25.00	37.76	Vertical
2	5964.5	44.38	-40.87	32.93	-58.82	-25.00	33.82	Vertical
3	8417	42.63	-36.46	36.47	-52.62	-25.00	27.62	Vertical
4	11299.5	42.82	-34.71	40.10	-47.05	-25.00	22.05	Vertical
5	14808.5	40.43	-32.55	41.55	-45.83	-25.00	20.83	Vertical
6	17990.5	39.96	-39.76	48.03	-47.03	-25.00	22.03	Vertical

Test Band = SA_n38_TM1**Test Channel = CH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3799.5	46.92	-43.84	29.80	-62.38	-25.00	37.38	Horizontal
2	6230.5	44.99	-40.05	33.32	-57.00	-25.00	32.00	Horizontal
3	9081.5	41.84	-35.41	36.82	-52.01	-25.00	27.01	Horizontal
4	12403.5	43.16	-34.33	39.77	-46.66	-25.00	21.66	Horizontal
5	14811.5	40.54	-32.58	41.53	-45.77	-25.00	20.77	Horizontal
6	17995.5	40.62	-39.77	48.12	-46.29	-25.00	21.29	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3733	47.45	-43.98	29.50	-62.29	-25.00	37.29	Vertical
2	5729.5	45.41	-41.21	32.50	-58.56	-25.00	33.56	Vertical
3	8436	42.66	-36.31	36.43	-52.48	-25.00	27.48	Vertical
4	11281	43.47	-35.11	40.12	-46.78	-25.00	21.78	Vertical
5	14806	40.50	-32.53	41.56	-45.73	-25.00	20.73	Vertical
6	17989.5	40.21	-39.76	48.01	-46.80	-25.00	21.80	Vertical

Test Band = SA_n38_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3983	46.60	-43.75	29.83	-62.58	-25.00	37.58	Horizontal
2	6100.5	44.23	-40.31	33.40	-57.94	-25.00	32.94	Horizontal
3	8948	42.03	-35.81	36.89	-52.15	-25.00	27.15	Horizontal
4	11294.5	43.23	-34.82	40.11	-46.74	-25.00	21.74	Horizontal
5	15284.5	40.47	-30.69	39.87	-45.61	-25.00	20.61	Horizontal
6	17988	40.41	-39.76	47.98	-46.63	-25.00	21.63	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3810.5	47.06	-43.86	29.78	-62.28	-25.00	37.28	Vertical
2	6038.5	45.42	-40.61	33.39	-57.06	-25.00	32.06	Vertical
3	9114.5	41.57	-35.25	37.03	-51.91	-25.00	26.91	Vertical
4	11792.5	42.73	-33.95	39.81	-46.67	-25.00	21.67	Vertical
5	15052.5	41.20	-32.63	40.49	-46.20	-25.00	21.20	Vertical
6	17986	40.78	-39.76	47.95	-46.29	-25.00	21.29	Vertical

Test Band = SA_n41_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3952.5	46.48	-43.74	29.90	-62.62	-25.00	37.62	Horizontal
2	5634.5	45.71	-41.36	32.53	-58.38	-25.00	33.38	Horizontal
3	8986	41.52	-35.46	36.76	-52.44	-25.00	27.44	Horizontal
4	11316.5	43.55	-34.95	40.13	-46.53	-25.00	21.53	Horizontal
5	14543	41.01	-33.51	41.56	-46.20	-25.00	21.20	Horizontal
6	17994	40.35	-39.77	48.09	-46.59	-25.00	21.59	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3853.5	46.94	-43.94	29.70	-62.56	-25.00	37.56	Vertical
2	5790.5	45.34	-41.08	32.42	-58.58	-25.00	33.58	Vertical
3	8400.5	42.87	-36.60	36.50	-52.49	-25.00	27.49	Vertical
4	11290.5	43.33	-34.90	40.11	-46.72	-25.00	21.72	Vertical
5	14800.5	40.28	-32.48	41.60	-45.86	-25.00	20.86	Vertical
6	17998	41.12	-39.77	48.16	-45.75	-25.00	20.75	Vertical

Test Band = SA_n41_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3824.5	47.07	-43.89	29.75	-62.33	-25.00	37.33	Horizontal
2	5666	45.37	-41.31	32.50	-58.70	-25.00	33.70	Horizontal
3	8441	42.79	-36.27	36.42	-52.32	-25.00	27.32	Horizontal
4	11296.5	43.56	-34.77	40.10	-46.37	-25.00	21.37	Horizontal
5	14805	40.52	-32.52	41.57	-45.69	-25.00	20.69	Horizontal
6	17884.5	41.70	-39.37	46.31	-46.62	-25.00	21.62	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3808.5	47.22	-43.86	29.78	-62.12	-25.00	37.12	Vertical
2	5616.5	45.31	-41.43	32.57	-58.81	-25.00	33.81	Vertical
3	7396	43.67	-38.03	36.68	-52.94	-25.00	27.94	Vertical
4	11292	43.41	-34.87	40.11	-46.61	-25.00	21.61	Vertical
5	14799.5	40.38	-32.51	41.60	-45.79	-25.00	20.79	Vertical
6	17987	40.72	-39.76	47.97	-46.33	-25.00	21.33	Vertical

Test Band = SA_n41_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3957	46.68	-43.74	29.89	-62.43	-25.00	37.43	Horizontal
2	6043.5	44.87	-40.60	33.44	-57.55	-25.00	32.55	Horizontal
3	9118	41.52	-35.24	37.04	-51.94	-25.00	26.94	Horizontal
4	11802	42.62	-33.85	39.80	-46.69	-25.00	21.69	Horizontal
5	14801	40.55	-32.49	41.59	-45.61	-25.00	20.61	Horizontal
6	18000	40.29	-39.77	48.20	-46.54	-25.00	21.54	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3939	46.58	-43.79	29.86	-62.61	-25.00	37.61	Vertical
2	5960	45.09	-40.89	32.92	-58.14	-25.00	33.14	Vertical
3	8857	41.70	-35.77	36.79	-52.54	-25.00	27.54	Vertical
4	11281.5	43.69	-35.10	40.12	-46.55	-25.00	21.55	Vertical
5	14807.5	40.54	-32.54	41.56	-45.70	-25.00	20.70	Vertical
6	17982.5	40.67	-39.76	47.89	-46.46	-25.00	21.46	Vertical

Test Band = SA_n66_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3945.5	46.63	-43.76	29.88	-62.51	-13.00	49.51	Horizontal
2	5900.5	44.79	-40.83	32.80	-58.50	-13.00	45.50	Horizontal
3	8398.5	43.02	-36.60	36.49	-52.35	-13.00	39.35	Horizontal
4	11803.5	43.13	-33.89	39.80	-46.22	-13.00	33.22	Horizontal
5	15282.5	40.24	-30.68	39.87	-45.83	-13.00	32.83	Horizontal
6	17987	40.73	-39.76	47.97	-46.32	-13.00	33.32	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3835	47.24	-43.91	29.73	-62.20	-13.00	49.20	Vertical
2	5746	45.19	-41.15	32.50	-58.72	-13.00	45.72	Vertical
3	7964.5	42.90	-36.97	36.40	-52.93	-13.00	39.93	Vertical
4	11301.5	43.80	-34.72	40.10	-46.08	-13.00	33.08	Vertical
5	14673.5	41.41	-33.70	41.79	-45.76	-13.00	32.76	Vertical
6	17985	40.93	-39.76	47.93	-46.16	-13.00	33.16	Vertical

Test Band = SA_n66_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3927	47.16	-43.85	29.81	-62.14	-13.00	49.14	Horizontal
2	6047	44.83	-40.59	33.47	-57.55	-13.00	44.55	Horizontal
3	9126.5	41.54	-35.22	37.05	-51.89	-13.00	38.89	Horizontal
4	12400	43.05	-34.34	39.80	-46.75	-13.00	33.75	Horizontal
5	15281.5	40.12	-30.68	39.86	-45.96	-13.00	32.96	Horizontal
6	17990	40.77	-39.76	48.02	-46.23	-13.00	33.23	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3814.5	46.50	-43.87	29.77	-62.86	-13.00	49.86	Vertical
2	5605	45.85	-41.47	32.59	-58.29	-13.00	45.29	Vertical
3	7454	43.41	-37.74	36.81	-52.78	-13.00	39.78	Vertical
4	11095	42.46	-34.72	40.20	-47.32	-13.00	34.32	Vertical
5	14804	40.46	-32.51	41.58	-45.73	-13.00	32.73	Vertical
6	17989	40.57	-39.76	48.00	-46.45	-13.00	33.45	Vertical

Test Band = SA_n66_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3807.5	46.72	-43.86	29.79	-62.61	-13.00	49.61	Horizontal
2	5501.5	45.64	-41.45	32.39	-58.68	-13.00	45.68	Horizontal
3	7486.5	43.62	-37.98	36.87	-52.75	-13.00	39.75	Horizontal
4	11335	43.58	-35.23	40.17	-46.74	-13.00	33.74	Horizontal
5	14804.5	40.93	-32.52	41.57	-45.28	-13.00	32.28	Horizontal
6	17992.5	40.86	-39.76	48.07	-46.09	-13.00	33.09	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3937.5	46.90	-43.80	29.85	-62.31	-13.00	49.31	Vertical
2	5731.5	45.29	-41.21	32.50	-58.68	-13.00	45.68	Vertical
3	7853	43.23	-37.56	36.78	-52.81	-13.00	39.81	Vertical
4	11287	43.52	-34.98	40.11	-46.61	-13.00	33.61	Vertical
5	14803.5	40.60	-32.51	41.58	-45.59	-13.00	32.59	Vertical
6	17989	40.45	-39.76	48.00	-46.57	-13.00	33.57	Vertical

Test Band = SA_n70_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3791.5	46.74	-43.84	29.77	-62.59	-13.00	49.59	Horizontal
2	5599	45.74	-41.49	32.59	-58.42	-13.00	45.42	Horizontal
3	7411	43.74	-37.94	36.72	-52.74	-13.00	39.74	Horizontal
4	11277	43.81	-35.19	40.12	-46.52	-13.00	33.52	Horizontal
5	14799.5	40.68	-32.51	41.60	-45.49	-13.00	32.49	Horizontal
6	17997	40.29	-39.77	48.15	-46.59	-13.00	33.59	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3930.5	46.99	-43.83	29.82	-62.28	-13.00	49.28	Vertical
2	6022.5	44.81	-40.65	33.23	-57.87	-13.00	44.87	Vertical
3	9120.5	42.49	-35.23	37.04	-50.96	-13.00	37.96	Vertical
4	11959	43.74	-34.62	39.72	-46.42	-13.00	33.42	Vertical
5	14613	42.08	-33.94	41.55	-45.57	-13.00	32.57	Vertical
6	17989.5	40.38	-39.76	48.01	-46.63	-13.00	33.63	Vertical

Test Band = SA_n70_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.5	47.05	-43.91	29.56	-62.56	-13.00	49.56	Horizontal
2	5404	45.36	-41.81	32.48	-59.23	-13.00	46.23	Horizontal
3	7500	43.36	-38.08	36.90	-53.08	-13.00	40.08	Horizontal
4	11290.5	43.67	-34.90	40.11	-46.38	-13.00	33.38	Horizontal
5	14801.5	41.14	-32.49	41.59	-45.02	-13.00	32.02	Horizontal
6	17867	41.71	-39.31	46.20	-46.66	-13.00	33.66	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3839.5	46.81	-43.92	29.72	-62.65	-13.00	49.65	Vertical
2	6049	44.98	-40.58	33.49	-57.37	-13.00	44.37	Vertical
3	8475	42.52	-36.13	36.45	-52.42	-13.00	39.42	Vertical
4	11362	44.01	-35.39	40.22	-46.42	-13.00	33.42	Vertical
5	14806.5	41.05	-32.53	41.56	-45.18	-13.00	32.18	Vertical
6	17996.5	40.44	-39.77	48.14	-46.45	-13.00	33.45	Vertical

Test Band = SA_n70_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3801	47.38	-43.84	29.80	-61.92	-13.00	48.92	Horizontal
2	5409.5	45.23	-41.80	32.44	-59.39	-13.00	46.39	Horizontal
3	7402.5	43.53	-38.00	36.71	-53.02	-13.00	40.02	Horizontal
4	11300	43.23	-34.70	40.10	-46.63	-13.00	33.63	Horizontal
5	14802.5	41.60	-32.50	41.59	-44.57	-13.00	31.57	Horizontal
6	17989.5	40.48	-39.76	48.01	-46.53	-13.00	33.53	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3797.5	46.75	-43.84	29.79	-62.56	-13.00	49.56	Vertical
2	5724	45.86	-41.23	32.50	-58.13	-13.00	45.13	Vertical
3	8453	42.87	-36.19	36.41	-52.17	-13.00	39.17	Vertical
4	11326	43.51	-35.10	40.15	-46.70	-13.00	33.70	Vertical
5	14805	41.16	-32.52	41.57	-45.05	-13.00	32.05	Vertical
6	17992.5	40.76	-39.76	48.07	-46.19	-13.00	33.19	Vertical

Test Band = SA_n71_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1327	48.37	-47.15	24.87	-69.17	-13.00	56.17	Horizontal
2	2004.5	46.69	-46.27	26.48	-68.36	-13.00	55.36	Horizontal
3	2947	46.86	-45.06	28.29	-65.17	-13.00	52.17	Horizontal
4	5530.5	45.28	-41.74	32.28	-59.44	-13.00	46.44	Horizontal
5	7441.5	42.72	-37.78	36.78	-53.54	-13.00	40.54	Horizontal
6	9885	41.54	-35.03	38.48	-50.27	-13.00	37.27	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1125	47.23	-47.27	24.40	-70.90	-13.00	57.90	Vertical
2	1859	47.12	-46.72	25.56	-69.30	-13.00	56.30	Vertical
3	2769.5	46.52	-45.30	28.18	-65.86	-13.00	52.86	Vertical
4	4176	45.77	-43.71	29.50	-63.70	-13.00	50.70	Vertical
5	6853	44.22	-39.37	35.59	-54.82	-13.00	41.82	Vertical
6	9784.5	41.21	-34.97	38.44	-50.58	-13.00	37.58	Vertical

Test Band = SA_n71_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1342	50.01	-47.12	25.02	-67.35	-13.00	54.35	Horizontal
2	2060.5	47.20	-46.33	26.41	-67.98	-13.00	54.98	Horizontal
3	3264.5	46.39	-44.55	28.57	-64.85	-13.00	51.85	Horizontal
4	5153.5	45.18	-42.31	31.81	-60.58	-13.00	47.58	Horizontal
5	7467.5	42.82	-37.86	36.84	-53.46	-13.00	40.46	Horizontal
6	9984	41.39	-35.01	38.68	-50.20	-13.00	37.20	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1163	47.59	-47.38	24.53	-70.52	-13.00	57.52	Vertical
2	1995	47.15	-46.27	26.40	-67.98	-13.00	54.98	Vertical
3	3122	46.57	-45.04	28.81	-64.92	-13.00	51.92	Vertical
4	5261	45.52	-42.19	31.67	-60.26	-13.00	47.26	Vertical
5	7377.5	43.32	-38.29	36.61	-53.62	-13.00	40.62	Vertical
6	9993	41.32	-35.04	38.69	-50.29	-13.00	37.29	Vertical

Test Band = SA_n71_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1357	50.38	-47.05	25.07	-66.86	-13.00	53.86	Horizontal
2	2068	46.72	-46.33	26.48	-68.39	-13.00	55.39	Horizontal
3	3109	46.62	-45.07	28.86	-64.85	-13.00	51.85	Horizontal
4	4816.5	45.75	-42.81	30.73	-61.59	-13.00	48.59	Horizontal
5	7417	42.95	-38.05	36.73	-53.63	-13.00	40.63	Horizontal
6	9912	41.38	-35.02	38.61	-50.29	-13.00	37.29	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1456.5	47.08	-46.84	25.25	-69.77	-13.00	56.77	Vertical
2	2083	47.09	-46.33	26.63	-67.87	-13.00	54.87	Vertical
3	3062	46.77	-45.30	28.82	-64.97	-13.00	51.97	Vertical
4	4671	45.49	-43.06	30.37	-62.46	-13.00	49.46	Vertical
5	7446	42.51	-37.72	36.79	-53.68	-13.00	40.68	Vertical
6	9938	41.11	-34.95	38.64	-50.46	-13.00	37.46	Vertical

Test Band = SA_n77(3450-3550) _TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7430.3965	42.90	-38.36	36.76	-53.96	-13.00	40.96	Horizontal
2	9602.8551	41.88	-35.85	37.82	-51.41	-13.00	38.41	Horizontal
3	11239.962	43.36	-35.81	40.16	-47.55	-13.00	34.55	Horizontal
4	14738.4369	40.18	-30.55	41.78	-43.85	-13.00	30.85	Horizontal
5	16437.6469	40.40	-28.36	38.99	-44.23	-13.00	31.23	Horizontal
6	17901.0951	41.44	-39.44	46.42	-46.84	-13.00	33.84	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7411.4206	43.21	-38.46	36.72	-53.79	-13.00	40.79	Vertical
2	10015.7258	41.62	-35.21	38.72	-50.13	-13.00	37.13	Vertical
3	11908.1454	43.77	-35.37	39.88	-46.98	-13.00	33.98	Vertical
4	14751.6626	39.95	-30.16	41.75	-43.72	-13.00	30.72	Vertical
5	16445.1223	40.61	-28.27	39.03	-43.89	-13.00	30.89	Vertical
6	17970.0985	40.62	-39.75	47.66	-46.73	-13.00	33.73	Vertical

Test Band = SA_n77(3700-3980) _TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7432.1216	42.96	-38.35	36.76	-53.89	-13.00	40.89	Horizontal
2	10077.2539	41.84	-35.31	38.78	-49.95	-13.00	36.95	Horizontal
3	11919.646	43.47	-35.22	39.84	-47.17	-13.00	34.17	Horizontal
4	14778.1139	40.57	-30.73	41.67	-43.75	-13.00	30.75	Horizontal
5	16395.6698	40.97	-28.82	38.79	-44.32	-13.00	31.32	Horizontal
6	17971.8236	40.66	-39.75	47.69	-46.66	-13.00	33.66	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7501.1251	43.11	-38.53	36.89	-53.79	-13.00	40.79	Vertical
2	10035.2768	41.42	-35.07	38.74	-50.17	-13.00	37.17	Vertical
3	11806.9403	42.98	-34.71	39.81	-47.18	-13.00	34.18	Vertical
4	14724.6362	40.95	-31.07	41.83	-43.55	-13.00	30.55	Vertical
5	16447.9974	39.89	-28.23	39.04	-44.56	-13.00	31.56	Vertical
6	17971.2486	40.44	-39.75	47.68	-46.89	-13.00	33.89	Vertical

Test Band = SA_n77(3700-3980) _TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7411.9956	43.26	-38.46	36.72	-53.74	-13.00	40.74	Horizontal
2	9118.1059	41.53	-35.57	37.04	-52.26	-13.00	39.26	Horizontal
3	11301.4901	43.14	-35.26	40.10	-47.28	-13.00	34.28	Horizontal
4	14025.9763	42.51	-32.53	41.36	-43.92	-13.00	30.92	Horizontal
5	16495.1498	40.83	-29.29	39.28	-44.44	-13.00	31.44	Horizontal
6	17964.9232	40.39	-39.74	47.57	-47.04	-13.00	34.04	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7378.6439	43.26	-38.58	36.61	-53.97	-13.00	40.97	Vertical
2	9992.1496	41.90	-35.36	38.69	-50.03	-13.00	37.03	Vertical
3	11912.7456	43.68	-35.31	39.86	-47.03	-13.00	34.03	Vertical
4	14754.5377	40.11	-30.22	41.74	-43.63	-13.00	30.63	Vertical
5	16438.7969	40.08	-28.34	38.99	-44.53	-13.00	31.53	Vertical
6	17970.6735	40.50	-39.75	47.67	-46.84	-13.00	33.84	Vertical

Test Band = SA_n77(3700-3980) _TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7052.0276	43.63	-39.22	36.19	-54.66	-13.00	41.66	Horizontal
2	9118.6809	41.36	-35.58	37.04	-52.44	-13.00	39.44	Horizontal
3	11279.064	43.42	-35.50	40.12	-47.22	-13.00	34.22	Horizontal
4	14035.1768	42.19	-32.38	41.41	-44.04	-13.00	31.04	Horizontal
5	16448.5724	40.27	-28.23	39.04	-44.18	-13.00	31.18	Horizontal
6	17967.2234	40.92	-39.74	47.61	-46.47	-13.00	33.47	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7367.1434	43.90	-38.62	36.57	-53.41	-13.00	40.41	Vertical
2	9972.0236	42.13	-35.47	38.67	-49.93	-13.00	36.93	Vertical
3	11913.8957	43.25	-35.30	39.86	-47.45	-13.00	34.45	Vertical
4	14778.1139	40.52	-30.73	41.67	-43.80	-13.00	30.80	Vertical
5	16354.8427	40.93	-28.92	38.66	-44.59	-13.00	31.59	Vertical
6	17969.5235	40.44	-39.75	47.65	-46.92	-13.00	33.92	Vertical

Test Band = SA_n78(3450-3550) _TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7431.5466	42.99	-38.35	36.76	-53.86	-13.00	40.86	Horizontal
2	9079.004	42.20	-35.76	36.79	-52.03	-13.00	39.03	Horizontal
3	11336.5668	43.35	-35.55	40.17	-47.29	-13.00	34.29	Horizontal
4	14780.414	40.49	-30.78	41.66	-43.89	-13.00	30.89	Horizontal
5	16387.0444	40.89	-28.84	38.76	-44.45	-13.00	31.45	Horizontal
6	17990.2245	40.11	-39.76	48.02	-46.89	-13.00	33.89	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7503.4252	42.91	-38.53	36.87	-54.01	-13.00	41.01	Vertical
2	9653.4577	41.03	-35.45	38.11	-51.57	-13.00	38.57	Vertical
3	11290.5645	43.16	-35.36	40.11	-47.35	-13.00	34.35	Vertical
4	14043.8022	42.24	-32.23	41.46	-43.79	-13.00	30.79	Vertical
5	16434.7717	40.67	-28.39	38.97	-44.01	-13.00	31.01	Vertical
6	17968.3734	40.43	-39.74	47.63	-46.94	-13.00	33.94	Vertical

Test Band = SA_n78(3700-3800) _TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7417.7459	43.13	-38.42	36.74	-53.81	-13.00	40.81	Horizontal
2	10011.1256	41.60	-35.24	38.71	-50.19	-13.00	37.19	Horizontal
3	11926.5463	43.23	-35.13	39.82	-47.34	-13.00	34.34	Horizontal
4	14749.9375	39.85	-30.12	41.75	-43.78	-13.00	30.78	Horizontal
5	16434.1967	40.37	-28.40	38.97	-44.32	-13.00	31.32	Horizontal
6	17967.2234	40.30	-39.74	47.61	-47.09	-13.00	34.09	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7462.0231	42.75	-38.32	36.82	-54.01	-13.00	41.01	Vertical
2	10035.8518	41.39	-35.06	38.74	-50.19	-13.00	37.19	Vertical
3	11936.3218	43.16	-35.01	39.79	-47.32	-13.00	34.32	Vertical
4	14749.9375	40.25	-30.12	41.75	-43.38	-13.00	30.38	Vertical
5	16477.8989	40.55	-28.88	39.19	-44.40	-13.00	31.40	Vertical
6	17986.7743	40.11	-39.76	47.96	-46.95	-13.00	33.95	Vertical

Test Band = SA_n48_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7377.5	43.67	-38.59	36.61	-53.57	-40.00	13.57	Horizontal
2	9125	41.73	-35.62	37.05	-52.10	-40.00	12.10	Horizontal
3	11263	43.65	-35.69	40.14	-47.16	-40.00	7.16	Horizontal
4	14030	42.29	-32.46	41.38	-44.05	-40.00	4.05	Horizontal
5	16433.5	40.41	-28.41	38.97	-44.29	-40.00	4.29	Horizontal
6	17968.5	40.64	-39.74	47.63	-46.73	-40.00	6.73	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7497.5	43.17	-38.52	36.90	-53.71	-40.00	13.71	Vertical
2	10008	41.70	-35.26	38.71	-50.11	-40.00	10.11	Vertical
3	11324	43.58	-35.45	40.15	-46.98	-40.00	6.98	Vertical
4	14031	42.27	-32.45	41.39	-44.05	-40.00	4.05	Vertical
5	16486.5	40.81	-29.09	39.23	-44.31	-40.00	4.31	Vertical
6	17963	40.93	-39.74	47.53	-46.54	-40.00	6.54	Vertical

Test Band = SA_n48_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7401.5	43.31	-38.51	36.70	-53.76	-40.00	13.76	Horizontal
2	9664	41.45	-35.59	38.13	-51.27	-40.00	11.27	Horizontal
3	11326.5	43.37	-35.47	40.15	-47.21	-40.00	7.21	Horizontal
4	14042	41.92	-32.26	41.45	-44.15	-40.00	4.15	Horizontal
5	16488	41.38	-29.12	39.24	-43.76	-40.00	3.76	Horizontal
6	17974	40.53	-39.75	47.73	-46.75	-40.00	6.75	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7428.5	43.10	-38.37	36.76	-53.77	-40.00	13.77	Vertical
2	9124	41.80	-35.61	37.05	-52.02	-40.00	12.02	Vertical
3	11354	43.50	-35.62	40.21	-47.17	-40.00	7.17	Vertical
4	14034.5	42.08	-32.39	41.41	-44.16	-40.00	4.16	Vertical
5	16413	40.80	-28.65	38.87	-44.24	-40.00	4.24	Vertical
6	17965	40.83	-39.74	47.57	-46.60	-40.00	6.60	Vertical

Test Band = SA_n48_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7445.5	42.93	-38.27	36.79	-53.81	-40.00	13.81	Horizontal
2	9119	41.60	-35.58	37.04	-52.20	-40.00	12.20	Horizontal
3	11277.5	43.78	-35.52	40.12	-46.88	-40.00	6.88	Horizontal
4	14040.5	42.37	-32.29	41.44	-43.74	-40.00	3.74	Horizontal
5	16478.5	40.77	-28.89	39.19	-44.19	-40.00	4.19	Horizontal
6	17971	40.54	-39.75	47.68	-46.79	-40.00	6.79	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7485	42.99	-38.45	36.87	-53.85	-40.00	13.85	Vertical
2	9613	41.72	-35.76	37.88	-51.42	-40.00	11.42	Vertical
3	11916	43.67	-35.27	39.85	-47.01	-40.00	7.01	Vertical
4	14036	42.29	-32.36	41.42	-43.91	-40.00	3.91	Vertical
5	16445.5	40.44	-28.26	39.03	-44.05	-40.00	4.05	Vertical
6	17964	40.95	-39.74	47.55	-46.50	-40.00	6.50	Vertical