

Field Strength of Spurious Radiation

Test Band = NSA_DC_5A_n2A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3204	46.47	-43.90	28.42	-64.27	-13.00	51.27	Horizontal
2	5035	45.76	-42.43	31.48	-60.45	-13.00	47.45	Horizontal
3	7415	43.70	-37.92	36.73	-52.75	-13.00	39.75	Horizontal
4	11287	43.31	-34.98	40.11	-46.82	-13.00	33.82	Horizontal
5	14808	40.82	-32.55	41.55	-45.44	-13.00	32.44	Horizontal
6	17992	40.30	-39.76	48.06	-46.66	-13.00	33.66	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3832.5	47.00	-43.91	29.74	-62.43	-13.00	49.43	Vertical
2	5515.5	45.52	-41.51	32.34	-58.91	-13.00	45.91	Vertical
3	7509	43.63	-38.07	36.81	-52.89	-13.00	39.89	Vertical
4	11285.5	43.90	-35.01	40.11	-46.26	-13.00	33.26	Vertical
5	14804.5	40.41	-32.52	41.57	-45.80	-13.00	32.80	Vertical
6	17968	41.19	-39.74	47.62	-46.19	-13.00	33.19	Vertical

Test Band = NSA_DC_5A_n2A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3509	47.00	-44.39	29.08	-63.57	-13.00	50.57	Horizontal
2	5251.5	46.01	-42.00	31.61	-59.64	-13.00	46.64	Horizontal
3	7503	44.45	-38.08	36.87	-52.02	-13.00	39.02	Horizontal
4	11285	43.49	-35.02	40.12	-46.67	-13.00	33.67	Horizontal
5	14809.5	40.77	-32.56	41.54	-45.51	-13.00	32.51	Horizontal
6	17991	40.57	-39.76	48.04	-46.41	-13.00	33.41	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3953	46.71	-43.74	29.89	-62.40	-13.00	49.40	Vertical
2	6051.5	45.61	-40.57	33.50	-56.72	-13.00	43.72	Vertical
3	8474.5	42.78	-36.13	36.45	-52.16	-13.00	39.16	Vertical
4	11320.5	43.61	-35.01	40.14	-46.52	-13.00	33.52	Vertical
5	14807	41.08	-32.54	41.56	-45.16	-13.00	32.16	Vertical
6	17989	40.63	-39.76	48.00	-46.39	-13.00	33.39	Vertical

Test Band = NSA_DC_5A_n2A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3801	47.08	-43.84	29.80	-62.22	-13.00	49.22	Horizontal
2	6053.5	44.47	-40.56	33.49	-57.86	-13.00	44.86	Horizontal
3	8398.5	42.72	-36.60	36.49	-52.65	-13.00	39.65	Horizontal
4	11118.5	43.29	-34.80	40.20	-46.57	-13.00	33.57	Horizontal
5	14804.5	40.65	-32.52	41.57	-45.56	-13.00	32.56	Horizontal
6	17986.5	40.50	-39.76	47.96	-46.56	-13.00	33.56	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3944.5	46.90	-43.77	29.88	-62.25	-13.00	49.25	Vertical
2	6219.5	44.68	-40.02	33.38	-57.22	-13.00	44.22	Vertical
3	8392	43.08	-36.59	36.47	-52.30	-13.00	39.30	Vertical
4	11827.5	43.38	-34.49	39.83	-46.54	-13.00	33.54	Vertical
5	14803.5	40.78	-32.51	41.58	-45.41	-13.00	32.41	Vertical
6	17987.5	40.89	-39.76	47.98	-46.15	-13.00	33.15	Vertical

Test Band = NSA_DC_2A_n5A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3938.5	46.75	-43.80	29.85	-62.46	-13.00	49.46	Horizontal
2	5742	45.22	-41.17	32.50	-58.71	-13.00	45.71	Horizontal
3	7898.5	43.43	-37.31	36.51	-52.63	-13.00	39.63	Horizontal
4	11823.5	43.23	-34.39	39.82	-46.60	-13.00	33.60	Horizontal
5	14802.5	40.85	-32.50	41.59	-45.32	-13.00	32.32	Horizontal
6	17972.5	40.93	-39.75	47.71	-46.37	-13.00	33.37	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3839	47.07	-43.92	29.72	-62.39	-13.00	49.39	Vertical
2	5664.5	45.42	-41.31	32.50	-58.65	-13.00	45.65	Vertical
3	8453.5	42.61	-36.19	36.41	-52.43	-13.00	39.43	Vertical
4	11297.5	43.56	-34.75	40.10	-46.35	-13.00	33.35	Vertical
5	14804	40.55	-32.51	41.58	-45.64	-13.00	32.64	Vertical
6	17986.5	40.57	-39.76	47.96	-46.49	-13.00	33.49	Vertical

Test Band = NSA_DC_2A_n5A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3941	46.69	-43.78	29.86	-62.49	-13.00	49.49	Horizontal
2	5963.5	45.07	-40.88	32.93	-58.14	-13.00	45.14	Horizontal
3	8469.5	42.35	-36.14	36.44	-52.61	-13.00	39.61	Horizontal
4	11327.5	43.98	-35.12	40.16	-46.24	-13.00	33.24	Horizontal
5	14804.5	40.55	-32.52	41.57	-45.66	-13.00	32.66	Horizontal
6	17996	40.88	-39.77	48.13	-46.02	-13.00	33.02	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3954	46.44	-43.74	29.89	-62.67	-13.00	49.67	Vertical
2	6004	45.41	-40.70	33.04	-57.51	-13.00	44.51	Vertical
3	8463.5	42.46	-36.16	36.43	-52.53	-13.00	39.53	Vertical
4	11974.5	43.94	-34.73	39.68	-46.37	-13.00	33.37	Vertical
5	14808	40.76	-32.55	41.55	-45.50	-13.00	32.50	Vertical
6	17988.5	40.63	-39.76	47.99	-46.40	-13.00	33.40	Vertical

Test Band = NSA_DC_2A_n5A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3836	47.03	-43.91	29.73	-62.41	-13.00	49.41	Horizontal
2	5384.5	45.67	-41.82	32.41	-59.00	-13.00	46.00	Horizontal
3	8466	42.51	-36.15	36.43	-52.47	-13.00	39.47	Horizontal
4	11318.5	43.46	-34.98	40.14	-46.64	-13.00	33.64	Horizontal
5	14798.5	40.98	-32.56	41.60	-45.24	-13.00	32.24	Horizontal
6	17994.5	40.64	-39.77	48.10	-46.29	-13.00	33.29	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3796	46.63	-43.84	29.78	-62.69	-13.00	49.69	Vertical
2	5710	45.41	-41.28	32.50	-58.63	-13.00	45.63	Vertical
3	7389.5	43.78	-38.05	36.66	-52.87	-13.00	39.87	Vertical
4	11300.5	43.46	-34.71	40.10	-46.41	-13.00	33.41	Vertical
5	14804.5	40.52	-32.52	41.57	-45.69	-13.00	32.69	Vertical
6	17995	40.71	-39.77	48.11	-46.21	-13.00	33.21	Vertical

Test Band = NSA_DC_26A(824~849)_n41A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3835	46.70	-43.91	29.73	-62.74	-25.00	37.74	Horizontal
2	5694.5	45.20	-41.32	32.50	-58.88	-25.00	33.88	Horizontal
3	7403	43.81	-37.99	36.71	-52.73	-25.00	27.73	Horizontal
4	10978	41.87	-34.31	40.12	-47.58	-25.00	22.58	Horizontal
5	13426	42.84	-33.10	39.68	-45.84	-25.00	20.84	Horizontal
6	17986	40.67	-39.76	47.95	-46.40	-25.00	21.40	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3970	47.01	-43.74	29.86	-62.13	-25.00	37.13	Vertical
2	6216	44.53	-40.01	33.40	-57.34	-25.00	32.34	Vertical
3	9645.5	41.33	-34.73	38.07	-50.59	-25.00	25.59	Vertical
4	13168	42.37	-32.91	39.50	-46.30	-25.00	21.30	Vertical
5	15282	40.40	-30.68	39.86	-45.68	-25.00	20.68	Vertical
6	17988.5	40.71	-39.76	47.99	-46.32	-25.00	21.32	Vertical

Test Band = NSA_DC_26A(824~849)_n41A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3948	46.44	-43.75	29.89	-62.68	-25.00	37.68	Horizontal
2	5719.5	45.23	-41.25	32.50	-58.78	-25.00	33.78	Horizontal
3	8372.5	42.94	-36.57	36.39	-52.50	-25.00	27.50	Horizontal
4	11300.5	43.28	-34.71	40.10	-46.59	-25.00	21.59	Horizontal
5	14800	40.80	-32.48	41.60	-45.34	-25.00	20.34	Horizontal
6	17989	40.89	-39.76	48.00	-46.13	-25.00	21.13	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3926.5	47.30	-43.85	29.81	-62.00	-25.00	37.00	Vertical
2	6042.5	44.88	-40.60	33.43	-57.55	-25.00	32.55	Vertical
3	8412	43.29	-36.50	36.48	-51.99	-25.00	26.99	Vertical
4	11795	42.87	-33.90	39.81	-46.48	-25.00	21.48	Vertical
5	14799.5	40.73	-32.51	41.60	-45.44	-25.00	20.44	Vertical
6	17996.5	40.47	-39.77	48.14	-46.42	-25.00	21.42	Vertical

Test Band = NSA_DC_26A(824~849)_n41A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3781.5	46.63	-43.85	29.73	-62.75	-25.00	37.75	Horizontal
2	6041	44.85	-40.60	33.41	-57.60	-25.00	32.60	Horizontal
3	9108	42.49	-35.26	37.02	-51.01	-25.00	26.01	Horizontal
4	11971	43.96	-34.71	39.69	-46.32	-25.00	21.32	Horizontal
5	14801.5	41.13	-32.49	41.59	-45.03	-25.00	20.03	Horizontal
6	17971.5	41.00	-39.75	47.69	-46.32	-25.00	21.32	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3815	46.84	-43.87	29.77	-62.52	-25.00	37.52	Vertical
2	5917	45.17	-40.87	32.83	-58.13	-25.00	33.13	Vertical
3	9007.5	42.01	-35.38	36.67	-51.96	-25.00	26.96	Vertical
4	11284	43.61	-35.04	40.12	-46.57	-25.00	21.57	Vertical
5	14803.5	40.49	-32.51	41.58	-45.70	-25.00	20.70	Vertical
6	17993	40.58	-39.76	48.07	-46.37	-25.00	21.37	Vertical

Test Band = NSA_DC_12A_n66A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3421.5	51.12	-44.29	28.73	-59.70	-13.00	46.70	Horizontal
2	5137.5	45.81	-42.24	31.73	-59.96	-13.00	46.96	Horizontal
3	7418.5	43.65	-37.90	36.74	-52.77	-13.00	39.77	Horizontal
4	11291	43.39	-34.89	40.11	-46.65	-13.00	33.65	Horizontal
5	14805	41.03	-32.52	41.57	-45.18	-13.00	32.18	Horizontal
6	17853.5	41.59	-39.26	46.12	-46.81	-13.00	33.81	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3421.5	53.11	-44.29	28.73	-57.71	-13.00	44.71	Vertical
2	5141.5	46.08	-42.22	31.75	-59.65	-13.00	46.65	Vertical
3	7390.5	43.88	-38.05	36.66	-52.77	-13.00	39.77	Vertical
4	11304	43.40	-34.76	40.11	-46.51	-13.00	33.51	Vertical
5	14806.5	40.55	-32.53	41.56	-45.68	-13.00	32.68	Vertical
6	17989.5	40.38	-39.76	48.01	-46.63	-13.00	33.63	Vertical

Test Band = NSA_DC_12A_n66A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3451	48.95	-44.28	28.90	-61.69	-13.00	48.69	Horizontal
2	5148	46.74	-42.20	31.79	-58.93	-13.00	45.93	Horizontal
3	7498	44.04	-38.07	36.90	-52.39	-13.00	39.39	Horizontal
4	11294.5	43.22	-34.82	40.11	-46.75	-13.00	33.75	Horizontal
5	14807.5	40.81	-32.54	41.56	-45.43	-13.00	32.43	Horizontal
6	17990.5	40.74	-39.76	48.03	-46.25	-13.00	33.25	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3451	52.74	-44.28	28.90	-57.90	-13.00	44.90	Vertical
2	5208	45.53	-41.99	31.85	-59.87	-13.00	46.87	Vertical
3	7429.5	43.23	-37.83	36.76	-53.10	-13.00	40.10	Vertical
4	11256.5	44.44	-35.63	40.14	-46.31	-13.00	33.31	Vertical
5	14808	40.36	-32.55	41.55	-45.90	-13.00	32.90	Vertical
6	17990	40.73	-39.76	48.02	-46.27	-13.00	33.27	Vertical

Test Band = NSA_DC_12A_n66A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3481.5	47.76	-44.34	29.03	-62.81	-13.00	49.81	Horizontal
2	5090.5	46.26	-42.38	31.52	-59.86	-13.00	46.86	Horizontal
3	7427.5	43.47	-37.85	36.76	-52.88	-13.00	39.88	Horizontal
4	11280.5	43.56	-35.12	40.12	-46.70	-13.00	33.70	Horizontal
5	14677.5	41.70	-33.75	41.81	-45.50	-13.00	32.50	Horizontal
6	17780	41.33	-38.52	45.62	-46.83	-13.00	33.83	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3481.5	50.71	-44.34	29.03	-59.86	-13.00	46.86	Vertical
2	5170.5	46.13	-42.11	31.84	-59.40	-13.00	46.40	Vertical
3	7407	43.63	-37.97	36.71	-52.89	-13.00	39.89	Vertical
4	11338.5	43.46	-35.29	40.18	-46.91	-13.00	33.91	Vertical
5	14802.5	40.94	-32.50	41.59	-45.23	-13.00	32.23	Vertical
6	17992	40.48	-39.76	48.06	-46.48	-13.00	33.48	Vertical

Test Band = NSA_DC_2A_n71A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3834	47.26	-43.91	29.73	-62.18	-13.00	49.18	Horizontal
2	5710.5	45.48	-41.28	32.50	-58.56	-13.00	45.56	Horizontal
3	8457.5	42.50	-36.18	36.42	-52.52	-13.00	39.52	Horizontal
4	11285	43.58	-35.02	40.12	-46.58	-13.00	33.58	Horizontal
5	14615.5	41.66	-33.91	41.56	-45.95	-13.00	32.95	Horizontal
6	17987.5	40.37	-39.76	47.98	-46.67	-13.00	33.67	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3798.5	46.88	-43.84	29.79	-62.43	-13.00	49.43	Vertical
2	5653	45.61	-41.30	32.50	-58.45	-13.00	45.45	Vertical
3	8494	42.45	-36.07	36.49	-52.39	-13.00	39.39	Vertical
4	11284	43.50	-35.04	40.12	-46.68	-13.00	33.68	Vertical
5	14675.5	41.69	-33.73	41.80	-45.50	-13.00	32.50	Vertical
6	17987	40.71	-39.76	47.97	-46.34	-13.00	33.34	Vertical

Test Band = NSA_DC_2A_n71A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3841.5	46.94	-43.92	29.72	-62.52	-13.00	49.52	Horizontal
2	5661	45.17	-41.30	32.50	-58.89	-13.00	45.89	Horizontal
3	7504.5	44.19	-38.08	36.86	-52.29	-13.00	39.29	Horizontal
4	11306	43.30	-34.79	40.11	-46.64	-13.00	33.64	Horizontal
5	14802.5	40.51	-32.50	41.59	-45.66	-13.00	32.66	Horizontal
6	17991.5	40.29	-39.76	48.05	-46.68	-13.00	33.68	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3953.5	47.15	-43.74	29.89	-61.96	-13.00	48.96	Vertical
2	6061	44.40	-40.52	33.48	-57.90	-13.00	44.90	Vertical
3	9114.5	41.63	-35.25	37.03	-51.85	-13.00	38.85	Vertical
4	11801	42.82	-33.83	39.80	-46.47	-13.00	33.47	Vertical
5	14678.5	41.62	-33.76	41.81	-45.59	-13.00	32.59	Vertical
6	17997	40.27	-39.77	48.15	-46.61	-13.00	33.61	Vertical

Test Band = NSA_DC_2A_n71A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3831	46.94	-43.90	29.74	-62.48	-13.00	49.48	Horizontal
2	6205	44.29	-39.98	33.47	-57.48	-13.00	44.48	Horizontal
3	8980	41.76	-35.52	36.78	-52.24	-13.00	39.24	Horizontal
4	11284.5	43.83	-35.03	40.12	-46.34	-13.00	33.34	Horizontal
5	14803.5	40.53	-32.51	41.58	-45.66	-13.00	32.66	Horizontal
6	17982.5	40.93	-39.76	47.89	-46.20	-13.00	33.20	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3939.5	46.89	-43.79	29.86	-62.30	-13.00	49.30	Vertical
2	6216.5	44.26	-40.01	33.40	-57.61	-13.00	44.61	Vertical
3	8988	42.05	-35.45	36.75	-51.91	-13.00	38.91	Vertical
4	11297	43.68	-34.76	40.10	-46.24	-13.00	33.24	Vertical
5	14801	40.42	-32.49	41.59	-45.74	-13.00	32.74	Vertical
6	17991	40.40	-39.76	48.04	-46.58	-13.00	33.58	Vertical

Test Band = NSA_DC_2A_n77A(3450-3550)_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7501.88	43.22	-38.53	36.88	-53.69	-13.00	40.69	Horizontal
2	9531.86	41.39	-35.79	37.80	-51.86	-13.00	38.86	Horizontal
3	11877.86	43.49	-35.59	39.88	-47.48	-13.00	34.48	Horizontal
4	14743.2	40.23	-30.37	41.77	-43.63	-13.00	30.63	Horizontal
5	16487.52	40.80	-29.11	39.24	-44.33	-13.00	31.33	Horizontal
6	17965.04	40.66	-39.74	47.57	-46.77	-13.00	33.77	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7379.52	44.27	-38.58	36.62	-52.95	-13.00	39.95	Vertical
2	10022.68	41.76	-35.16	38.72	-49.94	-13.00	36.94	Vertical
3	11943.64	43.30	-34.91	39.77	-47.10	-13.00	34.10	Vertical
4	14747.8	39.97	-30.20	41.76	-43.73	-13.00	30.73	Vertical
5	16430.48	40.60	-28.44	38.95	-44.15	-13.00	31.15	Vertical
6	17889.14	41.63	-39.39	46.33	-46.69	-13.00	33.69	Vertical

Test Band = NSA_DC_2A_n77A(3700-3980)_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7453.12	43.11	-38.27	36.81	-53.61	-13.00	40.61	Horizontal
2	9987.26	42.30	-35.39	38.69	-49.66	-13.00	36.66	Horizontal
3	11900.86	43.51	-35.47	39.90	-47.32	-13.00	34.32	Horizontal
4	14745.04	40.24	-30.31	41.76	-43.57	-13.00	30.57	Horizontal
5	16397.82	41.23	-28.82	38.79	-44.06	-13.00	31.06	Horizontal
6	17965.5	40.56	-39.74	47.58	-46.86	-13.00	33.86	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7485.32	43.02	-38.45	36.87	-53.82	-13.00	40.82	Vertical
2	10017.16	41.93	-35.20	38.72	-49.81	-13.00	36.81	Vertical
3	11899.48	43.42	-35.48	39.90	-47.42	-13.00	34.42	Vertical
4	14714.22	41.76	-31.46	41.86	-43.10	-13.00	30.10	Vertical
5	16446.12	40.35	-28.26	39.03	-44.14	-13.00	31.14	Vertical
6	17971.48	40.89	-39.75	47.69	-46.43	-13.00	33.43	Vertical

Test Band = NSA_DC_2A_n77A(3700-3980)_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7426.9	43.42	-38.37	36.75	-53.46	-13.00	40.46	Horizontal
2	10047.98	41.46	-34.97	38.75	-50.02	-13.00	37.02	Horizontal
3	12377.42	43.14	-34.98	39.66	-47.44	-13.00	34.44	Horizontal
4	14713.76	41.22	-31.48	41.86	-43.66	-13.00	30.66	Horizontal
5	16346.76	41.21	-28.92	38.64	-44.33	-13.00	31.33	Horizontal
6	17970.56	40.32	-39.75	47.67	-47.02	-13.00	34.02	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7415.4	43.23	-38.44	36.73	-53.74	-13.00	40.74	Vertical
2	9958.74	42.17	-35.53	38.66	-49.96	-13.00	36.96	Vertical
3	12411	43.11	-35.14	39.71	-47.58	-13.00	34.58	Vertical
4	14759.3	40.08	-30.32	41.72	-43.78	-13.00	30.78	Vertical
5	16451.64	40.06	-28.25	39.06	-44.39	-13.00	31.39	Vertical
6	17957.68	40.75	-39.74	47.44	-46.81	-13.00	33.81	Vertical

Test Band = NSA_DC_2A_n77A(3700-3980)_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7506.02	43.22	-38.52	36.84	-53.72	-13.00	40.72	Horizontal
2	10526.84	42.08	-35.47	39.01	-49.64	-13.00	36.64	Horizontal
3	12399.5	42.74	-35.16	39.80	-47.88	-13.00	34.88	Horizontal
4	14711.92	41.45	-31.54	41.86	-43.49	-13.00	30.49	Horizontal
5	16441.52	40.50	-28.31	39.01	-44.06	-13.00	31.06	Horizontal
6	17959.06	40.66	-39.74	47.46	-46.88	-13.00	33.88	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7420	43.08	-38.41	36.74	-53.85	-13.00	40.85	Vertical
2	10012.56	41.83	-35.23	38.71	-49.95	-13.00	36.95	Vertical
3	12394.44	42.95	-35.12	39.77	-47.66	-13.00	34.66	Vertical
4	14747.34	40.42	-30.22	41.76	-43.30	-13.00	30.30	Vertical
5	16394.14	40.92	-28.82	38.78	-44.38	-13.00	31.38	Vertical
6	17968.26	40.62	-39.74	47.63	-46.75	-13.00	33.75	Vertical

Test Band = NSA_DC_2A_n78A(3450-3550)_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7421.84	43.12	-38.40	36.74	-53.80	-13.00	40.80	Horizontal
2	10012.56	41.84	-35.23	38.71	-49.94	-13.00	36.94	Horizontal
3	11910.06	43.59	-35.35	39.87	-47.15	-13.00	34.15	Horizontal
4	14751.94	40.08	-30.16	41.74	-43.60	-13.00	30.60	Horizontal
5	16440.14	40.47	-28.33	39.00	-44.12	-13.00	31.12	Horizontal
6	17969.18	40.77	-39.75	47.65	-46.59	-13.00	33.59	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7503.26	43.05	-38.53	36.87	-53.87	-13.00	40.87	Vertical
2	10014.86	41.92	-35.21	38.71	-49.84	-13.00	36.84	Vertical
3	12399.04	42.94	-35.15	39.79	-47.68	-13.00	34.68	Vertical
4	14749.18	40.15	-30.15	41.75	-43.51	-13.00	30.51	Vertical
5	16436	40.63	-28.38	38.98	-44.03	-13.00	31.03	Vertical
6	17970.56	40.41	-39.75	47.67	-46.93	-13.00	33.93	Vertical

Test Band = NSA_DC_2A_n78A(3700-3800)_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7402.06	44.85	-38.51	36.70	-52.22	-13.00	39.22	Horizontal
2	9977.14	41.94	-35.44	38.68	-50.08	-13.00	37.08	Horizontal
3	12399.5	42.76	-35.16	39.80	-47.86	-13.00	34.86	Horizontal
4	14716.98	41.28	-31.35	41.85	-43.48	-13.00	30.48	Horizontal
5	16441.52	40.19	-28.31	39.01	-44.37	-13.00	31.37	Horizontal
6	17969.64	40.57	-39.75	47.65	-46.79	-13.00	33.79	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7383.2	43.76	-38.57	36.63	-53.44	-13.00	40.44	Vertical
2	10017.16	41.76	-35.20	38.72	-49.98	-13.00	36.98	Vertical
3	12395.36	43.02	-35.12	39.77	-47.59	-13.00	34.59	Vertical
4	14774.94	40.64	-30.66	41.68	-43.60	-13.00	30.60	Vertical
5	16358.72	41.45	-28.91	38.68	-44.04	-13.00	31.04	Vertical
6	17969.64	40.44	-39.75	47.65	-46.92	-13.00	33.92	Vertical