

Field Strength of Spurious Radiation

Test Band = NR CA_CA_n5A-n7A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3200	46.90	-43.86	28.40	-63.82	-25.00	38.82	Horizontal
2	5176	46.16	-42.09	31.85	-59.34	-25.00	34.34	Horizontal
3	7420.5	43.90	-37.89	36.74	-52.51	-25.00	27.51	Horizontal
4	11288.5	43.71	-34.95	40.11	-46.39	-25.00	21.39	Horizontal
5	14802	40.92	-32.50	41.59	-45.25	-25.00	20.25	Horizontal
6	17990.5	40.65	-39.76	48.03	-46.34	-25.00	21.34	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3189	46.73	-44.00	28.47	-64.06	-25.00	39.06	Vertical
2	4422	46.32	-43.30	30.10	-62.14	-25.00	37.14	Vertical
3	6198	44.56	-39.99	33.49	-57.20	-25.00	32.20	Vertical
4	8974	42.43	-35.58	36.80	-51.61	-25.00	26.61	Vertical
5	13444	42.52	-32.79	39.73	-45.80	-25.00	20.80	Vertical
6	17987.5	40.65	-39.76	47.98	-46.39	-25.00	21.39	Vertical

Test Band = NR CA_CA_n5A-n7A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3832.5	47.00	-43.91	29.74	-62.43	-25.00	37.43	Horizontal
2	6012	45.02	-40.68	33.12	-57.80	-25.00	32.80	Horizontal
3	9114.5	41.87	-35.25	37.03	-51.61	-25.00	26.61	Horizontal
4	12405	43.01	-34.33	39.76	-46.82	-25.00	21.82	Horizontal
5	15701	40.08	-29.13	38.50	-45.81	-25.00	20.81	Horizontal
6	17990.5	41.14	-39.76	48.03	-45.85	-25.00	20.85	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3800.5	46.50	-43.84	29.80	-62.80	-25.00	37.80	Vertical
2	5613.5	45.47	-41.44	32.57	-58.66	-25.00	33.66	Vertical
3	7899	43.19	-37.31	36.51	-52.87	-25.00	27.87	Vertical
4	11320	43.30	-35.00	40.14	-46.82	-25.00	21.82	Vertical
5	14804	40.83	-32.51	41.58	-45.36	-25.00	20.36	Vertical
6	17952	41.25	-39.73	47.34	-46.40	-25.00	21.40	Vertical

Test Band = NR CA_CA_n5A-n7A_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3796	46.90	-43.84	29.78	-62.42	-25.00	37.42	Horizontal
2	5503	45.58	-41.45	32.39	-58.74	-25.00	33.74	Horizontal
3	7930.5	43.21	-37.14	36.44	-52.75	-25.00	27.75	Horizontal
4	11306	43.50	-34.79	40.11	-46.44	-25.00	21.44	Horizontal
5	14799.5	40.85	-32.51	41.60	-45.32	-25.00	20.32	Horizontal
6	17989.5	40.85	-39.76	48.01	-46.16	-25.00	21.16	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3834.5	46.91	-43.91	29.73	-62.53	-25.00	37.53	Vertical
2	6018	45.04	-40.66	33.18	-57.70	-25.00	32.70	Vertical
3	8391	42.92	-36.59	36.46	-52.47	-25.00	27.47	Vertical
4	11290.5	43.46	-34.90	40.11	-46.59	-25.00	21.59	Vertical
5	14803.5	40.80	-32.51	41.58	-45.39	-25.00	20.39	Vertical
6	17990	40.77	-39.76	48.02	-46.23	-25.00	21.23	Vertical

Test Band = NR CA_CA_n2A-n71A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3813	46.77	-43.87	29.77	-62.59	-13.00	49.59	Horizontal
2	6029.5	44.69	-40.63	33.30	-57.90	-13.00	44.90	Horizontal
3	8841.5	41.83	-35.81	36.75	-52.49	-13.00	39.49	Horizontal
4	12393	42.66	-34.31	39.76	-47.15	-13.00	34.15	Horizontal
5	15279.5	39.89	-30.67	39.86	-46.18	-13.00	33.18	Horizontal
6	17987.5	40.37	-39.76	47.98	-46.67	-13.00	33.67	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3827	46.82	-43.89	29.75	-62.58	-13.00	49.58	Vertical
2	5613	45.40	-41.44	32.57	-58.73	-13.00	45.73	Vertical
3	7404.5	43.42	-37.98	36.71	-53.11	-13.00	40.11	Vertical
4	11326.5	43.38	-35.10	40.15	-46.83	-13.00	33.83	Vertical
5	15284	40.12	-30.69	39.87	-45.96	-13.00	32.96	Vertical
6	17972	40.67	-39.75	47.70	-46.64	-13.00	33.64	Vertical

Test Band = NR CA_CA_n2A-n71A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3808.5	46.93	-43.86	29.78	-62.41	-13.00	49.41	Horizontal
2	5913.5	44.39	-40.86	32.83	-58.90	-13.00	45.90	Horizontal
3	9177.5	41.02	-35.26	37.32	-52.18	-13.00	39.18	Horizontal
4	12393.5	42.90	-34.32	39.76	-46.92	-13.00	33.92	Horizontal
5	15290	40.08	-30.71	39.88	-46.01	-13.00	33.01	Horizontal
6	17998	40.25	-39.77	48.16	-46.62	-13.00	33.62	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3793	47.48	-43.84	29.77	-61.85	-13.00	48.85	Vertical
2	5683.5	45.52	-41.31	32.50	-58.55	-13.00	45.55	Vertical
3	8886	41.41	-35.75	36.73	-52.87	-13.00	39.87	Vertical
4	11810	42.88	-34.05	39.81	-46.62	-13.00	33.62	Vertical
5	14805	40.44	-32.52	41.57	-45.77	-13.00	32.77	Vertical
6	17779	41.36	-38.52	45.61	-46.81	-13.00	33.81	Vertical

Test Band = NR CA_CA_n2A-n71A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3951	46.66	-43.74	29.90	-62.44	-13.00	49.44	Horizontal
2	6229.5	44.41	-40.05	33.32	-57.58	-13.00	44.58	Horizontal
3	9128	41.90	-35.22	37.06	-51.52	-13.00	38.52	Horizontal
4	13120	42.26	-33.36	39.50	-46.86	-13.00	33.86	Horizontal
5	15285.5	40.06	-30.69	39.87	-46.02	-13.00	33.02	Horizontal
6	17991	40.52	-39.76	48.04	-46.46	-13.00	33.46	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3910	46.89	-43.93	29.74	-62.56	-13.00	49.56	Vertical
2	6013	44.87	-40.68	33.13	-57.94	-13.00	44.94	Vertical
3	8431.5	42.50	-36.35	36.44	-52.67	-13.00	39.67	Vertical
4	11293.5	43.45	-34.84	40.11	-46.54	-13.00	33.54	Vertical
5	14681.5	41.37	-33.79	41.83	-45.85	-13.00	32.85	Vertical
6	17996	40.27	-39.77	48.13	-46.63	-13.00	33.63	Vertical

Test Band = NR CA_CA_n7A-n12A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3970.5	46.62	-43.74	29.86	-62.52	-25.00	37.52	Horizontal
2	5868	45.13	-41.01	32.67	-58.47	-25.00	33.47	Horizontal
3	8447	42.74	-36.22	36.41	-52.33	-25.00	27.33	Horizontal
4	11961.5	43.70	-34.64	39.72	-46.48	-25.00	21.48	Horizontal
5	14808.5	40.66	-32.55	41.55	-45.60	-25.00	20.60	Horizontal
6	17987	40.76	-39.76	47.97	-46.29	-25.00	21.29	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3833	46.88	-43.91	29.73	-62.56	-25.00	37.56	Vertical
2	5607.5	45.50	-41.46	32.59	-58.63	-25.00	33.63	Vertical
3	8840.5	42.06	-35.82	36.74	-52.28	-25.00	27.28	Vertical
4	11794	43.09	-33.92	39.81	-46.28	-25.00	21.28	Vertical
5	14800	40.64	-32.48	41.60	-45.50	-25.00	20.50	Vertical
6	17988.5	40.31	-39.76	47.99	-46.72	-25.00	21.72	Vertical

Test Band = NR CA_CA_n7A-n12A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3930	46.70	-43.84	29.82	-62.58	-25.00	37.58	Horizontal
2	5589	45.48	-41.53	32.51	-58.80	-25.00	33.80	Horizontal
3	7488	43.10	-37.99	36.88	-53.27	-25.00	28.27	Horizontal
4	10532	42.50	-34.64	39.03	-48.37	-25.00	23.37	Horizontal
5	14047	42.03	-34.33	41.48	-46.08	-25.00	21.08	Horizontal
6	17988	40.74	-39.76	47.98	-46.30	-25.00	21.30	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3809.5	47.10	-43.86	29.78	-62.24	-25.00	37.24	Vertical
2	5672	45.75	-41.31	32.50	-58.32	-25.00	33.32	Vertical
3	8593.5	42.27	-36.22	36.51	-52.70	-25.00	27.70	Vertical
4	11320	43.36	-35.00	40.14	-46.76	-25.00	21.76	Vertical
5	14802.5	41.02	-32.50	41.59	-45.15	-25.00	20.15	Vertical
6	17989.5	40.85	-39.76	48.01	-46.16	-25.00	21.16	Vertical

Test Band = NR CA_CA_n7A-n12A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3823	46.71	-43.89	29.75	-62.69	-25.00	37.69	Horizontal
2	5585	46.25	-41.54	32.48	-58.07	-25.00	33.07	Horizontal
3	8370	42.74	-36.57	36.38	-52.71	-25.00	27.71	Horizontal
4	11836.5	43.58	-34.71	39.84	-46.55	-25.00	21.55	Horizontal
5	15282.5	40.22	-30.68	39.87	-45.85	-25.00	20.85	Horizontal
6	17971.5	41.13	-39.75	47.69	-46.19	-25.00	21.19	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3853	46.69	-43.94	29.70	-62.81	-25.00	37.81	Vertical
2	5244	45.98	-42.00	31.64	-59.64	-25.00	34.64	Vertical
3	7396	43.38	-38.03	36.68	-53.23	-25.00	28.23	Vertical
4	10713.5	43.25	-34.93	39.51	-47.43	-25.00	22.43	Vertical
5	13414.5	42.94	-33.30	39.64	-45.98	-25.00	20.98	Vertical
6	17937	41.42	-39.65	47.07	-46.42	-25.00	21.42	Vertical

Test Band = NR CA_CA_n12A-n25A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3796.5	46.78	-43.84	29.79	-62.53	-13.00	49.53	Horizontal
2	5268.5	45.89	-42.01	31.71	-59.67	-13.00	46.67	Horizontal
3	7535.5	43.96	-38.06	36.55	-52.81	-13.00	39.81	Horizontal
4	11306	43.64	-34.79	40.11	-46.30	-13.00	33.30	Horizontal
5	15310.5	40.20	-30.64	39.83	-45.87	-13.00	32.87	Horizontal
6	17989	40.80	-39.76	48.00	-46.22	-13.00	33.22	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3693	46.89	-44.22	29.30	-63.29	-13.00	50.29	Vertical
2	5586	45.61	-41.54	32.49	-58.70	-13.00	45.70	Vertical
3	7465.5	43.22	-37.82	36.83	-53.03	-13.00	40.03	Vertical
4	11272	43.68	-35.30	40.13	-46.75	-13.00	33.75	Vertical
5	14801	40.80	-32.49	41.59	-45.36	-13.00	32.36	Vertical
6	17987	40.74	-39.76	47.97	-46.31	-13.00	33.31	Vertical

Test Band = NR CA_CA_n12A-n25A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3796.5	46.77	-43.84	29.79	-62.54	-13.00	49.54	Horizontal
2	6182.5	44.45	-40.16	33.43	-57.54	-13.00	44.54	Horizontal
3	8480.5	42.52	-36.11	36.46	-52.39	-13.00	39.39	Horizontal
4	11307	43.30	-34.81	40.11	-46.66	-13.00	33.66	Horizontal
5	14808	40.71	-32.55	41.55	-45.55	-13.00	32.55	Horizontal
6	17996.5	40.61	-39.77	48.14	-46.28	-13.00	33.28	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3944	46.48	-43.77	29.88	-62.67	-13.00	49.67	Vertical
2	6219	45.02	-40.02	33.39	-56.87	-13.00	43.87	Vertical
3	8484.5	42.67	-36.10	36.47	-52.22	-13.00	39.22	Vertical
4	11793.5	42.76	-33.93	39.81	-46.62	-13.00	33.62	Vertical
5	14810	40.97	-32.56	41.54	-45.31	-13.00	32.31	Vertical
6	17989	40.58	-39.76	48.00	-46.44	-13.00	33.44	Vertical

Test Band = NR CA_CA_n12A-n25A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3809.5	46.86	-43.86	29.78	-62.48	-13.00	49.48	Horizontal
2	5732.5	45.47	-41.20	32.50	-58.49	-13.00	45.49	Horizontal
3	7399.5	43.54	-38.01	36.70	-53.03	-13.00	40.03	Horizontal
4	11290.5	43.57	-34.90	40.11	-46.48	-13.00	33.48	Horizontal
5	14045.5	42.16	-34.37	41.47	-46.00	-13.00	33.00	Horizontal
6	17988.5	40.60	-39.76	47.99	-46.43	-13.00	33.43	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3987.5	46.77	-43.75	29.83	-62.41	-13.00	49.41	Vertical
2	5613	45.09	-41.44	32.57	-59.04	-13.00	46.04	Vertical
3	7433.5	43.45	-37.81	36.77	-52.85	-13.00	39.85	Vertical
4	11328.5	43.57	-35.13	40.16	-46.66	-13.00	33.66	Vertical
5	14804	41.10	-32.51	41.58	-45.09	-13.00	32.09	Vertical
6	17999.5	40.63	-39.77	48.19	-46.21	-13.00	33.21	Vertical

Test Band = NR CA_CA_n14A-n66A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1576.5	40.91	-17.40	24.68	-47.07	-40.00	7.07	Horizontal
2	3796.5	46.62	-43.84	29.79	-62.69	-13.00	49.69	Horizontal
3	6192.5	44.95	-40.05	33.47	-56.89	-13.00	43.89	Horizontal
4	9640	41.59	-34.77	38.04	-50.40	-13.00	37.40	Horizontal
5	12944.5	43.32	-33.60	38.98	-46.56	-13.00	33.56	Horizontal
6	17992.5	40.66	-39.76	48.07	-46.29	-13.00	33.29	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1576.5	39.92	-17.40	24.68	-48.06	-40.00	8.06	Vertical
2	3813	47.13	-43.87	29.77	-62.23	-13.00	49.23	Vertical
3	6214	44.86	-40.01	33.42	-56.99	-13.00	43.99	Vertical
4	8981	42.05	-35.51	36.78	-51.94	-13.00	38.94	Vertical
5	13286.5	42.24	-33.24	39.85	-46.41	-13.00	33.41	Vertical
6	17987.5	40.56	-39.76	47.98	-46.48	-13.00	33.48	Vertical

Test Band = NR CA_CA_n14A-n66A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1581.5	41.49	-17.40	24.77	-46.40	-40.00	6.40	Horizontal
2	3806	46.79	-43.85	29.79	-62.53	-13.00	49.53	Horizontal
3	5412	45.50	-41.80	32.43	-59.13	-13.00	46.13	Horizontal
4	7509	43.63	-38.07	36.81	-52.89	-13.00	39.89	Horizontal
5	11325	43.60	-35.08	40.15	-46.59	-13.00	33.59	Horizontal
6	17075.5	41.41	-34.48	41.90	-46.43	-13.00	33.43	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1581.5	42.17	-17.40	24.77	-45.72	-40.00	5.72	Vertical
2	3850	47.04	-43.94	29.70	-62.46	-13.00	49.46	Vertical
3	6230.5	44.80	-40.05	33.32	-57.19	-13.00	44.19	Vertical
4	10718	43.22	-34.93	39.52	-47.45	-13.00	34.45	Vertical
5	14038.5	42.54	-34.55	41.43	-45.84	-13.00	32.84	Vertical
6	17996	41.00	-39.77	48.13	-45.90	-13.00	32.90	Vertical

Test Band = NR CA_CA_n14A-n66A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1586.5	42.18	-17.40	24.86	-45.62	-40.00	5.62	Horizontal
2	3913.5	47.14	-43.92	29.75	-62.29	-13.00	49.29	Horizontal
3	5959.5	45.01	-40.90	32.92	-58.23	-13.00	45.23	Horizontal
4	9025	42.60	-35.48	36.60	-51.54	-13.00	38.54	Horizontal
5	11955	43.72	-34.60	39.74	-46.40	-13.00	33.40	Horizontal
6	17989	40.62	-39.76	48.00	-46.40	-13.00	33.40	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1586.5	42.19	-17.40	24.86	-45.61	-40.00	5.61	Vertical
2	3831.5	46.77	-43.90	29.74	-62.65	-13.00	49.65	Vertical
3	5873	45.43	-40.98	32.69	-58.12	-13.00	45.12	Vertical
4	9210	41.81	-35.34	37.50	-51.29	-13.00	38.29	Vertical
5	14047.5	42.09	-34.31	41.49	-45.99	-13.00	32.99	Vertical
6	17986	40.79	-39.76	47.95	-46.28	-13.00	33.28	Vertical

Test Band = NR CA_CA_n25A-n71A_TM1

Test Channel = ICH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3730.5	46.55	-43.99	29.48	-63.22	-13.00	50.22	Horizontal
2	5119.5	46.30	-42.30	31.62	-59.64	-13.00	46.64	Horizontal
3	7500	43.30	-38.08	36.90	-53.14	-13.00	40.14	Horizontal
4	11024	41.97	-34.04	40.12	-47.21	-13.00	34.21	Horizontal
5	14803.5	40.76	-32.51	41.58	-45.43	-13.00	32.43	Horizontal
6	17990	40.57	-39.76	48.02	-46.43	-13.00	33.43	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3847	46.90	-43.93	29.71	-62.58	-13.00	49.58	Vertical
2	5514	46.24	-41.50	32.34	-58.18	-13.00	45.18	Vertical
3	7431.5	43.44	-37.82	36.76	-52.88	-13.00	39.88	Vertical
4	10878.5	42.51	-34.45	40.07	-47.13	-13.00	34.13	Vertical
5	13427	42.79	-33.08	39.68	-45.87	-13.00	32.87	Vertical
6	17208	41.77	-35.67	42.56	-46.60	-13.00	33.60	Vertical

Test Band = NR CA_CA_n25A-n71A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3824.5	46.81	-43.89	29.75	-62.59	-13.00	49.59	Horizontal
2	5678	45.48	-41.31	32.50	-58.59	-13.00	45.59	Horizontal
3	8481.5	42.29	-36.11	36.46	-52.62	-13.00	39.62	Horizontal
4	11824.5	43.08	-34.41	39.82	-46.77	-13.00	33.77	Horizontal
5	14802	41.14	-32.50	41.59	-45.03	-13.00	32.03	Horizontal
6	17989.5	40.94	-39.76	48.01	-46.07	-13.00	33.07	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3820.5	46.66	-43.88	29.76	-62.72	-13.00	49.72	Vertical
2	5647.5	46.00	-41.31	32.51	-58.06	-13.00	45.06	Vertical
3	8395	43.06	-36.60	36.48	-52.32	-13.00	39.32	Vertical
4	11808.5	43.35	-34.01	39.81	-46.11	-13.00	33.11	Vertical
5	14676	42.04	-33.73	41.80	-45.15	-13.00	32.15	Vertical
6	17999	40.58	-39.77	48.18	-46.27	-13.00	33.27	Vertical

Test Band = NR CA_CA_n25A-n71A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3840	47.03	-43.92	29.72	-62.43	-13.00	49.43	Horizontal
2	5855	44.94	-41.08	32.62	-58.78	-13.00	45.78	Horizontal
3	8368	42.86	-36.57	36.37	-52.60	-13.00	39.60	Horizontal
4	11855.5	43.77	-35.11	39.86	-46.74	-13.00	33.74	Horizontal
5	14678	42.09	-33.75	41.81	-45.11	-13.00	32.11	Horizontal
6	17969	40.80	-39.75	47.64	-46.57	-13.00	33.57	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3748	46.85	-43.87	29.59	-62.69	-13.00	49.69	Vertical
2	6000	45.01	-40.71	33.00	-57.96	-13.00	44.96	Vertical
3	8444.5	42.68	-36.24	36.41	-52.41	-13.00	39.41	Vertical
4	12396.5	43.32	-34.33	39.78	-46.49	-13.00	33.49	Vertical
5	15281.5	40.19	-30.68	39.86	-45.89	-13.00	32.89	Vertical
6	17987.5	40.41	-39.76	47.98	-46.63	-13.00	33.63	Vertical

Test Band = NR CA_CA_n26A(814~824)-n70A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3848	47.13	-43.94	29.70	-62.37	-13.00	49.37	Horizontal
2	5733	45.40	-41.20	32.50	-58.56	-13.00	45.56	Horizontal
3	8836.5	41.70	-35.84	36.72	-52.68	-13.00	39.68	Horizontal
4	11784.5	42.97	-34.11	39.82	-46.58	-13.00	33.58	Horizontal
5	14809.5	40.43	-32.56	41.54	-45.85	-13.00	32.85	Horizontal
6	17991	40.41	-39.76	48.04	-46.57	-13.00	33.57	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3910	47.43	-43.93	29.74	-62.02	-13.00	49.02	Vertical
2	6201	44.51	-39.97	33.49	-57.23	-13.00	44.23	Vertical
3	9200	41.44	-35.33	37.50	-51.65	-13.00	38.65	Vertical
4	11799.5	42.95	-33.81	39.80	-46.32	-13.00	33.32	Vertical
5	14801.5	40.33	-32.49	41.59	-45.83	-13.00	32.83	Vertical
6	17998.5	40.33	-39.77	48.17	-46.53	-13.00	33.53	Vertical

Test Band = NR CA_CA_n26A(824~849)-n70A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3837	46.75	-43.91	29.73	-62.69	-13.00	49.69	Horizontal
2	5778.5	46.11	-41.10	32.44	-57.81	-13.00	44.81	Horizontal
3	8449.5	42.72	-36.20	36.40	-52.34	-13.00	39.34	Horizontal
4	11780.5	43.28	-34.19	39.82	-46.35	-13.00	33.35	Horizontal
5	14800	40.55	-32.48	41.60	-45.59	-13.00	32.59	Horizontal
6	17987.5	40.45	-39.76	47.98	-46.59	-13.00	33.59	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3816.5	47.02	-43.87	29.77	-62.34	-13.00	49.34	Vertical
2	5685	46.39	-41.31	32.50	-57.68	-13.00	44.68	Vertical
3	8462.5	42.51	-36.16	36.43	-52.48	-13.00	39.48	Vertical
4	11831.5	44.25	-34.59	39.83	-45.77	-13.00	32.77	Vertical
5	14802.5	40.76	-32.50	41.59	-45.41	-13.00	32.41	Vertical
6	17989	40.40	-39.76	48.00	-46.62	-13.00	33.62	Vertical

Test Band = NR CA_CA_n26A(824~849)-n70A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3805.5	46.76	-43.85	29.79	-62.56	-13.00	49.56	Horizontal
2	5592	45.47	-41.52	32.54	-58.77	-13.00	45.77	Horizontal
3	8454	42.88	-36.19	36.41	-52.16	-13.00	39.16	Horizontal
4	11797	42.84	-33.86	39.80	-46.48	-13.00	33.48	Horizontal
5	14679.5	41.24	-33.77	41.82	-45.97	-13.00	32.97	Horizontal
6	17990	40.37	-39.76	48.02	-46.63	-13.00	33.63	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3821	46.87	-43.88	29.76	-62.51	-13.00	49.51	Vertical
2	5732.5	45.55	-41.20	32.50	-58.41	-13.00	45.41	Vertical
3	8442	42.52	-36.26	36.42	-52.58	-13.00	39.58	Vertical
4	11793	42.56	-33.94	39.81	-46.83	-13.00	33.83	Vertical
5	14809.5	41.13	-32.56	41.54	-45.15	-13.00	32.15	Vertical
6	17988	40.63	-39.76	47.98	-46.41	-13.00	33.41	Vertical

Test Band = NR CA_CA_n26A(824~849)-n70A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3956.5	47.06	-43.74	29.89	-62.05	-13.00	49.05	Horizontal
2	5690.5	45.44	-41.32	32.50	-58.64	-13.00	45.64	Horizontal
3	8241	42.26	-36.52	36.46	-53.06	-13.00	40.06	Horizontal
4	11791.5	42.79	-33.97	39.81	-46.63	-13.00	33.63	Horizontal
5	14804	40.60	-32.51	41.58	-45.59	-13.00	32.59	Horizontal
6	17990.5	40.80	-39.76	48.03	-46.19	-13.00	33.19	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3836.5	46.96	-43.91	29.73	-62.48	-13.00	49.48	Vertical
2	6253.5	44.66	-40.12	33.22	-57.50	-13.00	44.50	Vertical
3	9160.5	41.59	-35.20	37.18	-51.69	-13.00	38.69	Vertical
4	12398	43.02	-34.33	39.79	-46.78	-13.00	33.78	Vertical
5	15283.5	40.09	-30.68	39.87	-45.98	-13.00	32.98	Vertical
6	17973	40.90	-39.75	47.71	-46.40	-13.00	33.40	Vertical

Test Band = NR CA_CA_n41A-n71A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3501.5	47.17	-44.38	29.10	-63.37	-25.00	38.37	Horizontal
2	4800.5	46.13	-42.64	30.80	-60.97	-25.00	35.97	Horizontal
3	7152	43.49	-38.15	36.41	-53.51	-25.00	28.51	Horizontal
4	10723	43.14	-34.93	39.52	-47.53	-25.00	22.53	Horizontal
5	14804.5	40.80	-32.52	41.57	-45.41	-25.00	20.41	Horizontal
6	17990.5	40.65	-39.76	48.03	-46.34	-25.00	21.34	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3633.5	46.46	-44.32	29.17	-63.95	-25.00	38.95	Vertical
2	5561	45.86	-41.63	32.29	-58.74	-25.00	33.74	Vertical
3	8983	41.78	-35.49	36.77	-52.20	-25.00	27.20	Vertical
4	11780.5	43.08	-34.19	39.82	-46.55	-25.00	21.55	Vertical
5	14813	40.93	-32.59	41.52	-45.40	-25.00	20.40	Vertical
6	17992	40.85	-39.76	48.06	-46.11	-25.00	21.11	Vertical

Test Band = NR CA_CA_n41A-n71A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3813.5	46.56	-43.87	29.77	-62.80	-25.00	37.80	Horizontal
2	5528	45.80	-41.57	32.29	-58.74	-25.00	33.74	Horizontal
3	8435	42.86	-36.32	36.43	-52.29	-25.00	27.29	Horizontal
4	11290	43.11	-34.91	40.11	-46.95	-25.00	21.95	Horizontal
5	14676	41.74	-33.73	41.80	-45.45	-25.00	20.45	Horizontal
6	17997	40.47	-39.77	48.15	-46.41	-25.00	21.41	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3852.5	46.87	-43.94	29.70	-62.63	-25.00	37.63	Vertical
2	6010	45.59	-40.68	33.10	-57.25	-25.00	32.25	Vertical
3	9024	42.21	-35.47	36.60	-51.92	-25.00	26.92	Vertical
4	11956	43.61	-34.60	39.73	-46.52	-25.00	21.52	Vertical
5	15304.5	40.03	-30.70	39.87	-46.06	-25.00	21.06	Vertical
6	17989	40.67	-39.76	48.00	-46.35	-25.00	21.35	Vertical

Test Band = NR CA_CA_n41A-n71A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3828.5	46.93	-43.90	29.74	-62.49	-25.00	37.49	Horizontal
2	5583	45.56	-41.55	32.46	-58.79	-25.00	33.79	Horizontal
3	8458	42.53	-36.18	36.42	-52.49	-25.00	27.49	Horizontal
4	11826.5	43.53	-34.46	39.83	-46.36	-25.00	21.36	Horizontal
5	14804	40.51	-32.51	41.58	-45.68	-25.00	20.68	Horizontal
6	17877	41.84	-39.35	46.26	-46.51	-25.00	21.51	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3820	46.79	-43.88	29.76	-62.59	-25.00	37.59	Vertical
2	5890.5	45.53	-40.88	32.76	-57.85	-25.00	32.85	Vertical
3	8432	42.51	-36.34	36.44	-52.65	-25.00	27.65	Vertical
4	12389	43.26	-34.30	39.73	-46.57	-25.00	21.57	Vertical
5	14800.5	40.78	-32.48	41.60	-45.36	-25.00	20.36	Vertical
6	17980	40.92	-39.75	47.84	-46.25	-25.00	21.25	Vertical

Test Band = NR CA_CA_n48A-n66A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6834.88	44.05	-39.43	35.54	-55.10	-40.00	15.10	Horizontal
2	8487.2	42.22	-36.68	36.47	-53.25	-40.00	13.25	Horizontal
3	10014.4	42.17	-35.22	38.71	-49.60	-40.00	9.60	Horizontal
4	12386.16	43.37	-35.05	39.72	-47.22	-40.00	7.22	Horizontal
5	15347.18	38.92	-29.16	39.57	-45.93	-40.00	5.93	Horizontal
6	17969.18	40.81	-39.75	47.65	-46.55	-40.00	6.55	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7516.6	43.31	-38.51	36.73	-53.73	-40.00	13.73	Vertical
2	9148.22	42.04	-35.76	37.10	-51.88	-40.00	11.88	Vertical
3	11318.04	43.16	-35.40	40.14	-47.36	-40.00	7.36	Vertical
4	13357.22	42.93	-33.78	39.73	-46.38	-40.00	6.38	Vertical
5	15541.3	39.43	-28.77	38.73	-45.87	-40.00	5.87	Vertical
6	17987.12	40.26	-39.76	47.97	-46.79	-40.00	6.79	Vertical

Test Band = NR CA_CA_n48A-n66A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7212.08	45.66	-38.84	36.53	-51.91	-40.00	11.91	Horizontal
2	8842.32	41.13	-36.39	36.75	-53.77	-40.00	13.77	Horizontal
3	11339.2	43.20	-35.57	40.18	-47.45	-40.00	7.45	Horizontal
4	14036.64	41.71	-32.35	41.42	-44.48	-40.00	4.48	Horizontal
5	15681.6	39.60	-28.84	38.50	-46.00	-40.00	6.00	Horizontal
6	17896.5	41.07	-39.42	46.38	-47.23	-40.00	7.23	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6832.58	44.18	-39.43	35.53	-54.98	-40.00	14.98	Vertical
2	9108.66	41.50	-35.51	37.02	-52.25	-40.00	12.25	Vertical
3	11274.8	43.38	-35.55	40.13	-47.30	-40.00	7.30	Vertical
4	13808.48	41.16	-32.80	40.53	-46.37	-40.00	6.37	Vertical
5	16388.16	40.94	-28.84	38.76	-44.40	-40.00	4.40	Vertical
6	17966.42	40.67	-39.74	47.60	-46.73	-40.00	6.73	Vertical

Test Band = NR CA_CA_n48A-n66A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7500.96	43.10	-38.53	36.89	-53.80	-40.00	13.80	Horizontal
2	9473.44	40.95	-35.52	37.64	-52.19	-40.00	12.19	Horizontal
3	11301.48	42.87	-35.26	40.10	-47.55	-40.00	7.55	Horizontal
4	13802.96	41.12	-32.68	40.51	-46.31	-40.00	6.31	Horizontal
5	16437.84	40.33	-28.36	38.99	-44.30	-40.00	4.30	Horizontal
6	17962.74	40.51	-39.74	47.53	-46.96	-40.00	6.96	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7479.8	43.04	-38.42	36.86	-53.78	-40.00	13.78	Vertical
2	8880.5	41.29	-36.17	36.74	-53.40	-40.00	13.40	Vertical
3	10034.18	41.81	-35.07	38.73	-49.79	-40.00	9.79	Vertical
4	12376.5	42.86	-34.97	39.66	-47.71	-40.00	7.71	Vertical
5	15676.08	40.18	-28.95	38.50	-45.53	-40.00	5.53	Vertical
6	17977	40.36	-39.75	47.79	-46.86	-40.00	6.86	Vertical

Test Band = NR CA_CA_n66A-n71A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3823	46.88	-43.89	29.75	-62.52	-13.00	49.52	Horizontal
2	5918.5	44.61	-40.87	32.84	-58.68	-13.00	45.68	Horizontal
3	8434.5	42.85	-36.32	36.43	-52.30	-13.00	39.30	Horizontal
4	11286	43.51	-35.00	40.11	-46.64	-13.00	33.64	Horizontal
5	14810.5	40.54	-32.57	41.54	-45.75	-13.00	32.75	Horizontal
6	17972.5	40.72	-39.75	47.71	-46.58	-13.00	33.58	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3951.5	46.58	-43.74	29.90	-62.52	-13.00	49.52	Vertical
2	6030.5	44.60	-40.63	33.31	-57.98	-13.00	44.98	Vertical
3	9933	42.26	-34.70	38.63	-49.07	-13.00	36.07	Vertical
4	13429.5	42.22	-33.04	39.69	-46.39	-13.00	33.39	Vertical
5	16349.5	41.24	-30.53	38.65	-45.90	-13.00	32.90	Vertical
6	17995	40.59	-39.77	48.11	-46.33	-13.00	33.33	Vertical

Test Band = NR CA_CA_n66A-n71A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3948	46.44	-43.75	29.89	-62.68	-13.00	49.68	Horizontal
2	5717.5	45.53	-41.26	32.50	-58.49	-13.00	45.49	Horizontal
3	8399.5	42.65	-36.60	36.50	-52.71	-13.00	39.71	Horizontal
4	11282.5	43.64	-35.07	40.12	-46.57	-13.00	33.57	Horizontal
5	14570	41.68	-33.68	41.53	-45.73	-13.00	32.73	Horizontal
6	17995	39.92	-39.77	48.11	-47.00	-13.00	34.00	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3803	46.47	-43.85	29.79	-62.85	-13.00	49.85	Vertical
2	5514	45.43	-41.50	32.34	-58.99	-13.00	45.99	Vertical
3	8395.5	42.82	-36.60	36.48	-52.56	-13.00	39.56	Vertical
4	11292	43.63	-34.87	40.11	-46.39	-13.00	33.39	Vertical
5	14804.5	40.53	-32.52	41.57	-45.68	-13.00	32.68	Vertical
6	17876	42.12	-39.34	46.26	-46.22	-13.00	33.22	Vertical

Test Band = NR CA_CA_n66A-n71A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3797.5	46.85	-43.84	29.79	-62.46	-13.00	49.46	Horizontal
2	5773.5	45.46	-41.11	32.45	-58.46	-13.00	45.46	Horizontal
3	8370	42.80	-36.57	36.38	-52.65	-13.00	39.65	Horizontal
4	12399.5	42.90	-34.34	39.80	-46.90	-13.00	33.90	Horizontal
5	15679	40.02	-29.67	38.50	-46.41	-13.00	33.41	Horizontal
6	17994.5	40.43	-39.77	48.10	-46.50	-13.00	33.50	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3792	47.09	-43.84	29.77	-62.24	-13.00	49.24	Vertical
2	5719	45.43	-41.25	32.50	-58.58	-13.00	45.58	Vertical
3	9106.5	41.74	-35.27	37.01	-51.78	-13.00	38.78	Vertical
4	11911.5	44.17	-35.37	39.87	-46.59	-13.00	33.59	Vertical
5	15304	40.36	-30.70	39.87	-45.73	-13.00	32.73	Vertical
6	17988	40.41	-39.76	47.98	-46.63	-13.00	33.63	Vertical

Test Band = NR CA_CA_n70A-n71A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3828	46.98	-43.90	29.74	-62.44	-13.00	49.44	Horizontal
2	5707	45.61	-41.29	32.50	-58.44	-13.00	45.44	Horizontal
3	8444	42.59	-36.25	36.41	-52.51	-13.00	39.51	Horizontal
4	11865	43.84	-35.22	39.87	-46.77	-13.00	33.77	Horizontal
5	14805	40.78	-32.52	41.57	-45.43	-13.00	32.43	Horizontal
6	17997.5	40.26	-39.77	48.16	-46.61	-13.00	33.61	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3834.5	46.63	-43.91	29.73	-62.81	-13.00	49.81	Vertical
2	5687.5	45.30	-41.32	32.50	-58.78	-13.00	45.78	Vertical
3	8466.5	42.25	-36.15	36.43	-52.73	-13.00	39.73	Vertical
4	11289	43.24	-34.94	40.11	-46.85	-13.00	33.85	Vertical
5	14815.5	41.13	-32.61	41.51	-45.23	-13.00	32.23	Vertical
6	17986	40.87	-39.76	47.95	-46.20	-13.00	33.20	Vertical

Test Band = NR CA_CA_n71A-n78A(3450-3550) _TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6942.1971	45.60	-39.59	35.32	-53.93	-13.00	40.93	Horizontal
2	10026.6513	41.20	-35.13	38.73	-50.46	-13.00	37.46	Horizontal
3	12405.5453	42.45	-35.15	39.76	-48.20	-13.00	35.20	Horizontal
4	14652.1826	40.78	-31.29	41.71	-44.06	-13.00	31.06	Horizontal
5	16397.3949	41.02	-28.82	38.79	-44.27	-13.00	31.27	Horizontal
6	17970.0985	39.76	-39.75	47.66	-47.59	-13.00	34.59	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7420.621	42.85	-38.41	36.74	-54.08	-13.00	41.08	Vertical
2	10015.1508	41.72	-35.21	38.72	-50.03	-13.00	37.03	Vertical
3	12388.8694	42.82	-35.07	39.73	-47.78	-13.00	34.78	Vertical
4	14648.1574	40.59	-31.30	41.69	-44.28	-13.00	31.28	Vertical
5	16388.7694	40.43	-28.84	38.77	-44.90	-13.00	31.90	Vertical
6	17889.5945	40.79	-39.39	46.34	-47.52	-13.00	34.52	Vertical

Test Band = NR CA_CA_n71A-n78A(3450-3550)_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7401.6451	42.91	-38.51	36.70	-54.16	-13.00	41.16	Horizontal
2	9556.2778	41.23	-35.94	37.80	-52.17	-13.00	39.17	Horizontal
3	11911.5956	42.50	-35.33	39.87	-48.22	-13.00	35.22	Horizontal
4	14748.7874	39.76	-30.17	41.75	-43.92	-13.00	30.92	Horizontal
5	16395.0948	40.60	-28.82	38.79	-44.69	-13.00	31.69	Horizontal
6	17895.9198	40.42	-39.42	46.38	-47.88	-13.00	34.88	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7398.1949	43.35	-38.53	36.69	-53.75	-13.00	40.75	Vertical
2	10018.0259	41.57	-35.19	38.72	-50.16	-13.00	37.16	Vertical
3	12399.22	42.34	-35.15	39.80	-48.27	-13.00	35.27	Vertical
4	14751.6626	39.96	-30.16	41.75	-43.71	-13.00	30.71	Vertical
5	16434.7717	39.80	-28.39	38.97	-44.88	-13.00	31.88	Vertical
6	17968.9484	39.99	-39.75	47.64	-47.38	-13.00	34.38	Vertical

Test Band = NR CA_CA_n71A-n78A(3450-3550)_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7451.0976	42.82	-38.26	36.80	-53.90	-13.00	40.90	Horizontal
2	10049.6525	41.17	-34.96	38.75	-50.30	-13.00	37.30	Horizontal
3	12407.8454	42.83	-35.15	39.74	-47.84	-13.00	34.84	Horizontal
4	14710.2605	40.63	-31.61	41.87	-44.37	-13.00	31.37	Horizontal
5	16346.2173	40.72	-28.92	38.64	-44.82	-13.00	31.82	Horizontal
6	17972.3986	39.68	-39.75	47.70	-47.63	-13.00	34.63	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7477.5489	42.56	-38.40	36.86	-54.24	-13.00	41.24	Vertical
2	9545.9273	41.28	-35.91	37.80	-52.09	-13.00	39.09	Vertical
3	11278.4889	42.86	-35.50	40.12	-47.78	-13.00	34.78	Vertical
4	14747.6374	39.61	-30.21	41.76	-44.10	-13.00	31.10	Vertical
5	16393.3697	40.58	-28.83	38.78	-44.73	-13.00	31.73	Vertical
6	17897.6449	41.21	-39.42	46.39	-47.08	-13.00	34.08	Vertical

Test Band = NR CA_CA_n71A-n78A(3700-3800)_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7425.2213	42.67	-38.38	36.75	-54.22	-13.00	41.22	Horizontal
2	9551.6776	41.35	-35.95	37.80	-52.06	-13.00	39.06	Horizontal
3	11904.6952	43.25	-35.42	39.89	-47.54	-13.00	34.54	Horizontal
4	14647.0074	40.68	-31.33	41.69	-44.22	-13.00	31.22	Horizontal
5	16451.4476	39.72	-28.24	39.06	-44.72	-13.00	31.72	Horizontal
6	17963.1982	39.85	-39.74	47.54	-47.61	-13.00	34.61	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7463.7482	42.50	-38.33	36.83	-54.26	-13.00	41.26	Vertical
2	9640.807	40.96	-35.50	38.04	-51.76	-13.00	38.76	Vertical
3	12404.9702	42.30	-35.15	39.76	-48.35	-13.00	35.35	Vertical
4	14647.5824	41.02	-31.32	41.69	-43.87	-13.00	30.87	Vertical
5	16395.6698	40.40	-28.82	38.79	-44.89	-13.00	31.89	Vertical
6	17968.3734	39.81	-39.74	47.63	-47.56	-13.00	34.56	Vertical

Test Band = NR CA_CA_n71A-n78A(3700-3800)_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7418.8959	42.75	-38.42	36.74	-54.19	-13.00	41.19	Horizontal
2	10018.6009	41.42	-35.19	38.72	-50.31	-13.00	37.31	Horizontal
3	12395.7698	42.42	-35.13	39.77	-48.20	-13.00	35.20	Horizontal
4	14706.8103	41.29	-31.74	41.88	-43.83	-13.00	30.83	Horizontal
5	16392.2196	40.62	-28.83	38.78	-44.69	-13.00	31.69	Horizontal
6	17964.9232	39.71	-39.74	47.57	-47.72	-13.00	34.72	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7388.4194	43.10	-38.55	36.65	-54.06	-13.00	41.06	Vertical
2	10008.2504	41.45	-35.26	38.71	-50.36	-13.00	37.36	Vertical
3	12408.4204	42.95	-35.14	39.73	-47.72	-13.00	34.72	Vertical
4	14780.414	40.22	-30.78	41.66	-44.16	-13.00	31.16	Vertical
5	16353.1177	40.83	-28.92	38.66	-44.69	-13.00	31.69	Vertical
6	17958.0229	39.81	-39.74	47.44	-47.75	-13.00	34.75	Vertical

Test Band = NR CA_CA_n71A-n78A(3700-3800) _TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7409.6955	42.79	-38.47	36.72	-54.22	-13.00	41.22	Horizontal
2	10012.8506	41.42	-35.23	38.71	-50.36	-13.00	37.36	Horizontal
3	12365.8683	42.37	-34.89	39.60	-48.18	-13.00	35.18	Horizontal
4	14644.1322	40.72	-31.39	41.68	-44.25	-13.00	31.25	Horizontal
5	16395.0948	40.53	-28.82	38.79	-44.76	-13.00	31.76	Horizontal
6	17974.1237	39.73	-39.75	47.73	-47.55	-13.00	34.55	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7420.046	42.79	-38.41	36.74	-54.14	-13.00	41.14	Vertical
2	10025.5013	41.18	-35.14	38.73	-50.49	-13.00	37.49	Vertical
3	12382.5441	42.53	-35.02	39.70	-48.05	-13.00	35.05	Vertical
4	14770.6385	39.94	-30.57	41.69	-44.20	-13.00	31.20	Vertical
5	16412.9206	40.28	-28.65	38.86	-44.77	-13.00	31.77	Vertical
6	17960.898	39.80	-39.74	47.50	-47.70	-13.00	34.70	Vertical