



Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.80	0.34	-0.46	6.55	Pass
122	5610	-0.84	0.34	-0.50	6.55	Pass

CH106




CH122




Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.52	0.34	-0.18	6.55	Pass
122	5610	0.09	0.34	0.42	6.55	Pass

CH106




CH122




Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.94	0.34	-0.61	6.55	Pass
122	5610	-0.65	0.34	-0.31	6.55	Pass

CH106




CH122




Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.90	0.34	-0.56	6.55	Pass
122	5610	-1.13	0.34	-0.79	6.55	Pass

CH106



CH122




Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.57	6.55	Pass
122	5610	5.75	6.55	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-3.90	0.58	-3.32	6.55	Pass


CH114



Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-3.48	0.58	-2.90	6.55	Pass


CH114



Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-3.78	0.58	-3.20	6.55	Pass


CH114



Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-3.58	0.58	-3.00	6.55	Pass

CH114




Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	2.92	6.55	Pass


Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.11	0.12	0.01	6.55	Pass
116	5580	0.04	0.12	0.16	6.55	Pass
140	5700	-0.05	0.12	0.07	6.55	Pass


CH100



CH116




CH140




Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.06	0.12	0.06	6.55	Pass
116	5580	0.27	0.12	0.39	6.55	Pass
140	5700	-0.11	0.12	0.01	6.55	Pass


H100



CH116




CH140




Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.62	0.12	0.75	6.55	Pass
116	5580	0.32	0.12	0.44	6.55	Pass
140	5700	-0.03	0.12	0.09	6.55	Pass


CH100



CH116




CH140




Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.94	0.12	1.06	6.55	Pass
116	5580	0.66	0.12	0.79	6.55	Pass
140	5700	0.53	0.12	0.65	6.55	Pass


CH100



CH116



CH140




Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.51	6.55	Pass
116	5580	6.47	6.55	Pass
140	5700	6.23	6.55	Pass


Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.34	0.20	-0.14	6.55	Pass
110	5550	0.12	0.20	0.32	6.55	Pass
134	5670	0.17	0.20	0.37	6.55	Pass


CH102



CH110




CH134




Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.32	0.20	-0.12	6.55	Pass
110	5550	-0.21	0.20	-0.01	6.55	Pass
134	5670	-0.18	0.20	0.01	6.55	Pass


CH102



CH110




CH134




Test Mode UNII-2C_TX BE(EHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.04	0.20	0.24	6.55	Pass
110	5550	0.11	0.20	0.31	6.55	Pass
134	5670	0.19	0.20	0.38	6.55	Pass


CH102



CH110




CH134




Test Mode UNII-2C_TX BE(EHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.75	0.20	0.95	6.55	Pass
110	5550	0.70	0.20	0.89	6.55	Pass
134	5670	0.33	0.20	0.53	6.55	Pass


CH102



CH110



CH134




Test Mode UNII-2C_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.27	6.55	Pass
110	5550	6.41	6.55	Pass
134	5670	6.35	6.55	Pass


Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.33	0.36	-0.97	6.55	Pass
122	5610	-1.13	0.36	-0.77	6.55	Pass

CH106




CH122




Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.68	0.36	-0.32	6.55	Pass
122	5610	0.04	0.36	0.39	6.55	Pass

CH106




CH122




Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.90	0.36	-0.55	6.55	Pass
122	5610	-0.74	0.36	-0.38	6.55	Pass

CH106




CH122




Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.90	0.36	-0.54	6.55	Pass
122	5610	-1.03	0.36	-0.68	6.55	Pass

CH106



CH122




Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.43	6.55	Pass
122	5610	5.69	6.55	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-3.72	0.60	-3.12	6.55	Pass


CH114



Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-3.46	0.60	-2.87	6.55	Pass


CH114



Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-3.68	0.60	-3.09	6.55	Pass


CH114



Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-3.51	0.60	-2.91	6.55	Pass

CH114




Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	3.02	6.55	Pass

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.98	8.97	0.24	9.21	26.26	Pass
157	5785	1.50	8.49	0.24	8.73	26.26	Pass
165	5825	1.25	8.24	0.24	8.48	26.26	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.89	8.88	0.24	9.12	26.26	Pass
157	5785	1.70	8.69	0.24	8.94	26.26	Pass
165	5825	1.53	8.52	0.24	8.76	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$




Test Mode UNII-3_TX A Mode_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.01	9.00	0.24	9.24	26.26	Pass
157	5785	2.23	9.22	0.24	9.46	26.26	Pass
165	5825	1.71	8.70	0.24	8.94	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




Test Mode UNII-3_TX A Mode_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.31	9.30	0.24	9.54	26.26	Pass
157	5785	2.23	9.22	0.24	9.46	26.26	Pass
165	5825	1.44	8.43	0.24	8.67	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165



Test Mode UNII-3_TX A Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.30	26.26	Pass
157	5785	15.18	26.26	Pass
165	5825	14.74	26.26	Pass

Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.95	8.94	0.09	9.03	26.26	Pass
157	5785	0.93	7.92	0.09	8.02	26.26	Pass
165	5825	1.10	8.09	0.09	8.18	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.54	8.53	0.09	8.62	26.26	Pass
157	5785	1.79	8.77	0.09	8.87	26.26	Pass
165	5825	2.10	9.09	0.09	9.18	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.81	8.80	0.09	8.89	26.26	Pass
157	5785	1.93	8.92	0.09	9.01	26.26	Pass
165	5825	2.15	9.14	0.09	9.24	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.51	9.50	0.09	9.60	26.26	Pass
157	5785	2.17	9.16	0.09	9.26	26.26	Pass
165	5825	1.94	8.93	0.09	9.02	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165



Test Mode UNII-3_TX AC(VHT20) Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.07	26.26	Pass
157	5785	14.83	26.26	Pass
165	5825	14.94	26.26	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-1.33	5.66	0.18	5.84	26.26	Pass
159	5795	-1.49	5.50	0.18	5.68	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH151



CH159




Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-0.78	6.20	0.18	6.38	26.26	Pass
159	5795	-1.30	5.69	0.18	5.87	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH151



CH159




Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-0.92	6.07	0.18	6.25	26.26	Pass
159	5795	-1.12	5.87	0.18	6.05	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH151



CH159




Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-1.19	5.80	0.18	5.97	26.26	Pass
159	5795	-0.96	6.03	0.18	6.21	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH151



CH159



Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	12.14	26.26	Pass
159	5795	11.98	26.26	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-3.92	3.07	0.34	3.41	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH155




Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-4.87	2.12	0.34	2.46	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH155




Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-4.55	2.44	0.34	2.78	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH155




Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-3.99	3.00	0.34	3.34	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH155



Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	9.04	26.26	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.21	7.20	0.12	7.32	26.26	Pass
157	5785	0.06	7.05	0.12	7.17	26.26	Pass
165	5825	0.28	7.27	0.12	7.39	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.44	7.43	0.12	7.56	26.26	Pass
157	5785	0.35	7.34	0.12	7.46	26.26	Pass
165	5825	0.70	7.69	0.12	7.82	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




Test Mode UNII-3_TX BE(EHT20) Mode_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.51	7.50	0.12	7.62	26.26	Pass
157	5785	0.60	7.59	0.12	7.72	26.26	Pass
165	5825	0.80	7.79	0.12	7.92	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




Test Mode UNII-3_TX BE(EHT20) Mode_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.83	7.82	0.12	7.94	26.26	Pass
157	5785	1.20	8.19	0.12	8.31	26.26	Pass
165	5825	0.71	7.70	0.12	7.83	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165



Test Mode UNII-3_TX BE(EHT20) Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.64	26.26	Pass
157	5785	13.71	26.26	Pass
165	5825	13.76	26.26	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-2.36	4.63	0.20	4.83	26.26	Pass
159	5795	-2.66	4.33	0.20	4.52	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH151



CH159




Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-2.47	4.52	0.20	4.72	26.26	Pass
159	5795	-2.16	4.83	0.20	5.02	26.26	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH151



CH159

