




Test Mode	IEEE 802.11be(EHT320)_Ant_1
-----------	-----------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6105	327.36	315.24	320	Pass
6265	327.39	315.11	320	Pass





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6425	328.01	315.25	320	Pass

6425 26 dB Bandwidth 	-	-
99 % Occupied Bandwidth 	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6585	326.65	315.23	320	Pass
6745	326.65	314.87	320	Pass




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6905	373.37	316.51	320	Pass



6905 26 dB Bandwidth 	-	-
99 % Occupied Bandwidth 	-	-

Test Mode	IEEE 802.11be(EHT320)_Ant_2
-----------	-----------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6105	327.30	314.85	320	Pass
6265	328.56	315.60	320	Pass





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6425	328.23	315.54	320	Pass

6425 26 dB Bandwidth 	-	-
99 % Occupied Bandwidth 	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6585	327.66	314.71	320	Pass
6745	326.48	314.84	320	Pass



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6905	327.38	315.98	320	Pass

6905 26 dB Bandwidth 	-	-
99 % Occupied Bandwidth 	-	-

APPENDIX F - MAXIMUM E.I.R.P.

For NSS1

Test Mode	IEEE 802.11ax(HE20)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	4.87	12.45	0.0176	30.00	1.0000	Pass
6175	5.78	13.36	0.0217	30.00	1.0000	Pass
6415	5.16	12.74	0.0188	30.00	1.0000	Pass
6435	5.43	13.22	0.0210	30.00	1.0000	Pass
6475	5.82	13.61	0.0230	30.00	1.0000	Pass
6515	5.33	13.12	0.0205	30.00	1.0000	Pass
6535	3.41	11.84	0.0153	30.00	1.0000	Pass
6695	3.07	11.50	0.0141	30.00	1.0000	Pass
6855	3.49	11.92	0.0156	30.00	1.0000	Pass
6875	5.02	11.64	0.0146	30.00	1.0000	Pass
6995	5.45	12.07	0.0161	30.00	1.0000	Pass
7095	5.43	12.05	0.0160	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE20)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	5.07	12.65	0.0184	30.00	1.0000	Pass
6175	5.65	13.23	0.0210	30.00	1.0000	Pass
6415	5.05	12.63	0.0183	30.00	1.0000	Pass
6435	5.47	13.26	0.0212	30.00	1.0000	Pass
6475	5.63	13.42	0.0220	30.00	1.0000	Pass
6515	5.16	12.95	0.0197	30.00	1.0000	Pass
6535	2.98	11.41	0.0138	30.00	1.0000	Pass
6695	2.61	11.04	0.0127	30.00	1.0000	Pass
6855	3.16	11.59	0.0144	30.00	1.0000	Pass
6875	4.94	11.56	0.0143	30.00	1.0000	Pass
6995	5.51	12.13	0.0163	30.00	1.0000	Pass
7095	5.47	12.09	0.0162	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE20)_Total
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	7.98	15.56	0.0360	30.00	1.0000	Pass
6175	8.73	16.31	0.0428	30.00	1.0000	Pass
6415	8.12	15.70	0.0372	30.00	1.0000	Pass
6435	8.46	16.25	0.0422	30.00	1.0000	Pass
6475	8.74	16.53	0.0450	30.00	1.0000	Pass
6515	8.26	16.05	0.0403	30.00	1.0000	Pass
6535	6.21	14.64	0.0291	30.00	1.0000	Pass
6695	5.86	14.29	0.0269	30.00	1.0000	Pass
6855	6.34	14.77	0.0300	30.00	1.0000	Pass
6875	7.99	14.61	0.0289	30.00	1.0000	Pass
6995	8.49	15.11	0.0324	30.00	1.0000	Pass
7095	8.46	15.08	0.0322	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE40)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	7.39	14.97	0.0314	30.00	1.0000	Pass
6165	8.42	16.00	0.0398	30.00	1.0000	Pass
6405	7.64	15.22	0.0333	30.00	1.0000	Pass
6445	8.65	16.44	0.0441	30.00	1.0000	Pass
6485	8.27	16.06	0.0404	30.00	1.0000	Pass
6525	6.24	14.03	0.0253	30.00	1.0000	Pass
6565	6.10	14.53	0.0284	30.00	1.0000	Pass
6725	5.77	14.20	0.0263	30.00	1.0000	Pass
6845	6.95	15.38	0.0345	30.00	1.0000	Pass
6885	8.18	14.80	0.0302	30.00	1.0000	Pass
7005	8.65	15.27	0.0337	30.00	1.0000	Pass
7085	7.84	14.46	0.0279	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE40)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	7.57	15.15	0.0327	30.00	1.0000	Pass
6165	8.21	15.79	0.0379	30.00	1.0000	Pass
6405	7.56	15.14	0.0327	30.00	1.0000	Pass
6445	8.70	16.49	0.0446	30.00	1.0000	Pass
6485	8.11	15.90	0.0389	30.00	1.0000	Pass
6525	6.14	13.93	0.0247	30.00	1.0000	Pass
6565	5.89	14.32	0.0270	30.00	1.0000	Pass
6725	5.69	14.12	0.0258	30.00	1.0000	Pass
6845	6.75	15.18	0.0330	30.00	1.0000	Pass
6885	8.15	14.77	0.0300	30.00	1.0000	Pass
7005	8.59	15.21	0.0332	30.00	1.0000	Pass
7085	7.96	14.58	0.0287	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE40)_Total
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	10.49	18.07	0.0641	30.00	1.0000	Pass
6165	11.33	18.91	0.0778	30.00	1.0000	Pass
6405	10.61	18.19	0.0659	30.00	1.0000	Pass
6445	11.69	19.48	0.0887	30.00	1.0000	Pass
6485	11.20	18.99	0.0793	30.00	1.0000	Pass
6525	9.20	16.99	0.0500	30.00	1.0000	Pass
6565	9.01	17.44	0.0555	30.00	1.0000	Pass
6725	8.74	17.17	0.0521	30.00	1.0000	Pass
6845	9.86	18.29	0.0675	30.00	1.0000	Pass
6885	11.18	17.80	0.0603	30.00	1.0000	Pass
7005	11.63	18.25	0.0668	30.00	1.0000	Pass
7085	10.91	17.53	0.0566	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	9.84	17.42	0.0552	30.00	1.0000	Pass
6145	10.97	18.55	0.0716	30.00	1.0000	Pass
6385	10.44	18.02	0.0634	30.00	1.0000	Pass
6465	11.42	19.21	0.0834	30.00	1.0000	Pass
6545	8.91	17.34	0.0542	30.00	1.0000	Pass
6705	8.46	16.89	0.0489	30.00	1.0000	Pass
6865	9.15	17.58	0.0573	30.00	1.0000	Pass
6945	11.45	18.07	0.0641	30.00	1.0000	Pass
7025	11.02	17.64	0.0581	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	9.93	17.51	0.0564	30.00	1.0000	Pass
6145	10.63	18.21	0.0662	30.00	1.0000	Pass
6385	10.46	18.04	0.0637	30.00	1.0000	Pass
6465	11.34	19.13	0.0818	30.00	1.0000	Pass
6545	8.69	17.12	0.0515	30.00	1.0000	Pass
6705	8.36	16.79	0.0478	30.00	1.0000	Pass
6865	9.02	17.45	0.0556	30.00	1.0000	Pass
6945	11.56	18.18	0.0658	30.00	1.0000	Pass
7025	11.02	17.64	0.0581	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE80)_Total
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	12.90	20.48	0.1117	30.00	1.0000	Pass
6145	13.81	21.39	0.1377	30.00	1.0000	Pass
6385	13.46	21.04	0.1271	30.00	1.0000	Pass
6465	14.39	22.18	0.1652	30.00	1.0000	Pass
6545	11.81	20.24	0.1057	30.00	1.0000	Pass
6705	11.42	19.85	0.0966	30.00	1.0000	Pass
6865	12.10	20.53	0.1130	30.00	1.0000	Pass
6945	14.52	21.14	0.1300	30.00	1.0000	Pass
7025	14.03	20.65	0.1161	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE160)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	13.04	20.62	0.1153	30.00	1.0000	Pass
6185	13.30	20.88	0.1225	30.00	1.0000	Pass
6345	12.07	19.65	0.0923	30.00	1.0000	Pass
6505	13.32	21.11	0.1291	30.00	1.0000	Pass
6665	11.33	19.76	0.0946	30.00	1.0000	Pass
6825	12.11	20.54	0.1132	30.00	1.0000	Pass
6985	13.64	20.26	0.1062	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE160)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	13.09	20.67	0.1167	30.00	1.0000	Pass
6185	13.40	20.98	0.1253	30.00	1.0000	Pass
6345	12.54	20.12	0.1028	30.00	1.0000	Pass
6505	13.41	21.20	0.1318	30.00	1.0000	Pass
6665	11.25	19.68	0.0929	30.00	1.0000	Pass
6825	12.16	20.59	0.1146	30.00	1.0000	Pass
6985	14.02	20.64	0.1159	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE160)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	16.08	23.66	0.2323	30.00	1.0000	Pass
6185	16.36	23.94	0.2477	30.00	1.0000	Pass
6345	15.32	22.90	0.1950	30.00	1.0000	Pass
6505	16.38	24.17	0.2612	30.00	1.0000	Pass
6665	14.30	22.73	0.1875	30.00	1.0000	Pass
6825	15.15	23.58	0.2280	30.00	1.0000	Pass
6985	16.84	23.46	0.2218	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	4.24	11.82	0.0152	30.00	1.0000	Pass
6175	4.96	12.54	0.0179	30.00	1.0000	Pass
6415	4.32	11.90	0.0155	30.00	1.0000	Pass
6435	4.52	12.31	0.0170	30.00	1.0000	Pass
6475	4.92	12.71	0.0187	30.00	1.0000	Pass
6515	4.90	12.69	0.0186	30.00	1.0000	Pass
6535	2.74	11.17	0.0131	30.00	1.0000	Pass
6695	2.58	11.01	0.0126	30.00	1.0000	Pass
6855	3.47	11.90	0.0155	30.00	1.0000	Pass
6875	4.61	11.23	0.0133	30.00	1.0000	Pass
6995	5.13	11.75	0.0150	30.00	1.0000	Pass
7095	5.16	11.78	0.0151	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	4.26	11.84	0.0153	30.00	1.0000	Pass
6175	4.80	12.38	0.0173	30.00	1.0000	Pass
6415	4.19	11.77	0.0150	30.00	1.0000	Pass
6435	4.43	12.22	0.0167	30.00	1.0000	Pass
6475	4.58	12.37	0.0173	30.00	1.0000	Pass
6515	4.76	12.55	0.0180	30.00	1.0000	Pass
6535	2.43	10.86	0.0122	30.00	1.0000	Pass
6695	2.11	10.54	0.0113	30.00	1.0000	Pass
6855	3.19	11.62	0.0145	30.00	1.0000	Pass
6875	4.63	11.25	0.0133	30.00	1.0000	Pass
6995	4.96	11.58	0.0144	30.00	1.0000	Pass
7095	5.14	11.76	0.0150	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT20)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	7.26	14.84	0.0305	30.00	1.0000	Pass
6175	7.89	15.47	0.0352	30.00	1.0000	Pass
6415	7.27	14.85	0.0305	30.00	1.0000	Pass
6435	7.49	15.28	0.0337	30.00	1.0000	Pass
6475	7.76	15.55	0.0359	30.00	1.0000	Pass
6515	7.84	15.63	0.0366	30.00	1.0000	Pass
6535	5.60	14.03	0.0253	30.00	1.0000	Pass
6695	5.36	13.79	0.0239	30.00	1.0000	Pass
6855	6.34	14.77	0.0300	30.00	1.0000	Pass
6875	7.63	14.25	0.0266	30.00	1.0000	Pass
6995	8.06	14.68	0.0294	30.00	1.0000	Pass
7095	8.16	14.78	0.0301	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	7.89	15.47	0.0352	30.00	1.0000	Pass
6165	8.29	15.87	0.0386	30.00	1.0000	Pass
6405	7.40	14.98	0.0315	30.00	1.0000	Pass
6445	8.58	16.37	0.0434	30.00	1.0000	Pass
6485	8.29	16.08	0.0406	30.00	1.0000	Pass
6525	6.19	13.98	0.0250	30.00	1.0000	Pass
6565	6.12	14.55	0.0285	30.00	1.0000	Pass
6725	5.65	14.08	0.0256	30.00	1.0000	Pass
6845	6.92	15.35	0.0343	30.00	1.0000	Pass
6885	8.14	14.76	0.0299	30.00	1.0000	Pass
7005	8.57	15.19	0.0330	30.00	1.0000	Pass
7085	8.26	14.88	0.0308	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	8.04	15.62	0.0365	30.00	1.0000	Pass
6165	8.19	15.77	0.0378	30.00	1.0000	Pass
6405	7.51	15.09	0.0323	30.00	1.0000	Pass
6445	8.63	16.42	0.0439	30.00	1.0000	Pass
6485	8.17	15.96	0.0394	30.00	1.0000	Pass
6525	6.18	13.97	0.0249	30.00	1.0000	Pass
6565	5.86	14.29	0.0269	30.00	1.0000	Pass
6725	5.66	14.09	0.0256	30.00	1.0000	Pass
6845	6.77	15.20	0.0331	30.00	1.0000	Pass
6885	8.06	14.68	0.0294	30.00	1.0000	Pass
7005	8.52	15.14	0.0327	30.00	1.0000	Pass
7085	8.36	14.98	0.0315	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	10.98	18.56	0.0718	30.00	1.0000	Pass
6165	11.25	18.83	0.0764	30.00	1.0000	Pass
6405	10.47	18.05	0.0638	30.00	1.0000	Pass
6445	11.62	19.41	0.0873	30.00	1.0000	Pass
6485	11.24	19.03	0.0800	30.00	1.0000	Pass
6525	9.20	16.99	0.0500	30.00	1.0000	Pass
6565	9.00	17.43	0.0553	30.00	1.0000	Pass
6725	8.67	17.10	0.0513	30.00	1.0000	Pass
6845	9.86	18.29	0.0675	30.00	1.0000	Pass
6885	11.11	17.73	0.0593	30.00	1.0000	Pass
7005	11.56	18.18	0.0658	30.00	1.0000	Pass
7085	11.32	17.94	0.0622	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	9.71	17.29	0.0536	30.00	1.0000	Pass
6145	10.35	17.93	0.0621	30.00	1.0000	Pass
6385	10.35	17.93	0.0621	30.00	1.0000	Pass
6465	11.28	19.07	0.0807	30.00	1.0000	Pass
6545	9.37	17.80	0.0603	30.00	1.0000	Pass
6705	8.37	16.80	0.0479	30.00	1.0000	Pass
6865	9.13	17.56	0.0570	30.00	1.0000	Pass
6945	10.82	17.44	0.0555	30.00	1.0000	Pass
7025	11.12	17.74	0.0594	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	9.73	17.31	0.0538	30.00	1.0000	Pass
6145	10.04	17.62	0.0578	30.00	1.0000	Pass
6385	10.39	17.97	0.0627	30.00	1.0000	Pass
6465	11.55	19.34	0.0859	30.00	1.0000	Pass
6545	9.09	17.52	0.0565	30.00	1.0000	Pass
6705	8.56	16.99	0.0500	30.00	1.0000	Pass
6865	8.99	17.42	0.0552	30.00	1.0000	Pass
6945	10.93	17.55	0.0569	30.00	1.0000	Pass
7025	11.03	17.65	0.0582	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	12.73	20.31	0.1074	30.00	1.0000	Pass
6145	13.21	20.79	0.1199	30.00	1.0000	Pass
6385	13.38	20.96	0.1247	30.00	1.0000	Pass
6465	14.43	22.22	0.1667	30.00	1.0000	Pass
6545	12.24	20.67	0.1167	30.00	1.0000	Pass
6705	11.48	19.91	0.0979	30.00	1.0000	Pass
6865	12.07	20.50	0.1122	30.00	1.0000	Pass
6945	13.89	20.51	0.1125	30.00	1.0000	Pass
7025	14.09	20.71	0.1178	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.1
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	13.05	20.63	0.1156	30.00	1.0000	Pass
6185	13.33	20.91	0.1233	30.00	1.0000	Pass
6345	12.59	20.17	0.1040	30.00	1.0000	Pass
6505	13.81	21.60	0.1445	30.00	1.0000	Pass
6665	11.68	20.11	0.1026	30.00	1.0000	Pass
6825	12.06	20.49	0.1119	30.00	1.0000	Pass
6985	14.04	20.66	0.1164	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.2
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	13.17	20.75	0.1189	30.00	1.0000	Pass
6185	13.43	21.01	0.1262	30.00	1.0000	Pass
6345	13.01	20.59	0.1146	30.00	1.0000	Pass
6505	13.87	21.66	0.1466	30.00	1.0000	Pass
6665	11.54	19.97	0.0993	30.00	1.0000	Pass
6825	12.11	20.54	0.1132	30.00	1.0000	Pass
6985	14.51	21.13	0.1297	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Total
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	16.12	23.70	0.2344	30.00	1.0000	Pass
6185	16.39	23.97	0.2495	30.00	1.0000	Pass
6345	15.82	23.40	0.2188	30.00	1.0000	Pass
6505	16.85	24.64	0.2911	30.00	1.0000	Pass
6665	14.62	23.05	0.2018	30.00	1.0000	Pass
6825	15.10	23.53	0.2254	30.00	1.0000	Pass
6985	17.29	23.91	0.2460	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Ant.1
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6105	16.04	23.62	0.2301	30.00	1.0000	Pass
6265	14.75	22.33	0.1710	30.00	1.0000	Pass
6425	16.32	24.11	0.2576	30.00	1.0000	Pass
6585	14.07	22.50	0.1778	30.00	1.0000	Pass
6745	14.03	22.46	0.1762	30.00	1.0000	Pass
6905	16.27	22.89	0.1945	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Ant.2
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6105	16.29	23.87	0.2438	30.00	1.0000	Pass
6265	14.98	22.56	0.1803	30.00	1.0000	Pass
6425	16.34	24.13	0.2588	30.00	1.0000	Pass
6585	14.17	22.60	0.1820	30.00	1.0000	Pass
6745	14.32	22.75	0.1884	30.00	1.0000	Pass
6905	16.56	23.18	0.2080	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Total
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6105	19.18	26.76	0.4742	30.00	1.0000	Pass
6265	17.88	25.46	0.3516	30.00	1.0000	Pass
6425	19.34	27.13	0.5164	30.00	1.0000	Pass
6585	17.13	25.56	0.3597	30.00	1.0000	Pass
6745	17.19	25.62	0.3648	30.00	1.0000	Pass
6905	19.43	26.05	0.4027	30.00	1.0000	Pass

Note: Conducted power = Measure result + Cable loss + Duty factor

For NSS2

Test Mode	IEEE 802.11ax(HE20)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	7.05	14.63	0.0290	30.00	1.0000	Pass
6175	7.88	15.46	0.0352	30.00	1.0000	Pass
6415	7.68	15.26	0.0336	30.00	1.0000	Pass
6435	7.92	15.71	0.0372	30.00	1.0000	Pass
6475	7.87	15.66	0.0368	30.00	1.0000	Pass
6515	7.86	15.65	0.0367	30.00	1.0000	Pass
6535	7.86	16.29	0.0426	30.00	1.0000	Pass
6695	7.01	15.44	0.0350	30.00	1.0000	Pass
6855	8.17	16.60	0.0457	30.00	1.0000	Pass
6875	8.73	15.35	0.0343	30.00	1.0000	Pass
6995	9.21	15.83	0.0383	30.00	1.0000	Pass
7095	9.27	15.89	0.0388	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE20)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	7.22	14.80	0.0302	30.00	1.0000	Pass
6175	7.88	15.46	0.0352	30.00	1.0000	Pass
6415	7.65	15.23	0.0333	30.00	1.0000	Pass
6435	7.99	15.78	0.0378	30.00	1.0000	Pass
6475	7.75	15.54	0.0358	30.00	1.0000	Pass
6515	7.81	15.60	0.0363	30.00	1.0000	Pass
6535	7.63	16.06	0.0404	30.00	1.0000	Pass
6695	6.65	15.08	0.0322	30.00	1.0000	Pass
6855	7.91	16.34	0.0431	30.00	1.0000	Pass
6875	8.65	15.27	0.0337	30.00	1.0000	Pass
6995	9.12	15.74	0.0375	30.00	1.0000	Pass
7095	9.27	15.89	0.0388	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE20)_Total
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	10.15	17.73	0.0593	30.00	1.0000	Pass
6175	10.89	18.47	0.0703	30.00	1.0000	Pass
6415	10.68	18.26	0.0670	30.00	1.0000	Pass
6435	10.97	18.76	0.0752	30.00	1.0000	Pass
6475	10.82	18.61	0.0726	30.00	1.0000	Pass
6515	10.85	18.64	0.0731	30.00	1.0000	Pass
6535	10.76	19.19	0.0830	30.00	1.0000	Pass
6695	9.84	18.27	0.0671	30.00	1.0000	Pass
6855	11.05	19.48	0.0887	30.00	1.0000	Pass
6875	11.70	18.32	0.0679	30.00	1.0000	Pass
6995	12.18	18.80	0.0759	30.00	1.0000	Pass
7095	12.28	18.90	0.0776	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE40)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	10.44	18.02	0.0634	30.00	1.0000	Pass
6165	10.93	18.51	0.0710	30.00	1.0000	Pass
6405	10.52	18.10	0.0646	30.00	1.0000	Pass
6445	10.42	18.21	0.0662	30.00	1.0000	Pass
6485	10.72	18.51	0.0710	30.00	1.0000	Pass
6525	10.73	18.52	0.0711	30.00	1.0000	Pass
6565	10.62	19.05	0.0804	30.00	1.0000	Pass
6725	9.96	18.39	0.0690	30.00	1.0000	Pass
6845	10.96	19.39	0.0869	30.00	1.0000	Pass
6885	11.09	17.71	0.0590	30.00	1.0000	Pass
7005	11.56	18.18	0.0658	30.00	1.0000	Pass
7085	11.35	17.97	0.0627	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE40)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	10.49	18.07	0.0641	30.00	1.0000	Pass
6165	10.86	18.44	0.0698	30.00	1.0000	Pass
6405	10.49	18.07	0.0641	30.00	1.0000	Pass
6445	10.47	18.26	0.0670	30.00	1.0000	Pass
6485	10.70	18.49	0.0706	30.00	1.0000	Pass
6525	10.58	18.37	0.0687	30.00	1.0000	Pass
6565	10.37	18.80	0.0759	30.00	1.0000	Pass
6725	9.79	18.22	0.0664	30.00	1.0000	Pass
6845	10.82	19.25	0.0841	30.00	1.0000	Pass
6885	11.05	17.67	0.0585	30.00	1.0000	Pass
7005	11.48	18.10	0.0646	30.00	1.0000	Pass
7085	11.27	17.89	0.0615	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE40)_Total
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	13.48	21.06	0.1276	30.00	1.0000	Pass
6165	13.91	21.49	0.1409	30.00	1.0000	Pass
6405	13.52	21.10	0.1288	30.00	1.0000	Pass
6445	13.46	21.25	0.1334	30.00	1.0000	Pass
6485	13.72	21.51	0.1416	30.00	1.0000	Pass
6525	13.67	21.46	0.1400	30.00	1.0000	Pass
6565	13.51	21.94	0.1563	30.00	1.0000	Pass
6725	12.89	21.32	0.1355	30.00	1.0000	Pass
6845	13.90	22.33	0.1710	30.00	1.0000	Pass
6885	14.08	20.70	0.1175	30.00	1.0000	Pass
7005	14.53	21.15	0.1303	30.00	1.0000	Pass
7085	14.32	20.94	0.1242	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	12.42	20.00	0.1000	30.00	1.0000	Pass
6145	13.62	21.20	0.1318	30.00	1.0000	Pass
6385	12.96	20.54	0.1132	30.00	1.0000	Pass
6465	13.40	21.19	0.1315	30.00	1.0000	Pass
6545	13.39	21.82	0.1521	30.00	1.0000	Pass
6705	12.89	21.32	0.1355	30.00	1.0000	Pass
6865	13.77	22.20	0.1660	30.00	1.0000	Pass
6945	14.19	20.81	0.1205	30.00	1.0000	Pass
7025	14.18	20.80	0.1202	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	12.67	20.25	0.1059	30.00	1.0000	Pass
6145	13.09	20.67	0.1167	30.00	1.0000	Pass
6385	13.10	20.68	0.1169	30.00	1.0000	Pass
6465	13.21	21.00	0.1259	30.00	1.0000	Pass
6545	13.23	21.66	0.1466	30.00	1.0000	Pass
6705	12.51	20.94	0.1242	30.00	1.0000	Pass
6865	13.72	22.15	0.1641	30.00	1.0000	Pass
6945	14.11	20.73	0.1183	30.00	1.0000	Pass
7025	14.38	21.00	0.1259	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE80)_Total
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	15.56	23.14	0.2061	30.00	1.0000	Pass
6145	16.37	23.95	0.2483	30.00	1.0000	Pass
6385	16.04	23.62	0.2301	30.00	1.0000	Pass
6465	16.32	24.11	0.2576	30.00	1.0000	Pass
6545	16.32	24.75	0.2985	30.00	1.0000	Pass
6705	15.71	24.14	0.2594	30.00	1.0000	Pass
6865	16.76	25.19	0.3304	30.00	1.0000	Pass
6945	17.16	23.78	0.2388	30.00	1.0000	Pass
7025	17.29	23.91	0.2460	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE160)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	15.61	23.19	0.2084	30.00	1.0000	Pass
6185	15.72	23.30	0.2138	30.00	1.0000	Pass
6345	15.65	23.23	0.2104	30.00	1.0000	Pass
6505	15.79	23.58	0.2280	30.00	1.0000	Pass
6665	15.84	24.27	0.2673	30.00	1.0000	Pass
6825	16.64	25.07	0.3214	30.00	1.0000	Pass
6985	17.08	23.70	0.2344	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE160)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	15.54	23.12	0.2051	30.00	1.0000	Pass
6185	16.00	23.58	0.2280	30.00	1.0000	Pass
6345	16.07	23.65	0.2317	30.00	1.0000	Pass
6505	15.95	23.74	0.2366	30.00	1.0000	Pass
6665	15.51	23.94	0.2477	30.00	1.0000	Pass
6825	16.71	25.14	0.3266	30.00	1.0000	Pass
6985	17.41	24.03	0.2529	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE160)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	18.59	26.17	0.4140	30.00	1.0000	Pass
6185	18.87	26.45	0.4416	30.00	1.0000	Pass
6345	18.88	26.46	0.4426	30.00	1.0000	Pass
6505	18.88	26.67	0.4645	30.00	1.0000	Pass
6665	18.69	27.12	0.5152	30.00	1.0000	Pass
6825	19.69	28.12	0.6486	30.00	1.0000	Pass
6985	20.26	26.88	0.4875	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	7.43	15.01	0.0317	30.00	1.0000	Pass
6175	8.27	15.85	0.0385	30.00	1.0000	Pass
6415	8.18	15.76	0.0377	30.00	1.0000	Pass
6435	8.44	16.23	0.0420	30.00	1.0000	Pass
6475	8.84	16.63	0.0460	30.00	1.0000	Pass
6515	8.28	16.07	0.0405	30.00	1.0000	Pass
6535	8.30	16.73	0.0471	30.00	1.0000	Pass
6695	7.50	15.93	0.0392	30.00	1.0000	Pass
6855	8.60	17.03	0.0505	30.00	1.0000	Pass
6875	8.74	15.36	0.0344	30.00	1.0000	Pass
6995	9.74	16.36	0.0433	30.00	1.0000	Pass
7095	9.79	16.41	0.0438	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	7.68	15.26	0.0336	30.00	1.0000	Pass
6175	8.28	15.86	0.0385	30.00	1.0000	Pass
6415	8.17	15.75	0.0376	30.00	1.0000	Pass
6435	8.46	16.25	0.0422	30.00	1.0000	Pass
6475	8.79	16.58	0.0455	30.00	1.0000	Pass
6515	8.36	16.15	0.0412	30.00	1.0000	Pass
6535	8.12	16.55	0.0452	30.00	1.0000	Pass
6695	7.20	15.63	0.0366	30.00	1.0000	Pass
6855	8.36	16.79	0.0478	30.00	1.0000	Pass
6875	8.60	15.22	0.0333	30.00	1.0000	Pass
6995	9.58	16.20	0.0417	30.00	1.0000	Pass
7095	9.61	16.23	0.0420	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT20)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	10.57	18.15	0.0653	30.00	1.0000	Pass
6175	11.29	18.87	0.0771	30.00	1.0000	Pass
6415	11.19	18.77	0.0753	30.00	1.0000	Pass
6435	11.46	19.25	0.0841	30.00	1.0000	Pass
6475	11.83	19.62	0.0916	30.00	1.0000	Pass
6515	11.33	19.12	0.0817	30.00	1.0000	Pass
6535	11.22	19.65	0.0923	30.00	1.0000	Pass
6695	10.36	18.79	0.0757	30.00	1.0000	Pass
6855	11.49	19.92	0.0982	30.00	1.0000	Pass
6875	11.68	18.30	0.0676	30.00	1.0000	Pass
6995	12.67	19.29	0.0849	30.00	1.0000	Pass
7095	12.71	19.33	0.0857	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	10.39	17.97	0.0627	30.00	1.0000	Pass
6165	11.49	19.07	0.0807	30.00	1.0000	Pass
6405	10.99	18.57	0.0719	30.00	1.0000	Pass
6445	11.12	18.91	0.0778	30.00	1.0000	Pass
6485	11.31	19.10	0.0813	30.00	1.0000	Pass
6525	10.73	18.52	0.0711	30.00	1.0000	Pass
6565	10.60	19.03	0.0800	30.00	1.0000	Pass
6725	10.24	18.67	0.0736	30.00	1.0000	Pass
6845	11.54	19.97	0.0993	30.00	1.0000	Pass
6885	11.59	18.21	0.0662	30.00	1.0000	Pass
7005	12.12	18.74	0.0748	30.00	1.0000	Pass
7085	11.79	18.41	0.0693	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	10.54	18.12	0.0649	30.00	1.0000	Pass
6165	11.24	18.82	0.0762	30.00	1.0000	Pass
6405	10.93	18.51	0.0710	30.00	1.0000	Pass
6445	11.09	18.88	0.0773	30.00	1.0000	Pass
6485	11.18	18.97	0.0789	30.00	1.0000	Pass
6525	10.62	18.41	0.0693	30.00	1.0000	Pass
6565	10.30	18.73	0.0746	30.00	1.0000	Pass
6725	10.21	18.64	0.0731	30.00	1.0000	Pass
6845	11.32	19.75	0.0944	30.00	1.0000	Pass
6885	11.67	18.29	0.0675	30.00	1.0000	Pass
7005	12.06	18.68	0.0738	30.00	1.0000	Pass
7085	11.77	18.39	0.0690	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	13.48	21.06	0.1276	30.00	1.0000	Pass
6165	14.38	21.96	0.1570	30.00	1.0000	Pass
6405	13.97	21.55	0.1429	30.00	1.0000	Pass
6445	14.12	21.91	0.1552	30.00	1.0000	Pass
6485	14.26	22.05	0.1603	30.00	1.0000	Pass
6525	13.69	21.48	0.1406	30.00	1.0000	Pass
6565	13.46	21.89	0.1545	30.00	1.0000	Pass
6725	13.24	21.67	0.1469	30.00	1.0000	Pass
6845	14.44	22.87	0.1936	30.00	1.0000	Pass
6885	14.64	21.26	0.1337	30.00	1.0000	Pass
7005	15.10	21.72	0.1486	30.00	1.0000	Pass
7085	14.79	21.41	0.1384	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	12.93	20.51	0.1125	30.00	1.0000	Pass
6145	14.26	21.84	0.1528	30.00	1.0000	Pass
6385	13.54	21.12	0.1294	30.00	1.0000	Pass
6465	14.06	21.85	0.1531	30.00	1.0000	Pass
6545	14.07	22.50	0.1778	30.00	1.0000	Pass
6705	13.22	21.65	0.1462	30.00	1.0000	Pass
6865	13.81	22.24	0.1675	30.00	1.0000	Pass
6945	15.08	21.70	0.1479	30.00	1.0000	Pass
7025	14.71	21.33	0.1358	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	13.08	20.66	0.1164	30.00	1.0000	Pass
6145	14.02	21.60	0.1445	30.00	1.0000	Pass
6385	13.47	21.05	0.1274	30.00	1.0000	Pass
6465	13.96	21.75	0.1496	30.00	1.0000	Pass
6545	13.76	22.19	0.1656	30.00	1.0000	Pass
6705	13.19	21.62	0.1452	30.00	1.0000	Pass
6865	13.67	22.10	0.1622	30.00	1.0000	Pass
6945	15.27	21.89	0.1545	30.00	1.0000	Pass
7025	14.68	21.30	0.1349	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	16.02	23.60	0.2291	30.00	1.0000	Pass
6145	17.15	24.73	0.2972	30.00	1.0000	Pass
6385	16.52	24.10	0.2570	30.00	1.0000	Pass
6465	17.02	24.81	0.3027	30.00	1.0000	Pass
6545	16.93	25.36	0.3436	30.00	1.0000	Pass
6705	16.22	24.65	0.2917	30.00	1.0000	Pass
6865	16.75	25.18	0.3296	30.00	1.0000	Pass
6945	18.19	24.81	0.3027	30.00	1.0000	Pass
7025	17.71	24.33	0.2710	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.1
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	16.72	24.30	0.2692	30.00	1.0000	Pass
6185	16.48	24.06	0.2547	30.00	1.0000	Pass
6345	15.65	23.23	0.2104	30.00	1.0000	Pass
6505	16.38	24.17	0.2612	30.00	1.0000	Pass
6665	15.76	24.19	0.2624	30.00	1.0000	Pass
6825	16.68	25.11	0.3243	30.00	1.0000	Pass
6985	17.39	24.01	0.2518	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.2
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	16.79	24.37	0.2735	30.00	1.0000	Pass
6185	16.63	24.21	0.2636	30.00	1.0000	Pass
6345	16.17	23.75	0.2371	30.00	1.0000	Pass
6505	16.46	24.25	0.2661	30.00	1.0000	Pass
6665	15.66	24.09	0.2564	30.00	1.0000	Pass
6825	16.74	25.17	0.3289	30.00	1.0000	Pass
6985	17.95	24.57	0.2864	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Total
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	19.77	27.35	0.5433	30.00	1.0000	Pass
6185	19.57	27.15	0.5188	30.00	1.0000	Pass
6345	18.93	26.51	0.4477	30.00	1.0000	Pass
6505	19.43	27.22	0.5272	30.00	1.0000	Pass
6665	18.72	27.15	0.5188	30.00	1.0000	Pass
6825	19.72	28.15	0.6531	30.00	1.0000	Pass
6985	20.69	27.31	0.5383	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Ant.1
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6105	18.98	26.56	0.4529	30.00	1.0000	Pass
6265	18.73	26.31	0.4276	30.00	1.0000	Pass
6425	18.91	26.70	0.4677	30.00	1.0000	Pass
6585	18.37	26.80	0.4786	30.00	1.0000	Pass
6745	18.31	26.74	0.4721	30.00	1.0000	Pass
6905	20.08	26.70	0.4677	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Ant.2
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6105	19.25	26.83	0.4819	30.00	1.0000	Pass
6265	18.93	26.51	0.4477	30.00	1.0000	Pass
6425	19.15	26.94	0.4943	30.00	1.0000	Pass
6585	18.39	26.82	0.4808	30.00	1.0000	Pass
6745	18.74	27.17	0.5212	30.00	1.0000	Pass
6905	20.05	26.67	0.4645	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Total
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6105	22.13	29.71	0.9354	30.00	1.0000	Pass
6265	21.84	29.42	0.8750	30.00	1.0000	Pass
6425	22.04	29.83	0.9616	30.00	1.0000	Pass
6585	21.39	29.82	0.9594	30.00	1.0000	Pass
6745	21.54	29.97	0.9931	30.00	1.0000	Pass
6905	23.08	29.70	0.9333	30.00	1.0000	Pass


Note: Conducted power = Measure result + Cable loss + Duty factor

APPENDIX G - MAXIMUM POWER SPECTRAL DENSITY (E.I.R.P.)


For NSS1

Test Mode	IEEE 802.11ax(HE20)_Ant.1
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-7.04	0.08	1.71	5.00	Pass
6175	-7.01	0.08	1.74	5.00	Pass
6415	-7.05	0.08	1.70	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-7.00	0.08	1.32	5.00	Pass
6475	-6.62	0.08	1.70	5.00	Pass
6515	-6.41	0.08	1.91	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-8.62	0.08	1.47	5.00	Pass
6695	-7.89	0.08	2.20	5.00	Pass
6855	-8.70	0.08	1.39	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-7.21	0.08	2.01	5.00	Pass
6995	-7.61	0.08	1.61	5.00	Pass
7095	-7.29	0.08	1.93	5.00	Pass



Test Mode	IEEE 802.11ax(HE20)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-6.81	0.08	1.94	5.00	Pass
6175	-6.95	0.08	1.80	5.00	Pass
6415	-7.22	0.08	1.53	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-6.84	0.08	1.48	5.00	Pass
6475	-6.64	0.08	1.68	5.00	Pass
6515	-6.75	0.08	1.57	5.00	Pass

