


Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.940	18.010
116	5580	21.060	17.982
140	5700	21.060	17.950


CH100

CH116
26 dB Bandwidth

CH140



99 % Occupied Bandwidth




Test Mode UNII-2C_TX AC(VHT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.700	36.235
110	5550	39.700	36.247
134	5670	39.600	36.196


CH102

CH110
26 dB Bandwidth

CH134



99 % Occupied Bandwidth




Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	82.400	75.589
122	5610	82.200	75.571

CH106

CH122
26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.480	19.236
116	5580	22.020	19.233
140	5700	21.840	19.260


CH100

CH116
26 dB Bandwidth

CH140



99 % Occupied Bandwidth




Test Mode UNII-2C_TX AX(HE40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.400	37.914
110	5550	40.200	37.849
134	5670	40.100	37.935


CH102

CH110
26 dB Bandwidth

CH134




99 % Occupied Bandwidth




Test Mode UNII-2C_TX AX(HE80) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	82.400	77.376
122	5610	82.600	77.298



CH106



CH122
26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-2C_TX AX(HE160) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	164.400	155.629

CH114 26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.320	17.348	0.5	Pass
157	5785	16.320	17.642	0.5	Pass
165	5825	16.320	18.188	0.5	Pass


CH149

CH157
6 dB Bandwidth

CH165



99 % Occupied Bandwidth




Test Mode UNII-3_TX AC(VHT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.580	18.241	0.5	Pass
157	5785	17.580	18.335	0.5	Pass
165	5825	17.580	18.495	0.5	Pass


CH149

CH157
6 dB Bandwidth

CH165




99 % Occupied Bandwidth




Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.400	36.854	0.5	Pass
159	5795	35.200	36.892	0.5	Pass


CH151



CH159
6 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.200	76.321	0.5	Pass

CH155 6 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	18.960	19.375	0.5	Pass
157	5785	18.960	19.467	0.5	Pass
165	5825	19.080	19.545	0.5	Pass


CH149

CH157
6 dB Bandwidth

CH165




99 % Occupied Bandwidth




Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	37.300	38.414	0.5	Pass
159	5795	35.400	38.486	0.5	Pass



CH151



CH159
6 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.200	78.178	0.5	Pass

CH155 6 dB Bandwidth



99 % Occupied Bandwidth



APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.16	0.17	18.33	30.00	1.0000	Pass
40	5200	18.21	0.17	18.38	30.00	1.0000	Pass
48	5240	18.04	0.17	18.21	30.00	1.0000	Pass

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.87	0.17	18.04	30.00	1.0000	Pass
40	5200	17.88	0.17	18.05	30.00	1.0000	Pass
48	5240	18.17	0.17	18.34	30.00	1.0000	Pass

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.83	0.17	18.00	30.00	1.0000	Pass
40	5200	17.72	0.17	17.89	30.00	1.0000	Pass
48	5240	17.82	0.17	17.99	30.00	1.0000	Pass

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.04	0.17	18.21	30.00	1.0000	Pass
40	5200	17.97	0.17	18.14	30.00	1.0000	Pass
48	5240	18.16	0.17	18.33	30.00	1.0000	Pass

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.17	30.00	1.0000	Pass
40	5200	24.14	30.00	1.0000	Pass
48	5240	24.24	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.96	0.68	18.64	30.00	1.0000	Pass
40	5200	18.07	0.68	18.75	30.00	1.0000	Pass
48	5240	17.75	0.68	18.43	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.83	0.68	18.51	30.00	1.0000	Pass
40	5200	17.75	0.68	18.43	30.00	1.0000	Pass
48	5240	17.96	0.68	18.64	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.38	0.68	18.06	30.00	1.0000	Pass
40	5200	17.46	0.68	18.14	30.00	1.0000	Pass
48	5240	17.58	0.68	18.26	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.76	0.68	18.44	30.00	1.0000	Pass
40	5200	17.59	0.68	18.27	30.00	1.0000	Pass
48	5240	17.78	0.68	18.46	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.44	30.00	1.0000	Pass
40	5200	24.42	30.00	1.0000	Pass
48	5240	24.47	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.82	0.69	16.51	30.00	1.0000	Pass
46	5230	20.53	0.69	21.22	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.23	0.69	15.92	30.00	1.0000	Pass
46	5230	20.26	0.69	20.95	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.38	0.69	16.07	30.00	1.0000	Pass
46	5230	19.73	0.69	20.42	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.71	0.69	16.40	30.00	1.0000	Pass
46	5230	19.96	0.69	20.65	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.25	30.00	1.0000	Pass
46	5230	26.84	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.83	0.70	13.53	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.69	0.70	13.39	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.76	0.70	13.46	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.97	0.70	13.67	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.53	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.98	0.67	18.65	30.00	1.0000	Pass
40	5200	18.24	0.67	18.91	30.00	1.0000	Pass
48	5240	18.03	0.67	18.70	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.54	0.67	18.21	30.00	1.0000	Pass
40	5200	17.48	0.67	18.15	30.00	1.0000	Pass
48	5240	17.85	0.67	18.52	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.45	0.67	18.12	30.00	1.0000	Pass
40	5200	17.51	0.67	18.18	30.00	1.0000	Pass
48	5240	17.59	0.67	18.26	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.53	0.67	18.20	30.00	1.0000	Pass
40	5200	17.56	0.67	18.23	30.00	1.0000	Pass
48	5240	17.68	0.67	18.35	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.32	30.00	1.0000	Pass
40	5200	24.40	30.00	1.0000	Pass
48	5240	24.48	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.95	0.68	16.63	30.00	1.0000	Pass
46	5230	21.33	0.68	22.01	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.31	0.68	15.99	30.00	1.0000	Pass
46	5230	20.87	0.68	21.55	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.44	0.68	16.12	30.00	1.0000	Pass
46	5230	20.41	0.68	21.09	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.81	0.68	16.49	30.00	1.0000	Pass
46	5230	20.52	0.68	21.20	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.34	30.00	1.0000	Pass
46	5230	27.50	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.37	0.70	14.07	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.56	0.70	13.26	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.67	0.70	13.37	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.89	0.70	13.59	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.60	30.00	1.0000	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.17	0.17	12.34	23.98	0.2500	Pass
60	5300	12.22	0.17	12.39	23.98	0.2500	Pass
64	5320	12.21	0.17	12.38	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.13	0.17	12.30	23.98	0.2500	Pass
60	5300	12.06	0.17	12.23	23.98	0.2500	Pass
64	5320	12.38	0.17	12.55	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.94	0.17	12.11	23.98	0.2500	Pass
60	5300	11.93	0.17	12.10	23.98	0.2500	Pass
64	5320	11.98	0.17	12.15	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.26	0.17	12.43	23.98	0.2500	Pass
60	5300	12.02	0.17	12.19	23.98	0.2500	Pass
64	5320	11.97	0.17	12.14	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.32	23.98	0.2500	Pass
60	5300	18.25	23.98	0.2500	Pass
64	5320	18.33	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.03	0.68	12.71	23.98	0.2500	Pass
60	5300	11.86	0.68	12.54	23.98	0.2500	Pass
64	5320	12.24	0.68	12.92	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.75	0.68	12.43	23.98	0.2500	Pass
60	5300	11.63	0.68	12.31	23.98	0.2500	Pass
64	5320	11.82	0.68	12.50	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.79	0.68	12.47	23.98	0.2500	Pass
60	5300	11.75	0.68	12.43	23.98	0.2500	Pass
64	5320	11.78	0.68	12.46	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.95	0.68	12.63	23.98	0.2500	Pass
60	5300	11.76	0.68	12.44	23.98	0.2500	Pass
64	5320	11.81	0.68	12.49	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.58	23.98	0.2500	Pass
60	5300	18.45	23.98	0.2500	Pass
64	5320	18.62	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.79	0.69	15.48	23.98	0.2500	Pass
62	5310	15.12	0.69	15.81	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.64	0.69	15.33	23.98	0.2500	Pass
62	5310	14.61	0.69	15.30	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.67	0.69	15.36	23.98	0.2500	Pass
62	5310	14.42	0.69	15.11	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.47	0.69	15.16	23.98	0.2500	Pass
62	5310	14.39	0.69	15.08	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.35	23.98	0.2500	Pass
62	5310	21.36	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.64	0.70	16.34	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.48	0.70	16.18	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.36	0.70	16.06	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.32	0.70	16.02	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	22.17	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.21	0.67	12.88	23.98	0.2500	Pass
60	5300	12.25	0.67	12.92	23.98	0.2500	Pass
64	5320	12.39	0.67	13.06	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.87	0.67	12.54	23.98	0.2500	Pass
60	5300	11.72	0.67	12.39	23.98	0.2500	Pass
64	5320	11.94	0.67	12.61	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.74	0.67	12.41	23.98	0.2500	Pass
60	5300	11.73	0.67	12.40	23.98	0.2500	Pass
64	5320	11.75	0.67	12.42	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.68	0.67	12.35	23.98	0.2500	Pass
60	5300	11.38	0.67	12.05	23.98	0.2500	Pass
64	5320	11.43	0.67	12.10	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.57	23.98	0.2500	Pass
60	5300	18.47	23.98	0.2500	Pass
64	5320	18.58	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.98	0.68	15.66	23.98	0.2500	Pass
62	5310	15.29	0.68	15.97	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.63	0.68	15.31	23.98	0.2500	Pass
62	5310	14.61	0.68	15.29	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.65	0.68	15.33	23.98	0.2500	Pass
62	5310	14.57	0.68	15.25	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.57	0.68	15.25	23.98	0.2500	Pass
62	5310	14.46	0.68	15.14	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.41	23.98	0.2500	Pass
62	5310	21.45	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.51	0.70	16.21	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.12	0.70	15.82	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.09	0.70	15.79	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.07	0.70	15.77	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.92	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.84	0.40	13.24	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.38	0.40	12.78	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.46	0.40	12.86	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.54	0.40	12.94	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	18.98	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.65	0.69	13.34	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	11.95	0.69	12.64	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.02	0.69	12.71	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.08	0.69	12.77	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	18.89	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.89	0.17	12.06	23.98	0.2500	Pass
116	5580	11.82	0.17	11.99	23.98	0.2500	Pass
140	5700	11.61	0.17	11.78	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.06	0.17	12.23	23.98	0.2500	Pass
116	5580	11.83	0.17	12.00	23.98	0.2500	Pass
140	5700	12.23	0.17	12.40	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.98	0.17	12.15	23.98	0.2500	Pass
116	5580	11.74	0.17	11.91	23.98	0.2500	Pass
140	5700	12.19	0.17	12.36	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.86	0.17	12.03	23.98	0.2500	Pass
116	5580	12.42	0.17	12.59	23.98	0.2500	Pass
140	5700	11.95	0.17	12.12	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.14	23.98	0.2500	Pass
116	5580	18.15	23.98	0.2500	Pass
140	5700	18.19	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.57	0.68	12.25	23.98	0.2500	Pass
116	5580	11.58	0.68	12.26	23.98	0.2500	Pass
140	5700	11.27	0.68	11.95	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.76	0.68	12.44	23.98	0.2500	Pass
116	5580	11.81	0.68	12.49	23.98	0.2500	Pass
140	5700	12.22	0.68	12.90	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.62	0.68	12.30	23.98	0.2500	Pass
116	5580	11.68	0.68	12.36	23.98	0.2500	Pass
140	5700	12.17	0.68	12.85	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.06	0.68	12.74	23.98	0.2500	Pass
116	5580	12.07	0.68	12.75	23.98	0.2500	Pass
140	5700	11.79	0.68	12.47	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.46	23.98	0.2500	Pass
116	5580	18.49	23.98	0.2500	Pass
140	5700	18.58	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.32	0.69	15.01	23.98	0.2500	Pass
110	5550	14.81	0.69	15.50	23.98	0.2500	Pass
134	5670	13.96	0.69	14.65	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.53	0.69	15.22	23.98	0.2500	Pass
110	5550	14.77	0.69	15.46	23.98	0.2500	Pass
134	5670	14.86	0.69	15.55	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.44	0.69	15.13	23.98	0.2500	Pass
110	5550	14.84	0.69	15.53	23.98	0.2500	Pass
134	5670	14.67	0.69	15.36	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.65	0.69	15.34	23.98	0.2500	Pass
110	5550	15.17	0.69	15.86	23.98	0.2500	Pass
134	5670	14.57	0.69	15.26	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.20	23.98	0.2500	Pass
110	5550	21.61	23.98	0.2500	Pass
134	5670	21.24	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.23	0.70	17.93	23.98	0.2500	Pass
122	5610	17.10	0.70	17.80	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.46	0.70	18.16	23.98	0.2500	Pass
122	5610	17.35	0.70	18.05	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.98	0.70	17.68	23.98	0.2500	Pass
122	5610	16.87	0.70	17.57	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.24	0.70	17.94	23.98	0.2500	Pass
122	5610	17.14	0.70	17.84	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.95	23.98	0.2500	Pass
122	5610	23.84	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.91	0.40	17.31	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.87	0.40	17.27	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.47	0.40	16.87	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.52	0.40	16.92	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	23.12	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.71	0.67	12.38	23.98	0.2500	Pass
116	5580	11.62	0.67	12.29	23.98	0.2500	Pass
140	5700	11.32	0.67	11.99	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.74	0.67	12.41	23.98	0.2500	Pass
116	5580	11.79	0.67	12.46	23.98	0.2500	Pass
140	5700	12.26	0.67	12.93	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.52	0.67	12.19	23.98	0.2500	Pass
116	5580	11.58	0.67	12.25	23.98	0.2500	Pass
140	5700	11.95	0.67	12.62	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.69	0.67	12.36	23.98	0.2500	Pass
116	5580	11.91	0.67	12.58	23.98	0.2500	Pass
140	5700	11.59	0.67	12.26	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.36	23.98	0.2500	Pass
116	5580	18.42	23.98	0.2500	Pass
140	5700	18.49	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.43	0.68	15.11	23.98	0.2500	Pass
110	5550	14.92	0.68	15.60	23.98	0.2500	Pass
134	5670	14.09	0.68	14.77	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.69	0.68	15.37	23.98	0.2500	Pass
110	5550	15.04	0.68	15.72	23.98	0.2500	Pass
134	5670	14.93	0.68	15.61	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.48	0.68	15.16	23.98	0.2500	Pass
110	5550	14.94	0.68	15.62	23.98	0.2500	Pass
134	5670	14.76	0.68	15.44	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.70	0.68	15.38	23.98	0.2500	Pass
110	5550	15.12	0.68	15.80	23.98	0.2500	Pass
134	5670	14.52	0.68	15.20	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.28	23.98	0.2500	Pass
110	5550	21.71	23.98	0.2500	Pass
134	5670	21.29	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.08	0.70	17.78	23.98	0.2500	Pass
122	5610	16.83	0.70	17.53	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.34	0.70	18.04	23.98	0.2500	Pass
122	5610	17.17	0.70	17.87	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.73	0.70	17.43	23.98	0.2500	Pass
122	5610	16.64	0.70	17.34	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.91	0.70	17.61	23.98	0.2500	Pass
122	5610	16.89	0.70	17.59	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.74	23.98	0.2500	Pass
122	5610	23.61	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.68	0.69	16.37	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.74	0.69	16.43	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.56	0.69	16.25	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.68	0.69	16.37	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	22.38	23.98	0.2500	Pass

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.49	0.17	18.66	30.00	1.0000	Pass
157	5785	18.86	0.17	19.03	30.00	1.0000	Pass
165	5825	21.93	0.17	22.10	30.00	1.0000	Pass

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.63	0.17	19.80	30.00	1.0000	Pass
157	5785	19.65	0.17	19.82	30.00	1.0000	Pass
165	5825	23.33	0.17	23.50	30.00	1.0000	Pass

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.37	0.17	19.54	30.00	1.0000	Pass
157	5785	19.24	0.17	19.41	30.00	1.0000	Pass
165	5825	23.91	0.17	24.08	30.00	1.0000	Pass

Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.06	0.17	19.23	30.00	1.0000	Pass
157	5785	18.84	0.17	19.01	30.00	1.0000	Pass
165	5825	23.78	0.17	23.95	30.00	1.0000	Pass

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.35	30.00	1.0000	Pass
157	5785	25.35	30.00	1.0000	Pass
165	5825	29.49	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.04	0.68	22.72	30.00	1.0000	Pass
157	5785	21.76	0.68	22.44	30.00	1.0000	Pass
165	5825	21.48	0.68	22.16	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.05	0.68	23.73	30.00	1.0000	Pass
157	5785	23.10	0.68	23.78	30.00	1.0000	Pass
165	5825	22.94	0.68	23.62	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.16	0.68	23.84	30.00	1.0000	Pass
157	5785	23.02	0.68	23.70	30.00	1.0000	Pass
165	5825	23.32	0.68	24.00	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.12	0.68	23.80	30.00	1.0000	Pass
157	5785	23.11	0.68	23.79	30.00	1.0000	Pass
165	5825	22.98	0.68	23.66	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	29.57	30.00	1.0000	Pass
157	5785	29.48	30.00	1.0000	Pass
165	5825	29.44	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.78	0.69	22.47	30.00	1.0000	Pass
159	5795	21.58	0.69	22.27	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.76	0.69	23.45	30.00	1.0000	Pass
159	5795	22.97	0.69	23.66	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.18	0.69	23.87	30.00	1.0000	Pass
159	5795	23.07	0.69	23.76	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.28	0.69	23.97	30.00	1.0000	Pass
159	5795	23.49	0.69	24.18	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	29.50	30.00	1.0000	Pass
159	5795	29.54	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.67	0.70	22.37	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.73	0.70	23.43	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.94	0.70	23.64	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.09	0.70	23.79	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	29.36	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.02	0.67	20.69	30.00	1.0000	Pass
157	5785	19.93	0.67	20.60	30.00	1.0000	Pass
165	5825	21.76	0.67	22.43	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.02	0.67	21.69	30.00	1.0000	Pass
157	5785	21.10	0.67	21.77	30.00	1.0000	Pass
165	5825	23.13	0.67	23.80	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.48	0.67	21.15	30.00	1.0000	Pass
157	5785	20.35	0.67	21.02	30.00	1.0000	Pass
165	5825	23.18	0.67	23.85	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.15	0.67	20.82	30.00	1.0000	Pass
157	5785	20.03	0.67	20.70	30.00	1.0000	Pass
165	5825	23.02	0.67	23.69	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.13	30.00	1.0000	Pass
157	5785	27.07	30.00	1.0000	Pass
165	5825	29.50	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.04	0.68	22.72	30.00	1.0000	Pass
159	5795	20.54	0.68	21.22	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.04	0.68	23.72	30.00	1.0000	Pass
159	5795	21.86	0.68	22.54	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.29	0.68	23.97	30.00	1.0000	Pass
159	5795	21.58	0.68	22.26	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.31	0.68	23.99	30.00	1.0000	Pass
159	5795	21.34	0.68	22.02	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	29.65	30.00	1.0000	Pass
159	5795	28.06	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.44	0.70	22.14	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.48	0.70	23.18	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.86	0.70	23.56	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.68	0.70	23.38	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	29.12	30.00	1.0000	Pass


Note: Output power = Measure result + Cable loss

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.90	0.17	7.07	13.23	Pass
40	5200	6.62	0.17	6.79	13.23	Pass
48	5240	6.81	0.17	6.98	13.23	Pass


CH36



CH40




CH48




Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.08	0.17	7.25	13.23	Pass
40	5200	7.10	0.17	7.27	13.23	Pass
48	5240	7.15	0.17	7.33	13.23	Pass


CH36



CH40




CH48




Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.79	0.17	6.97	13.23	Pass
40	5200	6.82	0.17	6.99	13.23	Pass
48	5240	6.87	0.17	7.04	13.23	Pass


CH36



CH40




CH48




Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.88	0.17	7.05	13.23	Pass
40	5200	7.23	0.17	7.40	13.23	Pass
48	5240	7.01	0.17	7.18	13.23	Pass


CH36



CH40



CH48




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.11	13.23	Pass
40	5200	13.14	13.23	Pass
48	5240	13.16	13.23	Pass


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.20	0.68	6.87	13.23	Pass
40	5200	6.51	0.68	7.19	13.23	Pass
48	5240	6.23	0.68	6.90	13.23	Pass


CH36



CH40




CH48




Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.37	0.68	7.04	13.23	Pass
40	5200	6.12	0.68	6.80	13.23	Pass
48	5240	6.68	0.68	7.36	13.23	Pass


CH36



CH40




CH48




Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.74	0.68	6.42	13.23	Pass
40	5200	6.14	0.68	6.82	13.23	Pass
48	5240	5.95	0.68	6.63	13.23	Pass


CH36



CH40




CH48




Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.95	0.68	7.63	13.23	Pass
40	5200	7.02	0.68	7.69	13.23	Pass
48	5240	6.31	0.68	6.99	13.23	Pass


CH36



CH40



CH48



Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.03	13.23	Pass
40	5200	13.16	13.23	Pass
48	5240	13.00	13.23	Pass