


Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.760	17.520
116	5580	19.080	17.520
140	5700	20.760	17.520
144	5720	14.600	17.520

CH100




Date: 2.DEC.2025 15:30:20

CH116
26 dB Bandwidth




Date: 2.DEC.2025 15:38:32

CH140




Date: 2.DEC.2025 15:39:23


99 % Occupied Bandwidth



Date: 2.DEC.2025 15:30:33




Date: 2.DEC.2025 15:38:45




Date: 2.DEC.2025 15:39:35

CH144 26 dB Bandwidth



Date: 3.DEC.2025 13:41:23

99 % Occupied Bandwidth




Date: 3.DEC.2025 13:41:36

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	37.800	36.000
110	5550	37.800	35.600
134	5670	38.000	36.000
142	5710	34.000	36.000

CH102




Date: 2.DEC.2025 16:21:29

CH110
26 dB Bandwidth




Date: 2.DEC.2025 16:22:18

CH134




Date: 2.DEC.2025 16:23:50


99 % Occupied Bandwidth



Date: 2.DEC.2025 16:21:41



Date: 2.DEC.2025 16:22:31




Date: 2.DEC.2025 16:24:02

Date: 3.DEC.2025 13:45:25

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	84.000	75.200
122	5610	79.200	75.200
138	5690	74.600	75.200

CH106




Date: 2.DEC.2025 16:53:20

CH122
26 dB Bandwidth




Date: 2.DEC.2025 16:54:17

99 % Occupied Bandwidth



Date: 2.DEC.2025 16:53:33



Date: 2.DEC.2025 16:54:30


Date: 3.DEC.2025 13:49:36

Date: 3.DEC.2025 13:49:48

Test Mode	UNII-2C_TX BE(EHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.240	18.960
116	5580	20.040	18.840
140	5700	21.240	18.960
144	5720	15.080	18.840

CH100




Date: 2.DEC.2025 16:02:56

CH116
26 dB Bandwidth




Date: 2.DEC.2025 16:03:54

CH140




Date: 2.DEC.2025 16:07:53


99 % Occupied Bandwidth



Date: 2.DEC.2025 16:03:08




Date: 2.DEC.2025 16:04:06




Date: 2.DEC.2025 16:08:06

CH144 26 dB Bandwidth



Date: 3.DEC.2025 13:43:04

99 % Occupied Bandwidth




Date: 3.DEC.2025 13:43:17

Test Mode	UNII-2C_TX BE(EHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	42.400	37.600
110	5550	39.200	37.600
134	5670	39.200	37.600
142	5710	34.600	37.600

CH102




Date: 2.DEC.2025 16:40:14

CH110
26 dB Bandwidth




Date: 2.DEC.2025 16:41:14

CH134




Date: 2.DEC.2025 16:42:26


99 % Occupied Bandwidth



Date: 2.DEC.2025 16:40:26




Date: 2.DEC.2025 16:41:27




Date: 2.DEC.2025 16:42:39

CH142 26 dB Bandwidth



Date: 3.DEC.2025 13:48:08

99 % Occupied Bandwidth




Date: 3.DEC.2025 13:48:20

Test Mode	UNII-2C_TX BE(EHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	80.800	76.800
122	5610	80.800	77.200
138	5690	75.400	76.800

CH106




Date: 2.DEC.2025 17:14:57

CH122
26 dB Bandwidth




Date: 2.DEC.2025 17:16:27

99 % Occupied Bandwidth



Date: 2.DEC.2025 17:15:10




Date: 2.DEC.2025 17:16:39

Date: 3.DEC.2025 13:52:30

Test Mode	UNII-2C_TX BE(EHT160) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	160.800	156.800

CH114 26 dB Bandwidth



Date: 2.DEC.2025 17:28:46

99 % Occupied Bandwidth




Date: 2.DEC.2025 17:28:59

Test Mode UNII-3_TX AC(VHT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.560	17.520	0.5	Pass
157	5785	15.360	17.640	0.5	Pass
165	5825	16.320	17.760	0.5	Pass

CH149




Date: 2.DEC.2025 15:42:23

CH157
6 dB Bandwidth




Date: 2.DEC.2025 15:43:20

CH165




Date: 2.DEC.2025 15:44:00


99 % Occupied Bandwidth



Date: 2.DEC.2025 15:42:36



Date: 2.DEC.2025 15:43:32




Date: 2.DEC.2025 15:44:13

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.000	36.000	0.5	Pass
159	5795	32.600	36.000	0.5	Pass

CH151




Date: 2.DEC.2025 16:25:17

CH159
6 dB Bandwidth




Date: 2.DEC.2025 16:28:07

99 % Occupied Bandwidth



Date: 2.DEC.2025 16:25:49




Date: 2.DEC.2025 16:28:19

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.200	75.200	0.5	Pass

CH155 6 dB Bandwidth



Date: 2.DEC.2025 16:55:11

99 % Occupied Bandwidth




Date: 2.DEC.2025 16:55:24

Test Mode UNII-3_TX BE(EHT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.760	18.960	0.5	Pass
157	5785	17.400	18.960	0.5	Pass
165	5825	18.600	18.960	0.5	Pass

CH149




Date: 2.DEC.2025 16:09:17

CH157
6 dB Bandwidth




Date: 2.DEC.2025 16:10:19

CH165




Date: 2.DEC.2025 16:12:06


99 % Occupied Bandwidth



Date: 2.DEC.2025 16:09:29



Date: 2.DEC.2025 16:10:31




Date: 2.DEC.2025 16:12:19


Test Mode	UNII-3_TX BE(EHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	71.600	76.800	0.5	Pass

CH155 6 dB Bandwidth



99 % Occupied Bandwidth



APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.59	0.19	18.78	28.54	0.7145	Pass
40	5200	18.47	0.19	18.66	28.54	0.7145	Pass
48	5240	18.88	0.19	19.07	28.54	0.7145	Pass

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.63	0.19	18.82	28.54	0.7145	Pass
40	5200	18.85	0.19	19.04	28.54	0.7145	Pass
48	5240	19.32	0.19	19.51	28.54	0.7145	Pass

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.64	0.19	18.83	28.54	0.7145	Pass
40	5200	18.76	0.19	18.95	28.54	0.7145	Pass
48	5240	19.41	0.19	19.60	28.54	0.7145	Pass

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.58	28.54	0.7145	Pass
40	5200	23.66	28.54	0.7145	Pass
48	5240	24.17	28.54	0.7145	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.59	0.21	18.80	28.54	0.7145	Pass
40	5200	18.94	0.21	19.15	28.54	0.7145	Pass
48	5240	19.05	0.21	19.26	28.54	0.7145	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.73	0.21	18.94	28.54	0.7145	Pass
40	5200	19.06	0.21	19.27	28.54	0.7145	Pass
48	5240	19.13	0.21	19.34	28.54	0.7145	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.52	0.21	18.73	28.54	0.7145	Pass
40	5200	18.92	0.21	19.13	28.54	0.7145	Pass
48	5240	18.72	0.21	18.93	28.54	0.7145	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.60	28.54	0.7145	Pass
40	5200	23.95	28.54	0.7145	Pass
48	5240	23.95	28.54	0.7145	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.16	0.21	20.37	28.54	0.7145	Pass
46	5230	20.64	0.21	20.85	28.54	0.7145	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.56	0.21	20.77	28.54	0.7145	Pass
46	5230	20.98	0.21	21.19	28.54	0.7145	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.53	0.21	20.74	28.54	0.7145	Pass
46	5230	20.79	0.21	21.00	28.54	0.7145	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.40	28.54	0.7145	Pass
46	5230	25.79	28.54	0.7145	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.22	0.20	18.42	28.54	0.7145	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.72	0.20	18.92	28.54	0.7145	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.65	0.20	18.85	28.54	0.7145	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	23.51	28.54	0.7145	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.54	0.23	18.77	28.54	0.7145	Pass
40	5200	19.04	0.23	19.27	28.54	0.7145	Pass
48	5240	19.09	0.23	19.32	28.54	0.7145	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.94	0.23	19.17	28.54	0.7145	Pass
40	5200	19.36	0.23	19.59	28.54	0.7145	Pass
48	5240	19.38	0.23	19.61	28.54	0.7145	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.72	0.23	18.95	28.54	0.7145	Pass
40	5200	19.11	0.23	19.34	28.54	0.7145	Pass
48	5240	19.04	0.23	19.27	28.54	0.7145	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.74	28.54	0.7145	Pass
40	5200	24.17	28.54	0.7145	Pass
48	5240	24.17	28.54	0.7145	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.59	0.20	19.79	28.54	0.7145	Pass
46	5230	21.07	0.20	21.27	28.54	0.7145	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.03	0.20	20.23	28.54	0.7145	Pass
46	5230	21.52	0.20	21.72	28.54	0.7145	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.86	0.20	20.06	28.54	0.7145	Pass
46	5230	21.35	0.20	21.55	28.54	0.7145	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	24.80	28.54	0.7145	Pass
46	5230	26.29	28.54	0.7145	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	22.92	0.24	23.16	28.54	0.7145	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	23.37	0.24	23.61	28.54	0.7145	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	23.07	0.24	23.31	28.54	0.7145	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	28.14	28.54	0.7145	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.14	0.19	13.33	22.52	0.1786	Pass
60	5300	13.81	0.19	14.00	22.52	0.1786	Pass
64	5320	13.80	0.19	13.99	22.52	0.1786	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.21	0.19	13.40	22.52	0.1786	Pass
60	5300	13.86	0.19	14.05	22.52	0.1786	Pass
64	5320	13.99	0.19	14.18	22.52	0.1786	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.24	0.19	13.43	22.52	0.1786	Pass
60	5300	13.78	0.19	13.97	22.52	0.1786	Pass
64	5320	13.87	0.19	14.06	22.52	0.1786	Pass

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.16	22.52	0.1786	Pass
60	5300	18.78	22.52	0.1786	Pass
64	5320	18.85	22.52	0.1786	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.12	0.21	13.33	22.52	0.1786	Pass
60	5300	13.27	0.21	13.48	22.52	0.1786	Pass
64	5320	13.75	0.21	13.96	22.52	0.1786	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.95	0.21	13.16	22.52	0.1786	Pass
60	5300	13.32	0.21	13.53	22.52	0.1786	Pass
64	5320	13.78	0.21	13.99	22.52	0.1786	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.78	0.21	12.99	22.52	0.1786	Pass
60	5300	12.81	0.21	13.02	22.52	0.1786	Pass
64	5320	13.37	0.21	13.58	22.52	0.1786	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.93	22.52	0.1786	Pass
60	5300	18.12	22.52	0.1786	Pass
64	5320	18.62	22.52	0.1786	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.29	0.21	15.50	22.52	0.1786	Pass
62	5310	15.03	0.21	15.24	22.52	0.1786	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.49	0.21	15.70	22.52	0.1786	Pass
62	5310	15.25	0.21	15.46	22.52	0.1786	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.04	0.21	15.25	22.52	0.1786	Pass
62	5310	14.76	0.21	14.97	22.52	0.1786	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.26	22.52	0.1786	Pass
62	5310	20.00	22.52	0.1786	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.85	0.20	17.05	22.52	0.1786	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.23	0.20	17.43	22.52	0.1786	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.71	0.20	16.91	22.52	0.1786	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.91	22.52	0.1786	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.73	0.23	13.96	22.52	0.1786	Pass
60	5300	13.27	0.23	13.50	22.52	0.1786	Pass
64	5320	13.84	0.23	14.07	22.52	0.1786	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.88	0.23	14.11	22.52	0.1786	Pass
60	5300	13.42	0.23	13.65	22.52	0.1786	Pass
64	5320	14.04	0.23	14.27	22.52	0.1786	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.45	0.23	13.68	22.52	0.1786	Pass
60	5300	13.07	0.23	13.30	22.52	0.1786	Pass
64	5320	13.49	0.23	13.72	22.52	0.1786	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.69	22.52	0.1786	Pass
60	5300	18.26	22.52	0.1786	Pass
64	5320	18.80	22.52	0.1786	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.26	0.20	15.46	22.52	0.1786	Pass
62	5310	15.44	0.20	15.64	22.52	0.1786	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.64	0.20	15.84	22.52	0.1786	Pass
62	5310	15.86	0.20	16.06	22.52	0.1786	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.48	0.20	15.68	22.52	0.1786	Pass
62	5310	15.72	0.20	15.92	22.52	0.1786	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.43	22.52	0.1786	Pass
62	5310	20.65	22.52	0.1786	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.95	0.24	17.19	22.52	0.1786	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.45	0.24	17.69	22.52	0.1786	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.02	0.24	17.26	22.52	0.1786	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	22.16	22.52	0.1786	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.03	0.21	17.24	22.52	0.1786	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.22	0.21	17.43	22.52	0.1786	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.93	0.21	17.14	22.52	0.1786	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	22.04	22.52	0.1786	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.84	0.20	17.04	22.52	0.1786	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.02	0.20	17.22	22.52	0.1786	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.04	0.20	17.24	22.52	0.1786	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	21.94	22.52	0.1786	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.27	0.19	14.46	22.52	0.1786	Pass
116	5580	14.21	0.19	14.40	22.52	0.1786	Pass
140	5700	13.21	0.19	13.40	22.52	0.1786	Pass
144	5720	12.89	0.19	13.08	22.52	0.1786	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.50	0.19	14.69	22.52	0.1786	Pass
116	5580	14.57	0.19	14.76	22.52	0.1786	Pass
140	5700	12.97	0.19	13.16	22.52	0.1786	Pass
144	5720	12.62	0.19	12.81	22.52	0.1786	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.89	0.19	14.08	22.52	0.1786	Pass
116	5580	13.94	0.19	14.13	22.52	0.1786	Pass
140	5700	13.23	0.19	13.42	22.52	0.1786	Pass
144	5720	12.95	0.19	13.14	22.52	0.1786	Pass

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.19	22.52	0.1786	Pass
116	5580	19.21	22.52	0.1786	Pass
140	5700	18.10	22.52	0.1786	Pass
144	5720	17.78	22.52	0.1786	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.19	0.21	14.40	22.52	0.1786	Pass
116	5580	13.76	0.21	13.97	22.52	0.1786	Pass
140	5700	13.12	0.21	13.33	22.52	0.1786	Pass
144	5720	13.36	0.21	13.57	22.52	0.1786	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.53	0.21	14.74	22.52	0.1786	Pass
116	5580	13.97	0.21	14.18	22.52	0.1786	Pass
140	5700	12.97	0.21	13.18	22.52	0.1786	Pass
144	5720	13.14	0.21	13.35	22.52	0.1786	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.86	0.21	14.07	22.52	0.1786	Pass
116	5580	13.22	0.21	13.43	22.52	0.1786	Pass
140	5700	13.22	0.21	13.43	22.52	0.1786	Pass
144	5720	13.41	0.21	13.62	22.52	0.1786	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.18	22.52	0.1786	Pass
116	5580	18.64	22.52	0.1786	Pass
140	5700	18.09	22.52	0.1786	Pass
144	5720	18.29	22.52	0.1786	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.48	0.21	15.69	22.52	0.1786	Pass
110	5550	15.48	0.21	15.69	22.52	0.1786	Pass
134	5670	15.68	0.21	15.89	22.52	0.1786	Pass
142	5710	15.46	0.21	15.67	22.52	0.1786	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.01	0.21	16.22	22.52	0.1786	Pass
110	5550	15.88	0.21	16.09	22.52	0.1786	Pass
134	5670	15.71	0.21	15.92	22.52	0.1786	Pass
142	5710	15.49	0.21	15.70	22.52	0.1786	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.27	0.21	15.48	22.52	0.1786	Pass
110	5550	15.39	0.21	15.60	22.52	0.1786	Pass
134	5670	15.41	0.21	15.62	22.52	0.1786	Pass
142	5710	15.76	0.21	15.97	22.52	0.1786	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.58	22.52	0.1786	Pass
110	5550	20.57	22.52	0.1786	Pass
134	5670	20.58	22.52	0.1786	Pass
142	5710	20.55	22.52	0.1786	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.08	0.20	17.28	22.52	0.1786	Pass
122	5610	16.81	0.20	17.01	22.52	0.1786	Pass
138	5690	17.13	0.20	17.33	22.52	0.1786	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.49	0.20	17.69	22.52	0.1786	Pass
122	5610	17.21	0.20	17.41	22.52	0.1786	Pass
138	5690	17.21	0.20	17.41	22.52	0.1786	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.05	0.20	17.25	22.52	0.1786	Pass
122	5610	16.64	0.20	16.84	22.52	0.1786	Pass
138	5690	17.04	0.20	17.24	22.52	0.1786	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	22.18	22.52	0.1786	Pass
122	5610	21.86	22.52	0.1786	Pass
138	5690	22.10	22.52	0.1786	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.35	0.21	14.56	22.52	0.1786	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.83	0.21	15.04	22.52	0.1786	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.12	0.21	14.33	22.52	0.1786	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	19.42	22.52	0.1786	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.73	0.23	13.96	22.52	0.1786	Pass
116	5580	13.82	0.23	14.05	22.52	0.1786	Pass
140	5700	13.31	0.23	13.54	22.52	0.1786	Pass
144	5720	13.59	0.23	13.82	22.52	0.1786	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.04	0.23	14.27	22.52	0.1786	Pass
116	5580	14.05	0.23	14.28	22.52	0.1786	Pass
140	5700	13.02	0.23	13.25	22.52	0.1786	Pass
144	5720	13.37	0.23	13.60	22.52	0.1786	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.49	0.23	13.72	22.52	0.1786	Pass
116	5580	13.41	0.23	13.64	22.52	0.1786	Pass
140	5700	13.32	0.23	13.55	22.52	0.1786	Pass
144	5720	13.49	0.23	13.72	22.52	0.1786	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.76	22.52	0.1786	Pass
116	5580	18.77	22.52	0.1786	Pass
140	5700	18.22	22.52	0.1786	Pass
144	5720	18.49	22.52	0.1786	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.84	0.20	16.04	22.52	0.1786	Pass
110	5550	15.95	0.20	16.15	22.52	0.1786	Pass
134	5670	15.67	0.20	15.87	22.52	0.1786	Pass
142	5710	15.12	0.20	15.32	22.52	0.1786	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.25	0.20	16.45	22.52	0.1786	Pass
110	5550	16.31	0.20	16.51	22.52	0.1786	Pass
134	5670	15.62	0.20	15.82	22.52	0.1786	Pass
142	5710	15.09	0.20	15.29	22.52	0.1786	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.74	0.20	15.94	22.52	0.1786	Pass
110	5550	15.65	0.20	15.85	22.52	0.1786	Pass
134	5670	15.23	0.20	15.43	22.52	0.1786	Pass
142	5710	15.34	0.20	15.54	22.52	0.1786	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.92	22.52	0.1786	Pass
110	5550	20.95	22.52	0.1786	Pass
134	5670	20.48	22.52	0.1786	Pass
144	5710	20.16	22.52	0.1786	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.87	0.24	17.11	22.52	0.1786	Pass
122	5610	17.03	0.24	17.27	22.52	0.1786	Pass
138	5690	17.29	0.24	17.53	22.52	0.1786	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.36	0.24	17.60	22.52	0.1786	Pass
122	5610	17.42	0.24	17.66	22.52	0.1786	Pass
138	5690	17.43	0.24	17.67	22.52	0.1786	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.87	0.24	17.11	22.52	0.1786	Pass
122	5610	16.85	0.24	17.09	22.52	0.1786	Pass
138	5690	17.05	0.24	17.29	22.52	0.1786	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	22.05	22.52	0.1786	Pass
122	5610	22.12	22.52	0.1786	Pass
138	5690	22.28	22.52	0.1786	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.92	0.20	17.12	22.52	0.1786	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.41	0.20	17.61	22.52	0.1786	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.50	0.20	16.70	22.52	0.1786	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	21.93	22.52	0.1786	Pass

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.61	0.19	22.80	28.54	0.7145	Pass
157	5785	22.85	0.19	23.04	28.54	0.7145	Pass
165	5825	23.21	0.19	23.40	28.54	0.7145	Pass

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.04	0.19	23.23	28.54	0.7145	Pass
157	5785	23.31	0.19	23.50	28.54	0.7145	Pass
165	5825	23.52	0.19	23.71	28.54	0.7145	Pass

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.26	0.19	23.45	28.54	0.7145	Pass
157	5785	23.48	0.19	23.67	28.54	0.7145	Pass
165	5825	23.07	0.19	23.26	28.54	0.7145	Pass

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.94	28.54	0.7145	Pass
157	5785	28.18	28.54	0.7145	Pass
165	5825	28.23	28.54	0.7145	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.74	0.21	22.95	28.54	0.7145	Pass
157	5785	23.02	0.21	23.23	28.54	0.7145	Pass
165	5825	23.31	0.21	23.52	28.54	0.7145	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.02	0.21	23.23	28.54	0.7145	Pass
157	5785	23.18	0.21	23.39	28.54	0.7145	Pass
165	5825	23.44	0.21	23.65	28.54	0.7145	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.42	0.21	23.63	28.54	0.7145	Pass
157	5785	23.46	0.21	23.67	28.54	0.7145	Pass
165	5825	22.98	0.21	23.19	28.54	0.7145	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.05	28.54	0.7145	Pass
157	5785	28.21	28.54	0.7145	Pass
165	5825	28.23	28.54	0.7145	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.94	0.21	23.15	28.54	0.7145	Pass
159	5795	22.79	0.21	23.00	28.54	0.7145	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.18	0.21	23.39	28.54	0.7145	Pass
159	5795	22.89	0.21	23.10	28.54	0.7145	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.44	0.21	23.65	28.54	0.7145	Pass
159	5795	23.46	0.21	23.67	28.54	0.7145	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.17	28.54	0.7145	Pass
159	5795	28.04	28.54	0.7145	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.78	0.20	22.98	28.54	0.7145	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.03	0.20	23.23	28.54	0.7145	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.46	0.20	23.66	28.54	0.7145	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	28.07	28.54	0.7145	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.87	0.23	23.10	28.54	0.7145	Pass
157	5785	22.73	0.23	22.96	28.54	0.7145	Pass
165	5825	22.87	0.23	23.10	28.54	0.7145	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.04	0.23	23.27	28.54	0.7145	Pass
157	5785	22.79	0.23	23.02	28.54	0.7145	Pass
165	5825	23.05	0.23	23.28	28.54	0.7145	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.35	0.23	23.58	28.54	0.7145	Pass
157	5785	23.13	0.23	23.36	28.54	0.7145	Pass
165	5825	22.73	0.23	22.96	28.54	0.7145	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.10	28.54	0.7145	Pass
157	5785	27.89	28.54	0.7145	Pass
165	5825	27.89	28.54	0.7145	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.88	0.20	23.08	28.54	0.7145	Pass
159	5795	22.61	0.20	22.81	28.54	0.7145	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.05	0.20	23.25	28.54	0.7145	Pass
159	5795	22.75	0.20	22.95	28.54	0.7145	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.28	0.20	23.48	28.54	0.7145	Pass
159	5795	23.14	0.20	23.34	28.54	0.7145	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.05	28.54	0.7145	Pass
159	5795	27.81	28.54	0.7145	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.97	0.24	23.21	28.54	0.7145	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.16	0.24	23.40	28.54	0.7145	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.41	0.24	23.65	28.54	0.7145	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	28.20	28.54	0.7145	Pass

Note: Output power = Measure result + Cable loss

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode UNII-1_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.84	0.19	9.03	14.49	Pass
40	5200	8.65	0.19	8.84	14.49	Pass
48	5240	8.73	0.19	8.92	14.49	Pass



Test Mode UNII-1_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.36	0.19	9.55	14.49	Pass
40	5200	9.23	0.19	9.42	14.49	Pass
48	5240	9.40	0.19	9.59	14.49	Pass



Test Mode UNII-1_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.24	0.19	9.43	14.49	Pass
40	5200	9.07	0.19	9.26	14.49	Pass
48	5240	9.23	0.19	9.42	14.49	Pass



Test Mode UNII-1_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.11	14.49	Pass
40	5200	13.95	14.49	Pass
48	5240	14.09	14.49	Pass