



Test Mode UNII-2C_TX AC(VHT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	46.400	37.909
110	5550	46.100	37.830
134	5670	46.500	37.745
142	5710	38.000	37.760


CH102






CH110
26 dB Bandwidth




CH134




99 % Occupied Bandwidth



CH142
26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	96.800	77.155
122	5610	97.400	77.173
138	5690	83.200	76.689


CH106

CH122
26 dB Bandwidth

CH138




99 % Occupied Bandwidth




Test Mode	UNII-2C_TX AC(VHT160) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	176.000	158.413

CH114 26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	UNII-2C_TX BE(EHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	23.400	19.256
116	5580	24.060	19.219
140	5700	23.160	19.210
144	5720	22.500	19.200


CH100

CH116
26 dB Bandwidth


CH140




99 % Occupied Bandwidth



CH144
26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	UNII-2C_TX BE(EHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	44.400	38.692
110	5550	44.400	38.661
134	5670	44.000	38.546
142	5710	44.800	38.562


CH102

CH110
26 dB Bandwidth


CH134




99 % Occupied Bandwidth



CH142
26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	UNII-2C_TX BE(EHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	89.400	78.120
122	5610	91.400	78.271
138	5690	88.800	77.879


CH106

CH122
26 dB Bandwidth

CH138




99 % Occupied Bandwidth




Test Mode	UNII-2C_TX BE(EHT160) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	177.200	159.289

CH114 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-2C_TX BE(EHT240) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
122	5610	472.200	246.557

CH122 26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.320	17.097	0.5	Pass
157	5785	16.320	17.286	0.5	Pass
165	5825	16.320	18.209	0.5	Pass


CH149

CH157
6 dB Bandwidth

CH165



99 % Occupied Bandwidth




Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.640	18.184	0.5	Pass
157	5785	17.640	18.279	0.5	Pass
165	5825	17.580	19.335	0.5	Pass


CH149

CH157
6 dB Bandwidth

CH165




99 % Occupied Bandwidth




Test Mode UNII-3_TX AC(VHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.400	37.764	0.5	Pass
159	5795	36.400	39.469	0.5	Pass


CH151



CH159
6 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	76.400	77.186	0.5	Pass

CH155 6 dB Bandwidth



99 % Occupied Bandwidth




Test Mode UNII-3_TX BE(EHT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	19.080	19.182	0.5	Pass
157	5785	19.080	19.307	0.5	Pass
165	5825	19.080	19.633	0.5	Pass


CH149

CH157
6 dB Bandwidth

CH165




99 % Occupied Bandwidth




Test Mode	UNII-3_TX BE(EHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	38.200	38.607	0.5	Pass
159	5795	38.100	39.214	0.5	Pass



CH151



CH159
6 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-3_TX BE(EHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	78.000	78.122	0.5	Pass

CH155 6 dB Bandwidth



99 % Occupied Bandwidth



APPENDIX F - MAXIMUM OUTPUT POWER

Omnidirectional Antenna

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.51	0.00	21.51	30.00	1.0000	Pass
40	5200	21.58	0.00	21.58	30.00	1.0000	Pass
48	5240	21.41	0.00	21.41	30.00	1.0000	Pass

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.49	0.00	21.49	30.00	1.0000	Pass
40	5200	21.46	0.00	21.46	30.00	1.0000	Pass
48	5240	21.43	0.00	21.43	30.00	1.0000	Pass

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.51	30.00	1.0000	Pass
40	5200	24.53	30.00	1.0000	Pass
48	5240	24.43	30.00	1.0000	Pass

The maximum e.i.r.p. at any elevation angle above 30 degrees:

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.64	21.00	0.1259	Pass
40	5200	20.66	21.00	0.1259	Pass
48	5240	20.56	21.00	0.1259	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.05	0.00	21.05	30.00	1.0000	Pass
40	5200	21.12	0.00	21.12	30.00	1.0000	Pass
48	5240	21.39	0.00	21.39	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.11	0.00	21.11	30.00	1.0000	Pass
40	5200	21.08	0.00	21.08	30.00	1.0000	Pass
48	5240	21.29	0.00	21.29	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.09	30.00	1.0000	Pass
40	5200	24.11	30.00	1.0000	Pass
48	5240	24.35	30.00	1.0000	Pass

The maximum e.i.r.p. at any elevation angle above 30 degrees:

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.22	21.00	0.1259	Pass
40	5200	20.24	21.00	0.1259	Pass
48	5240	20.48	21.00	0.1259	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.19	0.00	21.19	30.00	1.0000	Pass
46	5230	21.03	0.00	21.03	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.09	0.00	21.09	30.00	1.0000	Pass
46	5230	20.97	0.00	20.97	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	24.15	30.00	1.0000	Pass
46	5230	24.01	30.00	1.0000	Pass

The maximum e.i.r.p. at any elevation angle above 30 degrees:

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.28	21.00	0.1259	Pass
46	5230	20.14	21.00	0.1259	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.21	0.14	21.35	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.17	0.14	21.31	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	24.34	30.00	1.0000	Pass

The maximum e.i.r.p. at any elevation angle above 30 degrees:

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.47	21.00	0.1259	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.22	0.00	21.22	30.00	1.0000	Pass
40	5200	21.68	0.00	21.68	30.00	1.0000	Pass
48	5240	21.47	0.00	21.47	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.31	0.00	21.31	30.00	1.0000	Pass
40	5200	21.55	0.00	21.55	30.00	1.0000	Pass
48	5240	21.42	0.00	21.42	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.28	30.00	1.0000	Pass
40	5200	24.63	30.00	1.0000	Pass
48	5240	24.46	30.00	1.0000	Pass

The maximum e.i.r.p. at any elevation angle above 30 degrees:

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.41	21.00	0.1259	Pass
40	5200	20.76	21.00	0.1259	Pass
48	5240	20.59	21.00	0.1259	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.09	0.00	21.09	30.00	1.0000	Pass
46	5230	21.45	0.00	21.45	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.02	0.00	21.02	30.00	1.0000	Pass
46	5230	21.26	0.00	21.26	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	24.07	30.00	1.0000	Pass
46	5230	24.37	30.00	1.0000	Pass

The maximum e.i.r.p. at any elevation angle above 30 degrees:

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.20	21.00	0.1259	Pass
46	5230	20.50	21.00	0.1259	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.32	0.00	21.32	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.32	0.00	21.32	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	24.33	30.00	1.0000	Pass

The maximum e.i.r.p. at any elevation angle above 30 degrees:

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.46	21.00	0.1259	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.93	0.00	18.93	23.98	0.2500	Pass
60	5300	18.67	0.00	18.67	23.98	0.2500	Pass
64	5320	18.35	0.00	18.35	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.85	0.00	18.85	23.98	0.2500	Pass
60	5300	18.89	0.00	18.89	23.98	0.2500	Pass
64	5320	17.70	0.00	17.70	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.90	23.98	0.2500	Pass
60	5300	21.79	23.98	0.2500	Pass
64	5320	21.05	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.84	0.00	19.84	23.98	0.2500	Pass
60	5300	19.76	0.00	19.76	23.98	0.2500	Pass
64	5320	19.22	0.00	19.22	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.12	0.00	20.12	23.98	0.2500	Pass
60	5300	19.01	0.00	19.01	23.98	0.2500	Pass
64	5320	18.58	0.00	18.58	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.99	23.98	0.2500	Pass
60	5300	22.41	23.98	0.2500	Pass
64	5320	21.92	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.90	0.00	20.90	23.98	0.2500	Pass
62	5310	20.46	0.00	20.46	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.81	0.00	20.81	23.98	0.2500	Pass
62	5310	20.38	0.00	20.38	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.87	23.98	0.2500	Pass
62	5310	23.43	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.74	0.14	20.88	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.61	0.14	20.75	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.83	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.88	0.00	19.88	23.98	0.2500	Pass
60	5300	19.91	0.00	19.91	23.98	0.2500	Pass
64	5320	18.77	0.00	18.77	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.18	0.00	20.18	23.98	0.2500	Pass
60	5300	18.93	0.00	18.93	23.98	0.2500	Pass
64	5320	18.24	0.00	18.24	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	23.04	23.98	0.2500	Pass
60	5300	22.46	23.98	0.2500	Pass
64	5320	21.52	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.05	0.00	21.05	23.98	0.2500	Pass
62	5310	20.48	0.00	20.48	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.79	0.00	20.79	23.98	0.2500	Pass
62	5310	20.37	0.00	20.37	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.93	23.98	0.2500	Pass
62	5310	23.44	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.90	0.00	20.90	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.61	0.00	20.61	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.77	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	21.43	0.00	21.43	30.00	1.0000	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	21.51	0.00	21.51	30.00	1.0000	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	24.48	30.00	1.0000	Pass

The maximum e.i.r.p. at any elevation angle above 30 degrees:

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	20.61	21.00	0.1259	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	21.59	0.13	21.72	30.00	1.0000	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	21.46	0.13	21.59	30.00	1.0000	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	24.67	30.00	1.0000	Pass

The maximum e.i.r.p. at any elevation angle above 30 degrees:

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	20.80	21.00	0.1259	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.70	0.00	19.70	23.98	0.2500	Pass
116	5580	18.84	0.00	18.84	23.98	0.2500	Pass
140	5700	18.32	0.00	18.32	23.98	0.2500	Pass
144	5720	18.54	0.00	18.54	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.14	0.00	19.14	23.98	0.2500	Pass
116	5580	18.54	0.00	18.54	23.98	0.2500	Pass
140	5700	18.15	0.00	18.15	23.98	0.2500	Pass
144	5720	18.39	0.00	18.39	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	22.44	23.98	0.2500	Pass
116	5580	21.70	23.98	0.2500	Pass
140	5700	21.25	23.98	0.2500	Pass
144	5720	21.48	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.81	0.00	19.81	23.98	0.2500	Pass
116	5580	19.38	0.00	19.38	23.98	0.2500	Pass
140	5700	18.75	0.00	18.75	23.98	0.2500	Pass
144	5720	18.37	0.00	18.37	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.24	0.00	20.24	23.98	0.2500	Pass
116	5580	19.16	0.00	19.16	23.98	0.2500	Pass
140	5700	18.61	0.00	18.61	23.98	0.2500	Pass
144	5720	18.59	0.00	18.59	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	23.04	23.98	0.2500	Pass
116	5580	22.28	23.98	0.2500	Pass
140	5700	21.69	23.98	0.2500	Pass
144	5720	21.49	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.56	0.00	20.56	23.98	0.2500	Pass
110	5550	20.93	0.00	20.93	23.98	0.2500	Pass
134	5670	20.44	0.00	20.44	23.98	0.2500	Pass
142	5710	20.63	0.00	20.63	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.53	0.00	20.53	23.98	0.2500	Pass
110	5550	20.82	0.00	20.82	23.98	0.2500	Pass
134	5670	20.53	0.00	20.53	23.98	0.2500	Pass
142	5710	20.80	0.00	20.80	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.56	23.98	0.2500	Pass
110	5550	23.89	23.98	0.2500	Pass
134	5670	23.50	23.98	0.2500	Pass
142	5710	23.73	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.43	0.14	20.57	23.98	0.2500	Pass
122	5610	20.57	0.14	20.71	23.98	0.2500	Pass
138	5690	20.28	0.14	20.42	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.42	0.14	20.56	23.98	0.2500	Pass
122	5610	20.45	0.14	20.59	23.98	0.2500	Pass
138	5690	20.57	0.14	20.71	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.58	23.98	0.2500	Pass
122	5610	23.66	23.98	0.2500	Pass
138	5690	23.57	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	19.72	0.00	19.72	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	19.41	0.00	19.41	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	22.58	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.93	0.00	19.93	23.98	0.2500	Pass
116	5580	19.52	0.00	19.52	23.98	0.2500	Pass
140	5700	19.29	0.00	19.29	23.98	0.2500	Pass
144	5720	18.56	0.00	18.56	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.39	0.00	20.39	23.98	0.2500	Pass
116	5580	19.09	0.00	19.09	23.98	0.2500	Pass
140	5700	19.05	0.00	19.05	23.98	0.2500	Pass
144	5720	18.51	0.00	18.51	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	23.18	23.98	0.2500	Pass
116	5580	22.32	23.98	0.2500	Pass
140	5700	22.18	23.98	0.2500	Pass
144	5720	21.55	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.62	0.00	20.62	23.98	0.2500	Pass
110	5550	20.95	0.00	20.95	23.98	0.2500	Pass
134	5670	20.48	0.00	20.48	23.98	0.2500	Pass
142	5710	20.58	0.00	20.58	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.57	0.00	20.57	23.98	0.2500	Pass
110	5550	20.75	0.00	20.75	23.98	0.2500	Pass
134	5670	20.48	0.00	20.48	23.98	0.2500	Pass
142	5710	20.79	0.00	20.79	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.61	23.98	0.2500	Pass
110	5550	23.86	23.98	0.2500	Pass
134	5670	23.49	23.98	0.2500	Pass
142	5710	23.70	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.41	0.00	20.41	23.98	0.2500	Pass
122	5610	20.55	0.00	20.55	23.98	0.2500	Pass
138	5690	20.31	0.00	20.31	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.49	0.00	20.49	23.98	0.2500	Pass
122	5610	20.50	0.00	20.50	23.98	0.2500	Pass
138	5690	20.85	0.00	20.85	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.46	23.98	0.2500	Pass
122	5610	23.54	23.98	0.2500	Pass
138	5690	23.60	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	20.87	0.13	21.00	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	20.39	0.13	20.52	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	23.78	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT240) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
122	5610	19.11	0.00	19.11	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT240) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
122	5610	19.06	0.00	19.06	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT240) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
122	5610	22.10	23.98	0.2500	Pass

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.68	0.00	25.68	30.00	1.0000	Pass
157	5785	25.38	0.00	25.38	30.00	1.0000	Pass
165	5825	24.33	0.00	24.33	30.00	1.0000	Pass

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.21	0.00	25.21	30.00	1.0000	Pass
157	5785	25.53	0.00	25.53	30.00	1.0000	Pass
165	5825	24.59	0.00	24.59	30.00	1.0000	Pass

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.46	30.00	1.0000	Pass
157	5785	28.47	30.00	1.0000	Pass
165	5825	27.47	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.75	0.00	25.75	30.00	1.0000	Pass
157	5785	25.40	0.00	25.40	30.00	1.0000	Pass
165	5825	24.35	0.00	24.35	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.41	0.00	25.41	30.00	1.0000	Pass
157	5785	25.73	0.00	25.73	30.00	1.0000	Pass
165	5825	24.67	0.00	24.67	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.59	30.00	1.0000	Pass
157	5785	28.58	30.00	1.0000	Pass
165	5825	27.52	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.27	0.00	25.27	30.00	1.0000	Pass
159	5795	25.40	0.00	25.40	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.17	0.00	25.17	30.00	1.0000	Pass
159	5795	24.91	0.00	24.91	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.23	30.00	1.0000	Pass
159	5795	28.17	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.49	0.14	25.63	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.41	0.14	25.55	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	28.60	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.83	0.00	25.83	30.00	1.0000	Pass
157	5785	25.40	0.00	25.40	30.00	1.0000	Pass
165	5825	24.51	0.00	24.51	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.45	0.00	25.45	30.00	1.0000	Pass
157	5785	25.78	0.00	25.78	30.00	1.0000	Pass
165	5825	24.68	0.00	24.68	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.65	30.00	1.0000	Pass
157	5785	28.60	30.00	1.0000	Pass
165	5825	27.61	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.33	0.00	25.33	30.00	1.0000	Pass
159	5795	25.45	0.00	25.45	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.20	0.00	25.20	30.00	1.0000	Pass
159	5795	24.83	0.00	24.83	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.28	30.00	1.0000	Pass
159	5795	28.16	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.51	0.00	23.51	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.44	0.00	23.44	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.49	30.00	1.0000	Pass

Note: Output power = Measure result + Cable loss

Directional Antenna

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.09	0.00	18.09	25.59	0.3622	Pass
40	5200	18.47	0.00	18.47	25.59	0.3622	Pass
48	5240	18.11	0.00	18.11	25.59	0.3622	Pass

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.59	0.00	18.59	25.59	0.3622	Pass
40	5200	18.42	0.00	18.42	25.59	0.3622	Pass
48	5240	18.59	0.00	18.59	25.59	0.3622	Pass

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.36	25.59	0.3622	Pass
40	5200	21.46	25.59	0.3622	Pass
48	5240	21.37	25.59	0.3622	Pass

The maximum e.i.r.p. at any elevation angle above 30 degrees:

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.12	21.00	0.1259	Pass
40	5200	16.22	21.00	0.1259	Pass
48	5240	16.13	21.00	0.1259	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.11	0.10	18.21	25.59	0.3622	Pass
40	5200	18.34	0.10	18.44	25.59	0.3622	Pass
48	5240	18.02	0.10	18.12	25.59	0.3622	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.48	0.10	18.58	25.59	0.3622	Pass
40	5200	18.54	0.10	18.64	25.59	0.3622	Pass
48	5240	18.97	0.10	19.07	25.59	0.3622	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.41	25.59	0.3622	Pass
40	5200	21.55	25.59	0.3622	Pass
48	5240	21.63	25.59	0.3622	Pass

The maximum e.i.r.p. at any elevation angle above 30 degrees:

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.12	21.00	0.1259	Pass
40	5200	16.22	21.00	0.1259	Pass
48	5240	16.13	21.00	0.1259	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.03	0.13	22.16	25.59	0.3622	Pass
46	5230	21.42	0.13	21.55	25.59	0.3622	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.24	0.13	22.37	25.59	0.3622	Pass
46	5230	21.98	0.13	22.11	25.59	0.3622	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.28	25.59	0.3622	Pass
46	5230	24.85	25.59	0.3622	Pass

The maximum e.i.r.p. at any elevation angle above 30 degrees:

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.04	21.00	0.1259	Pass
46	5230	19.61	21.00	0.1259	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.25	0.10	21.35	25.59	0.3622	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.26	0.10	21.36	25.59	0.3622	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	24.37	25.59	0.3622	Pass

The maximum e.i.r.p. at any elevation angle above 30 degrees:

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.13	21.00	0.1259	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.74	0.00	18.74	25.59	0.3622	Pass
40	5200	18.98	0.00	18.98	25.59	0.3622	Pass
48	5240	18.76	0.00	18.76	25.59	0.3622	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.24	0.00	19.24	25.59	0.3622	Pass
40	5200	18.94	0.00	18.94	25.59	0.3622	Pass
48	5240	19.43	0.00	19.43	25.59	0.3622	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.01	25.59	0.3622	Pass
40	5200	21.97	25.59	0.3622	Pass
48	5240	22.12	25.59	0.3622	Pass

The maximum e.i.r.p. at any elevation angle above 30 degrees:

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.77	21.00	0.1259	Pass
40	5200	16.73	21.00	0.1259	Pass
48	5240	16.88	21.00	0.1259	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.22	0.00	22.22	25.59	0.3622	Pass
46	5230	21.63	0.00	21.63	25.59	0.3622	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.42	0.00	22.42	25.59	0.3622	Pass
46	5230	22.18	0.00	22.18	25.59	0.3622	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.33	25.59	0.3622	Pass
46	5230	24.92	25.59	0.3622	Pass

The maximum e.i.r.p. at any elevation angle above 30 degrees:

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.09	21.00	0.1259	Pass
46	5230	19.68	21.00	0.1259	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.87	0.00	19.87	25.59	0.3622	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.93	0.00	19.93	25.59	0.3622	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	22.91	25.59	0.3622	Pass

The maximum e.i.r.p. at any elevation angle above 30 degrees:

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.67	21.00	0.1259	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.48	0.00	12.48	19.57	0.0906	Pass
60	5300	12.64	0.00	12.64	19.57	0.0906	Pass
64	5320	12.99	0.00	12.99	19.57	0.0906	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.87	0.00	12.87	19.57	0.0906	Pass
60	5300	13.22	0.00	13.22	19.57	0.0906	Pass
64	5320	12.93	0.00	12.93	19.57	0.0906	Pass

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.69	19.57	0.0906	Pass
60	5300	15.95	19.57	0.0906	Pass
64	5320	15.97	19.57	0.0906	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.80	0.10	12.90	19.57	0.0906	Pass
60	5300	13.04	0.10	13.14	19.57	0.0906	Pass
64	5320	13.26	0.10	13.36	19.57	0.0906	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.48	0.10	13.58	19.57	0.0906	Pass
60	5300	13.75	0.10	13.85	19.57	0.0906	Pass
64	5320	13.38	0.10	13.48	19.57	0.0906	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.26	19.57	0.0906	Pass
60	5300	16.52	19.57	0.0906	Pass
64	5320	16.43	19.57	0.0906	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.94	0.13	16.07	19.57	0.0906	Pass
62	5310	16.17	0.13	16.30	19.57	0.0906	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.53	0.13	16.66	19.57	0.0906	Pass
62	5310	16.44	0.13	16.57	19.57	0.0906	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.39	19.57	0.0906	Pass
62	5310	19.45	19.57	0.0906	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.93	0.10	16.03	19.57	0.0906	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.74	0.10	16.84	19.57	0.0906	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.46	19.57	0.0906	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.96	0.00	12.96	19.57	0.0906	Pass
60	5300	13.21	0.00	13.21	19.57	0.0906	Pass
64	5320	13.41	0.00	13.41	19.57	0.0906	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.58	0.00	13.58	19.57	0.0906	Pass
60	5300	13.91	0.00	13.91	19.57	0.0906	Pass
64	5320	13.43	0.00	13.43	19.57	0.0906	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.29	19.57	0.0906	Pass
60	5300	16.58	19.57	0.0906	Pass
64	5320	16.43	19.57	0.0906	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.14	0.00	16.14	19.57	0.0906	Pass
62	5310	16.35	0.00	16.35	19.57	0.0906	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.71	0.00	16.71	19.57	0.0906	Pass
62	5310	16.63	0.00	16.63	19.57	0.0906	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.44	19.57	0.0906	Pass
62	5310	19.50	19.57	0.0906	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.11	0.00	16.11	19.57	0.0906	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.93	0.00	16.93	19.57	0.0906	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.55	19.57	0.0906	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	15.68	0.11	15.79	19.57	0.0906	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.13	0.11	16.24	19.57	0.0906	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.03	19.57	0.0906	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	15.86	0.00	15.86	19.57	0.0906	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.29	0.00	16.29	19.57	0.0906	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.09	19.57	0.0906	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.66	0.00	12.66	20.50	0.1122	Pass
116	5580	13.64	0.00	13.64	20.50	0.1122	Pass
140	5700	12.31	0.00	12.31	20.50	0.1122	Pass
144	5720	13.81	0.00	13.81	20.50	0.1122	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.94	0.00	12.94	20.50	0.1122	Pass
116	5580	13.55	0.00	13.55	20.50	0.1122	Pass
140	5700	12.89	0.00	12.89	20.50	0.1122	Pass
144	5720	14.03	0.00	14.03	20.50	0.1122	Pass

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.81	20.50	0.1122	Pass
116	5580	16.61	20.50	0.1122	Pass
140	5700	15.62	20.50	0.1122	Pass
144	5720	16.93	20.50	0.1122	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.06	0.10	13.16	20.50	0.1122	Pass
116	5580	13.40	0.10	13.50	20.50	0.1122	Pass
140	5700	12.08	0.10	12.18	20.50	0.1122	Pass
144	5720	14.58	0.10	14.68	20.50	0.1122	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.62	0.10	13.72	20.50	0.1122	Pass
116	5580	13.44	0.10	13.54	20.50	0.1122	Pass
140	5700	12.64	0.10	12.74	20.50	0.1122	Pass
144	5720	14.92	0.10	15.02	20.50	0.1122	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.46	20.50	0.1122	Pass
116	5580	16.53	20.50	0.1122	Pass
140	5700	15.48	20.50	0.1122	Pass
144	5720	17.86	20.50	0.1122	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.32	0.13	16.45	20.50	0.1122	Pass
110	5550	16.62	0.13	16.75	20.50	0.1122	Pass
134	5670	15.82	0.13	15.95	20.50	0.1122	Pass
142	5710	17.08	0.13	17.21	20.50	0.1122	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.60	0.13	16.73	20.50	0.1122	Pass
110	5550	16.66	0.13	16.79	20.50	0.1122	Pass
134	5670	15.67	0.13	15.80	20.50	0.1122	Pass
142	5710	17.28	0.13	17.41	20.50	0.1122	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.60	20.50	0.1122	Pass
110	5550	19.78	20.50	0.1122	Pass
134	5670	18.89	20.50	0.1122	Pass
142	5710	20.32	20.50	0.1122	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.15	0.10	17.25	20.50	0.1122	Pass
122	5610	16.91	0.10	17.01	20.50	0.1122	Pass
138	5690	16.86	0.10	16.96	20.50	0.1122	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.35	0.10	17.45	20.50	0.1122	Pass
122	5610	16.89	0.10	16.99	20.50	0.1122	Pass
138	5690	17.03	0.10	17.13	20.50	0.1122	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.36	20.50	0.1122	Pass
122	5610	20.01	20.50	0.1122	Pass
138	5690	20.05	20.50	0.1122	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.09	0.11	17.20	20.50	0.1122	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.94	0.11	17.05	20.50	0.1122	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	20.14	20.50	0.1122	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.54	0.00	13.54	20.50	0.1122	Pass
116	5580	14.13	0.00	14.13	20.50	0.1122	Pass
140	5700	12.31	0.00	12.31	20.50	0.1122	Pass
144	5720	15.24	0.00	15.24	20.50	0.1122	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.92	0.00	13.92	20.50	0.1122	Pass
116	5580	14.01	0.00	14.01	20.50	0.1122	Pass
140	5700	12.71	0.00	12.71	20.50	0.1122	Pass
144	5720	15.59	0.00	15.59	20.50	0.1122	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.74	20.50	0.1122	Pass
116	5580	17.08	20.50	0.1122	Pass
140	5700	15.52	20.50	0.1122	Pass
144	5720	18.43	20.50	0.1122	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.98	0.00	16.98	20.50	0.1122	Pass
110	5550	17.29	0.00	17.29	20.50	0.1122	Pass
134	5670	15.94	0.00	15.94	20.50	0.1122	Pass
142	5710	17.21	0.00	17.21	20.50	0.1122	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.28	0.00	17.28	20.50	0.1122	Pass
110	5550	17.33	0.00	17.33	20.50	0.1122	Pass
134	5670	15.86	0.00	15.86	20.50	0.1122	Pass
142	5710	17.41	0.00	17.41	20.50	0.1122	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.14	20.50	0.1122	Pass
110	5550	20.32	20.50	0.1122	Pass
134	5670	18.91	20.50	0.1122	Pass
142	5710	20.32	20.50	0.1122	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.28	0.00	17.28	20.50	0.1122	Pass
122	5610	17.10	0.00	17.10	20.50	0.1122	Pass
138	5690	17.02	0.00	17.02	20.50	0.1122	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.47	0.00	17.47	20.50	0.1122	Pass
122	5610	17.02	0.00	17.02	20.50	0.1122	Pass
138	5690	17.11	0.00	17.11	20.50	0.1122	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.39	20.50	0.1122	Pass
122	5610	20.07	20.50	0.1122	Pass
138	5690	20.08	20.50	0.1122	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.29	0.00	17.29	20.50	0.1122	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.06	0.00	17.06	20.50	0.1122	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	20.19	20.50	0.1122	Pass

Test Mode	UNII-2C_TX BE(EHT240) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
122	5610	17.35	0.12	17.47	20.50	0.1122	Pass

Test Mode	UNII-2C_TX BE(EHT240) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
122	5610	17.36	0.12	17.48	20.50	0.1122	Pass

Test Mode	UNII-2C_TX BE(EHT240) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
122	5610	20.48	20.50	0.1122	Pass

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.07	0.00	23.07	26.52	0.4487	Pass
157	5785	23.29	0.00	23.29	26.52	0.4487	Pass
165	5825	23.03	0.00	23.03	26.52	0.4487	Pass

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.31	0.00	23.31	26.52	0.4487	Pass
157	5785	23.27	0.00	23.27	26.52	0.4487	Pass
165	5825	23.25	0.00	23.25	26.52	0.4487	Pass

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.20	26.52	0.4487	Pass
157	5785	26.29	26.52	0.4487	Pass
165	5825	26.15	26.52	0.4487	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.24	0.10	23.34	26.52	0.4487	Pass
157	5785	23.06	0.10	23.16	26.52	0.4487	Pass
165	5825	23.12	0.10	23.22	26.52	0.4487	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.54	0.10	23.64	26.52	0.4487	Pass
157	5785	23.19	0.10	23.29	26.52	0.4487	Pass
165	5825	23.23	0.10	23.33	26.52	0.4487	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.50	26.52	0.4487	Pass
157	5785	26.24	26.52	0.4487	Pass
165	5825	26.29	26.52	0.4487	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.89	0.13	23.02	26.52	0.4487	Pass
159	5795	23.39	0.13	23.52	26.52	0.4487	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.15	0.13	23.28	26.52	0.4487	Pass
159	5795	23.33	0.13	23.46	26.52	0.4487	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.16	26.52	0.4487	Pass
159	5795	26.50	26.52	0.4487	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.71	0.10	21.81	26.52	0.4487	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.68	0.10	21.78	26.52	0.4487	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.81	26.52	0.4487	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.84	0.00	22.84	26.52	0.4487	Pass
157	5785	23.25	0.00	23.25	26.52	0.4487	Pass
165	5825	23.24	0.00	23.24	26.52	0.4487	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.25	0.00	23.25	26.52	0.4487	Pass
157	5785	23.36	0.00	23.36	26.52	0.4487	Pass
165	5825	23.39	0.00	23.39	26.52	0.4487	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.06	26.52	0.4487	Pass
157	5785	26.32	26.52	0.4487	Pass
165	5825	26.33	26.52	0.4487	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.10	0.00	23.10	26.52	0.4487	Pass
159	5795	23.07	0.00	23.07	26.52	0.4487	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.35	0.00	23.35	26.52	0.4487	Pass
159	5795	23.01	0.00	23.01	26.52	0.4487	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.24	26.52	0.4487	Pass
159	5795	26.05	26.52	0.4487	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.35	0.00	23.35	26.52	0.4487	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.28	0.00	23.28	26.52	0.4487	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.33	26.52	0.4487	Pass

Note: Output power = Measure result + Cable loss


APPENDIX G - POWER SPECTRAL DENSITY

Omnidirectional Antenna


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.60	0.00	12.60	16.22	Pass
40	5200	12.51	0.00	12.51	16.22	Pass
48	5240	12.48	0.00	12.48	16.22	Pass


CH36



CH40




CH48




Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.61	0.00	12.61	16.22	Pass
40	5200	12.36	0.00	12.36	16.22	Pass
48	5240	12.55	0.00	12.55	16.22	Pass


CH36



CH40



CH48




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	15.62	16.22	Pass
40	5200	15.44	16.22	Pass
48	5240	15.53	16.22	Pass


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.62	0.00	12.62	16.22	Pass
40	5200	12.98	0.00	12.98	16.22	Pass
48	5240	12.59	0.00	12.59	16.22	Pass


CH36



CH40




CH48




Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.92	0.00	12.92	16.22	Pass
40	5200	12.60	0.00	12.60	16.22	Pass
48	5240	12.85	0.00	12.85	16.22	Pass


CH36



CH40



CH48



Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	15.78	16.22	Pass
40	5200	15.81	16.22	Pass
48	5240	15.73	16.22	Pass