



Test Mode	IEEE 802.11ax(HE80)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6145	8.35	0.00	15.60	23.00	Pass
6225	8.93	0.00	16.18	23.00	Pass
6385	8.44	0.00	15.69	23.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6625	8.91	0.00	15.84	23.00	Pass
6705	8.79	0.00	15.72	23.00	Pass
6785	9.06	0.00	15.99	23.00	Pass




Test Mode	IEEE 802.11ax(HE80)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6145	7.80	0.00	15.05	23.00	Pass
6225	8.58	0.00	15.83	23.00	Pass
6385	8.04	0.00	15.29	23.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6625	8.27	0.00	15.20	23.00	Pass
6705	9.45	0.00	16.38	23.00	Pass
6785	8.51	0.00	15.44	23.00	Pass




Test Mode	IEEE 802.11ax(HE80)_Total
-----------	---------------------------

Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6145	18.34	23.00	Pass
6225	19.02	23.00	Pass
6385	18.50	23.00	Pass
6625	18.54	23.00	Pass
6705	19.07	23.00	Pass
6785	18.73	23.00	Pass


Test Mode	IEEE 802.11ax(HE160)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6185	3.47	0.00	10.72	23.00	Pass
6345	2.80	0.00	10.05	23.00	Pass
6665	3.83	0.00	10.76	23.00	Pass



Test Mode	IEEE 802.11ax(HE160)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6185	4.20	0.00	11.45	23.00	Pass
6345	2.03	0.00	9.28	23.00	Pass
6665	2.85	0.00	9.78	23.00	Pass




Test Mode	IEEE 802.11ax(HE160)_Total
-----------	----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6185	14.11	23.00	Pass
6345	12.69	23.00	Pass
6665	13.31	23.00	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6115	12.33	0.00	19.58	23.00	Pass
6255	12.82	0.00	20.07	23.00	Pass
6415	12.59	0.00	19.84	23.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	12.45	0.00	19.38	23.00	Pass
6695	13.14	0.00	20.07	23.00	Pass
6855	12.72	0.00	19.65	23.00	Pass




Test Mode	IEEE 802.11be(EHT20)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6115	12.75	0.00	20.00	23.00	Pass
6255	12.27	0.00	19.52	23.00	Pass
6415	12.63	0.00	19.88	23.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	13.24	0.00	20.17	23.00	Pass
6695	12.75	0.00	19.68	23.00	Pass
6855	12.36	0.00	19.29	23.00	Pass




Test Mode	IEEE 802.11be(EHT20)_Total
-----------	----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6115	22.81	23.00	Pass
6255	22.81	23.00	Pass
6415	22.87	23.00	Pass
6535	22.80	23.00	Pass
6695	22.89	23.00	Pass
6855	22.48	23.00	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6125	10.87	0.00	18.12	23.00	Pass
6245	11.99	0.00	19.24	23.00	Pass
6405	11.67	0.00	18.92	23.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	12.10	0.00	19.03	23.00	Pass
6685	12.21	0.00	19.14	23.00	Pass
6845	11.25	0.00	18.18	23.00	Pass




Test Mode	IEEE 802.11be(EHT40)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6125	11.04	0.00	18.29	23.00	Pass
6245	11.79	0.00	19.04	23.00	Pass
6405	11.86	0.00	19.11	23.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	12.01	0.00	18.94	23.00	Pass
6685	12.04	0.00	18.97	23.00	Pass
6845	11.06	0.00	17.99	23.00	Pass




Test Mode	IEEE 802.11be(EHT40)_Total
-----------	----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6125	21.22	23.00	Pass
6245	22.36	23.00	Pass
6405	22.03	23.00	Pass
6565	22.00	23.00	Pass
6685	22.39	23.00	Pass
6845	21.10	23.00	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6145	8.17	0.00	15.42	23.00	Pass
6225	9.38	0.00	16.63	23.00	Pass
6385	8.81	0.00	16.06	23.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6625	9.25	0.00	16.18	23.00	Pass
6705	8.83	0.00	15.76	23.00	Pass
6785	9.16	0.00	16.09	23.00	Pass




Test Mode	IEEE 802.11be(EHT80)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6145	8.47	0.00	15.72	23.00	Pass
6225	8.58	0.00	15.83	23.00	Pass
6385	8.43	0.00	15.68	23.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6625	8.47	0.00	15.40	23.00	Pass
6705	9.29	0.00	16.22	23.00	Pass
6785	8.93	0.00	15.86	23.00	Pass



Test Mode	IEEE 802.11be(EHT80)_Total
-----------	----------------------------

Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6145	18.58	23.00	Pass
6225	19.24	23.00	Pass
6385	18.88	23.00	Pass
6625	18.82	23.00	Pass
6705	19.01	23.00	Pass
6785	18.99	23.00	Pass