



|           |                             |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11be(EHT160)_Ant.1 |
|-----------|-----------------------------|

| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6185                 | 3.98                                       | 0.00             | 11.23                               | 23.00                   | Pass   |
| 6345                 | 2.00                                       | 0.00             | 9.25                                | 23.00                   | Pass   |
| 6665                 | 2.87                                       | 0.00             | 9.80                                | 23.00                   | Pass   |



|           |                             |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11be(EHT160)_Ant.2 |
|-----------|-----------------------------|

| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6185                 | 3.24                                       | 0.00             | 10.49                               | 23.00                   | Pass   |
| 6345                 | 2.98                                       | 0.00             | 10.23                               | 23.00                   | Pass   |
| 6665                 | 3.86                                       | 0.00             | 10.79                               | 23.00                   | Pass   |




|           |                             |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11be(EHT160)_Total |
|-----------|-----------------------------|

| Test Frequency (MHz) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------------------|-------------------------|--------|
| 6185                 | 13.89                               | 23.00                   | Pass   |
| 6345                 | 12.78                               | 23.00                   | Pass   |
| 6665                 | 13.33                               | 23.00                   | Pass   |


|           |                             |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11be(EHT320)_Ant.1 |
|-----------|-----------------------------|

| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6265                 | -1.45                                      | 0.00             | 5.80                                | 23.00                   | Pass   |



|           |                             |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11be(EHT320)_Ant.2 |
|-----------|-----------------------------|

| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6265                 | -0.74                                      | 0.00             | 6.51                                | 23.00                   | Pass   |




|           |                             |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11be(EHT320)_Total |
|-----------|-----------------------------|

| Test Frequency (MHz) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------------------|-------------------------|--------|
| 6265                 | 9.18                                | 23.00                   | Pass   |


## Directional Antenna

|           |                           |
|-----------|---------------------------|
| Test Mode | IEEE 802.11ax(HE20)_Ant.1 |
|-----------|---------------------------|

| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6115                 | 5.76                                       | 0.00             | 19.47                               | 23.00                   | Pass   |
| 6255                 | 5.45                                       | 0.00             | 19.16                               | 23.00                   | Pass   |
| 6415                 | 4.94                                       | 0.00             | 18.65                               | 23.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6535                 | 5.00                                       | 0.00             | 19.27                               | 23.00                   | Pass   |
| 6695                 | 4.28                                       | 0.00             | 18.55                               | 23.00                   | Pass   |
| 6855                 | 5.54                                       | 0.00             | 19.81                               | 23.00                   | Pass   |




|           |                           |
|-----------|---------------------------|
| Test Mode | IEEE 802.11ax(HE20)_Ant.2 |
|-----------|---------------------------|

| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6115                 | 5.64                                       | 0.00             | 19.35                               | 23.00                   | Pass   |
| 6255                 | 5.94                                       | 0.00             | 19.65                               | 23.00                   | Pass   |
| 6415                 | 6.75                                       | 0.00             | 20.46                               | 23.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6535                 | 5.36                                       | 0.00             | 19.63                               | 23.00                   | Pass   |
| 6695                 | 6.13                                       | 0.00             | 20.40                               | 23.00                   | Pass   |
| 6855                 | 5.17                                       | 0.00             | 19.44                               | 23.00                   | Pass   |




|           |                           |
|-----------|---------------------------|
| Test Mode | IEEE 802.11ax(HE20)_Total |
|-----------|---------------------------|


| Test Frequency<br>(MHz) | e.i.r.p. Spectral Density<br>(dBm/MHz) | Maximum Limit<br>(dBm/MHz) | Result |
|-------------------------|----------------------------------------|----------------------------|--------|
| 6115                    | 22.42                                  | 23.00                      | Pass   |
| 6255                    | 22.42                                  | 23.00                      | Pass   |
| 6415                    | 22.66                                  | 23.00                      | Pass   |
| 6535                    | 22.46                                  | 23.00                      | Pass   |
| 6695                    | 22.58                                  | 23.00                      | Pass   |
| 6855                    | 22.64                                  | 23.00                      | Pass   |

|           |                           |
|-----------|---------------------------|
| Test Mode | IEEE 802.11ax(HE40)_Ant.1 |
|-----------|---------------------------|

| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6125                 | 5.66                                       | 0.00             | 19.37                               | 23.00                   | Pass   |
| 6245                 | 5.41                                       | 0.00             | 19.12                               | 23.00                   | Pass   |
| 6405                 | 5.27                                       | 0.00             | 18.98                               | 23.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6565                 | 4.95                                       | 0.00             | 19.22                               | 23.00                   | Pass   |
| 6685                 | 5.72                                       | 0.00             | 19.99                               | 23.00                   | Pass   |
| 6845                 | 5.54                                       | 0.00             | 19.81                               | 23.00                   | Pass   |




|           |                           |
|-----------|---------------------------|
| Test Mode | IEEE 802.11ax(HE40)_Ant.2 |
|-----------|---------------------------|

| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6125                 | 5.97                                       | 0.00             | 19.68                               | 23.00                   | Pass   |
| 6245                 | 6.36                                       | 0.00             | 20.07                               | 23.00                   | Pass   |
| 6405                 | 6.36                                       | 0.00             | 20.07                               | 23.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6565                 | 5.46                                       | 0.00             | 19.73                               | 23.00                   | Pass   |
| 6685                 | 4.43                                       | 0.00             | 18.70                               | 23.00                   | Pass   |
| 6845                 | 5.32                                       | 0.00             | 19.59                               | 23.00                   | Pass   |




|           |                           |
|-----------|---------------------------|
| Test Mode | IEEE 802.11ax(HE40)_Total |
|-----------|---------------------------|


| Test Frequency<br>(MHz) | e.i.r.p. Spectral Density<br>(dBm/MHz) | Maximum Limit<br>(dBm/MHz) | Result |
|-------------------------|----------------------------------------|----------------------------|--------|
| 6125                    | 22.54                                  | 23.00                      | Pass   |
| 6245                    | 22.63                                  | 23.00                      | Pass   |
| 6405                    | 22.57                                  | 23.00                      | Pass   |
| 6565                    | 22.49                                  | 23.00                      | Pass   |
| 6685                    | 21.84                                  | 23.00                      | Pass   |
| 6845                    | 22.71                                  | 23.00                      | Pass   |

|           |                           |
|-----------|---------------------------|
| Test Mode | IEEE 802.11ax(HE80)_Ant.1 |
|-----------|---------------------------|

| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6145                 | 6.17                                       | 0.00             | 19.88                               | 23.00                   | Pass   |
| 6225                 | 5.17                                       | 0.00             | 18.88                               | 23.00                   | Pass   |
| 6385                 | 5.34                                       | 0.00             | 19.05                               | 23.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6625                 | 5.48                                       | 0.00             | 19.75                               | 23.00                   | Pass   |
| 6705                 | 3.97                                       | 0.00             | 18.24                               | 23.00                   | Pass   |
| 6785                 | 4.61                                       | 0.00             | 18.88                               | 23.00                   | Pass   |




|           |                           |
|-----------|---------------------------|
| Test Mode | IEEE 802.11ax(HE80)_Ant.2 |
|-----------|---------------------------|

| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6145                 | 5.44                                       | 0.00             | 19.15                               | 23.00                   | Pass   |
| 6225                 | 6.56                                       | 0.00             | 20.27                               | 23.00                   | Pass   |
| 6385                 | 6.47                                       | 0.00             | 20.18                               | 23.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6625                 | 5.53                                       | 0.00             | 19.80                               | 23.00                   | Pass   |
| 6705                 | 5.85                                       | 0.00             | 20.12                               | 23.00                   | Pass   |
| 6785                 | 6.28                                       | 0.00             | 20.55                               | 23.00                   | Pass   |




|           |                           |
|-----------|---------------------------|
| Test Mode | IEEE 802.11ax(HE80)_Total |
|-----------|---------------------------|

| Test Frequency<br>(MHz) | e.i.r.p. Spectral Density<br>(dBm/MHz) | Maximum Limit<br>(dBm/MHz) | Result |
|-------------------------|----------------------------------------|----------------------------|--------|
| 6145                    | 22.54                                  | 23.00                      | Pass   |
| 6225                    | 22.64                                  | 23.00                      | Pass   |
| 6385                    | 22.66                                  | 23.00                      | Pass   |
| 6625                    | 22.79                                  | 23.00                      | Pass   |
| 6705                    | 22.29                                  | 23.00                      | Pass   |
| 6785                    | 22.81                                  | 23.00                      | Pass   |


|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11ax(HE160)_Ant.1 |
|-----------|----------------------------|

| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6185                 | 1.97                                       | 0.00             | 15.68                               | 23.00                   | Pass   |
| 6345                 | 2.92                                       | 0.00             | 16.63                               | 23.00                   | Pass   |
| 6665                 | 3.24                                       | 0.00             | 17.51                               | 23.00                   | Pass   |



|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11ax(HE160)_Ant.2 |
|-----------|----------------------------|

| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6185                 | 3.40                                       | 0.00             | 17.11                               | 23.00                   | Pass   |
| 6345                 | 2.27                                       | 0.00             | 15.98                               | 23.00                   | Pass   |
| 6665                 | 4.21                                       | 0.00             | 18.48                               | 23.00                   | Pass   |




|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11ax(HE160)_Total |
|-----------|----------------------------|

| Test Frequency (MHz) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------------------|-------------------------|--------|
| 6185                 | 19.46                               | 23.00                   | Pass   |
| 6345                 | 19.33                               | 23.00                   | Pass   |
| 6665                 | 21.03                               | 23.00                   | Pass   |

|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT20)_Ant.1 |
|-----------|----------------------------|

| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6115                 | 5.91                                       | 0.00             | 19.62                               | 23.00                   | Pass   |
| 6255                 | 5.68                                       | 0.00             | 19.39                               | 23.00                   | Pass   |
| 6415                 | 4.84                                       | 0.00             | 18.55                               | 23.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6535                 | 5.44                                       | 0.00             | 19.71                               | 23.00                   | Pass   |
| 6695                 | 4.65                                       | 0.00             | 18.92                               | 23.00                   | Pass   |
| 6855                 | 5.11                                       | 0.00             | 19.38                               | 23.00                   | Pass   |

