



Test Mode	IEEE 802.11ax(HE40)_Ant.4
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6125	-10.71	0.09	-1.61	5.00	Pass
6245	-11.33	0.09	-2.23	5.00	Pass
6405	-10.54	0.09	-1.44	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-10.34	0.09	-1.24	5.00	Pass
6485	-10.76	0.09	-1.66	5.00	Pass
6525	-10.51	0.09	-1.41	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-10.46	0.09	-1.36	5.00	Pass
6685	-10.72	0.09	-1.62	5.00	Pass
6845	-11.30	0.09	-2.20	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6925	-10.31	0.09	-1.21	5.00	Pass
7005	-10.50	0.09	-1.40	5.00	Pass
7085	-10.40	0.09	-1.30	5.00	Pass




Test Mode	IEEE 802.11ax(HE40)_Total
-----------	---------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6125	4.53	5.00	Pass
6245	4.03	5.00	Pass
6405	4.58	5.00	Pass
6445	4.77	5.00	Pass
6485	4.35	5.00	Pass
6525	4.65	5.00	Pass
6565	4.72	5.00	Pass
6685	4.75	5.00	Pass
6845	4.09	5.00	Pass
6925	4.88	5.00	Pass
7005	4.36	5.00	Pass
7085	4.86	5.00	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.1
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6145	-10.07	0.09	-0.97	5.00	Pass
6225	-10.63	0.09	-1.53	5.00	Pass
6385	-10.35	0.09	-1.25	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-10.98	0.09	-1.88	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-10.47	0.09	-1.37	5.00	Pass
6705	-10.15	0.09	-1.05	5.00	Pass
6865	-10.98	0.09	-1.88	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-10.41	0.09	-1.31	5.00	Pass
7025	-10.37	0.09	-1.27	5.00	Pass




Test Mode	IEEE 802.11ax(HE80)_Ant.2
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6145	-10.22	0.09	-1.12	5.00	Pass
6225	-10.45	0.09	-1.35		
6385	-10.45	0.09	-1.35	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-11.00	0.09	-1.90	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-10.50	0.09	-1.40	5.00	Pass
6705	-10.29	0.09	-1.19	5.00	Pass
6865	-11.10	0.09	-2.00	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-10.60	0.09	-1.50	5.00	Pass
7025	-10.44	0.09	-1.34	5.00	Pass




Test Mode	IEEE 802.11ax(HE80)_Ant.3
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6145	-10.21	0.09	-1.11	5.00	Pass
6225	-10.61	0.09	-1.51	5.00	Pass
6385	-10.49	0.09	-1.39	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-11.30	0.09	-2.20	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-10.54	0.09	-1.44	5.00	Pass
6705	-9.96	0.09	-0.86	5.00	Pass
6865	-11.09	0.09	-1.99	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-10.20	0.09	-1.10	5.00	Pass
7025	-10.55	0.09	-1.45	5.00	Pass




Test Mode	IEEE 802.11ax(HE80)_Ant.4
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6145	-10.22	0.09	-1.12	5.00	Pass
6225	-10.43	0.09	-1.33	5.00	Pass
6385	-10.58	0.09	-1.48	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-10.91	0.09	-1.81	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-10.43	0.09	-1.33	5.00	Pass
6705	-10.22	0.09	-1.12	5.00	Pass
6865	-10.88	0.09	-1.78	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-10.10	0.09	-1.00	5.00	Pass
7025	-10.18	0.09	-1.08	5.00	Pass




Test Mode	IEEE 802.11ax(HE80)_Total
-----------	---------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6145	4.94	5.00	Pass
6225	4.68	5.00	Pass
6385	4.65	5.00	Pass
6465	4.08	5.00	Pass
6545	4.64	5.00	Pass
6705	4.97	5.00	Pass
6865	4.11	5.00	Pass
6945	4.80	5.00	Pass
7025	4.74	5.00	Pass

Test Mode	IEEE 802.11ax(HE160)_Ant.1
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6185	-10.81	0.13	-1.67	5.00	Pass
6345	-10.65	0.13	-1.51	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6505	-10.98	0.13	-1.84	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6665	-10.47	0.13	-1.33	5.00	Pass
6825	-10.35	0.13	-1.21	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6985	-10.33	0.13	-1.19	5.00	Pass




Test Mode	IEEE 802.11ax(HE160)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6185	-11.02	0.13	-1.88	5.00	Pass
6345	-10.72	0.13	-1.58	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6505	-10.58	0.13	-1.44	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6665	-10.66	0.13	-1.52	5.00	Pass
6825	-10.65	0.13	-1.51	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6985	-10.25	0.13	-1.11	5.00	Pass



Test Mode	IEEE 802.11ax(HE160)_Ant.3
-----------	----------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6185	-10.92	0.13	-1.78	5.00	Pass
6345	-10.78	0.13	-1.64	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6505	-11.50	0.13	-2.36	5.00	Pass

