



Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.83	0.23	8.05	11.00	Pass
116	5580	7.95	0.23	8.18	11.00	Pass
140	5700	7.40	0.23	7.63	11.00	Pass
144	5720	5.02	0.23	5.25	11.00	Pass


CH100




CH116



CH140




CH144




Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.55	0.23	7.78	11.00	Pass
116	5580	7.42	0.23	7.64	11.00	Pass
140	5700	7.69	0.23	7.92	11.00	Pass
144	5720	4.99	0.23	5.22	11.00	Pass


CH100




CH116



CH140



CH144




Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.93	11.00	Pass
116	5580	10.93	11.00	Pass
140	5700	10.78	11.00	Pass
144	5720	8.25	11.00	Pass


Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.01	0.00	8.01	11.00	Pass
116	5580	8.13	0.00	8.13	11.00	Pass
140	5700	7.55	0.00	7.55	11.00	Pass
144	5720	5.71	0.00	5.71	11.00	Pass


CH100




CH116



CH140




CH144




Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.69	0.00	7.69	11.00	Pass
116	5580	7.69	0.00	7.69	11.00	Pass
140	5700	7.54	0.00	7.54	11.00	Pass
144	5720	4.57	0.00	4.57	11.00	Pass


CH100




CH116



CH140



CH144




Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.86	11.00	Pass
116	5580	10.93	11.00	Pass
140	5700	10.55	11.00	Pass
144	5720	8.19	11.00	Pass


Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.02	0.15	6.18	11.00	Pass
110	5550	6.30	0.15	6.45	11.00	Pass
134	5670	5.69	0.15	5.84	11.00	Pass
142	5710	2.02	0.15	2.17	11.00	Pass


CH102




CH110



CH134




CH142




Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.97	0.15	6.13	11.00	Pass
110	5550	6.13	0.15	6.28	11.00	Pass
134	5670	6.54	0.15	6.69	11.00	Pass
142	5710	1.15	0.15	1.30	11.00	Pass


CH102




CH110



CH134



CH142




Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	9.16	11.00	Pass
110	5550	9.38	11.00	Pass
134	5670	9.30	11.00	Pass
142	5710	4.77	11.00	Pass


Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.71	0.23	2.94	11.00	Pass
122	5610	2.89	0.23	3.12	11.00	Pass
138	5690	-0.78	0.23	-0.55	11.00	Pass


CH106



CH122




CH138




Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	3.51	0.23	3.74	11.00	Pass
122	5610	3.31	0.23	3.54	11.00	Pass
138	5690	-1.65	0.23	-1.42	11.00	Pass


CH106



CH122



CH138




Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	6.37	11.00	Pass
122	5610	6.34	11.00	Pass
138	5690	2.05	11.00	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	0.13	0.11	0.24	11.00	Pass


CH114



Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	0.43	0.11	0.54	11.00	Pass

CH114




Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	3.40	11.00	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.74	0.10	7.84	11.00	Pass
116	5580	8.05	0.10	8.15	11.00	Pass
140	5700	7.53	0.10	7.63	11.00	Pass
144	5720	5.61	0.10	5.71	11.00	Pass

CH100




11:09:40 AM 08/12/2025

CH116




11:11:10 AM 08/12/2025

CH140



11:13:02 AM 08/12/2025

CH144




07:02:11 PM 08/13/2025


Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.54	0.10	7.64	11.00	Pass
116	5580	7.60	0.10	7.70	11.00	Pass
140	5700	7.73	0.10	7.83	11.00	Pass
144	5720	4.60	0.10	4.70	11.00	Pass


CH100




CH116



CH140



CH144




Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.75	11.00	Pass
116	5580	10.94	11.00	Pass
140	5700	10.74	11.00	Pass
144	5720	8.24	11.00	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.15	0.19	6.33	11.00	Pass
110	5550	6.14	0.19	6.32	11.00	Pass
134	5670	5.56	0.19	5.75	11.00	Pass
142	5710	1.71	0.19	1.90	11.00	Pass

CH102




11:04:11 AM 08/12/2025

CH110




11:07:13 AM 08/12/2025

CH134



11:09:11 AM 08/12/2025

CH142




07:03:20 PM 08/13/2025


Test Mode UNII-2C_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.92	0.19	6.11	11.00	Pass
110	5550	5.93	0.19	6.12	11.00	Pass
134	5670	6.40	0.19	6.58	11.00	Pass
142	5710	0.84	0.19	1.03	11.00	Pass


CH102




CH110



CH134



CH142




Test Mode UNII-2C_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	9.23	11.00	Pass
110	5550	9.23	11.00	Pass
134	5670	9.20	11.00	Pass
142	5710	4.50	11.00	Pass


Test Mode UNII-2C_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.58	0.35	2.93	11.00	Pass
122	5610	3.07	0.35	3.42	11.00	Pass
138	5690	-0.63	0.35	-0.28	11.00	Pass


CH106



CH122




CH138




Test Mode UNII-2C_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	3.31	0.35	3.66	11.00	Pass
122	5610	3.47	0.35	3.82	11.00	Pass
138	5690	-1.73	0.35	-1.38	11.00	Pass


CH106



CH122



CH138




Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	6.32	11.00	Pass
122	5610	6.64	11.00	Pass
138	5690	2.22	11.00	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-0.35	0.56	0.20	11.00	Pass


CH114



Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	0.22	0.56	0.77	11.00	Pass

CH114




Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	3.51	11.00	Pass

Test Mode UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.72	11.71	0.23	11.93	30.00	Pass
157	5785	3.95	10.94	0.23	11.17	30.00	Pass
165	5825	3.83	10.82	0.23	11.05	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode UNII-3_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.62	12.61	0.23	12.84	30.00	Pass
157	5785	5.04	12.03	0.23	12.26	30.00	Pass
165	5825	4.79	11.78	0.23	12.01	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$




Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.42	30.00	Pass
157	5785	14.76	30.00	Pass
165	5825	14.56	30.00	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.90	10.89	0.00	10.89	30.00	Pass
157	5785	3.82	10.81	0.00	10.81	30.00	Pass
165	5825	3.90	10.89	0.00	10.89	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.76	11.74	0.00	11.74	30.00	Pass
157	5785	4.64	11.63	0.00	11.63	30.00	Pass
165	5825	4.36	11.35	0.00	11.35	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.35	30.00	Pass
157	5785	14.25	30.00	Pass
165	5825	14.14	30.00	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.52	7.51	0.15	7.66	30.00	Pass
159	5795	1.08	8.07	0.15	8.22	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH151



CH159




Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.78	7.77	0.15	7.92	30.00	Pass
159	5795	1.49	8.48	0.15	8.63	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH151



CH159



Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	10.81	30.00	Pass
159	5795	11.44	30.00	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-2.85	4.14	0.23	4.37	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH155




Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.80	5.18	0.23	5.41	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH155




Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	7.93	30.00	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.11	9.10	0.10	9.20	30.00	Pass
157	5785	2.72	9.71	0.10	9.81	30.00	Pass
165	5825	3.08	10.07	0.10	10.17	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.46	10.45	0.10	10.55	30.00	Pass
157	5785	3.66	10.65	0.10	10.75	30.00	Pass
165	5825	3.79	10.78	0.10	10.88	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.94	30.00	Pass
157	5785	13.32	30.00	Pass
165	5825	13.55	30.00	Pass

Test Mode UNII-3_TX BE(EHT40) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.12	7.11	0.19	7.29	30.00	Pass
159	5795	-0.21	6.78	0.19	6.97	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH151



CH159




Test Mode UNII-3_TX BE(EHT40) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.40	7.39	0.19	7.58	30.00	Pass
159	5795	-0.01	6.98	0.19	7.17	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH151



CH159



Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	10.45	30.00	Pass
159	5795	10.08	30.00	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-3.22	3.77	0.35	4.12	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH155




Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-2.69	4.30	0.35	4.65	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH155



Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	7.40	30.00	Pass

End of Test Report