



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT160) Mode |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|--------|
| 163     | 5815            | 155.200              | 228.063                       | 0.5                             | Pass   |

## CH163 6 dB Bandwidth




## 99 % Occupied Bandwidth




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT20) Mode |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|--------|
| 169     | 5845            | 19.020               | 19.402                        | 0.5                             | Pass   |

## CH169 6 dB Bandwidth




## 99 % Occupied Bandwidth




Test Mode UNII-4\_TX BE(EHT20) Mode

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|--------|
| 173     | 5865            | 19.080               | 19.349                        | 0.5                             | Pass   |
| 177     | 5885            | 19.020               | 19.355                        | 0.5                             | Pass   |



CH173



CH177  
6 dB Bandwidth




99 % Occupied Bandwidth




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT40) Mode |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|--------|
| 167     | 5835            | 37.900               | 38.715                        | 0.5                             | Pass   |

## CH167 6 dB Bandwidth




## 99 % Occupied Bandwidth




|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-4_TX BE(EHT40) Mode |
|-----------|--------------------------|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|--------|
| 175     | 5875            | 37.900               | 38.882                        | 0.5                             | Pass   |

## CH175 6 dB Bandwidth




## 99 % Occupied Bandwidth




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT80) Mode |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|--------|
| 171     | 5855            | 76.561               | 78.151                        | 0.5                             | Pass   |

## CH171 6 dB Bandwidth




## 99 % Occupied Bandwidth




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT160) Mode |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|--------|
| 163     | 5815            | 157.200              | 197.775                       | 0.5                             | Pass   |

## CH163 6 dB Bandwidth



## 99 % Occupied Bandwidth



## **APPENDIX F - MAXIMUM E.I.R.P.**

**Indoor access point**

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3+UNII-4_TX A Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 169     | 5845            | 21.93              | 0.24             | 28.20          | 36.00            | 0.3981         | Pass   |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3+UNII-4_TX A Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 169     | 5845            | 22.34              | 0.24             | 28.61          | 36.00            | 0.3981         | Pass   |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3+UNII-4_TX A Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 169     | 5845            | 31.13          | 36.00            | 0.3981         | Pass   |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-4_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 173     | 5865            | 21.82              | 0.24             | 28.09          | 36.00            | 0.3981         | Pass   |
| 177     | 5885            | 21.78              | 0.24             | 28.05          | 36.00            | 0.3981         | Pass   |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-4_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 173     | 5865            | 22.59              | 0.24             | 28.86          | 36.00            | 0.3981         | Pass   |
| 177     | 5885            | 22.56              | 0.24             | 28.83          | 36.00            | 0.3981         | Pass   |

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-4_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 173     | 5865            | 31.20          | 36.00            | 0.3981         | Pass   |
| 177     | 5885            | 31.16          | 36.00            | 0.3981         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 169     | 5845            | 22.01              | 0.23             | 28.27          | 36.00            | 0.3981         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 169     | 5845            | 22.57              | 0.23             | 28.83          | 36.00            | 0.3981         | Pass   |

|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 169     | 5845            | 31.27          | 36.00            | 0.3981         | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 173     | 5865            | 21.95              | 0.23             | 28.21          | 36.00            | 0.3981         | Pass   |
| 177     | 5885            | 21.99              | 0.23             | 28.25          | 36.00            | 0.3981         | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 173     | 5865            | 22.63              | 0.23             | 28.89          | 36.00            | 0.3981         | Pass   |
| 177     | 5885            | 22.76              | 0.23             | 29.02          | 36.00            | 0.3981         | Pass   |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-4_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 173     | 5865            | 31.27          | 36.00            | 0.3981         | Pass   |
| 177     | 5885            | 31.36          | 36.00            | 0.3981         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 167     | 5835            | 24.53              | 0.48             | 31.04          | 36.00            | 0.3981         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 167     | 5835            | 24.16              | 0.48             | 30.67          | 36.00            | 0.3981         | Pass   |

|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 167     | 5835            | 33.60          | 36.00            | 0.3981         | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 175     | 5875            | 24.39              | 0.48             | 30.90          | 36.00            | 0.3981         | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 175     | 5875            | 24.07              | 0.48             | 30.58          | 36.00            | 0.3981         | Pass   |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-4_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 175     | 5875            | 33.48          | 36.00            | 0.3981         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 171     | 5855            | 24.63              | 0.33             | 30.99          | 36.00            | 0.3981         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 171     | 5855            | 23.78              | 0.33             | 30.14          | 36.00            | 0.3981         | Pass   |

|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 171     | 5855            | 33.34          | 36.00            | 0.3981         | Pass   |

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT160) Mode_Ant. 1 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 163     | 5815            | 18.16              | 0.55             | 24.74          | 36.00            | 0.3981         | Pass   |

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT160) Mode_Ant. 2 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 163     | 5815            | 17.92              | 0.55             | 24.50          | 36.00            | 0.3981         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT160) Mode_Total |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 163     | 5815            | 27.36          | 36.00            | 0.3981         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT20) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 169     | 5845            | 22.35              | 0.11             | 28.49          | 36.00            | 0.3981         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT20) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 169     | 5845            | 22.65              | 0.11             | 28.79          | 36.00            | 0.3981         | Pass   |

|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT20) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 169     | 5845            | 31.36          | 36.00            | 0.3981         | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX BE(EHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 173     | 5865            | 22.13              | 0.11             | 28.27          | 36.00            | 0.3981         | Pass   |
| 177     | 5885            | 22.24              | 0.11             | 28.38          | 36.00            | 0.3981         | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX BE(EHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 173     | 5865            | 22.87              | 0.11             | 29.01          | 36.00            | 0.3981         | Pass   |
| 177     | 5885            | 22.81              | 0.11             | 28.95          | 36.00            | 0.3981         | Pass   |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-4_TX BE(EHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 173     | 5865            | 31.36          | 36.00            | 0.3981         | Pass   |
| 177     | 5885            | 31.39          | 36.00            | 0.3981         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT40) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 167     | 5835            | 24.78              | 0.20             | 31.01          | 36.00            | 0.3981         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT40) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 167     | 5835            | 24.35              | 0.20             | 30.58          | 36.00            | 0.3981         | Pass   |

|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT40) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 167     | 5835            | 33.54          | 36.00            | 0.3981         | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX BE(EHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 175     | 5875            | 24.76              | 0.20             | 30.99          | 36.00            | 0.3981         | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX BE(EHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 175     | 5875            | 24.33              | 0.20             | 30.56          | 36.00            | 0.3981         | Pass   |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-4_TX BE(EHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 175     | 5875            | 33.52          | 36.00            | 0.3981         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT80) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 171     | 5855            | 24.82              | 0.37             | 31.22          | 36.00            | 0.3981         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT80) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 171     | 5855            | 24.14              | 0.37             | 30.54          | 36.00            | 0.3981         | Pass   |

|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT80) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 171     | 5855            | 33.65          | 36.00            | 0.3981         | Pass   |

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT160) Mode_Ant. 1 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 163     | 5815            | 18.48              | 0.61             | 25.12          | 36.00            | 0.3981         | Pass   |

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT160) Mode_Ant. 2 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 163     | 5815            | 18.03              | 0.61             | 24.67          | 36.00            | 0.3981         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT160) Mode_Total |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 163     | 5815            | 27.64          | 36.00            | 0.3981         | Pass   |

Note: Output power = Measure result + Cable loss

**Client device**

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3+UNII-4_TX A Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 169     | 5845            | 16.96              | 0.24             | 23.23          | 30.00            | 1.0000         | Pass   |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3+UNII-4_TX A Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 169     | 5845            | 16.52              | 0.24             | 22.79          | 30.00            | 1.0000         | Pass   |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3+UNII-4_TX A Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 169     | 5845            | 25.76          | 30.00            | 1.0000         | Pass   |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-4_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 173     | 5865            | 16.88              | 0.24             | 23.15          | 30.00            | 1.0000         | Pass   |
| 177     | 5885            | 16.62              | 0.24             | 22.89          | 30.00            | 1.0000         | Pass   |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-4_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 173     | 5865            | 16.34              | 0.24             | 22.61          | 30.00            | 1.0000         | Pass   |
| 177     | 5885            | 16.11              | 0.24             | 22.38          | 30.00            | 1.0000         | Pass   |

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-4_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 173     | 5865            | 25.64          | 30.00            | 1.0000         | Pass   |
| 177     | 5885            | 25.39          | 30.00            | 1.0000         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 169     | 5845            | 16.78              | 0.23             | 23.04          | 30.00            | 1.0000         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 169     | 5845            | 16.52              | 0.23             | 22.78          | 30.00            | 1.0000         | Pass   |

|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 169     | 5845            | 25.65          | 30.00            | 1.0000         | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 173     | 5865            | 16.77              | 0.23             | 23.03          | 30.00            | 1.0000         | Pass   |
| 177     | 5885            | 16.94              | 0.23             | 23.20          | 30.00            | 1.0000         | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 173     | 5865            | 16.54              | 0.23             | 22.80          | 30.00            | 1.0000         | Pass   |
| 177     | 5885            | 16.53              | 0.23             | 22.79          | 30.00            | 1.0000         | Pass   |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-4_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 173     | 5865            | 25.66          | 30.00            | 1.0000         | Pass   |
| 177     | 5885            | 25.75          | 30.00            | 1.0000         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 167     | 5835            | 19.68              | 0.48             | 26.19          | 30.00            | 1.0000         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 167     | 5835            | 19.47              | 0.48             | 25.98          | 30.00            | 1.0000         | Pass   |

|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 167     | 5835            | 28.82          | 30.00            | 1.0000         | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 175     | 5875            | 19.69              | 0.48             | 26.20          | 30.00            | 1.0000         | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 175     | 5875            | 19.48              | 0.48             | 25.99          | 30.00            | 1.0000         | Pass   |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-4_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 175     | 5875            | 28.83          | 30.00            | 1.0000         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 171     | 5855            | 20.58              | 0.33             | 26.94          | 30.00            | 1.0000         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 171     | 5855            | 20.22              | 0.33             | 26.58          | 30.00            | 1.0000         | Pass   |

|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 171     | 5855            | 29.50          | 30.00            | 1.0000         | Pass   |

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT160) Mode_Ant. 1 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 163     | 5815            | 17.54              | 0.55             | 24.12          | 30.00            | 1.0000         | Pass   |

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT160) Mode_Ant. 2 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 163     | 5815            | 17.62              | 0.55             | 24.20          | 30.00            | 1.0000         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT160) Mode_Total |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 163     | 5815            | 26.89          | 30.00            | 1.0000         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT20) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 169     | 5845            | 16.98              | 0.11             | 23.12          | 30.00            | 1.0000         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT20) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 169     | 5845            | 16.63              | 0.11             | 22.77          | 30.00            | 1.0000         | Pass   |

|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT20) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 169     | 5845            | 25.69          | 30.00            | 1.0000         | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX BE(EHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 173     | 5865            | 16.90              | 0.11             | 23.04          | 30.00            | 1.0000         | Pass   |
| 177     | 5885            | 17.09              | 0.11             | 23.23          | 30.00            | 1.0000         | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX BE(EHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 173     | 5865            | 16.55              | 0.11             | 22.69          | 30.00            | 1.0000         | Pass   |
| 177     | 5885            | 16.58              | 0.11             | 22.72          | 30.00            | 1.0000         | Pass   |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-4_TX BE(EHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 173     | 5865            | 25.61          | 30.00            | 1.0000         | Pass   |
| 177     | 5885            | 25.73          | 30.00            | 1.0000         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT40) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 167     | 5835            | 19.75              | 0.20             | 25.98          | 30.00            | 1.0000         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT40) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 167     | 5835            | 19.45              | 0.20             | 25.68          | 30.00            | 1.0000         | Pass   |

|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT40) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 167     | 5835            | 28.57          | 30.00            | 1.0000         | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX BE(EHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 175     | 5875            | 19.59              | 0.20             | 25.82          | 30.00            | 1.0000         | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX BE(EHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 175     | 5875            | 19.31              | 0.20             | 25.54          | 30.00            | 1.0000         | Pass   |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-4_TX BE(EHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 175     | 5875            | 28.42          | 30.00            | 1.0000         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT80) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 171     | 5855            | 17.65              | 0.37             | 24.05          | 30.00            | 1.0000         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT80) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 171     | 5855            | 17.56              | 0.37             | 23.96          | 30.00            | 1.0000         | Pass   |

|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT80) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 171     | 5855            | 26.74          | 30.00            | 1.0000         | Pass   |

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT160) Mode_Ant. 1 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 163     | 5815            | 17.95              | 0.61             | 24.59          | 30.00            | 1.0000         | Pass   |

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT160) Mode_Ant. 2 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor (dB) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|------------------|----------------|--------|
| 163     | 5815            | 18.06              | 0.61             | 24.70          | 30.00            | 1.0000         | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT160) Mode_Total |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|----------------|------------------|----------------|--------|
| 163     | 5815            | 27.37          | 30.00            | 1.0000         | Pass   |

Note: Output power = Measure result + Cable loss


## **APPENDIX G - POWER SPECTRAL DENSITY (E.I.R.P.)**

## Indoor access point

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3+UNII-4_TX A Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 169     | 5845            | 10.37                            | 0.24             | 16.64                                       | 20.00                | Pass   |


### CH169



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3+UNII-4_TX A Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 169     | 5845            | 11.06                            | 0.24             | 17.33                                       | 20.00                | Pass   |

### CH169




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3+UNII-4_TX A Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 169     | 5845            | 19.68                                       | 20.00                | Pass   |


|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-4_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 173     | 5865            | 10.24                            | 0.24             | 16.51                                       | 20.00                | Pass   |
| 177     | 5885            | 10.19                            | 0.24             | 16.46                                       | 20.00                | Pass   |

CH173




CH177




|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-4_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 173     | 5865            | 11.04                            | 0.24             | 17.31                                       | 20.00                | Pass   |
| 177     | 5885            | 11.13                            | 0.24             | 17.40                                       | 20.00                | Pass   |

CH173



CH177




|           |                        |
|-----------|------------------------|
| Test Mode | UNII-4_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 173     | 5865            | 19.61                                       | 20.00                | Pass   |
| 177     | 5885            | 19.63                                       | 20.00                | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 169     | 5845            | 10.46                            | 0.23             | 16.72                                       | 20.00                | Pass   |


CH169



|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 169     | 5845            | 11.21                            | 0.23             | 17.47                                       | 20.00                | Pass   |

CH169




|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 169     | 5845            | 19.80                                       | 20.00                | Pass   |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 173     | 5865            | 10.30                            | 0.23             | 16.56                                       | 20.00                | Pass   |
| 177     | 5885            | 10.23                            | 0.23             | 16.49                                       | 20.00                | Pass   |

CH173




CH177




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 173     | 5865            | 11.17                            | 0.23             | 17.43                                       | 20.00                | Pass   |
| 177     | 5885            | 11.35                            | 0.23             | 17.61                                       | 20.00                | Pass   |

CH173



CH177




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-4_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 173     | 5865            | 19.70                                       | 20.00                | Pass   |
| 177     | 5885            | 19.76                                       | 20.00                | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 167     | 5835            | 9.71                             | 0.48             | 16.22                                       | 20.00                | Pass   |


## CH167



|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 167     | 5835            | 10.21                            | 0.48             | 16.72                                       | 20.00                | Pass   |

## CH167




|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 167     | 5835            | 19.16                                       | 20.00                | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 175     | 5875            | 9.67                             | 0.48             | 16.18                                       | 20.00                | Pass   |


## CH175



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 175     | 5875            | 10.09                            | 0.48             | 16.60                                       | 20.00                | Pass   |

## CH175




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-4_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 175     | 5875            | 19.08                                       | 20.00                | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 171     | 5855            | 6.30                             | 0.33             | 12.66                                       | 20.00                | Pass   |


## CH171



|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 171     | 5855            | 6.97                             | 0.33             | 13.33                                       | 20.00                | Pass   |

## CH171




|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 171     | 5855            | 15.69                                       | 20.00                | Pass   |

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT160) Mode_Ant. 1 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 163     | 5815            | 3.95                             | 0.55             | 10.53                                       | 20.00                | Pass   |


## CH163



|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT160) Mode_Ant. 2 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 163     | 5815            | 4.08                             | 0.55             | 10.66                                       | 20.00                | Pass   |

## CH163




|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT160) Mode_Total |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 163     | 5815            | 13.30                                       | 20.00                | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT20) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 169     | 5845            | 10.19                            | 0.11             | 16.33                                       | 20.00                | Pass   |


CH169



|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT20) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 169     | 5845            | 11.07                            | 0.11             | 17.21                                       | 20.00                | Pass   |

CH169




|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT20) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 169     | 5845            | 19.47                                       | 20.00                | Pass   |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX BE(EHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 173     | 5865            | 10.13                            | 0.11             | 16.27                                       | 20.00                | Pass   |
| 177     | 5885            | 10.04                            | 0.11             | 16.18                                       | 20.00                | Pass   |

CH173




CH177




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX BE(EHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 173     | 5865            | 11.35                            | 0.11             | 17.49                                       | 20.00                | Pass   |
| 177     | 5885            | 11.40                            | 0.11             | 17.54                                       | 20.00                | Pass   |

CH173



CH177




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-4_TX BE(EHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 173     | 5865            | 19.59                                       | 20.00                | Pass   |
| 177     | 5885            | 19.58                                       | 20.00                | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT40) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 167     | 5835            | 9.73                             | 0.20             | 15.96                                       | 20.00                | Pass   |


CH167



|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT40) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 167     | 5835            | 10.01                            | 0.20             | 16.24                                       | 20.00                | Pass   |

CH167




|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT40) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 167     | 5835            | 18.79                                       | 20.00                | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX BE(EHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 175     | 5875            | 9.64                             | 0.20             | 15.87                                       | 20.00                | Pass   |


## CH175



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX BE(EHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 175     | 5875            | 10.17                            | 0.20             | 16.40                                       | 20.00                | Pass   |

## CH175




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-4_TX BE(EHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 175     | 5875            | 18.83                                       | 20.00                | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT80) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 171     | 5855            | 6.40                             | 0.37             | 12.80                                       | 20.00                | Pass   |


## CH171



|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT80) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 171     | 5855            | 7.08                             | 0.37             | 13.48                                       | 20.00                | Pass   |

## CH171




|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT80) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 171     | 5855            | 15.84                                       | 20.00                | Pass   |

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT160) Mode_Ant. 1 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 163     | 5815            | 4.51                             | 0.61             | 11.15                                       | 20.00                | Pass   |


## CH163



|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT160) Mode_Ant. 2 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 163     | 5815            | 4.81                             | 0.61             | 11.45                                       | 20.00                | Pass   |

## CH163



|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT160) Mode_Total |
|-----------|----------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 163     | 5815            | 13.99                                       | 20.00                | Pass   |

## Client device

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3+UNII-4_TX A Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 169     | 5845            | 4.59                             | 0.24             | 10.81                                       | 14.00                | Pass   |


## CH169



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3+UNII-4_TX A Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 169     | 5845            | 5.03                             | 0.24             | 11.25                                       | 14.00                | Pass   |

## CH169




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3+UNII-4_TX A Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 169     | 5845            | 13.78                                       | 14.00                | Pass   |


|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-4_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 173     | 5865            | 4.51                             | 0.24             | 10.73                                       | 14.00                | Pass   |
| 177     | 5885            | 4.40                             | 0.24             | 10.62                                       | 14.00                | Pass   |

CH173




CH177




|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-4_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 173     | 5865            | 5.08                             | 0.24             | 11.30                                       | 14.00                | Pass   |
| 177     | 5885            | 5.00                             | 0.24             | 11.22                                       | 14.00                | Pass   |

CH173



CH177




|           |                        |
|-----------|------------------------|
| Test Mode | UNII-4_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 173     | 5865            | 13.76                                       | 14.00                | Pass   |
| 177     | 5885            | 13.67                                       | 14.00                | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 169     | 5845            | 4.67                             | 0.23             | 10.88                                       | 14.00                | Pass   |


### CH169



|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 169     | 5845            | 5.12                             | 0.23             | 11.33                                       | 14.00                | Pass   |

### CH169




|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 169     | 5845            | 13.85                                       | 14.00                | Pass   |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 173     | 5865            | 4.53                             | 0.23             | 10.74                                       | 14.00                | Pass   |
| 177     | 5885            | 4.45                             | 0.23             | 10.66                                       | 14.00                | Pass   |

CH173




CH177




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 173     | 5865            | 5.03                             | 0.23             | 11.24                                       | 14.00                | Pass   |
| 177     | 5885            | 5.05                             | 0.23             | 11.26                                       | 14.00                | Pass   |

CH173



CH177




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-4_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 173     | 5865            | 13.74                                       | 14.00                | Pass   |
| 177     | 5885            | 13.71                                       | 14.00                | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 167     | 5835            | 4.67                             | 0.48             | 11.13                                       | 14.00                | Pass   |


## CH167



|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 167     | 5835            | 4.88                             | 0.48             | 11.34                                       | 14.00                | Pass   |

## CH167




|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 167     | 5835            | 13.98                                       | 14.00                | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 175     | 5875            | 4.46                             | 0.48             | 10.92                                       | 14.00                | Pass   |


## CH175



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 175     | 5875            | 4.85                             | 0.48             | 11.31                                       | 14.00                | Pass   |

## CH175




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-4_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 175     | 5875            | 13.86                                       | 14.00                | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 171     | 5855            | 4.29                             | 0.33             | 10.60                                       | 14.00                | Pass   |


## CH171



|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 171     | 5855            | 5.09                             | 0.33             | 11.40                                       | 14.00                | Pass   |

## CH171




|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 171     | 5855            | 13.75                                       | 14.00                | Pass   |

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT160) Mode_Ant. 1 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 163     | 5815            | 3.89                             | 0.55             | 10.42                                       | 14.00                | Pass   |


### CH163



|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT160) Mode_Ant. 2 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 163     | 5815            | 4.06                             | 0.55             | 10.59                                       | 14.00                | Pass   |

### CH163




|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX AC(VHT160) Mode_Total |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 163     | 5815            | 13.26                                       | 14.00                | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT20) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 169     | 5845            | 4.67                             | 0.11             | 10.76                                       | 14.00                | Pass   |


## CH169



|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT20) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 169     | 5845            | 5.02                             | 0.11             | 11.11                                       | 14.00                | Pass   |

## CH169




|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT20) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 169     | 5845            | 13.68                                       | 14.00                | Pass   |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX BE(EHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 173     | 5865            | 4.72                             | 0.11             | 10.81                                       | 14.00                | Pass   |
| 177     | 5885            | 4.57                             | 0.11             | 10.66                                       | 14.00                | Pass   |

CH173




CH177




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX BE(EHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 173     | 5865            | 4.89                             | 0.11             | 10.98                                       | 14.00                | Pass   |
| 177     | 5885            | 5.01                             | 0.11             | 11.1                                        | 14.00                | Pass   |

CH173



CH177




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-4_TX BE(EHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 173     | 5865            | 13.65                                       | 14.00                | Pass   |
| 177     | 5885            | 13.63                                       | 14.00                | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT40) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 167     | 5835            | 4.59                             | 0.20             | 10.77                                       | 14.00                | Pass   |


## CH167



|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT40) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 167     | 5835            | 4.59                             | 0.20             | 10.77                                       | 14.00                | Pass   |

## CH167




|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT40) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 167     | 5835            | 13.52                                       | 14.00                | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX BE(EHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 175     | 5875            | 4.32                             | 0.20             | 10.50                                       | 14.00                | Pass   |


## CH175



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-4_TX BE(EHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 175     | 5875            | 4.96                             | 0.20             | 11.14                                       | 14.00                | Pass   |

## CH175




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-4_TX BE(EHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 175     | 5875            | 13.56                                       | 14.00                | Pass   |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT80) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 171     | 5855            | 4.46                             | 0.37             | 10.81                                       | 14.00                | Pass   |


## CH171



|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT80) Mode_Ant. 2 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 171     | 5855            | 4.86                             | 0.37             | 11.21                                       | 14.00                | Pass   |

## CH171




|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT80) Mode_Total |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 171     | 5855            | 13.76                                       | 14.00                | Pass   |

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT160) Mode_Ant. 1 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 163     | 5815            | 4.27                             | 0.61             | 10.86                                       | 14.00                | Pass   |


## CH163



|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT160) Mode_Ant. 2 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|---------------------------------------------|----------------------|--------|
| 163     | 5815            | 4.41                             | 0.61             | 11.00                                       | 14.00                | Pass   |

## CH163



|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-3+UNII-4_TX BE(EHT160) Mode_Total |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (e.i.r.p.) (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|---------------------------------------------|----------------------|--------|
| 163     | 5815            | 13.68                                       | 14.00                | Pass   |

End of Test Report